

Full recorded clip | 19 planning references | 12 conditional chains | sparse inference


Selected answer: green PASS / red FAIL / blue N.A. / yellow UNKNOWN / gray not reached




DISPLAY ONLY alignment; independent forecasts



Overlapping speed forecasts; not one executed speed trace



Descriptive heading, no forced-turn threshold




Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.
Source groups: 3; clip-wide preflight failures: 1 (counted once, not once per reference).

frame_004 | +2.00s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_004 | recorded t=+2.000s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 6
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 7 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.6310645286459382 m | end speed: 7.961585039820428 m/s
Minimum conditional clearance: 1.0436279915714826 m
Plan yaw change: -1.4236893558008699 deg | lateral: -0.3304611630205672 m
Consumed prefix yaw change: -0.7645094084394468 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_006 | +3.00s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_006 | recorded t=+3.000s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T2
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 2.7
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=FAIL | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 6 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_008 | +4.00s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_008 | recorded t=+4.000s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 8
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 8 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.7379647824783555 m | end speed: 8.416982628843119 m/s
Minimum conditional clearance: 1.2393801477523625 m
Plan yaw change: -1.4323949789196755 deg | lateral: -0.34963623163751073 m
Consumed prefix yaw change: -1.4323950009829396 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_010 | +5.00s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_010 | recorded t=+5.000s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T2
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 7
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=FAIL | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 5 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_012 | +6.00s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_012 | recorded t=+6.000s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T4
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 2.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=FAIL | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 5 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: -1.432395001971496 deg | lateral: -0.2099767069848752 m
Consumed prefix yaw change: -1.4323950384939272 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.
REJECTED CANDIDATE / NOT CONSUMED


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_014 | +6.90s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed




frame_014 | recorded t=+6.900s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: stop_yield | desired v: 0.0
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 9 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.7686883437747267 m | end speed: 3.543441716256596 m/s
Minimum conditional clearance: 2.425329884781946 m
Plan yaw change: -3.6913948125002687e-07 deg | lateral: -2.2312313153295036e-08 m
Consumed prefix yaw change: -1.5069380616468155e-07 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_016 | +7.90s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed




frame_016 | recorded t=+7.900s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: stop_yield | desired v: 0.0
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 4 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.3407192403967647 m | end speed: 1.5268421935796461 m/s
Minimum conditional clearance: 2.4598649122370677 m
Plan yaw change: 3.10864358547475e-09 deg | lateral: 1.0259142345173917e-10 m
Consumed prefix yaw change: 1.4433081119349966e-09 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_018 | +8.85s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_018 | recorded t=+8.850s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: stop_yield | desired v: 0.0
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 5 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.30421420944557875 m | end speed: 1.3632546549659663 m/s
Minimum conditional clearance: 2.0271511762988856 m
Plan yaw change: -1.5066900702672113e-06 deg | lateral: -4.679001442725056e-08 m
Consumed prefix yaw change: -6.094251255381528e-07 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_020 | +9.85s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_020 | recorded t=+9.850s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: stop_yield | desired v: 0.0
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 10 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.37236446758350206 m | end speed: 1.6656522069637185 m/s
Minimum conditional clearance: 1.1796162350551258 m
Plan yaw change: -2.0249192555660637e-07 deg | lateral: -6.864470764857676e-09 m
Consumed prefix yaw change: -9.369912077439 08e-08 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_022 | +10.90s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed




frame_022 | recorded t=+10.900s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v2_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 2.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 10 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.5508050763624792 m | end speed: 2.74263059762603 m/s
Minimum conditional clearance: 1.2723571768611068 m
Plan yaw change: -6.535411347491796e-06 deg | lateral: -5.432138279666857e-07 m
Consumed prefix yaw change: -1.2997045995514778e-06 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_024 | +11.90s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_024 | recorded t=+11.900s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T1
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 1
Decision: hold_lane | desired v: 3.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=FAIL | T2=NOT_REACHED | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 9 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_026 | +12.90s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed




frame_026 | recorded t=+12.900s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 4.7
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 6 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 0.9382657518754579 m | end speed: 4.692106991439532 m/s
Minimum conditional clearance: 1.4530187481732948 m
Plan yaw change: -1.651261677761467e-05 deg | lateral: -2.1754888565633146e-06 m
Consumed prefix yaw change: -3.3375327043305676e-06 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_028 | +13.85s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_028 | recorded t=+13.850s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 4.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 6 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.1048821093265555 m | end speed: 5.457879113029534 m/s
Minimum conditional clearance: 3.5946071326295286 m
Plan yaw change: -1.1090962973450 43e-05 deg | lateral: -1.5445626401902311e-06 m
Consumed prefix yaw change: -2.338993718278651e-06 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_030 | +14.90s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_030 | recorded t=+14.900s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 6
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 5 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.2693956675264897 m | end speed: 6.31583750270507 m/s
Minimum conditional clearance: 1.8490307097302716 m
Plan yaw change: 6.445001465652225e-05 deg | lateral: 1.030269331199472e-05 m
Consumed prefix yaw change: 1.1799611882222251e-05 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_032 | +15.90s | FIRST_ATTEMPT_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_032 | recorded t=+15.900s
Status: FIRST_ATTEMPT_PASS | block: NONE
Generating POST attempts: 1 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 1 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 6.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 7 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.4080881357077684 m | end speed: 7.007549223761656 m/s
Minimum conditional clearance: 1.0464633517638717 m
Plan yaw change: -0.3958210276974908 deg | lateral: -0.07219696707960503 m
Consumed prefix yaw change: -0.08066029877336274 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_034 | +16.90s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed




frame_034 | recorded t=+16.900s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T2
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 6.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=FAIL | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 9 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_036 | +17.90s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_036 | recorded t=+17.900s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T2
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 6
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=FAIL | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 10 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_038 | +18.90s | REVISION_PASS


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_038 | recorded t=+18.900s
Status: REVISION_PASS | block: NONE
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 7.0
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=PASS | T3=PASS | T4=PASS | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=PASS | EXECUTION=PASS
Declared actors: 8 | T4: PASS
Prefix: MOVING_PREFIX | consumed: True
Displacement: 1.6365459415301156 m | end speed: 8.129676152953653 m/s
Minimum conditional clearance: 1.2676951927297126 m
Plan yaw change: -1.5526532495866554e-05 deg | lateral: -3.2674546686020176e-06 m
Consumed prefix yaw change: -3.670643359751862e-06 deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.


Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.

frame_039 | +19.40s | TOOL_OR_SEMANTIC_FAILURE


Original image; model dots use display-only z=0 projection



Native model geometry / corridor / trajectory



This forecast only; long tail is not executed



frame_039 | recorded t=+19.400s
Status: TOOL_OR_SEMANTIC_FAILURE | block: T2
Generating POST attempts: 2 | source: online_model
Selected source group: long_clips_20261029_v3_following_deceleration; all group attempts counted above.
Charged attempts: 2 | dispatch/response unknown: 0
Decision: hold_lane | desired v: 7.5
Stages: SERVICE=PASS | BUSINESS_SCHEMA=PASS | T1=PASS | T2=FAIL | T3=NOT_REACHED | T4=NOT_REACHED | TURN_TASK=NOT_APPLICABLE | ACCEPTOR=NOT_REACHED | EXECUTION=NOT_REACHED
Declared actors: 4 | T4: NOT_REACHED
Prefix: NOT_EXECUTED | consumed: False
Displacement: None m | end speed: None m/s
Minimum conditional clearance: None m
Plan yaw change: None deg | lateral: None m
Consumed prefix yaw change: None deg
Turn amplitude task: NOT_APPLICABLE; no forced turn
Unexplained stationary hold review required: False
Behavior / road agreement: independent image review pending.
Image markers are model z=0 projections, not detections or GT.
Model uncertainty is uncalibrated; GT not evaluated.

Recorded observations; every 2s forecast and consumed 0.2s prefix starts independently. Unqueried frames have NO_NEW_PLAN. No stitched execution, counterfactual observations, real vehicle control or GT evaluation.