ASSIGMNENT- Intro to Git

Learn to create branches, switch between them, add files, merge changes into main, and verify history. Optional task shows how to create and resolve a merge conflict.

You are working on a website project called MyWebsite(you can specify your own name/title). Complete the following:

1) Add a home page on main.

2) Create two branches, each adding a unique file: 1.txt and 2.txt.

3) Create a branch contact-us that adds address.txt.

4) Merge contact-us back into main and verify.

5) Verify history/log.

Platform Used : GIT

Name : ISHA

Reg no.GF202569197

MINGW64:/c/ISHU/ISHA-Assignment

```
lalit@RIG MINGW64 /c/ISHU
$ cd ISHA-Assignment/

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ touch main.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git commit -m "added main file"
[main (root-commit) f7c36b4] added main file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 main.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ touch homepage.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git commit -m "added file to main"
[main 044de6f] added file to main
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 homepage.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ |
```

MINGW64:/c/ISHU/ISHA-Assignment

```
lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git checkout -b branch_1
Switched to a new branch 'branch_1'

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ touch file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git commit -m "added text file"
[branch_1 7f092e4] added text file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git checkout -b branch_2
Switched to a new branch 'branch_2'

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ touch file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git commit -m "added txt file 2"
[branch_2 5686067] added txt file 2
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ gi checkout main
bash: gi: command not found

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git checkout main
Switched to branch 'main'
Your branch is based on 'origin/main', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge branch_1
Updating 044de6f..7f092e4
Fast-forward
 file_1.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$
```

MINGW64:/c/ISHU/ISHA-Assignment

```
Switched to a new branch 'branch_1'

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ touch file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git commit -m "added text file"
[branch_1 7f092e4] added text file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_1)
$ git checkout -b branch_2
Switched to a new branch 'branch_2'

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ touch file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git commit -m "added txt file 2"
[branch_2 5686067] added txt file 2
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ gi checkout main
bash: gi: command not found

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git checkout main
Switched to branch 'main'
Your branch is based on 'origin/main', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge branch_1
Updating 044de6f..7f092e4
Fast-forward
 file_1.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge branch_2
Updating 7f092e4..5686067
Fast-forward
 file_2.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$
```

MINGW64:/c/ISHU/ISHA-Assignment

```
lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ gi checkout main
bash: gi: command not found

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (branch_2)
$ git checkout main
Switched to branch 'main'
Your branch is based on 'origin/main', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge branch_1
Updating 044de6f..7f092e4
Fast-forward
 file_1.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_1.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge branch_2
Updating 7f092e4..5686067
Fast-forward
 file_2.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 file_2.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git checkout -b contact-us
Switched to a new branch 'contact-us'

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (contact-us)
$ touch addres.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (contact-us)
$ git add .

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (contact-us)
$ git commit -m "added a address file"
[contact-us aa5af7c] added a address file
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 addres.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (contact-us)
$ git checkout main
Switched to branch 'main'
Your branch is based on 'origin/main', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git merge contact-us
Updating 5686067..aa5af7c
Fast-forward
 addres.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 addres.txt

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ |
```

MINGW64:/c/ISHU/ISHA-Assignment

```
lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git status
On branch main
Your branch is based on 'origin/main', but the upstream is gone.
  (use "git branch --unset-upstream" to fixup)

nothing to commit, working tree clean

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git log
commit aa5af7cd304fa3cb83d5097c64fbb094c1180df5 (HEAD -> main, contact-us)
Author: Lalit-Kumar-Badhotiya <lalitkumar.ac106@gmail.com>
Date:   Sun Aug 17 16:14:57 2025 +0530

    added a address file

commit 568606791d1bd8867e439110ebc69f686b9a0bde (branch_2)
Author: Lalit-Kumar-Badhotiya <lalitkumar.ac106@gmail.com>
Date:   Sun Aug 17 16:11:48 2025 +0530

    added txt file 2

commit 7f092e4fb5187bd26cb183141c3cbbac37dabc86 (branch_1)
Author: Lalit-Kumar-Badhotiya <lalitkumar.ac106@gmail.com>
Date:   Sun Aug 17 16:09:40 2025 +0530

    added text file

commit 044de6fdea4faac850c0014b2507105f223bc8ce
Author: Lalit-Kumar-Badhotiya <lalitkumar.ac106@gmail.com>
Date:   Sun Aug 17 16:06:32 2025 +0530

    added file to main

commit f7c36b4c8b832a291973ed90e0c70ce97f56b68d
Author: Lalit-Kumar-Badhotiya <lalitkumar.ac106@gmail.com>
Date:   Sun Aug 17 16:05:38 2025 +0530

    added main file

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git log -oneline
fatal: unrecognized argument: -oneline

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ ^C


lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ git log --oneline
aa5af7c (HEAD -> main, contact-us) added a address file
5686067 (branch_2) added txt file 2
7f092e4 (branch_1) added text file
044de6f added file to main
f7c36b4 added main file

lalit@RIG MINGW64 /c/ISHU/ISHA-Assignment (main)
$ |
```