MODULE - 2 MCQ

FUNCTIONS

1. Which of the following functions is a built-in function in python?
a) seed()
b) sqrt()
c) factorial()
d) print()

2. What will be the output of the following Python expression?

```
round(4.576)
```

a) 4.5
b) 5
c) 4
d) 4.6

3. What will be the output of the following Python function?

```
all([2,4,0,6])
```

a) Error
b) True
c) False
d) 0

4. What will be the output of the following Python function?

```
any([2>8, 4>2, 1>2])
```

a) Error
b) True
c) False
d) 4>2

5. What will be the output of the following Python function?

```
import math
```

```
abs(math.sqrt(25))
```

a) Error
b) -5
c) 5
d) 5.0

6. What will be the output of the following Python function?

```
sum(2,4,6)

sum([1,2,3])
```

a) Error, 6
b) 12, Error
c) 12, 6
d) Error, Error

7.What will be the output of the following Python function?

```
all(3,0,4.2)
```

a) True
b) False
c) Error
d) 0

8.What will be the output of the following Python function?

```
min(max(False,-3,-4), 2,7)
```

a) 2
b) False
c) -3
d) -4

9. What will be the output of the following Python functions?

```
chr(‘97’)

chr(97)
```

a)a

Error

b)‘a’

a

c)Error

a

d)Error

Error

10. What will be the output of the following Python function?

```
complex(1+2j)
```

a) Error
b) 1
c) 2j
d) 1+2j

11. What will be the output of the following Python function?

```
list(enumerate([2, 3]))
```

a) Error
b) [(1, 2), (2, 3)]
c) [(0, 2), (1, 3)]
d) [(2, 3)]

12.What will be the output of the following Python functions?

```
x=3

eval('x^2')
```

a) Error
b) 1
c) 9
d) 6

13. Which of the following functions accepts only integers as arguments?

a) ord()

b) min()

c) chr()

d) any()

14. Suppose there is a list such that: l=[2,3,4]. If we want to print this list in reverse order, which of the following methods should be used?

a) reverse(l)

b) list(reverse[(l)])

c) reversed(l)

d) list(reversed(l))

15. What will be the output of the following Python function?

```
ord(65)

ord('A')
```

a)A

65

b)Error

65

c)A

Error

d)Error

Error

16. Which of the following functions does not throw an error?

a) ord()

b) ord(‘ ‘)

c) ord(”)

d) ord(“”)

17. What will be the output of the following Python function?

```
len(["hello",2, 4, 6])
```

a) 4
b) 3
c) Error
d) 6

18.Which of the following is the use of function in python?

a) Functions are reusable pieces of programs

b) Functions don’t provide better modularity for your application

c) you can’t also create your own functions

d) All of the mentioned

19.Which keyword is used for function?

a) Fun

b) Define

c) def

d) Function

20. What will be the output of the following Python code?

```
def sayHello():
   print('Hello World!')
sayHello()
sayHello()
```

a)Hello World!

Hello World!

b)'Hello World!'

'Hello World!'

c)Hello

Hello

d) None of the mentioned

21.What will be the output of the following Python code?

```
def printMax(a, b):
    if a > b:
        print(a, 'is maximum')
    elif a == b:
        print(a, 'is equal to', b)
    else:
        print(b, 'is maximum')
printMax(3, 4)
```

a) 3
b) 4
c) 4 is maximum
d) None of the mentioned

22.What will be the output of the following Python code?

```
x = 50
def func(x):
    print('x is', x)
    x = 2
    print('Changed local x to', x)
func(x)
print('x is now', x)
```

a)x is 50

Changed local x to 2

x is now 50

b)x is 50

Changed local x to 2

x is now 2

c)x is 50

Changed local x to 2

x is now 100

d) None of the mentioned

23.What will be the output of the following Python code?

```
x = 50
def func():
    global x
    print('x is', x)
    x = 2
    print('Changed global x to', x)
func()
print('Value of x is', x)
```

a)

x is 50

Changed global x to 2

Value of x is 50

b)

x is 50

Changed global x to 2

Value of x is 2

c)

x is 50

Changed global x to 50

Value of x is 50

d) None of the mentioned

24.What will be the output of the following Python code?

```
def say(message, times = 1):
    print(message * times)
say('Hello')
say('World', 5)
```

a)

Hello

WorldWorldWorldWorldWorld

b)

Hello

World 5

c)

Hello

World,World,World,World,World

d)

Hello

HelloHelloHelloHelloHello

25.What will be the output of the following Python code?

```
def func(a, b=5, c=10):
    print('a is', a, 'and b is', b, 'and c is', c)

func(3, 7)
func(25, c = 24)
func(c = 50, a = 100)
```

a)

a is 7 and b is 3 and c is 10

a is 25 and b is 5 and c is 24

a is 5 and b is 100 and c is 50

b)

a is 3 and b is 7 and c is 10

a is 5 and b is 25 and c is 24

a is 50 and b is 100 and c is 5

c)

a is 3 and b is 7 and c is 10

a is 25 and b is 5 and c is 24

a is 100 and b is 5 and c is 50

d) None of the mentioned

26. What will be the output of the following Python code?

```
def maximum(x, y):
    if x > y:
        return x
    elif x == y:
        return 'The numbers are equal'
    else:
        return y

print(maximum(2, 3))
```

a) 2
b) 3
c) The numbers are equal
d) None of the mentioned

27. Which are the advantages of functions in python?

a) Reducing duplication of code

b) Decomposing complex problems into simpler pieces

c) Improving clarity of the code

d) All of the mentioned

28. What are the two main types of functions?

a) Custom function

b) Built-in function & User defined function

c) User function

d) System function

29.Which of the following is the use of id() function in python?

a) Id returns the identity of the object

b) Every object doesn’t have a unique id

c) All of the mentioned

d) None of the mentioned

30.Which of the following refers to mathematical function?

a) sqrt

b) rhombus

c) add

d) rhombus

31.What will be the output of the following Python code?

```
def cube(x):
    return x * x * x
x = cube(3)
print x
```

a) 9
b) 3
c) 27
d) 30

32. What will be the output of the following Python code?

```
def C2F(c):
    return c * 9/5 + 32
print C2F(100)
print C2F(0)
```

a)

212

32

b)

314

24

c)

567

98

d) None of the mentioned

33.What will be the output of the following Python code?

```
def power(x, y=2):
    r = 1
    for i in range(y):
```

```
        r = r * x
    return r
print power(3)
print power(3, 3)
```

a)

212

32

b)

9

27

c)

567

98

d) None of the mentioned

34.Python supports the creation of anonymous functions at runtime, using a construct called ___________

a) lambda

b) pi

c) anonymous

d) none of the mentioned

35. What will be the output of the following Python code?

```
y = 6
z = lambda x: x * y
print z(8)
```

a) 48
b) 14
c) 64
d) None of the mentioned

36.What will be the output of the following Python code?

```
lamb = lambda x: x ** 3
print(lamb(5))
```

a) 15
b) 555
c) 125
d) None of the mentioned

37. Lambda is a statement.

a) True

b) False

38.Lambda contains block of statements.

a) True

b) False

39.What will be the output of the following Python code?

```
def f(x, y, z): return x + y + z
f(2, 30, 400)
```

a) 432
b) 24000
c) 430
d) No output

40.What will be the output of the following Python code?

```
def writer():
    title = 'Sir'
    name = (lambda x:title + ' ' + x)
    return name

```

```
who = writer()
print(who('Arthur'))
```

a) Arthur Sir
b) Sir Arthur
c) Arthur
d) None of the mentioned

41.What will be the output of the following Python code?

```
L = [lambda x: x ** 2,
        lambda x: x ** 3,
        lambda x: x ** 4]

for f in L:
    print(f(3))
```

a) 27

81

343

b)6

9

12

c)9

27

81

d) None of the mentioned

```
a(c)
```

42.What will be the output of the following Python code?

```
min = (lambda x, y: x if x < y else y)
min(101*99, 102*98)
```

a) 9997
b) 9999
c) 9996
d) None of the mentioned

43.What is a variable defined outside a function referred to as?

a) A static variable

b) A global variable

c) A local variable

d) An automatic variable

44.. What is a variable defined inside a function referred to as?

a) A global variable

b) A volatile variable

c) A local variable

d) An automatic variable

45.What will be the output of the following Python code?

```
def a(b):

    b = b + [5]



c = [1, 2, 3, 4]

a(c)
```

```
print(len(c))
```

a) 4
b) 5
c) 1
d) An exception is thrown

46.What will be the output of the following Python code?

```
a=10

b=20

def change():

    global b

    a=45

    b=56

change()

print(a)

print(b)
```

a)10

56

b)45

56

c)10

20

d) Syntax Error

47.What will be the output of the following Python code?

```
def change(i = 1, j = 2):

    i = i + j

    j = j + 1

    print(i, j)

change(j = 1, i = 2)
```

a) An exception is thrown because of conflicting values
b) 1 2
c) 3 3
d) 3 2

48.If a function doesn't have a return statement, which of the following does the function return?

a) int

b) null

c) None

d) An exception is thrown without the return statement

49.What will be the output of the following Python code?

```
def display(b, n):

    while n > 0:

        print(b,end="")

        n=n-1

display('z',3)
```

a) zzz
b) zz

c) An exception is executed
d) Infinite loop

50.<u>What is the output of this code?</u>

```
name  = "abc"
print(name)

def fun1():
   name = "def"
   print(name)

print(name)
fun1()

def fun2():
   global name
   name = "ghi"
   print(name)

print(name)
fun2()
print(name)
```

a)
abc
abc
def
abc
ghi
ghi

b)
abc
abc
abc

def
ghi
ghi

c)
abc
abc
def
abc
ghi
abc

d)
abc
abc
def
def
ghi
ghi

RECURSION

51 .Fill in the line of the following Python code for calculating the factorial of a number.

```
def fact(num):
    if num == 0:
        return 1
    else:
        return ______________________
```

a) num*fact(num-1)
b) (num-1)*(num-2)
c) num*(num-1)
d) fact(num)*fact(num-1)

52.What will be the output of the following Python code?

```
def test(i,j):

    if(i==0):

        return j

    else:

        return test(i-1,i+j)

print(test(4,7))
```

a) 13
b) 7
c) Infinite loop
d) 17

53 . What happens if the base condition isn't defined in recursive programs?

a) Program gets into an infinite loop

b) Program runs once

c) Program runs n number of times where n is the argument given to the function

d) An exception is thrown

54.
```
import functools

l=[1,2,3,4]

print(functools.reduce(lambda x,y:x*y,l))
```

a) Error

b) 10

c) 24

d) No output

55. What will be the output of the following Python code?

```
l=[1, -2, -3, 4, 5]

def f1(x):

    return x<2

m1=filter(f1, l)

print(list(m1))
```

a) [1, 4, 5]
b) Error
c) [-2, -3]
d) [1, -2, -3]

56.What will be the output of the following Python code?

```
l=[1, 2, 3, 4, 5]

m=map(lambda x:2**x, l)

print(list(m))
```

a) [1, 4, 9, 16, 25]
b) [2, 4, 8, 16, 32]
c) [1, 0, 1, 0, 1]
d) Error

57. What will be the output of the following Python code?

```
list(map((lambda x:x^2), range(10)))
```

a) [0, 1, 4, 9, 16, 25, 36, 49, 64, 81]
b) Error
c) [2, 3, 0, 1, 6, 7, 4, 5, 10, 11]
d) No output

58.The output of the following codes are the same.

```
[x**2 for x in range(10)]

list(map((lambda x:x**2), range(10)))
```

a) True
b) False

59.1. What will be the output of the following Python code?

```
x = ['ab', 'cd']

print(len(list(map(list, x))))))
```

a) 2
b) 4
c) error
d) none of the mentioned

60. What will be the output of the following Python code?

```
x = [12, 34]

print(len(list(map(len, x))))
```

a) 2
b) 1
c) error
d) none of the mentioned

61. What will be the output of the following Python code?

```
x = [12, 34]

print(len(list(map(int, x))))
```

a) 2
b) 1
c) error
d) none of the mentioned

62.What will be the output of the following Python code?

```
x = ['ab', 'cd']

print(list(map(list, x)))
```

a) [‘a’, ‘b’, ‘c’, ‘d’]
b) [[‘ab’], [‘cd’]]
c) [[‘a’, ‘b’], [‘c’, ‘d’]]
d) none of the mentioned

63. What will be the output of the following Python code?

```
x = [12, 34]

print(len(''.join(list(map(str, x)))))
```

a) 4
b) 5
c) 6
d) error

64. What will be the output of the following Python code?

```
x = [12, 34]

print(len(''.join(list(map(str, x)))))
```

a) 4
b) 5
c) 6
d) error

65. What will be the output of the following Python code?

```
elements = [0, 1, 2]

def incr(x):

    return x+1

print(list(map(incr, elements)))
```

a) [1, 2, 3]
b) [0, 1, 2]
c) error
d) none of the mentioned

66. What will be the output of the following Python code?

```
elements = [0, 1, 2]
```

```
def incr(x):

    return x+1

print(list(map(elements, incr)))
```

a) [1, 2, 3]
b) [0, 1, 2]
c) error
d) none of the mentioned

67.What will be the output of the following Python code?

```
x = ['ab', 'cd']

print(map(len, x))
```

a) [‘ab’, ‘cd’]
b) [2, 2]
c) [‘2’, ‘2’]
d) none of the mentioned

68.What will be the output of the following Python code?

```
x = ['ab', 'cd']

print(list(map(len, x)))
```

a) [‘ab’, ‘cd’]
b) [2, 2]
c) [‘2’, ‘2’]
d) none of the mentioned

69.What will be the output of the following Python code?

```
x = ['ab', 'cd']

print(len(list(map(list, x))))
```

a) 2
b) 4
c) error
d) none of the mentioned

70. What will be the output of the following Python code?

```
x = 'abcd'

print(list(map(list, x)))
```

a) [‘a’, ‘b’, ‘c’, ‘d’]
b) [‘abcd’]
c) [[‘a’], [‘b’], [‘c’], [‘d’]]
d) none of the mentioned

71. What will be the output of the following Python code?

```
x = abcd

print(list(map(list, x)))
```

a) [‘a’, ‘b’, ‘c’, ‘d’]
b) [‘abcd’]
c) [[‘a’], [‘b’], [‘c’], [‘d’]]
d) none of the mentioned

72.What will be the output of the following Python code?

```
x = 1234

print(list(map(list, x)))
```

a) [1, 2, 3, 4]
b) [1234]
c) [[1], [2], [3], [4]]
d) none of the mentioned

73.Which of these is the definition for packages in Python?

a) A folder of python modules

b) A set of programs making use of Python modules

c) A set of main modules

d) A number of files containing Python definitions and statements

MODULES

74.Which of these definitions correctly describes a module?

a) Denoted by triple quotes for providing the specification of certain program elements

b) Design and implementation of specific functionality to be incorporated into a program

c) Defines the specification of how it is to be used

d) Any program that reuses code

75. _______ is a string literal denoted by triple quotes for providing the specifications of certain program elements.

a) Interface

b) Modularity

c) Client

d) Docstring

76. What is returned by math.ceil(3.4)?

a) 3

b) 4

c) 4.0

d) 3.0

77. What is the value returned by math.floor(3.4)?

a) 3

b) 4

c) 4.0

d) 3.0

78.What is displayed on executing print(math.fabs(-3.4))?

a) -3.4

b) 3.4

c) 3

d) -3

79. What is the value returned by math.fact(6)?

a) 720

b) 6

c) [1, 2, 3, 6]

d) error

80.What is the value of x if x = math.factorial(0)?

a) 0

b) 1

c) error

d) none of the mentioned

81.What is the result of math.trunc(3.1)?

a) 3.0

b) 3

c) 0.1

d) 1

82.What is returned by int(math.pow(3, 2))?

a) 6

b) 9

c) error, third argument required

d) error, too many arguments

83.What is output of print(math.pow(3, 2))?

a) 9

b) 9.0

c) None

d) None of the mentioned

84.What is the value of x if x = math.sqrt(4)?

a) 2

b) 2.0

c) (2, -2)

d) (2.0, -2.0)

85.What does math.sqrt(X, Y) do?

a) calculate the Xth root of Y

b) calculate the Yth root of X

c) error

d) return a tuple with the square root of X and Y

86.What will be the output of the following Python code?

```
import datetime

d=datetime.date(2016,7,24)
```

```
print(d)
```

a) Error

b) 2016-07-24

c) 2017-7-24

d) 24-7-2017

87.What will be the output of the following Python code?

```
import time

time.time()
```

a) The number of hours passed since 1st January, 1970
b) The number of days passed since 1st January, 1970
c) The number of seconds passed since 1st January, 1970
d) The number of minutes passed since 1st January, 1970

88.The sleep function (under the time module) is used to ___________

a) Pause the code for the specified number of seconds

b) Return the specified number of seconds, in terms of milliseconds

c) Stop the execution of the code

d) Return the output of the code had it been executed earlier by the specified number of seconds

89.What will be the output of the following Python code?

```
import time

for i in range(0,5):
```

```
    print(i)
    time.sleep(2)
```

a) After an interval of 2 seconds, the numbers 1, 2, 3, 4, 5 are printed all together
b) After an interval of 2 seconds, the numbers 0, 1, 2, 3, 4 are printed all together
c) Prints the numbers 1, 2, 3, 4, 5 at an interval of 2 seconds between each number
d) Prints the numbers 0, 1, 2, 3, 4 at an interval of 2 seconds between each number

90.To include the use of functions which are present in the random library, we must use the option:

a) import random

b) random.h

c) import.random

d) random.random

91.The output of the following Python code is either 1 or 2.

```
import random
random.randint(1,2)
```

a) True
b) False

92.What will be the output of the following Python code?

```
import random
random.choice(2,3,4)
```

a) An integer other than 2, 3 and 4
b) Either 2, 3 or 4
c) Error

d) 3 only

93.What will be the output of the following Python code?

```
import random

random.choice([10.4, 56.99, 76])
```

a) Error
b) Either 10.4, 56.99 or 76
c) Any number other than 10.4, 56.99 and 76
d) 56.99 only

94.What will be the output of the following Python function (random module has already been imported)?

```
random.choice('sun')
```

a) sun
b) u
c) either s, u or n
d) error

95. Which of the following functions helps us to randomize the items of a list?

a) seed

b) randomise

c) shuffle

d) uniform

96. What is the interval of the value generated by the function random.random(), assuming that the random module has already been imported?

a) (0,1)

b) (0,1]

c) [0,1]

d) [0,1)

97.Which of the following will not be returned by random.choice(“1 ,”)?

a) 1

b) (space)

c) ,

d) none of the mentioned

98.What does random.shuffle(x) do when x = [1, 2, 3]?

a) error

b) do nothing, it is a placeholder for a function that is yet to be implemented

c) shuffle the elements of the list in-place

d) none of the mentioned

99.Which type of elements are accepted by random.shuffle()?

a) strings

b) lists

c) tuples

d) integers

100.What will be the output of the following Python code?

```
from math import factorial

print(math.factorial(5))
```

a) 120
b) Nothing is printed
c) Error, method factorial doesn’t exist in math module
d) Error, the statement should be: print(factorial(5))

EXCEPTION HANDLING

101.How many except statements can a try-except block have?

a) zero

b) one

c) more than one

d) more than zero

102. When will the else part of try-except-else be executed?

a) always

b) when an exception occurs

c) when no exception occurs

d) when an exception occurs in to except block

103.Is the following Python code valid?

```
try:

    # Do something

except:

    # Do something

finally:

    # Do something
```

a) no, there is no such thing as finally
b) no, finally cannot be used with except
c) no, finally must come before except
d) yes

104. Is the following Python code valid?

```
try:

    # Do something

except:

    # Do something

else:

    # Do something
```

a) no, there is no such thing as else
b) no, else cannot be used with except
c) no, else must come before except
d) yes

105.Can one block of except statements handle multiple exception?

a) yes, like except TypeError, SyntaxError [,…]

b) yes, like except [TypeError, SyntaxError]

c) no

d) none of the mentioned

106.When is the finally block executed?

a) when there is no exception

b) when there is an exception

c) only if some condition that has been specified is satisfied

d) always

107.What will be the output of the following Python code?

```
def foo():
    try:
        return 1
    finally:
        return 2
k = foo()
print(k)
```

a) 1

b) 2

c) 3

d) error, there is more than one return statement in a single try-finally block

108. What will be the output of the following Python code?

```
def foo():
    try:
        print(1)
    finally:
        print(2)
foo()
```

a) 1 2
b) 1
c) 2
d) none of the mentioned

109.What happens when ‘1’ == 1 is executed?

a) we get a True

b) we get a False

c) an TypeError occurs

d) a ValueError occurs

110. Which of the following is not an exception handling keyword in Python?

a) try

b) except

c) accept

d) finally

111.What will be the output of the following Python code?

```
lst = [1, 2, 3]

lst[3]
```

a) NameError
b) ValueError
c) IndexError
d) TypeError

112.What will be the output of the following Python code?

```
t[5]
```

a) IndexError
b) NameError
c) TypeError
d) ValeError

113.What will be the output of the following Python code, if the time module has already been imported?

```
4 + '3'
```

a) NameError
b) IndexError
c) ValueError
d) TypeError

114.Which of the following is not a standard exception in Python?

a) NameError

b) IOError

c) AssignmentError

d) ValueError

115.Syntax errors are also known as parsing errors.

a) True

b) False

116________________________ exceptions are raised as a result of an error in opening a particular file.

a) ValueError

b) TypeError

c) ImportError

d) IOError

117.Which of the following blocks will be executed whether an exception is thrown or not?

a) except

b) else

c) finally

d) assert

118.To open a file c:\scores.txt for reading, we use _____________

a) infile = open(“c:\scores.txt”, “r”)

b) infile = open(“c:\\scores.txt”, “r”)

c) infile = open(file = “c:\scores.txt”, “r”)

d) infile = open(file = “c:\\scores.txt”, “r”)

119.To open a file c:\scores.txt for writing, we use ____________

a) outfile = open(“c:\scores.txt”, “w”)

b) outfile = open(“c:\\scores.txt”, “w”)

c) outfile = open(file = “c:\scores.txt”, “w”)

d) outfile = open(file = “c:\\scores.txt”, “w”)

120. To open a file c:\scores.txt for appending data, we use ____________

a) outfile = open(“c:\\scores.txt”, “a”)

b) outfile = open(“c:\\scores.txt”, “rw”)

c) outfile = open(file = “c:\scores.txt”, “w”)

d) outfile = open(file = “c:\\scores.txt”, “w”)

121.Which of the following statements are true?

a) When you open a file for reading, if the file does not exist, an error occurs

b) When you open a file for writing, if the file does not exist, a new file is created

c) When you open a file for writing, if the file exists, the existing file is overwritten with the new file

d) All of the mentioned

122.To read the entire remaining contents of the file as a string from a file object infile, we use _____________

a) infile.read(2)

b) infile.read()

c) infile.readline()

d) infile.readlines()

123.To read the next line of the file from a file object infile, we use _____________

a) infile.read(2)

b) infile.read()

c) infile.readline()

d) infile.readlines()

124.To read the remaining lines of the file from a file object infile, we use ____________

a) infile.read(2)

b) infile.read()

c) infile.readline()

d) infile.readlines()

125.The readlines() method returns ____________

a) str

b) a list of lines

c) a list of single characters

d) a list of integers

126 .What is the use of tell() method in python?

a) tells you the current position within the file

b) tells you the end position within the file

c) tells you the file is opened or not

d) none of the mentioned

127.What is the current syntax of rename() a file?

a) rename(current_file_name, new_file_name)

b) rename(new_file_name, current_file_name,)

c) rename(()(current_file_name, new_file_name))

d) none of the mentioned

128. What is the current syntax of remove() a file?

a) remove(file_name)

b) remove(new_file_name, current_file_name,)

c) remove(() , file_name))

d) none of the mentioned

129.What is the use of seek() method in files?

a) sets the file's current position at the offset

b) sets the file's previous position at the offset

c) sets the file's current position within the file

d) none of the mentioned

130.Which of the following mode will refer to binary data?

a) r

b) w

c) +

d) b

131.In file handling, what does this terms means “r, a”?

a) read, append

b) append, read

c) write, append

d) none of the mentioned

132. What is the use of “w” in file handling?

a) Read

b) Write

c) Append

d) None of the mentioned

133.What is the use of “a” in file handling?

a) Read

b) Write

c) Append

d) None of the mentioned

134. Which function is used to read all the characters?

a) Read()

b) Readcharacters()

c) Readall()

d) Readchar()

135.Which function is used to read single line from file?

a) Readline()

b) Readlines()

c) Readstatement()

d) Readfullline()

136.Which function is used to write all the characters?

a) write()

b) writecharacters()

c) writeall()

d) writechar()

137.Which function is used to close a file in python?

a) Close()

b) Stop()

c) End()

d) Closefile()

138.Is it possible to create a text file in python?

a) Yes

b) No

c) Machine dependent

d) All of the mentioned

139.How do you close a file object (fp)?

a) close(fp)

b) fclose(fp)

c) fp.close()

d) fp.__close__()

140.How do you delete a file?

a) del(fp)

b) fp.delete()

c) os.remove('file')

d) os.delete('file')

<u>REGULAR EXPRESSION</u>

141.Which module in Python supports regular expressions?

a) re

b) regex

c) pyregex

d) none of the mentioned

142.Which of the following creates a pattern object?

a) re.create(str)

b) re.regex(str)

c) re.compile(str)

d) re.assemble(str)

143.What does the function re.match do?

a) matches a pattern at the start of the string

b) matches a pattern at any position in the string

c) such a function does not exist

d) none of the mentioned

144.What does the function re.search do?

a) matches a pattern at the start of the string

b) matches a pattern at any position in the string

c) such a function does not exist

d) none of the mentioned

145.________ matches the start of the string.

________ matches the end of the string.

a) ‘^’, ‘$’

b) ‘$’, ‘^’

c) ‘$’, ‘?’

d) ‘?’, ‘^’

146.The function of re.search is __________

a) Matches a pattern at the start of the string

b) Matches a pattern at the end of the string

c) Matches a pattern from any part of a string

d) Such a function does not exist

147.Which of the following functions creates a Python object?

a) re.compile(str)

b) re.assemble(str)

c) re.regex(str)

d) re.create(str)

148.The function of re.match is _____________

a) Error

b) Matches a pattern anywhere in the string

c) Matches a pattern at the end of the string

d) Matches a pattern at the start of the string

149.Which of the following functions does not accept any argument?

a) re.purge

b) re.compile

c) re.findall

d) re.match

150.What will be the output of the following Python code?

```
re.findall('good', 'good is good')
```

```
re.findall('good', 'bad is good')
```

a)

[‘good’, ‘good’]

[‘good’]

b)

(‘good’, ‘good’)

(good)

c)

(‘good’)

(‘good’)

d)

[‘good’]

[‘good’]