

Manual Writing Samples

Dr. Mohd Hamid Raza
Assistant Professor
Dept. of English
GLA University, Mathura



Full Installation Guide

Before you start

Stay safe

What's in your box?

Got your tools ready?

Take care of your safety

Ready... set... get installing!

Step 1: Attach the adapter to the TV

Step 2: Attach the wall mount to the wall

Step 3: Attach the TV to the wall mount

Handy features

Tilt to avoid reflections

Guide your cables

Removing your TV

Tell us how you feel!

Confused? Unsure? Going crazy?

Simple troubleshooting

FAQs


Go green!

Guarantee



Language

TVM 1220 Series
TVM 1240 Series



Online user manual that we created for Royal Smeva



- Smeva Market
- About this manual
- About the Smeva Market
- Safety instructions
- Transport handling
- Installation**
- Operating instructions
- Cleaning and maintenance
- Troubleshooting repair
- Deinstallation disposal
- Appendix installation checklist
- Appendix declaration of conformity

5. INSTALLATION

⚠ WARNING


- Inspect the cabinet for damage before installing or operating the device. If the device is damaged, do not use it. Contact the manufacturer to have the cabinet inspected and repaired.
- Only use single-phase AC power at 230 V. For more information, see 2.3 *Technical data*. Do not use any other voltage.

NOTICE

This section is for the authorised installer of the Smeva Market only.

5.1 UNPACKING THE SMEVA MARKET

1. Unpack the Smeva Market. Dispose of the packaging in a correct manner.



Download Java

You need Java version x to successful run Widgety Widget.

1. Navigate to URL.
2. Determine if you need 36- or 64-bit.
 - a. Check your system control panel.
 - b. Run command -x.

If your system shows 64-bit in either of these areas, then you are running a 64-bit system and need to download the right version of Java.

3. Select the version and download.

Parent topic: [Check requirements](#)

Previous topic: [Check requirements](#)

Next topic: [Download Windows update](#)

Stress Reduction

**Bang
Head
Here**

Directions:

- 1. Place on FIRM surface.**
- 2. Follow direction in circle.**
- 3. Repeat step 2 as necessary, or until unconscious.**
- 4. If unconscious, cease stress reduction activity.**

4.4 Filling the appliance with water



CAUTION! Do not insert the plug of the boiler into the earthed AC wall socket! First fill the system with cold water according to the instructions in this section.

To fill the appliance with cold water:

Step	Action
1	Make sure all connections are tightened properly to prevent leakages.
2	Make sure water can drip freely from the pressure-relief device (22).
3	If the mixing valve is (D) installed, set the temperature with the temperature regulator (34).
4	Make sure the valve (16) on the pressure safety valve is in the OPEN position.
5	Open the cold water supply valve.
6	If present, open the warm water supply valve.
7	Check all connections for water tightness.
8	Push and hold the button on the boiling water handle (11). Turn the handle counterclockwise to open the valve. Keep the valve open until a constant flow of water flows out the spout.
9	Move the mixer handle (12) to the right to open the valve. Keep the valve open until a constant flow of water flows out the spout. The system is now fully filled with water.

Example of clear instructions

I How to Insert a Cross-Reference—Standard Method

1. Open the content file.
2. In the XML Editor place your cursor where you want to insert the cross-reference.
3. Do one of the following, depending on the part of the user interface you are using:
 - **Ribbon** Select the **Insert > Cross-Reference**.
 - **Keyboard Shortcut** Press **CTRL+SHIFT+R**.
 - **Local Toolbar** In the local toolbar of the XML Editor, click .
 - **Right-Click** Right-click in the editor and select **Insert > Cross-Reference**. This context menu option is available only when your cursor is located in certain places in the editor (e.g., not in a drop-down effect).

The Insert Cross-Reference dialog opens.

4. From the **Link to** drop-down field, select a way to identify the topic or bookmark to which you want to link. Based on the option you choose, the section below gives you a list of selections or additional fields to complete.

GETTING STARTED

You need to turn the power on and (in the terminology of the Displaywriter) "load programs" from "program diskettes". There are two program diskettes, which contain the programs you will need to use the Displaywriter.

PRESS THE RIGHT SIDE OF THE POWER SWITCH (LOCATED ON THE ELECTRONICS MODULE – LOOK AT THE DRAWING ONE PAGE BACK) TO TURN ON THE DISPLAYWRITER.

After several seconds, the letters "IBM" should appear on the screen. You can adjust the control knobs on the Display unit so that the letters are bright green on a dark background. You can also tilt and turn the display for your comfort.

► If the letters do not appear, turn the system off, wait a few seconds, and then turn it on again, adjusting the Display control knobs. If the letters still don't appear call the IBM Office Support

TASK SELECTION

In the TASK SELECTION menu you choose the general kind of work that you want to do. To type (create) a document, choose TYPING TASKS.

Can you find this prompt on the screen?:

Type **ID** letter to choose **ITEM**; press **ENTER**.

TYPE AN a, THE ID LETTER FOR TYPING TASKS, AND THEN PRESS THE ENTER KEY.

► If you typed the wrong ID letter, just press BKSP (backspace) to remove the incorrect letter.

► If you typed the wrong letter **AND** pressed ENTER too, hold down the CODE key and press Selection menu to start over. CANCL and REQST are on the same key. If you don't hold down CODE when you press CANCL, you will get REQST (Request) instead of CANCL. You can correct this by trying CANCL again, this time while holding down.

The Displaywriter prompts you to insert the Vol. 2 program diskette. Its name begins with the number "6". You will find this diskette in the vinyl pocket in the back of this book.

INSERT THE VOL. 2 PROGRAM DISKETTE.

SAVING A PROTOTYPE

To save a prototype, choose the **Save As** command from the File menu. Prototype Scenario **first asks if you want to add** your prototype to a prototype library. If you answer Yes, **it displays another dialog box** for you to select the library to which you want to add the prototype. **Then, another dialog box is displayed** to enter the name of the prototype.

If you do not want to save your prototype to a prototype library, **choose the Save As command** from the File menu and answer No. A file selector dialog box appears and asks for a file name. **Specify a name with an .ivp extension.** Note that a prototype that is not contained in a prototype library does not appear in the Prototypes palettes, so you cannot create instances of this prototype in panels from within ASTOR Studio. It is strongly suggested that you use prototype libraries instead of saving each prototype in its own file.

Avec le minimalisme

SAVING A PROTOTYPE

You can save a prototype to a prototype library or to its own file.

Saving a prototype to a prototype library

When a prototype is saved, all the panels containing instances of that prototype are updated with the new prototype definition.

- 1 ▪ In the **File** menu, select **Save as**
- 2 ▪ Select **Save to the prototype library**
- 3 ▪ In the **Save prototype** dialog box, select the library
- 4 ▪ In the **Save as** dialog box, enter the name of the prototype.

Saving a prototype to a file

When you save a prototype to a file, it is not contained in a prototype library and does not appear in the Prototypes palette. You cannot create instances of the prototype in panels.

- 1 ▪ In the **File** menu, select **Save as**
- 2 ▪ Select **No**
- 3 ▪ In the **File** dialog box type the file name with an .ivp extension

Examples of approved words in the STE dictionary

Word (part of speech)	Approved meaning/ ALTERNATIVES	APPROVED EXAMPLE	Not approved
ILLUMINATE (v), ILLUMINATES, ILLUMINATED, ILLUMINATED	To make something visible by an external source such as light <u>NOTE:</u> For lights or lamps, use: COME ON	MAKE SURE THAT THE STROBE LIGHT ILLUMINATES THE TRACKING PLATES.	
		WHEN THE LIGHT COMES ON, IT MUST ILLUMINATE THE REAR REFLECTOR.	
	ARE ON	MAKE SURE THAT THE LAMP COMES ON.	Ensure the lamp illuminates.
		MAKE SURE THAT THE LAMP IS ON.	Ensure the lamp is illuminated.
immediate (adj)	IMMEDIATELY (adv)	MAKE SURE THAT THE SPEEDBRAKE RETRACTS IMMEDIATELY.	Check the speedbrake for immediate retraction.
IMMEDIATELY (adv)	Without a gap of time or space	MAKE SURE THAT THE SWITCH IMMEDIATELY GOES BACK TO "OFF".	

An example of some of the STE writing rules

Section 1 - Words

Summary of the rules

Which words can you use?

- Rule 1.1 You can use words that are:
- Approved in the dictionary
 - Technical names
 - Technical verbs.

Part of speech

- Rule 1.2 Use approved words from the dictionary only as the part of speech given.

Approved meaning

- Rule 1.3 Use approved words only with their approved meanings.

Forms of verbs and adjectives

- Rule 1.4 Use only the approved forms of verbs and adjectives.

Technical names

- Rule 1.5 You can use words that you can include in a technical name category.
- Rule 1.6 Use a word that is unapproved in the dictionary only when it is a technical name or part of a technical name.
- Rule 1.7 Do not use words that are technical names as verbs.
- Rule 1.8 Use technical names that agree with approved nomenclature.
- Rule 1.9 When you must select a technical name, use one which is short and easy to understand.
- Rule 1.10 Do not use slang or jargon words as technical names.
- Rule 1.11 Do not use different technical names for the same item.

Technical verbs

- Rule 1.12 You can use verbs that you can include in a technical verb category.
- Rule 1.13 Do not use technical verbs as nouns.

Spelling

- Rule 1.14 Use American English spelling.

Examples of different information products output and information types.

Information types

Conceptual information

- Concepts
- Safety notes
- Others

Instructional information

- Procedures
- Warning messages
- Others

Reference information

- Troubleshooting
- Maintenance schedule
- Others

Information product development



Example of output (information products)

Troubleshooting information

Service information

Product tutorial

Information for operation

Functional description

Installation planning information

Information for assembly

Information for maintenance

Instructions

Instruction handbook



⚠ WARNING


This is a warning. A warning is conceptual information because it gives the user information for an adequate execution of tasks.

This is conceptual information. Provide conceptual information when it is necessary to give the user information for an adequate understanding and execution of tasks.

To install SUBELEMENT A:

1. This is instructional information.
2. Complete an action. This is instructional information.
3. Push the button. The LED blinks red for 3 seconds.
4. Select a value (see fig. 1). For more information about TOPIC, See Chapter *This is reference information*

A well-structured safety message



Example retaining information, which is directional safety information

NOTICE

**Read and understand
operator's manual
and all other safety
instructions before
using this equipment.**



2. SAFETY INFORMATION

2.1 Introduction

Before the installation and use of the appliance, carefully read the supplied instructions. Refer to the separate manuals supplied with the other components for other relevant information.

The manufacturer is not responsible if an incorrect installation and/or use causes injuries and damages. Always keep the instructions with the appliance for future reference. The information in this manual is subject to change without notice.


2.2 Children and vulnerable people safety



WARNING! Risk of suffocation, injury or permanent disability.

- The appliance should not be used by children younger than 8 years.
- Children aged from 8 years and above must be supervised or instructed concerning the use of the appliance in a safe way and must understand the hazards involved.
- Persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge must be supervised or instructed concerning the use of the appliance in a safe way and must understand the hazards involved.

Example of an infographic



1988 год
начало
эксплуатации



850 км/ч
крейсерская
скорость



250 тонн
грузоподъем



15 400 км
дальность полета

АН-225 «МРИЯ»

САМЫЙ БОЛЬШОЙ САМОЛЕТ В МИРЕ

Советский транспортный реактивный самолёт сверхбольшой грузоподъёмности разработки ОКБ им. О. К. Антонова. Самолёт был спроектирован и построен в СССР на Киевском механическом заводе (руководитель проекта — В. И. Толмачёв) в 1984–1988 годах.



3740 часов = 46 витков

Налетал самолет с начала эксплуатации. Если предположить, что средняя скорость перелетов составляет около 500 км/час, то можно посчитать примерное значение пройденного километража: $500 \times 3740 = 1\,870\,000$ км (более 46 витков вокруг Земли по экватору).



Максимальный
взлётный вес

12 500
лошадиных
сил 🐎🐎🐎


мощность, которую
развивает каждый
двигатель на взлетном
режиме



МИРОВЫХ
РЕКОРДОВ

Different models: Roozenburg & Eekels

The basic design cycle (1977)




Divergence and convergence in the innovation process (1995)



Example of a readable font




3. Push the **Inject Toothpaste Button**.



- 4. Grab the **Rechargeable Handpiece** firmly.
- 5. Press the **On/Off Button** once to brush your teeth in **Standard Brushing Mode**. If you wish to use other Brushing Modes, see section *Brushing Modes (section 5.11)*.



3. Push the **Inject Toothpaste Button**.



- 4. Grab the **Rechargeable Handpiece** firmly.
- 5. Press the **On/Off Button** once to brush your teeth in **Standard Brushing Mode**. If you wish to use other Brushing Modes, see section *Brushing Modes (section 5.11)*.

1 ABOUT THIS HANDBOOK

1.5 EXPLANATION OF SAFETY WARNINGS



"**DANGER**" indicates a hazard with a high level of risk which, if not avoided, will result in death or serious injury.



"**WARNING**" indicates a hazard with a medium level of risk which, if not avoided, could result in death or serious injury.



"**CAUTION**" indicates a hazard with a low level of risk which, if not avoided, could result in minor or moderate injury.



"**NOTICE**" indicates information considered important, but not hazard-related.