Handling Parametrized Constructors In Inheritance

If the constructor in Base class is parametrized then we must call that constructor from the constructor of derived class explicitly . Otherwise the compiler will generate syntax error

```
#include <iostream>
using namespace std;
class A
{
public:
   A(int i)
   {
      cout<<"In constructor of base class A"<<endl;
   }
   ~A()
   {
      cout<<"In destructor of base class A"<<endl;
   }
};
```

```
class B:public A
{
public:
   B():A(25) // Explicit inline call of Constructor
   {
      cout<<"In constructor of derived class B"<<endl;
   }
   ~B()
   {
      cout<<"In destructor of derived class B"<<endl;
   }
};
int main()
{
   B obj;
   return 0;
}
```




```
#include <iostream>
using namespace std;
class Num
{
   protected:
      int a,b;
   public:
      Num(int i,int j)
      {
         a=i;
         b=j;
      }
      void show()
      {
         cout<<"a="<<a<<",b="<<b<<endl;
      }
};
```

```
#include <iostream>
using namespace std;
class Num
{
   protected:
      int a,b;
   public:
      Num(int i,int j)
      {
         a=i;
         b=j;
      }
      void show()
      {
         cout<<"a="<<a<<",b="<<b<<endl;
      }
};
```

```
class AddNum: public Num
{
   int c;
public:
   AddNum(int x,int y):Num(x,y)
   {

   }
   void add()
   {
      c=a+b;
   }
   void show()
   {
      Num::show();
      cout<<"Sum is "<<c<<endl;
   }

};
int main()
{
   AddNum obj1(10,20);
   obj1.add();
   obj1.show();
   AddNum obj2(30,40);
   obj2.add();
   obj2.show();
   return 0;
}
```

Hierarchial Inheritance



```
class Figure
{
  protected:
            int dim1,dim2;
public:
          void get()
          {
              cout<<"enter dimensions:";
              cin>>dim1>>dim2;
          }
          void show()
          {
             cout<<dim1<<","<<dim2<<endl;
          }

};
```

```
class Rectangle: public Figure
{
   public:
             void area()
            {
               cout<<"Rect area="<<dim1*dim2;
             }
};
class Triangle:public Figure
{
public:
             void area()
            {
               cout<<"Tri area="<<0.5*dim1*dim2;
             }

};
```

```
int main()
{

   Rectangle R;
   R.get();
   R.show();
   R.area();

   Triangle T;
   T.get();
   T.show();
   T.area();
   return 0;
}
```

```
class base
{
   public:
             int a;
};

class drv1:public base
{
   public:
             int b;
};
class drv2:public base
{
   public:
             int c;
};
```

Hybrid Inh

```
class drv3:public drv1,public drv2
{
   public:
             int d;
};
```




```
int main()
{
   drv3 obj;
   obj.a=10;
   obj.b=20;
   obj.c=30;
   obj.d=obj.a+obj.b+obj.c;
   cout<<"Sum is "<<obj.d;
   return 0;
}
```

Hybrid Inh / Virtual Inh

```
class base
{
  public:
        int a;
};

class drv1:virtual public
base
{
  public:
        int b;
};
class drv2: virtual public
base
{
  public:
        int c;
};
```

```
class drv3:public drv1,public drv2
{
  public:
        int d;
};
```




```
int main()
{
  drv3 obj;
  obj.a=10;
  obj.b=20;
  obj.c=30;
  obj.d=obj.a+obj.b+obj.c;
  cout<<"Sum is "<<obj.d;
  return 0;
}
```

60