

MongoDB – Windows Installation Guide


Installing Mongo: Windows Installation Tutorial

Setting up MongoDB on Windows will consist of completing these two installations:

1. **MongoDB Community Server** Installation
2. **MongoDB Shell** Installation

MongoDB Community Server Installation

1. Visit this page to download the MongoDB Community Server edition: <https://www.mongodb.com/try/download/community>
2. Scroll down the page and make sure these options are picked from the download page:
 - **Version:** 6.x.x — Note: keep in mind that the current 'Version' might be different at the time when you are following this tutorial. Just be sure that you pick any edition of **MongoDB version 6** that's marked as **(current)** in the menu.
 - **Platform:** Windows
 - **Package:** msi




Click the green '**Download**' button and it should download the MongoDB Windows installation file with the **.msi** extension to your computer.


3. After the download finishes, run the MongoDB **.msi** installation file.

** Note: If the Window security dialog pops up when you run the installation file, press any of these options (depending on what's shown in your interface): 'Yes' or 'Allow' or 'Run'.*


4. After it prepares the installation, you should see this screen, where you would press '**Next**':



5. Tick the 'I accept the terms in the License Agreement' checkbox (after reading the license agreement carefully). Then, press '**Next**' again.



6. On the screen where you choose the setup type, click the **'Complete'** button:



7. On the “Service Customization” screen, you can leave the suggested options, as seen in the screenshot below. Make sure that ‘**Install MongoDB as a Service**’ is selected so the MongoDB database server automatically runs in the background, and also choose the ‘Run service as Network Service user’ option. You can leave the default values for the ‘Service Name’, ‘Data Directory’, and ‘Log Directory’ fields.

MongoDB 6.0.6 2008R2Plus SSL (64 bit) Service Customization

Service Configuration
Specify optional settings to configure MongoDB as a service.

☒ Install MongoDB as a Service

☒ Run service as Network Service user

☐ Run service as a local or domain user:

Account Domain: .

Account Name: MongoDB

Account Password:


Service Name: MongoDB

Data Directory: C:\Program Files\MongoDB\Server\6.0\data\

Log Directory: C:\Program Files\MongoDB\Server\6.0\log\


< Back Next > Cancel

8. On the next screen, you can leave the 'Install MongoDB Compass' option ticked and click '**Next**' again.




9. Then, click the '**Install**' button to start the MongoDB installation process!

** Note: If the Window security dialog pops up when the installation starts, press any of these options (depending on what's shown in your interface): 'Yes' or 'Allow' or 'Run'.*



10. Wait until the installation process fully finishes. After that, you will be taken to the final installation screen where you can click the '**Finish**' button:




MongoDB Shell Installation

Since MongoDB version 6, the **mongo** terminal command is no longer included as a way to start the MongoDB shell. After we install the MongoDB Shell using the instructions below, we get the **mongosh** terminal command which we should be using.

1. Visit the MongoDB official download page for MongoDB Shell (mongosh) here: <https://www.mongodb.com/try/download/shell>

2. Scroll down the page and make sure these options are picked from the MongoDB Shell download page:

- **Version:** You can choose whatever the latest offered version of the MongoDB Shell is.
- **Platform:** **IMPORTANT NOTE HERE!** Don't choose the default value for the Platform option offered. Instead, you need to click on the Platform menu, and then **scroll down the menu** until you find the Windows **MSI** option. You should choose this exact option for the Platform (don't choose any other option): **Windows 64-bit (8.1+) (MSI)**
- **Package:** msi




Then, click the green '**Download**' button and it should download the MongoDB Shell (mongosh) Windows installation file with the **.msi** extension to your computer.


3. After the download finishes, run the MongoDB **.msi** installation file.

** Note: If the Window security dialog pops up when you run the installation file, press any of these options (depending on what's shown in your interface): 'Yes' or 'Allow' or 'Run'.*


4. After it prepares the installation, you should see this screen, where you would press '**Next**':




5. You can leave the following installation settings as default (unless you have a specific preference to change these settings) and click '**Next**' again:



6. Click the '**Install**' button to start the MongoDB Shell (mongosh) installation process:



7. When the installation process is finished, click the **'Finish'** button to finalize the installation wizard:



And that's it! You should now have the MongoDB Shell installed. When you open your terminal again (note: if you already had a terminal window open, make sure to restart it), you should be able to use the `mongosh` command to start the MongoDB Shell. As mentioned above, **while going forward with the course, instead of using the `mongo` command (which was used in the previous versions of MongoDB), now use the `mongosh` command instead.**