

Button Style :

- Bootstrap 5 provides different styles of buttons.
- The `.btn` classes are designed to be used with the `<button>` element. However, you can also use these classes on `<a>` or `<input>` elements (though some browsers may apply a slightly different rendering).


```
<div class="container">
  <h2>Button Group With Same Style</h2>
  <div class="btn-group" role="group" aria-label="Basic example">
    <button type="button" class="btn btn-primary active">Left</button>
    <button type="button" class="btn btn-primary">Middle</button>
    <button type="button" class="btn btn-primary">Right</button>
  </div>

  <h2>Button group with different color</h2>
  <div class="btn-group" role="group" aria-label="Basic mixed styles example">
    <button type="button" class="btn btn-danger">Left</button>
    <button type="button" class="btn btn-warning">Middle</button>
    <button type="button" class="btn btn-success">Right</button>
  </div>


  <h2>Button Group with outline</h2>
  <div class="btn-group" role="group" aria-label="Basic outlined example">
    <button type="button" class="btn btn-outline-primary">Left</button>
    <button type="button" class="btn btn-outline-primary">Middle</button>
    <button type="button" class="btn btn-outline-primary">Right</button>
  </div>
</div>
```

Output :

Button Group With Same Style



Button group with different color



Button Group with outline



Button Group :

- Bootstrap 5 allows you to group a series of buttons together (on a single line) in a button group:
- Use a `<div>` element with class `.btn-group` to create a button group.

```
<div class="container mt-3">
  <div class="btn-group">
    <button type="button" class="btn btn-primary">C Programming</button>
    <button type="button" class="btn btn-primary">Java Programming</button>
    <button type="button" class="btn btn-primary">JavaScript Programming</button>
  </div>
</div>
```

Output :

C Programming

Java Programming

JavaScript Programming

Button with Dropdown :

```
<div class="container mt-3">
  <div class="btn-group">
    <button type="button" class="btn btn-primary">C Programming</button>
    <button type="button" class="btn btn-primary">Java Programming</button>
    <div class="btn-group">
      <button type="button" class="btn btn-primary dropdown-toggle" data-bs-toggle="dropdown">
        Web Development
      </button>
      <ul class="dropdown-menu">
        <li><a class="dropdown-item" href="#">Web Dev with MERN</a></li>
        <li><a class="dropdown-item" href="#">Web Dev with Java</a></li>
        <li><a class="dropdown-item" href="#">Web Dev with Python</a></li>
      </ul>
    </div>
  </div>
</div>
```

Output :

