

```
#seaborn
```

```
import pandas as pd
import seaborn as sns
```

```
df=pd.read_csv('insurance.csv')
```

df

	age	sex	bmi	children	smoker	region	charges
0	19	female	27.900	0	yes	southwest	16884.92400
1	18	male	33.770	1	no	southeast	1725.55230
2	28	male	33.000	3	no	southeast	4449.46200
3	33	male	22.705	0	no	northwest	21984.47061
4	32	male	28.880	0	no	northwest	3866.85520
...
1333	50	male	30.970	3	no	northwest	10600.54830
1334	18	female	31.920	0	no	northeast	2205.98080
1335	18	female	36.850	0	no	southeast	1629.83350
1336	21	female	25.800	0	no	southwest	2007.94500
1337	61	female	29.070	0	yes	northwest	29141.36030

1338 rows × 7 columns

df. head()

	age	sex	bmi	children	smoker	region	charges
0	19	female	27.900	0	yes	southwest	16884.92400
1	18	male	33.770	1	no	southeast	1725.55230
2	28	male	33.000	3	no	southeast	4449.46200
3	33	male	22.705	0	no	northwest	21984.47061
4	32	male	28.880	0	no	northwest	3866.85520

df.tail()

	age	sex	bmi	children	smoker	region	charges
1333	50	male	30.97	3	no	northwest	10600.5483
1334	18	female	31.92	0	no	northeast	2205.9808
1335	18	female	36.85	0	no	southeast	1629.8335
1336	21	female	25.80	0	no	southwest	2007.9450
1337	61	female	29.07	0	yes	northwest	29141.3603

df.info()

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 1338 entries, 0 to 1337
Data columns (total 7 columns):
#   Column      Non-Null Count  Dtype
---  -
0   age         1338 non-null   int64
1   sex         1338 non-null   object
2   bmi         1338 non-null   float64
3   children    1338 non-null   int64
4   smoker      1338 non-null   object
```

```
5   region    1338 non-null   object
6   charges   1338 non-null   float64
dtypes: float64(2), int64(2), object(3)
memory usage: 73.3+ KB
```

```
df['age'].mean()
```

```
np.float64(39.20702541106129)
```

```
df['age'].mode()
```

```
   age
0   18

dtype: int64
```

```
df.isnull().sum()
```

```
   0
age  0
sex  0
bmi  0
children  0
smoker  0
region  0
charges  0

dtype: int64
```

```
df.nunique()
```

```
   0
age  47
sex   2
bmi 548
children  6
smoker  2
region  4
charges 1337

dtype: int64
```

```
df['age'].value_counts()
```



```
count
age
18    69
19    68
```

```
df['sex'].value_counts()
```

```
count
sex
male    676
female  2962
dtype: int64
```

1 univariate

```
20    29
24    28
```

2 bivariate

```
27    28
28    28
```


2 multivariate

```
25    28
23    28
```

```
sns.distplot(df['age'])
```

```
/tmp/ipython-input-3234920688.py:1: UserWarning:
`distplot` is a deprecated function and will be removed in seaborn v0.14.0.
Please adapt your code to use either `displot` (a figure-level function with
similar flexibility) or `histplot` (an axes-level function for histograms).
For a guide to updating your code to use the new functions, please see
https://github.com/mwaskom/de44147ed2974457ad6372750bbe5751
```

```
sns.distplot(df['age'])
<Axes: xlabel='age', ylabel='Density'>
```



```
sns.distplot(df['age'])
```

```
36    25
38    25
62    23
60    23
63    23
```

```
/tmp/ipython-input-2100386066.py:1: UserWarning:
```


```
61 23
64 22 `distplot` is a deprecated function and will be removed in seaborn v0.14.0.
```

Please adapt your code to use either `displot` (a figure-level function with standard flexibility) or `histplot` (an axes-level function for histograms).

For a guide to updating your code to use the new functions, please see

<https://gist.github.com/mwaskom/de44147ed2974457ad6372750bbe5751>

```
sns.distplot(df['bmi'])
<Axes: xlabel='bmi', ylabel='Density'>
```



```
sns.distplot(df['children'])
```

```
-----
KeyError                                Traceback (most recent call last)
/usr/local/lib/python3.12/dist-packages/pandas/core/indexes/base.py in get_loc(self, key)
    3804         try:
-> 3805             return self._engine.get_loc(casted_key)
    3806         except KeyError as err:

index.pyx in pandas._libs.index.IndexEngine.get_loc()

index.pyx in pandas._libs.index.IndexEngine.get_loc()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

pandas/_libs/hashtable_class_helper.pxi in pandas._libs.hashtable.PyObjectHashTable.get_item()

KeyError: 'children'
```

The above exception was the direct cause of the following exception:

```
-----
KeyError                                Traceback (most recent call last)
----- 2 frames -----
/usr/local/lib/python3.12/dist-packages/pandas/core/indexes/base.py in get_loc(self, key)
    3810         ):
    3811             raise InvalidIndexError(key)
-> 3812         raise KeyError(key) from err
    3813     except TypeError:
    3814         # If we have a listlike key, _check_indexing_error will raise

KeyError: 'children'
```


```
sns.countplot(df['sex'])
```

```
<Axes: xlabel='count', ylabel='sex'>
```




```
sns.countplot(df['bmi'])
```

```
<Axes: ylabel='count'>
```




```
sns.histplot(df['age'])
```

```
<Axes: xlabel='age', ylabel='Count'>
```




```
sns.boxplot(df['region'])
```

```
<Axes: ylabel='region'>
```




```
sns.boxplot(df['bmi'])
```

```
<Axes: ylabel='bmi'>
```




```
sns.boxplot(df['smoker'])
```

```
<Axes: ylabel='smoker'>
```




```
sns.boxplot(df['sex'])
```

<Axes: ylabel='sex'>



```
sns.boxplot(df['children'])
```

<Axes: ylabel='children'>



```
plt.figure(figsize=(2, 6))
```