

No.	Questions
1	What are the possible ways to create objects in JavaScript
2	What is prototype chain
3	What is the difference between Call, Apply and Bind
4	What is JSON and its common operations
5	What is the purpose of the array slice method
6	What is the purpose of the array splice method
7	What is the difference between slice and splice
8	How do you compare Object and Map
9	What is the difference between == and === operators
10	What are lambda or arrow functions
11	What is a first class function
12	What is a first order function
13	What is a higher order function
14	What is a unary function
15	What is the currying function
16	What is a pure function
17	What is the purpose of the let keyword
18	What is the difference between let and var
19	What is the reason to choose the name let as a keyword
20	How do you redeclare variables in switch block without an error
21	What is the Temporal Dead Zone
22	What is IIFE(Immediately Invoked Function Expression)
23	How do you decode or encode a URL in JavaScript?
24	What is memoization
25	What is Hoisting
26	What are classes in ES6
27	What are closures
28	What are modules
29	Why do you need modules
30	What is scope in javascript
31	What is a service worker
32	How do you manipulate DOM using a service worker
33	How do you reuse information across service worker restarts
34	What is IndexedDB
35	What is web storage
36	What is a post message
37	What is a cookie
38	Why do you need a Cookie
39	What are the options in a cookie
40	How do you delete a cookie
41	What are the differences between cookie, local storage and session storage
42	What is the main difference between localStorage and sessionStorage
43	How do you access web storage
44	What are the methods available on session storage
45	What is a storage event and its event handler

- 46 [Why do you need web storage](#)
- 47 [How do you check web storage browser support](#)
- 48 [How do you check web workers browser support](#)
- 49 [Give an example of web worker](#)
- 50 [What are the restrictions of web workers on DOM](#)
- 51 [What is a promise](#)
- 52 [Why do you need a promise](#)
- 53 [What are the three states of promise](#)
- 54 [What is a callback function](#)
- 55 [Why do we need callbacks](#)
- 56 [What is a callback hell](#)
- 57 [What is server-sent events](#)
- 58 [How do you receive server-sent event notifications](#)
- 59 [How do you check browser support for server-sent events](#)
- 60 [What are the events available for server sent events](#)
- 61 [What are the main rules of promise](#)
- 62 [What is callback in callback](#)
- 63 [What is promise chaining](#)
- 64 [What is promise.all](#)
- 65 [What is the purpose of race method in promise](#)
- 66 [What is a strict mode in javascript](#)
- 67 [Why do you need strict mode](#)
- 68 [How do you declare strict mode](#)
- 69 [What is the purpose of double exclamation](#)
- 70 [What is the purpose of delete operator](#)
- 71 [What is typeof operator](#)
- 72 [What is undefined property](#)
- 73 [What is null value](#)
- 74 [What is the difference between null and undefined](#)
- 75 [What is eval](#)
- 76 [What is the difference between window and document](#)
- 77 [How do you access history in javascript](#)
- 78 [How do you detect caps lock key turned on or not](#)
- 79 [What is isNaN](#)
- 80 [What are the differences between undeclared and undefined variables](#)
- 81 [What are global variables](#)
- 82 [What are the problems with global variables](#)
- 83 [What is NaN property](#)
- 84 [What is the purpose of isFinite function](#)
- 85 [What is an event flow](#)
- 86 [What is event bubbling](#)
- 87 [What is event capturing](#)
- 88 [How do you submit a form using JavaScript](#)
- 89 [How do you find operating system details](#)
- 90 [What is the difference between document load and DOMContentLoaded events](#)
- 91 [What is the difference between native, host and user objects](#)

- 92 [What are the tools or techniques used for debugging JavaScript code](#)
- 93 [What are the pros and cons of promises over callbacks](#)
- 94 [What is the difference between an attribute and a property](#)
- 95 [What is same-origin policy](#)
- 96 [What is the purpose of void 0](#)
- 97 [Is JavaScript a compiled or interpreted language](#)
- 98 [Is JavaScript a case-sensitive language](#)
- 99 [Is there any relation between Java and JavaScript](#)
- 100 [What are events](#)
- 101 [Who created javascript](#)
- 102 [What is the use of preventDefault method](#)
- 103 [What is the use of stopPropagation method](#)
- 104 [What are the steps involved in return false](#)
- 105 [What is BOM](#)
- 106 [What is the use of setTimeout](#)
- 107 [What is the use of setInterval](#)
- 108 [Why is JavaScript treated as Single threaded](#)
- 109 [What is an event delegation](#)
- 110 [What is ECMAScript](#)
- 111 [What is JSON](#)
- 112 [What are the syntax rules of JSON](#)
- 113 [What is the purpose JSON stringify](#)
- 114 [How do you parse JSON string](#)
- 115 [Why do you need JSON](#)
- 116 [What are PWAs](#)
- 117 [What is the purpose of clearTimeout method](#)
- 118 [What is the purpose of clearInterval method](#)
- 119 [How do you redirect new page in javascript](#)
- 120 [How do you check whether a string contains a substring](#)
- 121 [How do you validate an email in javascript](#)
- 122 [How do you get the current url with javascript](#)
- 123 [What are the various url properties of location object](#)
- 124 [How do get query string values in javascript](#)
- 125 [How do you check if a key exists in an object](#)
- 126 [How do you loop through or enumerate javascript object](#)
- 127 [How do you test for an empty object](#)
- 128 [What is an arguments object](#)
- 129 [How do you make first letter of the string in an uppercase](#)
- 130 [What are the pros and cons of for loop](#)
- 131 [How do you display the current date in javascript](#)
- 132 [How do you compare two date objects](#)
- 133 [How do you check if a string starts with another string](#)
- 134 [How do you trim a string in javascript](#)
- 135 [How do you add a key value pair in javascript](#)
- 136 [Is the '!--' notation represents a special operator](#)
- 137 [How do you assign default values to variables](#)

- 138 [How do you define multiline strings](#)
- 139 [What is an app shell model](#)
- 140 [Can we define properties for functions](#)
- 141 [What is the way to find the number of parameters expected by a function](#)
- 142 [What is a polyfill](#)
- 143 [What are break and continue statements](#)
- 144 [What are js labels](#)
- 145 [What are the benefits of keeping declarations at the top](#)
- 146 [What are the benefits of initializing variables](#)
- 147 [What are the recommendations to create new object](#)
- 148 [How do you define JSON arrays](#)
- 149 [How do you generate random integers](#)
- 150 [Can you write a random integers function to print integers with in a range](#)
- 151 [What is tree shaking](#)
- 152 [What is the need of tree shaking](#)
- 153 [Is it recommended to use eval](#)
- 154 [What is a Regular Expression](#)
- 155 [What are the string methods available in Regular expression](#)
- 156 [What are modifiers in regular expression](#)
- 157 [What are regular expression patterns](#)
- 158 [What is a RegExp object](#)
- 159 [How do you search a string for a pattern](#)
- 160 [What is the purpose of exec method](#)
- 161 [How do you change style of a HTML element](#)
- 162 [What would be the result of 1+2+'3'](#)
- 163 [What is a debugger statement](#)
- 164 [What is the purpose of breakpoints in debugging](#)
- 165 [Can I use reserved words as identifiers](#)
- 166 [How do you detect a mobile browser](#)
- 167 [How do you detect a mobile browser without regexp](#)
- 168 [How do you get the image width and height using JS](#)
- 169 [How do you make synchronous HTTP request](#)
- 170 [How do you make asynchronous HTTP request](#)
- 171 [How do you convert date to another timezone in javascript](#)
- 172 [What are the properties used to get size of window](#)
- 173 [What is a conditional operator in javascript](#)
- 174 [Can you apply chaining on conditional operator](#)
- 175 [What are the ways to execute javascript after page load](#)
- 176 [What is the difference between proto and prototype](#)
- 177 [Give an example where do you really need semicolon](#)
- 178 [What is a freeze method](#)
- 179 [What is the purpose of freeze method](#)
- 180 [Why do I need to use freeze method](#)
- 181 [How do you detect a browser language preference](#)
- 182 [How to convert string to title case with javascript](#)
- 183 [How do you detect javascript disabled in the page](#)

- 184 [What are various operators supported by javascript](#)
- 185 [What is a rest parameter](#)
- 186 [What happens if you do not use rest parameter as a last argument](#)
- 187 [What are the bitwise operators available in javascript](#)
- 188 [What is a spread operator](#)
- 189 [How do you determine whether object is frozen or not](#)
- 190 [How do you determine two values same or not using object](#)
- 191 [What is the purpose of using object is method](#)
- 192 [How do you copy properties from one object to other](#)
- 193 [What are the applications of assign method](#)
- 194 [What is a proxy object](#)
- 195 [What is the purpose of seal method](#)
- 196 [What are the applications of seal method](#)
- 197 [What are the differences between freeze and seal methods](#)
- 198 [How do you determine if an object is sealed or not](#)
- 199 [How do you get enumerable key and value pairs](#)
- 200 [What is the main difference between Object.values and Object.entries method](#)
- 201 [How can you get the list of keys of any object](#)
- 202 [How do you create an object with prototype](#)
- 203 [What is a WeakSet](#)
- 204 [What are the differences between WeakSet and Set](#)
- 205 [List down the collection of methods available on WeakSet](#)
- 206 [What is a WeakMap](#)
- 207 [What are the differences between WeakMap and Map](#)
- 208 [List down the collection of methods available on WeakMap](#)
- 209 [What is the purpose of uneval](#)
- 210 [How do you encode an URL](#)
- 211 [How do you decode an URL](#)
- 212 [How do you print the contents of web page](#)
- 213 [What is the difference between uneval and eval](#)
- 214 [What is an anonymous function](#)
- 215 [What is the precedence order between local and global variables](#)
- 216 [What are javascript accessors](#)
- 217 [How do you define property on Object constructor](#)
- 218 [What is the difference between get and defineProperty](#)
- 219 [What are the advantages of Getters and Setters](#)
- 220 [Can I add getters and setters using defineProperty method](#)
- 221 [What is the purpose of switch-case](#)
- 222 [What are the conventions to be followed for the usage of swtich case](#)
- 223 [What are primitive data types](#)
- 224 [What are the different ways to access object properties](#)
- 225 [What are the function parameter rules](#)
- 226 [What is an error object](#)
- 227 [When you get a syntax error](#)
- 228 [What are the different error names from error object](#)
- 229 [What are the various statements in error handling](#)

- 230 [What are the two types of loops in javascript](#)
- 231 [What is nodejs](#)
- 232 [What is an Intl object](#)
- 233 [How do you perform language specific date and time formatting](#)
- 234 [What is an Iterator](#)
- 235 [How does synchronous iteration works](#)
- 236 [What is an event loop](#)
- 237 [What is call stack](#)
- 238 [What is an event queue](#)
- 239 [What is a decorator](#)
- 240 [What are the properties of Intl object](#)
- 241 [What is an Unary operator](#)
- 242 [How do you sort elements in an array](#)
- 243 [What is the purpose of compareFunction while sorting arrays](#)
- 244 [How do you reversing an array](#)
- 245 [How do you find min and max value in an array](#)
- 246 [How do you find min and max values without Math functions](#)
- 247 [What is an empty statement and purpose of it](#)
- 248 [How do you get meta data of a module](#)
- 249 [What is a comma operator](#)
- 250 [What is the advantage of a comma operator](#)
- 251 [What is typescript](#)
- 252 [What are the differences between javascript and typescript](#)
- 253 [What are the advantages of typescript over javascript](#)
- 254 [What is an object initializer](#)
- 255 [What is a constructor method](#)
- 256 [What happens if you write constructor more than once in a class](#)
- 257 [How do you call the constructor of a parent class](#)
- 258 [How do you get the prototype of an object](#)
- 259 [What happens If I pass string type for getPrototype method](#)
- 260 [How do you set prototype of one object to another](#)
- 261 [How do you check whether an object can be extendable or not](#)
- 262 [How do you prevent an object to extend](#)
- 263 [What are the different ways to make an object non-extensible](#)
- 264 [How do you define multiple properties on an object](#)
- 265 [What is MEAN in javascript](#)
- 266 [What Is Obfuscation in javascript](#)
- 267 [Why do you need Obfuscation](#)
- 268 [What is Minification](#)
- 269 [What are the advantages of minification](#)
- 270 [What are the differences between Obfuscation and Encryption](#)
- 271 [What are the common tools used for minification](#)
- 272 [How do you perform form validation using javascript](#)
- 273 [How do you perform form validation without javascript](#)
- 274 [What are the DOM methods available for constraint validation](#)
- 275 [What are the available constraint validation DOM properties](#)

- 276 [What are the list of validity properties](#)
- 277 [Give an example usage of rangeOverflow property](#)
- 278 [Is enums feature available in javascript](#)
- 279 [What is an enum](#)
- 280 [How do you list all properties of an object](#)
- 281 [How do you get property descriptors of an object](#)
- 282 [What are the attributes provided by a property descriptor](#)
- 283 [How do you extend classes](#)
- 284 [How do I modify the url without reloading the page](#)
- 285 [How do you check whether an array includes a particular value or not](#)
- 286 [How do you compare scalar arrays](#)
- 287 [How to get the value from get parameters](#)
- 288 [How do you print numbers with commas as thousand separators](#)
- 289 [What is the difference between java and javascript](#)
- 290 [Does javascript supports namespace](#)
- 291 [How do you declare namespace](#)
- 292 [How do you invoke javascript code in an iframe from parent page](#)
- 293 [How do get the timezone offset from date](#)
- 294 [How do you load CSS and JS files dynamically](#)
- 295 [What are the different methods to find HTML elements in DOM](#)
- 296 [What is jQuery](#)
- 297 [What is V8 JavaScript engine](#)
- 298 [Why do we call javascript as dynamic language](#)
- 299 [What is a void operator](#)
- 300 [How to set the cursor to wait](#)
- 301 [How do you create an infinite loop](#)
- 302 [Why do you need to avoid with statement](#)
- 303 [What is the output of below for loops](#)
- 304 [List down some of the features of ES6](#)
- 305 [What is ES6](#)
- 306 [Can I redeclare let and const variables](#)
- 307 [Is const variable makes the value immutable](#)
- 308 [What are default parameters](#)
- 309 [What are template literals](#)
- 310 [How do you write multi-line strings in template literals](#)
- 311 [What are nesting templates](#)
- 312 [What are tagged templates](#)
- 313 [What are raw strings](#)
- 314 [What is destructuring assignment](#)
- 315 [What are default values in destructuring assignment](#)
- 316 [How do you swap variables in destructuring assignment](#)
- 317 [What are enhanced object literals](#)
- 318 [What are dynamic imports](#)
- 319 [What are the use cases for dynamic imports](#)
- 320 [What are typed arrays](#)
- 321 [What are the advantages of module loaders](#)

- 322 [What is collation](#)
- 323 [What is for...of statement](#)
- 324 [What is the output of below spread operator array](#)
- 325 [Is PostMessage secure](#)
- 326 [What are the problems with postmessage target origin as wildcard](#)
- 327 [How do you avoid receiving postMessages from attackers](#)
- 328 [Can I avoid using postMessages completely](#)
- 329 [Is postMessages synchronous](#)
- 330 [What paradigm is Javascript](#)
- 331 [What is the difference between internal and external javascript](#)
- 332 [Is JavaScript faster than server side script](#)
- 333 [How do you get the status of a checkbox](#)
- 334 [What is the purpose of double tilde operator](#)
- 335 [How do you convert character to ASCII code](#)
- 336 [What is ArrayBuffer](#)
- 337 [What is the output of below string expression](#)
- 338 [What is the purpose of Error object](#)
- 339 [What is the purpose of EvalError object](#)
- 340 [What are the list of cases error thrown from non-strict mode to strict mode](#)
- 341 [Do all objects have prototypes](#)
- 342 [What is the difference between a parameter and an argument](#)
- 343 [What is the purpose of some method in arrays](#)
- 344 [How do you combine two or more arrays](#)
- 345 [What is the difference between Shallow and Deep copy](#)
- 346 [How do you create specific number of copies of a string](#)
- 347 [How do you return all matching strings against a regular expression](#)
- 348 [How do you trim a string at the beginning or ending](#)
- 349 [What is the output of below console statement with unary operator](#)
- 350 [Does javascript uses mixins](#)
- 351 [What is a thunk function](#)
- 352 [What are asynchronous thunks](#)
- 353 [What is the output of below function calls](#)
- 354 [How to remove all line breaks from a string](#)
- 355 [What is the difference between reflow and repaint](#)
- 356 [What happens with negating an array](#)
- 357 [What happens if we add two arrays](#)
- 358 [What is the output of prepend additive operator on falsy values](#)
- 359 [How do you create self string using special characters](#)
- 360 [How do you remove falsy values from an array](#)
- 361 [How do you get unique values of an array](#)
- 362 [What is destructuring aliases](#)
- 363 [How do you map the array values without using map method](#)
- 364 [How do you empty an array](#)
- 365 [How do you rounding numbers to certain decimals](#)
- 366 [What is the easiest way to convert an array to an object](#)
- 367 [How do you create an array with some data](#)

- 368 [What are the placeholders from console object](#)
- 369 [Is it possible to add CSS to console messages](#)
- 370 [What is the purpose of dir method of console object](#)
- 371 [Is it possible to debug HTML elements in console](#)
- 372 [How do you display data in a tabular format using console object](#)
- 373 [How do you verify that an argument is a Number or not](#)
- 374 [How do you create copy to clipboard button](#)
- 375 [What is the shortcut to get timestamp](#)
- 376 [How do you flattening multi dimensional arrays](#)
- 377 [What is the easiest multi condition checking](#)
- 378 [How do you capture browser back button](#)
- 379 [How do you disable right click in the web page](#)
- 380 [What are wrapper objects](#)
- 381 [What is AJAX](#)
- 382 [What are the different ways to deal with Asynchronous Code](#)
- 383 [How to cancel a fetch request](#)
- 384 [What is web speech API](#)
- 385 [What is minimum timeout throttling](#)
- 386 [How do you implement zero timeout in modern browsers](#)
- 387 [What are tasks in event loop](#)
- 388 [What are microtasks](#)
- 389 [What are different event loops](#)
- 390 [What is the purpose of queueMicrotask](#)
- 391 [How do you use javascript libraries in typescript file](#)
- 392 [What are the differences between promises and observables](#)
- 393 [What is heap](#)
- 394 [What is an event table](#)
- 395 [What is a microTask queue](#)
- 396 [What is the difference between shim and polyfill](#)
- 397 [How do you detect primitive or non primitive value type](#)
- 398 [What is babel](#)
- 399 [Is Node.js completely single threaded](#)
- 400 [What are the common use cases of observables](#)
- 401 [What is RxJS](#)
- 402 [What is the difference between Function constructor and function declaration](#)
- 403 [What is a Short circuit condition](#)
- 404 [What is the easiest way to resize an array](#)
- 405 [What is an observable](#)
- 406 [What is the difference between function and class declarations](#)
- 407 [What is an async function](#)
- 408 [How do you prevent promises swallowing errors](#)
- 409 [What is deno](#)
- 410 [How do you make an object iterable in javascript](#)
- 411 [What is a Proper Tail Call](#)
- 412 [How do you check an object is a promise or not](#)
- 413 [How to detect if a function is called as constructor](#)

- 414 [What are the differences between arguments object and rest parameter](#)
- 415 [What are the differences between spread operator and rest parameter](#)
- 416 [What are the different kinds of generators](#)
- 417 [What are the built-in iterables](#)
- 418 [What are the differences between for...of and for...in statements](#)
- 419 [How do you define instance and non-instance properties](#)
- 420 [What is the difference between isNaN and Number.isNaN?](#)
- 421 [How to invoke an IIFE without any extra brackets?](#)
- 422 [Is it possible to use expressions in switch cases?](#)
- 423 [What is the easiest way to ignore promise errors?](#)
- 424 [How do you style the console output using CSS?](#)
- 425 [What is the nullish coalescing operator\(??\)?](#)
- 426 [How do you group and nest console output?](#)
- 427 [What is the difference between dense and sparse arrays?](#)
- 428 [What are the different ways to create sparse arrays?](#)
- 429 [What is the difference between setTimeout, setImmediate and process.nextTick?](#)
- 430 [How do you reverse an array without modifying original array?](#)
- 431 [How do you create custom HTML element?](#)
- 432 [What is global execution context?](#)
- 433 [What is function execution context?](#)
- 434 [What is debouncing?](#)
- 435 [What is throttling?](#)