Linux commands

1. / (Forward Slash) - Root directory

```
ubuntu@Ubu:~/Desktop

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@Ubu:~/Desktop$ /
bash: /: Is a directory
ubuntu@Ubu:~/Desktop$
```

2. ~ (Tild) --Home Directory

```
To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

ubuntu@Ubu:~/Desktop$ /
bash: /: Is a directory
ubuntu@Ubu:~/Desktop$ ~
bash: /home/ubuntu: Is a directory
ubuntu@Ubu:~/Desktop$
```

3. Pwd - present working directory

```
To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.

ubuntu@Ubu:~/Desktop$ /
bash: /: Is a directory
ubuntu@Ubu:~/Desktop$ ~
bash: /home/ubuntu: Is a directory
ubuntu@Ubu:~/Desktop$ pwd
/home/ubuntu/Desktop
ubuntu@Ubu:~/Desktop$

2
```

4. Cd - change directory from one to another

```
To run a command as administrator (user root), use sudo <command>.

See "man sudo_root" for details.

ubuntu@Ubu:~/Desktop$ /
bash: /: Is a directory
ubuntu@Ubu:~/Desktop$ ~
bash: /home/ubuntu: Is a directory
ubuntu@Ubu:~/Desktop$ pwd
/home/ubuntu/Desktop
ubuntu@Ubu:~/Desktop$ cd documents
bash: cd: documents: No such file or directory
ubuntu@Ubu:~/Desktop$ cd
ubuntu@Ubu:~$ cd documents
bash: cd: documents: No such file or directory
ubuntu@Ubu:~$ cd Documents
ubuntu@Ubu:~$ cd Documents

ubuntu@Ubu:~/Documents}
```

5. Cd .. --help us to go back to previous directory

```
To run a command as administrator (user "root"), use "sudo <command>".

See "man sudo_root" for details.


ubuntu@Ubu:-/Desktop$ /
bash: /: Is a directory
ubuntu@Ubu:-/Desktop$ ~
bash: /home/ubuntu: Is a directory
ubuntu@Ubu:-/Desktop$ cd documents
bash: cd: documents: No such file or directory
ubuntu@Ubu:-$ cd documents
bash: cd: documents: No such file or directory
ubuntu@Ubu:-$ cd Documents
bash: cd: documents: No such file or directory
ubuntu@Ubu:-$ cd Documents
ubuntu@Ubu:-> S cd Documents
ubuntu@Ubu:-> S cd Documents

ubuntu@Ubu:-$ 

### Additional Command>".

### Additional C
```

Ls – list of all files available in directory



7. LI - long list

```
ubuntu@Ubu: ~
ubuntu@Ubu:~/Documents$ cd ...
ubuntu@Ubu:~$ ls
ubuntu@Ubu:~$ ll
total 72
drwxr-x--- 15 ubuntu ubuntu 4096 Apr 16 06:25 ./
drwxr-xr-x 3 root
                           4096 Apr 16 06:24 .../
                    root
-rw-r--r-- 1 ubuntu ubuntu 220 Mar 31 2024 .bash_logout
-rw-r--r-- 1 ubuntu ubuntu 3771 Mar 31 2024 .bashrc
drwx----- 10 ubuntu ubuntu 4096 Apr 17 07:48 .cache/
drwx----- 11 ubuntu ubuntu 4096 Apr 16 06:48 .config/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads/
drwx----- 4 ubuntu ubuntu 4096 Apr 16 06:25 .local/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures/
-rw-r--r-- 1 ubuntu ubuntu 807 Mar 31 2024 .profile
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public/
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap/
drwx----- 2 ubuntu ubuntu 4096 Apr 16 06:25 .ssh/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos/
ubuntu@Ubu:~$
```

8. Ls-ltr - - to show the latest modified list in a directory

```
-rw-r--r-- 1 ubuntu ubuntu 807 Mar 31 2024 .profile
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public/
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap/
drwx----- 2 ubuntu ubuntu 4096 Apr 16 06:25 .ssh/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates/
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos/
ubuntu@Ubu:~$ ls - ltr
ls: cannot access '-': No such file or directory
ls: cannot access 'ltr': No such file or directory
ubuntu@Ubu:~$ ls -ltr
total 36
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop
ubuntu@Ubu:~$
```

9. Is -I - to show the complete list in a directory

```
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop
ubuntu@Ubu:~$ ls-l
ls-l: command not found
ubuntu@Ubu:~$ ls -l
total 36
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos
ubuntu@Ubu:~$
```

10. Ls -a - - - to hide directories

```
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop
ubuntu@Ubu:~$ ls-l
ls-l: command not found
ubuntu@Ubu:~$ ls -l
total 36
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Desktop
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos
ubuntu@Ubu:~$ ls -a
              .bashrc Desktop
                                            .profile .ssh
.bash logout
ubuntu@Ubu:~$
```

11. Mkdir - - to create new directory

```
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Documents
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Downloads
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Music
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Pictures
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Public
drwx----- 3 ubuntu ubuntu 4096 Apr 16 06:25 snap
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Templates
drwxr-xr-x 2 ubuntu ubuntu 4096 Apr 16 06:25 Videos
ubuntu@Ubu:~$ ls -a
                                  .local .profile .ssh
Music Public Templates
              .bashrc Desktop
.bash_logout .config Downloads Pictures snap
ubuntu@Ubu:~$ mkdir
mkdir: missing operand
Try 'mkdir --help' for more information.
ubuntu@Ubu:~$ cd Documents
ubuntu@Ubu:~/Documents$ mkdir Techie_horizon
ubuntu@Ubu:~/Documents$ ls
```

12. History - To show the history of command

```
mv: cannot stat 'techiebatch': No such file or directory
ubuntu@Ubu:~/Documents$ history
    1
   2
    3
      pwd
   4
      cd documents
    5
      cd
   6
      cd documents
    7
      cd Documents
   8 cd ..
   9
      ls
   10 ll
   11 ls - ltr
   12 ls -ltr
   13 ls-l
   14 ls -l
   15 ls -a
   16 mkdir
   17 cd Documents
   18 mkdir Techie_horizon
   19 ls
   20 mv techiebatch .techiebatch
   21 history
ubuntu@Ubu:~/Documents$
```

13 . date : To show the date

```
3 pwd
        4 cd documents
        5 cd
        6 cd documents
          cd Documents
        8 cd ..
       10 ll
       11 ls - ltr
       13 ls-l
O
       14 ls -l
       15 ls -a
       16 mkdir
       17 cd Documents
       18 mkdir Techie_horizon
       20 mv techiebatch .techiebatch
       21 history
    ubuntu@Ubu:~/Documents$ date
    Thu Apr 17 08:09:35 AM UTC 2025
    ubuntu@Ubu:~/Documents$
```


 $14 \cdot rm - rf - to remove files$

```
4 cd documents
   5
      cd
   6 cd documents
   7 cd Documents
   8 cd ..
   9
      ls
   10 ll
  11 ls - ltr
   12 ls -ltr
   13 ls-l
   14 ls -l
   15 ls -a
   16 mkdir
   17 cd Documents
   18 mkdir Techie_horizon
   19 ls
   20 mv techiebatch .techiebatch
   21 history
ubuntu@Ubu:~/Documents$ date
Thu Apr 17 08:09:35 AM UTC 2025
ubuntu@Ubu:~/Documents$ rm -rf techiebatch
ubuntu@Ubu:~/Documents$ ls
ubuntu@Ubu:~/Documents$
```

15 . cp - copy the files/directories from one to another

```
11 ls - ltr
   12 ls -ltr
   13 ls-l
   14 ls -l
   15 ls -a
   16 mkdir
   17 cd Documents
   18 mkdir Techie_horizon
   19 ls
   20 mv techiebatch .techiebatch
   21 history
ubuntu@Ubu:~/Documents$ date
Thu Apr 17 08:09:35 AM UTC 2025
ubuntu@Ubu:~/Documents$ rm -rf techiebatch
ubuntu@Ubu:~/Documents$ ls
ubuntu@Ubu:~/Documents$ cp -copy
cp: invalid option -- 'c'
Try 'cp --help' for more information.
ubuntu@Ubu:~/Documents$ touch sha
ubuntu@Ubu:~/Documents$ ls
sha Techie_horizon
ubuntu@Ubu:~/Documents$
 Show Apps
```

16 . wc - word count in a file



17 . rm - to remove the file in a directory

```
0 0 0 sha
ubuntu@Ubu:~/Documents$ rm sha
ubuntu@Ubu:~/Documents$ ls
Techie_horizon
ubuntu@Ubu:~/Documents$
```

18. Clear - to clear the command

