



Average of daily_social_media_hours by platform_usage



Average of sleep_hours by platform_usage




Graph 1. Key Insight.(Average of daily_social_media_hours by platform_usage)

- Instagram show the highest average daily social media hours compare than Tiktok.
- Tik Tok show the lower average daily usage than Instagram.
- Higher usage on Instagram indicates stronger user engagement.

Graph 2. Key Insight.(Average of sleep_hours by platform_usage)

- Both platform have higher average sleep hours.
- Users spending more time on tik tok compare than instagram.
- Instagram show lower average sleep duration than Tik Tok users.


Average of anxiety_level by platform_usage



Graph 1. Key Insight.(Average of anxiety_level by platform_usage.)

- Tik Tok show the highest average anxiety level compare than Instagram.
- Instagram show the lower average daily usage than Tik Tok.
- Higher usage on Tik Tok indicates stronger user engagement.


Average of stress_level by platform_usage



Graph 2. Key Insight.(Average of stress_level by platform_usage.)



- Both platform have higher average stress level.
- Users spending more time on both platform.
- Instagram show second highest average stress level than Tik Tok users.

Average of academic_performance by daily_social_media_hours



Graph 1. Key Insight.(Average of anxiety_level by platform_usage.)

- The graph shows a relationship between daily social media usage and academic performance. Students who spend more time on social media tend to have lower academic performance on average.
- The graph suggests that time management may play an important role in student's academic success.
- The visualization highlights that excessive engagement on social media platforms could negatively influence concentration and study productivity.



Graph 1 (Average of anxiety_level by social_interaction_level)



Insights:

1. Individuals with **high social interaction** have the highest average anxiety level.
2. The average anxiety level for **medium social interaction** is almost identical to the high interaction group, indicating very little difference between these categories.
3. Participants with **low social interaction** show a slightly lower average anxiety level (around **5.5**) compared to the other groups.
4. The variation in anxiety levels across all three social interaction categories is minimal, suggesting that **social interaction level alone may not be a strong predictor of anxiety** in this dataset.
5. Overall, anxiety levels remain consistently high across all groups, indicating that other factors may have a greater influence on anxiety than social interaction frequency.

Graph 2 (Average of sleep_hours by social_interaction_level)

Insights:

1. Individuals with **high social interaction** record the highest average sleep duration (approximately **6.5 hours**).
2. The **low social interaction** group has a very similar average sleep duration, showing only a negligible difference from the high interaction group.
3. Participants with **medium social interaction** have the lowest average sleep hours (around **6.4 hours**), though the difference is very small.
4. Sleep duration remains relatively stable across all social interaction levels, indicating a **weak relationship between social interaction and sleep hours**.
5. Since the average sleep hours for all groups fall within a narrow range, social interaction does not appear to significantly impact sleeping patterns in this dataset.



Graph 1 (Average of addiction_level by social_interaction_level)

Insights:


1. Individuals with **medium social interaction** exhibit the highest average addiction level (approximately **5.6**).
2. The **high social interaction** group shows a slightly lower addiction level, but the difference is minimal.
3. Participants with **low social interaction** have the lowest average addiction level (around **5.4–5.5**).
4. The variation in addiction levels across all social interaction categories is very small, indicating a weak relationship between social interaction and addiction level.
5. Overall, addiction levels remain consistently moderate to high across all groups, suggesting that factors other than social interaction may have a stronger impact on addiction behavior.

Graph 2 (Count of depression_label by social_interaction_level)


Insights:

1. The count of depression cases is **equal across high, medium, and low social interaction groups**, with each category showing a count of **2**.
2. No social interaction category appears to have a higher prevalence of depression compared to the others.
3. The uniform distribution suggests that depression cases are evenly spread across different social interaction levels in this dataset.
4. Based on this visualization, there is **no observable association between social interaction level and depression count**.
5. Since all categories have identical counts, additional variables may be required to better understand the factors contributing to depression.

Average of screen_time_before_sleep by depression_label



Average of academic_performance by gender



Graph 1 (Average of screen_time_before_sleep by depression_label)

Insights:

- 1. Individuals with **depression (label = 1)** account for approximately **51.09%** of the average screen time before sleep, while those without depression (label = 0) account for **48.91%**.
- 2. The difference between the two groups is very small, indicating that average screen time before sleep is relatively similar regardless of depression status.
- 3. Participants with depression show a slightly higher share of screen time before sleeping, suggesting a possible association between increased screen exposure and depressive symptoms.
- 4. The nearly equal distribution implies that screen time before sleep alone may not be sufficient to explain depression within this dataset.
- 5. Additional factors such as sleep quality, stress levels, or social behavior may need to be considered for a deeper understanding of depression patterns.

Graph 2 (Average of academic_performance by gender)

Insights:

- 1. **Female students** contribute approximately **50.17%** of the average academic performance, while **male students** contribute **49.83%**.
- 2. The difference in academic performance between genders is extremely small, indicating near-equal performance levels.
- 3. Female students show a marginally higher average academic performance compared to male students.
- 4. The balanced distribution suggests that gender has little influence on academic performance in this dataset.
- 5. Since both groups perform at nearly the same level, other variables such as study habits, sleep patterns, and screen time may have a greater impact on academic outcomes.