



N.HONEST SUPERMARKET VOUCHER MANAGEMENT SYSTEM

Full Technical Implementation Documentation

Gift Voucher, Company Monthly Voucher, QR Card Printing, Scanning, Redemption, and
Boss Monthly Reporting

Item	Description
Prepared for	N.HONEST Supermarket
Location / Contact	Kisimenti - 0788633739 - honestsupermarket.com
System type	Affordable production web system using PHP, MySQL, JavaScript, QR code, and printable voucher cards
Main users	Boss / Owner, Admin / Manager, Cashier
Version	1.0

Core promise: Company buys vouchers -> system generates cards -> cashier scans card -> balance reduces -> boss views monthly report.

Table of Contents

- 1. Executive Summary
- 2. Business Problem and System Objective
- 3. System Scope
- 4. User Roles and Permissions
- 5. Full Voucher Workflow
- 6. Functional Modules
- 7. Voucher Status and Business Rules
- 8. Database Design
- 9. QR Code and Voucher Card Generation
- 10. Cashier Scanning and Redemption Logic
- 11. Boss Monthly Reports
- 12. User Interface Design
- 13. Security and Fraud Control
- 14. Production Deployment
- 15. Integration with Existing POS
- 16. Testing Plan
- 17. Backup and Maintenance
- 18. Implementation Roadmap
- 19. Appendices

1. Executive Summary

This document describes a complete production-ready Voucher Management System for N.HONEST Supermarket. The system is designed for gift vouchers and company monthly vouchers where an organization or person buys a fixed shopping value for beneficiaries. Each beneficiary receives a printed voucher card with a QR code. The cashier scans the card during shopping, enters the amount consumed, and the system deducts it from the remaining balance.

The system should be affordable, secure, easy for cashiers, and clear for the boss. It can operate as a separate voucher system first, then later be integrated into the main supermarket POS.

Main Requirement	Implementation Direction
Gift voucher support	Each voucher has original amount, remaining balance, status, and usage history.
Company monthly vouchers	Vouchers are grouped in monthly company batches, for example IOM June 2026.
Printable cards	System generates professional cards with QR code, voucher number, EVA ID, amount, client name, logo, stamp, and contact info.
Cashier operation	Cashier scans card, views balance, enters amount used, and confirms redemption.
Boss report	Boss views monthly totals, company usage, remaining balances, and cashier activity.
Production security	Role-based access, audit logs, transaction locking, no manual balance editing by cashier.

2. Business Problem and System Objective

Current manual voucher operation requires printed cards and client files. This works temporarily, but it creates risks: double use, wrong balance calculation, missing signatures, and slow reporting. A digital system solves these issues while keeping the card-based process familiar to customers.

2.1 Business Scenario

Example: A company buys 50 vouchers of 20,000 RWF each and gives them to employees. Each employee comes to the supermarket and consumes part or all of the voucher amount. The system tracks every use and the remaining balance.

Term	Meaning in the System
Voucher value	Original amount loaded on a customer voucher.
Balance	Remaining amount after customer purchases.
Beneficiary / Client	Person who receives and uses the voucher.
Company	Organization that buys vouchers for beneficiaries.
Batch	Group of vouchers bought for a month or program.
Redemption	The act of using part or all of a voucher during shopping.

2.2 Objectives

- Allow companies to buy monthly voucher batches.
- Register each beneficiary with a unique voucher number and optional EVA ID.
- Generate QR code cards directly from the system for printing.
- Allow cashier to scan cards and deduct shopping amount from balance.
- Prevent fraud by controlling permissions and logging all actions.

- Allow the boss to view clear monthly reports by company, cashier, and voucher status.
- Prepare the system for future POS integration.

3. System Scope

3.1 Included in the First Production Version

- Login and role-based access
- Company registration
- Voucher batch creation
- Voucher import from Excel/CSV
- QR code generation
- Voucher card printing
- Cashier scan/redeem page
- Transaction history
- Monthly reports
- Audit logs
- Backup preparation

3.2 Future Enhancements

- SMS/WhatsApp notifications
- Online payment from people abroad
- Customer portal for checking balance
- Direct POS checkout integration
- Direct EBM/receipt integration where applicable
- Mobile app for managers

4. User Roles and Permissions

Role	Main Purpose	Allowed Actions	Restricted Actions
Boss / Owner	Business oversight and reporting	View dashboard, monthly reports, company reports, cashier activity, export reports, block vouchers if needed	Daily cashier redemption is not the main responsibility
Admin / Manager	Voucher operations setup	Create companies, create batches, import beneficiaries, generate cards, print cards, block/unblock vouchers, correct beneficiary details	Should not redeem vouchers as normal cashier unless permitted
Cashier	Daily voucher use at checkout	Scan voucher, view balance, enter purchase amount, enter receipt number, redeem voucher, view today transactions	Cannot create vouchers, cannot edit balance manually, cannot delete transactions

5. Full Voucher Workflow

1. Company buys vouchers for a month or program.
2. Admin creates a company record if it does not exist.
3. Admin creates a voucher batch for that company and month.
4. Admin imports beneficiaries or creates vouchers one by one.
5. System generates voucher numbers and QR codes.
6. System generates printable voucher cards.
7. Customer comes to the supermarket with the card.
8. Cashier scans QR code or enters voucher number manually.
9. System displays customer details and current balance.

10. Cashier enters shopping amount and receipt number.
11. System deducts amount, saves transaction, and updates voucher status.
12. Boss opens monthly report to see issued, used, and remaining balances.

System Flow	Description
Company -> Batch	A company monthly purchase is recorded as a batch.
Batch -> Vouchers	Each beneficiary receives one voucher under the batch.
Voucher -> QR Card	Each voucher gets a QR code and printable card.
Scan -> Redeem	Cashier scans card and deducts purchase amount.
Transaction -> Report	Every redemption appears in reports and audit history.

6. Functional Modules

6.1 Authentication Module

- Login with username and password
- Password hashing using password_hash()
- Session timeout
- Role-based redirects
- Blocked users cannot login

6.2 Company Module

- Add/edit companies
- Store contact person, phone, email, address
- View company batches
- Filter reports by company

6.3 Voucher Batch Module

- Create monthly batches
- Store batch code, month, payment status, total value
- Link batch to company
- Import voucher list from Excel/CSV

6.4 Voucher Module

- Create individual vouchers
- Generate voucher number
- Store client name, EVA ID, amount and balance
- Generate QR code
- Block/unblock voucher

6.5 Card Printing Module

- Generate front card layout
- Place QR code on card
- Batch print all cards
- Download PDF for printing
- Use N.HONEST branding and stamp

6.6 Cashier Redemption Module

- Scan QR code
- Show voucher details

- Validate amount
- Deduct balance
- Save transaction
- Show new balance

6.7 Reports Module

- Monthly report
- Company report
- Cashier report
- Voucher status report
- Export to PDF/Excel

6.8 Audit Module

- Record logins
- Record voucher creation
- Record redemptions
- Record blocking/cancellation
- Record report exports

7. Voucher Status and Business Rules

Status	Meaning	Can Be Redeemed?
active	Voucher has full balance and can be used.	Yes
partially_used	Voucher has been used before but still has balance.	Yes
used	Balance is zero.	No
blocked	Temporarily stopped by admin/boss.	No
expired	Voucher period ended if expiry is enabled for a batch.	No
cancelled	Voucher created wrongly or cancelled.	No

7.1 Core Business Rules

- A voucher number must be unique.
- A voucher belongs to one batch and one beneficiary.
- A voucher balance cannot go below zero.
- A cashier cannot redeem a voucher that is used, blocked, expired, or cancelled.
- Every redemption must create a transaction record.
- Cashiers cannot edit voucher balance directly.
- System must show previous balance, amount used, and new balance after every redemption.
- If new balance becomes zero, status must become used.
- If voucher is used but balance remains, status must become partially_used.
- Boss and admin must be able to review transaction history at any time.

8. Database Design

Recommended database name: nhonest_voucher_system. Use InnoDB tables and foreign keys for consistency. Use DECIMAL for money fields, not FLOAT.

Database creation

```
CREATE DATABASE nhonest_voucher_system CHARACTER SET utf8mb4 COLLATE utf8mb4_unicode_ci;
USE nhonest_voucher_system;
```

users table

```
CREATE TABLE users (
  id INT AUTO_INCREMENT PRIMARY KEY,
  full_name VARCHAR(150) NOT NULL,
  username VARCHAR(100) NOT NULL UNIQUE,
  email VARCHAR(150) NULL,
  phone VARCHAR(50) NULL,
  password_hash VARCHAR(255) NOT NULL,
  role ENUM('boss', 'admin', 'cashier') NOT NULL,
  status ENUM('active', 'blocked') DEFAULT 'active',
  last_login DATETIME NULL,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
) ENGINE=InnoDB;
```

companies table

```
CREATE TABLE companies (
  id INT AUTO_INCREMENT PRIMARY KEY,
  company_name VARCHAR(180) NOT NULL,
  contact_person VARCHAR(150) NULL,
  phone VARCHAR(50) NULL,
  email VARCHAR(150) NULL,
  address VARCHAR(255) NULL,
  status ENUM('active', 'inactive') DEFAULT 'active',
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP
) ENGINE=InnoDB;
```

voucher_batches table

```
CREATE TABLE voucher_batches (
  id INT AUTO_INCREMENT PRIMARY KEY,
  company_id INT NOT NULL,
  batch_code VARCHAR(80) NOT NULL UNIQUE,
  batch_name VARCHAR(200) NOT NULL,
  batch_month VARCHAR(20) NOT NULL,
  total_vouchers INT DEFAULT 0,
  total_amount DECIMAL(14,2) DEFAULT 0,
  payment_status ENUM('pending', 'paid', 'cancelled') DEFAULT 'pending',
  payment_reference VARCHAR(150) NULL,
  notes TEXT NULL,
  created_by INT NOT NULL,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  FOREIGN KEY (company_id) REFERENCES companies(id),
  FOREIGN KEY (created_by) REFERENCES users(id)
) ENGINE=InnoDB;
```

vouchers table

```
CREATE TABLE vouchers (
  id INT AUTO_INCREMENT PRIMARY KEY,
  batch_id INT NOT NULL,
  voucher_no VARCHAR(80) NOT NULL UNIQUE,
  client_name VARCHAR(180) NOT NULL,
  eva_id VARCHAR(100) NULL,
  original_amount DECIMAL(14,2) NOT NULL,
  balance DECIMAL(14,2) NOT NULL,
  status ENUM('active', 'partially_used', 'used', 'blocked', 'expired', 'cancelled') DEFAULT 'active',
  qr_code_path VARCHAR(255) NULL,
  card_image_path VARCHAR(255) NULL,
  qr_token VARCHAR(120) NULL UNIQUE,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  FOREIGN KEY (batch_id) REFERENCES voucher_batches(id),
  INDEX idx_voucher_no (voucher_no),
```

```
INDEX idx_status (status)
```

```
) ENGINE=InnoDB;
```

voucher_transactions table

```
CREATE TABLE voucher_transactions (
  id INT AUTO_INCREMENT PRIMARY KEY,
  voucher_id INT NOT NULL,
  receipt_no VARCHAR(100) NULL,
  previous_balance DECIMAL(14,2) NOT NULL,
  amount_used DECIMAL(14,2) NOT NULL,
  new_balance DECIMAL(14,2) NOT NULL,
  cashier_id INT NOT NULL,
  notes TEXT NULL,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  FOREIGN KEY (voucher_id) REFERENCES vouchers(id),
  FOREIGN KEY (cashier_id) REFERENCES users(id),
  INDEX idx_created_at (created_at),
  INDEX idx_cashier_id (cashier_id)
) ENGINE=InnoDB;
```

audit_logs table

```
CREATE TABLE audit_logs (
  id INT AUTO_INCREMENT PRIMARY KEY,
  user_id INT NULL,
  action VARCHAR(150) NOT NULL,
  description TEXT NULL,
  ip_address VARCHAR(80) NULL,
  created_at TIMESTAMP DEFAULT CURRENT_TIMESTAMP,
  FOREIGN KEY (user_id) REFERENCES users(id),
  INDEX idx_action (action),
  INDEX idx_created_at (created_at)
) ENGINE=InnoDB;
```

9. QR Code and Voucher Card Generation

The system should generate voucher cards directly from database values. The card should not be edited manually because manual editing can introduce errors in names, voucher numbers, or amounts.

9.1 Recommended QR Content

The QR code should contain only the voucher number or a secure token. The first production version can use the voucher number only:

QR content example

```
HSV-2026-0001
```

For higher security, store a qr_token in the database and put voucher_no plus token in the QR. The scan page should validate both.

Card Field	Source in Database	Example
Voucher No	vouchers.voucher_no	HSV-2026-0001
Client Name	vouchers.client_name	ALLELUIA ALAIN
EVA ID	vouchers.eva_id	PX-Q3-2026-CB80
Voucher Amount	vouchers.original_amount	436,800 RWF
QR Code	vouchers.qr_code_path	assets/qrcodes/HSV-2026-0001.png
Contact info	system settings	Kisimenti - 0788633739 - honestsupermarket.com

9.2 Card Design Notes

- Use the same N.HONEST front design on all cards.
- Only data changes: voucher number, EVA ID, amount, and client name.
- Place QR code where cashier can scan quickly.
- Keep voucher number readable in case scanner fails.
- Use the stamp as a background watermark and as official visual identity.
- Keep contact information small but visible: Kisimenti, 0788633739, honestsupermarket.com.

9.3 Example Front Card Style



9.4 Example Back Card Style



10. Cashier Scanning and Redemption Logic

For fastest production, use a USB QR scanner. It behaves like a keyboard and types the voucher number into a focused input field. A browser camera scanner can be added later.

Step	Cashier Action	System Action
1	Open scan page	Display input field with autofocus.
2	Scan QR code	Voucher number appears in input.
3	Submit search	System fetches voucher and validates status.
4	Enter shopping amount	System checks amount is not greater than balance.
5	Enter receipt number	System saves reference to POS receipt.
6	Click Redeem	System deducts balance and saves transaction.
7	Show result	System displays previous balance, amount used, and new balance.

Core PHP redemption function

```
<?php
function redeemVoucher(PDO $pdo, int $voucherId, float $amountUsed, string $receiptNo, int $cashierId): array
{
    try {
        $pdo->beginTransaction();

        $stmt = $pdo->prepare("SELECT * FROM vouchers WHERE id = ? FOR UPDATE");
        $stmt->execute([$voucherId]);
```

```

$voucher = $stmt->fetch(PDO::FETCH_ASSOC);

if (!$voucher) {
    throw new Exception("Voucher not found.");
}
if (in_array($voucher['status'], ['active', 'partially_used'])) {
    throw new Exception("Voucher is not usable.");
}

$previousBalance = (float)$voucher['balance'];
if ($amountUsed <= 0) {
    throw new Exception("Amount must be greater than zero.");
}
if ($amountUsed > $previousBalance) {
    throw new Exception("Insufficient voucher balance.");
}

$newBalance = $previousBalance - $amountUsed;
$newStatus = $newBalance <= 0 ? 'used' : 'partially_used';

$update = $pdo->prepare("UPDATE vouchers SET balance = ?, status = ? WHERE id = ?");
$update->execute([$newBalance, $newStatus, $voucherId]);

$insert = $pdo->prepare("INSERT INTO voucher_transactions
    (voucher_id, receipt_no, previous_balance, amount_used, new_balance, cashier_id)
    VALUES (?, ?, ?, ?, ?, ?)");
$insert->execute([$voucherId, $receiptNo, $previousBalance, $amountUsed, $newBalance, $cashierId]);

$pdo->commit();
return ['success' => true, 'new_balance' => $newBalance, 'status' => $newStatus];
} catch (Exception $e) {
    $pdo->rollBack();
    return ['success' => false, 'message' => $e->getMessage()];
}
}

```

The FOR UPDATE command is important in production. It locks the voucher row during redemption so that two cashiers cannot spend the same balance at the same time.

11. Boss Monthly Reports

Boss should see simple monthly summaries, not complicated technical pages. Reports should be filterable by month, company, cashier, and voucher status.

Report	Purpose	Key Data
Monthly Summary	Shows total voucher value, total used, and remaining balance for a month.	Total issued, total consumed, balance, active, used, partially used.
Company Report	Shows voucher performance for one company.	Company, batch, month, issued, used, remaining.
Cashier Report	Shows cashier redemption activity.	Cashier, transactions, total amount redeemed.
Voucher Status Report	Shows active, used, blocked, expired, cancelled vouchers.	Status count and balance.
Transaction Report	Detailed list of all voucher uses.	Date, receipt number, client, amount used, cashier.

Monthly report SQL

```

SELECT
  c.company_name,
  b.batch_month,
  COUNT(v.id) AS total_vouchers,
  SUM(v.original_amount) AS total_issued,
  SUM(v.original_amount - v.balance) AS total_used,
  SUM(v.balance) AS total_remaining
FROM voucher_batches b
JOIN companies c ON c.id = b.company_id
JOIN vouchers v ON v.batch_id = b.id
WHERE b.batch_month = '2026-06'
GROUP BY c.company_name, b.batch_month;

```

12. User Interface Design

12.1 Boss Dashboard

- Total voucher value this month
- Total used this month
- Remaining balance
- Active vouchers
- Used vouchers
- Company filters
- Export PDF/Excel buttons

12.2 Admin Dashboard

- Create company
- Create voucher batch
- Import beneficiaries
- Generate QR cards
- Print cards
- Manage vouchers

12.3 Cashier Scan Page

Section	Field/Action
Scan area	Voucher number input with autofocus and QR scanner support.
Voucher details	Client name, EVA ID, original amount, current balance, status.
Redemption form	Amount used, receipt number, notes.
Result panel	Previous balance, new balance, status, success/error message.

13. Security and Fraud Control

Because vouchers represent money, the system must be treated like a financial module. The cashier should never have power to manually edit balances.

Risk	Control
Voucher used twice	Database transaction with FOR UPDATE and balance validation.
Cashier fraud	Role restrictions and audit logs.
Fake voucher number	Voucher lookup only accepts database records and can use QR token.
Manual balance change	No direct cashier balance edit; all changes go through transactions.

Lost card	Boss/admin can block voucher.
Wrong amount entered	Receipt number required and transaction history stored.
Unauthorized access	Login, password hashing, role middleware, session timeout.

13.1 Production Security Checklist

- Use HTTPS/SSL on hosting.
- Use password_hash() and password_verify().
- Use PDO prepared statements for all queries.
- Validate all amounts as positive numeric values.
- Use DECIMAL for money.
- Do not delete transactions; void them with supervisor approval if needed.
- Back up database daily.
- Use role middleware on every page.
- Log every critical action.
- Keep .env outside public access.

14. Production Deployment

Layer	Recommendation
Server	VPS or reliable cPanel hosting with PHP 8.2+, MySQL/MariaDB, SSL certificate.
Domain	Use a subdomain such as vouchers.honestsupermarket.com.
Database	MySQL with daily automated backups.
File storage	Store QR codes and card images in public/assets/qrcodes and public/assets/cards.
Access	Only supermarket staff should have accounts.
Hardware	USB QR scanner at cashier desk; printer for cards/reports.

14.1 Recommended Environment Variables

.env example

```
APP_NAME="N.HONEST Voucher Management System"
APP_URL="https://vouchers.honestsupermarket.com"
DB_HOST="localhost"
DB_NAME="nhonest_voucher_system"
DB_USER="your_db_user"
DB_PASS="your_secure_password"
SESSION_LIFETIME=60
```

15. Integration with Existing POS

The safest approach is to launch this as a separate voucher system first. The supermarket POS continues to handle product sales and receipts. The cashier records the POS receipt number in the voucher system. After the system is stable, it can be integrated with the POS checkout.

Option	Description	Recommended Time
Separate voucher system	Voucher system runs independently. Cashier enters POS receipt number manually.	Start with this.
Partial integration	POS can open voucher scan page or share receipt number.	After testing.

Full integration	POS checkout applies voucher directly and prints unified receipt.	Later production phase.
------------------	---	-------------------------

16. Testing Plan

Test Case	Expected Result
Create company	Company appears in company list.
Create batch	Batch is linked to company and month.
Import 19 vouchers	All voucher records are created with correct balance.
Generate card	Card contains correct voucher number, name, EVA ID, amount, and QR.
Scan active voucher	System displays voucher details.
Redeem 50,000 RWF	Balance reduces correctly and transaction is saved.
Redeem more than balance	System rejects transaction.
Redeem used voucher	System rejects transaction.
Cashier tries admin page	Access denied.
Boss opens monthly report	Correct totals appear.

17. Backup and Maintenance

- Daily automatic database backup.
- Weekly download of backup to external storage.
- Monthly test restore to confirm backups work.
- Keep a separate copy of QR codes and printed card PDFs.
- Review audit logs weekly.
- Deactivate old cashier accounts immediately when staff leave.
- Update PHP dependencies every month or when security issues are announced.

18. Implementation Roadmap

Phase	Deliverables	Priority
Phase 1	Database, login, users, roles, security foundation.	Very high
Phase 2	Companies, batches, voucher creation/import.	Very high
Phase 3	QR generation and printable card generation.	Very high
Phase 4	Cashier scan and redeem page.	Very high
Phase 5	Boss dashboard and monthly reports.	High
Phase 6	Exports, audit logs, backups, production deployment.	High
Phase 7	POS integration, SMS/WhatsApp, customer balance portal.	Future

19. Appendices

19.1 Sample Voucher Data

Voucher No	Client Name	EVA ID	Amount
HSV-2026-0001	ALLELUIA ALAIN	PX-Q3-2026-CB80	436,800 RWF
HSV-2026-0002	BAHIGIRORA JEAN DE LA CROIX	PX-Q3-2026-CB70	436,800 RWF
HSV-2026-0003	BRENDA MUTONI	PX-Q3-2026-CB85	436,800 RWF
HSV-2026-0004	DERRICK KWIZERA	PX-Q3-2026-CB82	436,800 RWF
HSV-2026-0005	DIDIER NSENGIMANA	PX-Q3-2026-CB84	436,800 RWF
HSV-2026-0006	GASANA BRUCE	PX-Q3-2026-CB73	436,800 RWF
HSV-2026-0007	HERVE KAREKEZI	PX-Q3-2026-CB81	436,800 RWF
HSV-2026-0008	ISINGIZWE ARISTIDE	PX-Q3-2026-CB71	436,800 RWF
HSV-2026-0009	KAGAME ERIC	PX-Q3-2026-CB74	436,800 RWF
HSV-2026-0010	MIZERO JEAN FRANCIS	PX-Q3-2026-CB76	436,800 RWF
HSV-2026-0011	MOISE NTAWIHA	PX-Q3-2026-CB86	436,800 RWF
HSV-2026-0012	MUGISHA SABIN	PX-Q3-2026-CB75	436,800 RWF
HSV-2026-0013	PAMELA UHOZABE		436,800 RWF
HSV-2026-0014	PRINCE MUGISHA	PX-Q3-2026-CB83	436,800 RWF
HSV-2026-0015	RWAKAZAYIRE SWAIB		436,800 RWF
HSV-2026-0016	TUYISABE AIME JACKSON	PX-Q3-2026-CB72	436,800 RWF
HSV-2026-0017	UWASE ROSE	PX-Q3-2026-CB79	436,800 RWF
HSV-2026-0018	UWIZEYE LAMBERT	PX-Q3-2026-CB77	436,800 RWF
HSV-2026-0019	UWIZEYIMANA CYNTHIA	PX-Q3-2026-CB78	436,800 RWF

19.2 Recommended Project Structure

Folder structure

```

nhonest-voucher-system/
app/
  Controllers/
    AuthController.php
    BossController.php
    CompanyController.php
    BatchController.php
    VoucherController.php
    RedeemController.php
    ReportController.php
  Models/
    User.php
    Company.php
    VoucherBatch.php
    Voucher.php
    VoucherTransaction.php
    AuditLog.php
  Views/
    auth/
    boss/

```

```
admin/  
cashier/  
vouchers/  
layouts/  
Helpers/  
auth.php  
money.php  
qr.php  
permissions.php  
config/  
database.php  
app.php  
public/  
index.php  
assets/  
css/  
js/  
images/  
qrcodes/  
cards/  
storage/  
exports/  
logs/  
vendor/  
composer.json  
.env
```

Final Recommendation

Build the first production version as a separate voucher system connected operationally to the existing POS by receipt number. This is the fastest and safest route. After one or two months of successful operation, integrate it more deeply with the POS checkout process.

Final production formula: Company buys monthly vouchers -> Admin generates QR cards -> Cashier scans and redeems -> Boss sees monthly reports.