

Keep Your Agents Synced

Speaker · Yeuoly

Lessons from a team using coding agents

AiCon
全球人工智能开发与应用大会

极客邦科技 2026 年会议规划

促进软件开发及相关领域知识与创新的传播



参会咨询

InfoQ 技术大会

QCon 上海站
全球软件开发大会

大模型正在重新定义软件
Large Language Model Is Redefining
The Software

10月22-24日 / 上海建工浦江皇冠假日酒店

· AI Agent

· Vibe Coding

· 智能可观测

· 推理基建

· 模型攻防

· AI x 创造力

InfoQ 技术大会

AiCon 北京站
全球人工智能开发与应用大会

探索 AI 应用边界
Explore the limits of AI applications

12月18-19日 / 北京


· 大模型架构创新

· 多模态 AI 产业融合

· 具身智能

· AI for Science

· 大模型安全



10x individual speed $\neq$ 10x team throughput




$\approx 1 \times$ team flow

The output arrived faster. Review, handoffs, missing context, merge conflicts, and rework still moved at human speed.

TEAM THROUGHPUT



By month two, the failures formed a pattern.





Agents make things up—and sound completely certain.



YOU

Why does this component mention hydration?



AGENT

It manages hydration across render boundaries and keeps state consistent...



YOU

We do not have hydration. This is a native app.




AGENT

You're right. I introduced a concept that does not exist.



LOCAL PATCH $\neq$ SYSTEM FIX



PRODUCT

UI LAYER

AUTH

API GATEWAY

The reported symptom looked like a product defect.

The visible failure surfaced in session handling.

The agent patched one module and missed the race path.

Core + Session still carried the blast radius.



ORIGINAL PROBLEM

The user symptom that started the work.

AFFECTED MODULES

The system edges outside the edited file.

A DIFF
IS NOT
CONTEXT

FIX INTENT

Why this approach should solve the real failure.

BLAST RADIUS


What else can move when this module changes.

■ Your brain became the router between agents.

You keep re-explaining the same context

You explain Agent A's output to the team, then explain the same problem again to Agent B. Only you hold the complete picture.

YOU HOLD THE FULL CONTEXT



02 Sync Tax

The cost of re-telling context.

■ Review one page of intent—not 10,000 generated lines.

10,000+ lines

An agent can generate this much code in about 30 minutes. Line-by-line review cannot reliably reconstruct the decision.

CODE


1 page of intent

Root cause. Scope. Approach. Affected modules. Risk.
Review the decision before implementation begins.

PLAN




Three PRs can ship before anyone notices the wrong assumption.





Move review upstream—before code exists.



The plan is the interface between agents.



One reviewed plan

Intent goes in once. Every agent reads the same root cause, scope, dependencies, implementation path, and risk.

EVERY AGENT READS THE SAME PLAN

Issue #233: login expires mid-request



#233
Login session expires
mid-request

ISSUE



Token refresh races with
an in-flight request.

ROOT CAUSE




auth/refresh
middleware/session
api-gateway

SCOPE



Queue during refresh;
replay with the new
token.

APPROACH





fix-plan.md — written before code

ROOT CAUSE

Refresh invalidates the old token while a request is still in flight.

WHY

AFFECTED MODULES

auth/refresh
h
· middleware/session · api-gateway

WHERE

PROPOSED FIX

Queue requests during refresh, then replay with the new token.

HOW

BLAST RADIUS

Medium: three services, no schema change, backward compatible.

RISK



Five minutes to decide before forty minutes of code.

READ THE PLAN


Root cause, scope, approach, and risk are together.

ADJUST IF NEEDED

Correct the assumption before agents start coding.

APPROVE

Every agent now works from the same decision.



Same plan. Backend and frontend work in parallel.

Both agents read `fix-plan.md`

Backend updates auth/refresh and middleware/session. Frontend updates session handling and retry UI state.

NO CONTEXT RE-TELLING





PR OPENED

fix-plan.md is approved.

MERGED


No Slack. No context re-telling.

CI PASSED

Backend and frontend build in parallel.

40 MIN

Issue to merged PR, end to end.



One reviewed plan. Forty minutes to ship.



Next-day coordination became a 40-minute flow.

BEFORE — ~NEXT DAY

Detect · write Slack message · wait · re-explain to frontend · code · review · fix conflicts

MULTIPLE HANDOFFS

AFTER — 40 MIN

Detect · analyze · review plan · build in parallel · ship

ONE SHARED PLAN



Same team. Same agents. Coordinated.

80+ ISSUES

Processed in three hours.

3 HOURS

2 MONTHS

Zero code conflicts.

NO CONFLICTS

0 UNPLANNED
FEATURES

Nothing appears or
disappears without intent.

NO SURPRISES

RARELY

Need to review code directly
anymore.

LESS REVIEW

04 Every day.

Plan · code · product

QCon

全球软件开发大会

上海
站

大模型正在重新定义软件

Large Language Model Is Redefining The Software

2026 年 10 月 22-24 日 / 上海建工浦江皇冠假日酒店



参会
咨询

**专题：从 App 到 Agent：字节跳动
Supabase 的 Agent-Native 规模化实践**

专题演讲嘉宾：张国强

字节跳动 / 资深技术专家



**专题：复杂业务 Agent 的持续进化：
快手电商导购的 Harness Loop 实践**

专题演讲嘉宾：包磊

快手 / 资深技术专家



**专题：从 Harness 到 Loop：阿福 Agent
小队如何处理持续涌入的线上 Badcase**

专题演讲嘉宾：肖汉松

蚂蚁集团 / 阿福 Harness 架构组负责人



**专题：AI Coding 在大型客户端工程中的
落地实践——从通才模型到专才 Agent**

专题演讲嘉宾：杨凯

小红书 / 客户端基础技术负责人



**专题：AI 时代的一人公司：从 Idea 到
Growth 的完整 workflow**

专题演讲嘉宾：casa

独立开发



**专题：Agent 驱动的全平台 GUI 持续
验证实践**

专题演讲嘉宾：王政达

微软 / SENIOR SOFTWARE ENGINEER



FAST

The gap between agents.

Yeuly

AiCon

全球人工智能开发与应用大会