


An AI model claims **372 new results** in mathematics.


722 papers. 34,815 pages. None of it
refereed yet.



Each bar is one paper

Swipe →

Which of them can you actually trust?



One square per result

235

Lean-formalized. A machine-checkable statement exists, sometimes for only part of the claim.

6

Computation. Ships code that reproduces its numbers.

131

Paper only. No machine check of any kind.

Start with **your field.**

17 fields with arXiv codes. One square per result, colored by evidence.

Algebra math.RA, math.AC, math.RT · 18 results · 9 in Lean		0/18 judged	Triage →
Algebraic and complex geometry math.AG, math.CV · 36 results · 7 in Lean		0/36 judged	Triage →
Combinatorics math.CO · 37 results · 33 in Lean		0/37 judged	Triage →
Convex and metric geometry math.MG · 15 results · 13 in Lean		0/15 judged	Triage →
Differential geometry math.DG, math.SG · 29 results · 15 in Lean		0/29 judged	Triage →
Dynamical systems and ergodic theory math.DS · 12 results · 9 in Lean		0/12 judged	Triage →
Functional analysis math.FA · 11 results · 10 in Lean		0/11 judged	Triage →
Group theory math.GR · 14 results · 12 in Lean		0/14 judged	Triage →
Mathematical logic math.LO · 6 results · 6 in Lean		0/6 judged	Triage →
Mathematical physics math-ph, quant-ph · 25 results · 17 in Lean		0/25 judged	Triage →

Claim first. The exact **Lean theorem** one key away.

Result 158 math.CO Combinatorics

Lean-formalized

The Euclidean plane cannot be colored with five colors

Proves that every five-coloring of the Euclidean plane has a monochromatic pair at distance one, with no restriction on the color classes. This advances the Hadwiger–Nelson problem: together with the classical seven-coloring, only six and seven remain possible chromatic numbers of the plane.

In plain words: You can't color the plane with 5 colors so that points at distance 1 always differ. The answer is 6 or 7.

1 paper · 62 pages · about 10 h to read [Copy link to this result](#)

No one has judged this yet. Yours will be the first.

– Formal statement in Lean 2

L

No proper five-coloring [EuclideanFiveColor.lean ↗](#)

```
import Mathlib

namespace OAI

namespace EuclideanFiveColor

def ProperColoring (colorCount : ℕ) (coloring : ℂ → Fin colorCount) : Prop :=
  ∀ point otherPoint : ℂ, ||point - otherPoint|| = 1 → coloring point ≠ coloring otherPoint

theorem no_proper_five_coloring : ¬ ∃ coloring : ℂ → Fin 5, ProperColoring 5 coloring := by
  sorry

end EuclideanFiveColor
```

Judge first. See the crowd after.

Other researchers' verdicts unlock only once you've given yours, so **nobody anchors on the crowd.**

1
Read it

2
Doubt it

3
Not new

4
Not my area

BEFORE YOU JUDGE

27 researchers judged this. Judge it yourself to see how.

AFTER

You and 27 others judged this.



Illustration. Numbers are made up to show the mechanism.

Pooled anonymously. The map ranks the most wanted and most doubted. →

Leave with a reading list, not a 34,815-page backlog.

BibTeX for everything you flagged. Free, no sign-up.

math-explorer-fawn.vercel.app

Open source: github.com/Lamedada12/math-explorer-fawn

The results are model-generated and unrefereed. This helps you decide what to check, not what to believe.