

Swagger Editor has evolved! Codegen, save, and export features are now part of SmartBear API Hub.

[Learn More](#) [Try API Hub](#)



File ▾

Edit ▾

Insert ▾

Generate
Server ▾Generate
Client ▾

About ▾

Sign
in
to
API
HubTry
API
Hub

Library System API ^{1.0.0} ^{OAS 3.0}

API for managing libraries, books, bookings, ratings, and users.

Servers

<http://localhost:8080/api>

book

GET </books/{id}/ratings> Get ratings for a book

Parameters

[Try it out](#)

Name	Description
------	-------------

id * required

id

integer(\$int64)

(path)

Responses

Code	Description	Links
------	-------------	-------

200

List of ratings

No links

Media type

[application/json](#)

Controls Accept header.

Example Value Schema

Code	Description	Links
	<pre>[{ "bookId": 0, "userId": 0, "rating": 5, "comment": "string" }]</pre>	

GET /books/{id}/edit Get the fields of the book a user can edit ^

Parameters Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Responses

Code	Description	Links
200	Editable fields	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	<pre>[{ "author": "string", "title": "string", "isbn": "string", "image": "string", "publisher": "string", "shortDescription": "string", "publishedYear": 0 }]</pre>	

POST /books Create a new book ^

Parameters Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "libraryId": 0,
  "author": "string",
  "title": "string",
  "isbn": "string",
  "image": "string",
  "publisher": "string",
  "shortDescription": "string",
  "publishedYear": 0
}
```

Responses

Code	Description	Links
201	Book created Media type application/json Controls Accept header. Example Value Schema 0	No links

GET /books/{id} Get book details



Parameters

Try it out

Name	Description
id * required	id integer(\$int64) (path)

Responses

Code	Description	Links
200	book details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "libraryId": 0, "author": "string", "title": "string", "isbn": "string", "image": "string", "publisher": "string", "shortDescription": "string", "publishedYear": 0, "available": true }</pre>	No links

PUT /books/{id} Update a book



Parameters

Try it out

Name	Description
------	-------------

id * required

integer(\$int64)

(path)

Request body required

application/json

Example Value

Schema

```
{
  "author": "string",
  "title": "string",
  "isbn": "string",
  "image": "string",
  "publisher": "string",
  "shortDescription": "string",
  "publishedYear": 0
}
```

Responses

Code	Description	Links
200	Book updated	No links

DELETE

/books/{id}

Delete a book

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	Book deleted	No links

library

^

GET

/libraries/{id}/books

Get all books in a library

^

Parameters

Try it out

Name	Description
id * required	id
string	
(path)	

Responses

Code	Description	Links
200	List of books Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "author": "string", "title": "string", "isbn": "string", "image": "string", "available": true }]</pre>	No links

GET

/libraries

Get all libraries

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	List of books Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string" }]</pre>	No links

booking

POST

/bookings

Create a new booking

^

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{  "book_id": 0,  "user_id": 0,  "startDate": "2025-06-11",  "endDate": "2025-06-11"}
```

Responses

Code	Description	Links
201	Booking created	No links

PUT

/bookings/{id}

Update a booking

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Request body required

application/json

Example Value

Schema

```
{  "startDate": "2025-06-11",  "endDate": "2025-06-11"}
```

Responses

Code	Description	Links
200	Booking updated	No links

DELETE

/bookings/{id}

Delete a booking

^

Parameters

Try it out

Name	Description
id * required	id
string	
(path)	

Responses

Code	Description	Links
200	Booking deleted	No links

GET

/bookings/{id}/edit

Get editable fields of a specific booking

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
201	Editable fields	No links

Media type

Code	Description	Links
	application/json Controls Accept header. Example Value Schema <pre>{ "userFullName": "string", "startDate": "2025-06-11", "endDate": "2025-06-11"} </pre>	

rating



GET	/books/{id}/ratings	Get ratings for a book	^
Parameters			Try it out
Name	Description		
id * required	id integer(\$int64) (path)		
Responses			
Code	Description		Links
200	List of ratings Media type application/json Controls Accept header. Example Value Schema <pre>[{ "bookId": 0, "userId": 0, "rating": 5, "comment": "string" }]</pre>		No links

POST	/ratings	Submit a new rating	^
------	----------	---------------------	---

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "bookId": 0,
  "userId": 0,
  "rating": 5,
  "comment": "string"
}
```

Responses

Code	Description	Links
201	Rating submitted	No links

PUT

/ratings/{id} Edit a rating



Parameters

Try it out

Name Description

id * required

id

integer(\$int64)

(path)

Request body required

application/json

Example Value Schema

```
{
  "rating": 5,
  "comment": "string"
}
```

Responses

Code	Description	Links
200	Rating updated	No links

DELETE /ratings/{id} Delete a rating**Parameters**[Try it out](#)

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	Rating deleted	No links

GET /ratings/{id}/edit get editable field of a rating**Parameters**[Try it out](#)

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	editable fields Media type application/json Controls Accept header. Example Value Schema <pre>{ "userFullName": "string", "rating": 5, "comment": "string"}</pre>	No links

user



GET	/users	Get user details	⌵
Parameters			Try it out
No parameters			
Responses			
Code	Description	Links	
200	User details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "userFullName": "string", "role": "user"}</pre>	No links	

GET	/users/students	Get user details of students	⌵
Parameters			Try it out

No parameters

Responses

Code	Description	Links
200	User details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "userFullName": "string" }</pre>	No links

Schemas



Book

{

libraryId

integer(\$int64)

author

string

title

string

isbn

string

image

string(\$binary)

publisher

string

shortDescription

string

publishedYear

integer

}



```
BookMitId  {
  id
                                integer($int64)
  libraryId
                                integer($int64)
  author
                                string
  title
                                string
  isbn
                                string
  image
                                string($binary)
  publisher
                                string
  shortDescription
                                string
  publishedYear
                                integer
  available
                                boolean
}
```

```
BookEdit  {
  author
                                string
  title
                                string
  isbn
                                string
  image
                                string($binary)
  publisher
                                string
  shortDescription
                                string
  publishedYear
                                integer
}
```

```
ListOfBooks  {
  id
                                integer($int64)
  author
                                string
  title
                                string
  isbn
                                string
  image
                                string($binary)
  available
                                boolean
}
```

```
Booking  {
  book_id
                                integer($int64)
  user_id
                                integer($int64)
  startDate
                                string($date)
  endDate
                                string($date)
}
```

```
BookingEdit {
  startDate      string($date)
  endDate       string($date)
}
```

```
BookingEditResponse {
  userFullName   string
  startDate      string($date)
  endDate       string($date)
}
```

```
Rating {
  bookId         integer($int64)
  userId         integer($int64)
  rating         integer
                minimum: 1
                maximum: 5
  comment        string
}
```

```
RatingEditResponse {
  userFullName   string
  rating         integer
                minimum: 1
                maximum: 5
  comment        string
}
```

```
RatingEditRequest {
  rating         integer
                minimum: 1
                maximum: 5
  comment        string
}
```

```
User {
  id
    integer($int64)
  userFullName
    string
  role
    string
  Enum:
    [ user, librarian ]
}
```



```
UserStudent {
  id
    integer($int64)
  userFullName
    string
}
```



```
Library {
  id
    integer($int64)
  name
    string
}
```



```
BookId integer($int64)
```

