

Swagger Editor has evolved! Codegen, save, and export features are now part of SmartBear API Hub.

[Learn More](#) [Try API Hub](#)



File ▾

Edit ▾

Insert ▾

Generate
Server ▾Generate
Client ▾

About ▾

Sign
in
to
API
HubTry
API
Hub

Library System API

1.0.0 OAS 3.0

API for managing libraries, books, bookings, ratings, and users.

Servers

<http://localhost:8080/api>

book



GET

</books/{id}/ratings> Get ratings for a book

Parameters

[Try it out](#)

Name

Description

id * required

integer(\$int64)
(path)

Responses

Code

Description

Links

200

List of ratings

No links

Media type

[application/json](#)

Controls Accept header.

[Example Value](#) [Schema](#)

Code	Description	Links
	<pre>[{ "bookId": 0, "userId": 0, "rating": 5, "comment": "string" }]</pre>	

GET /books/{id}/edit Get the fields of the book a user can edit ^

Parameters Try it out

Name	Description
id * required	
integer(\$int64)	id
(path)	

Responses

Code	Description	Links
200	Editable fields	No links
	Media type	
	application/json	
	Controls Accept header.	
	Example Value Schema	
	<pre>[{ "author": "string", "title": "string", "isbn": "string", "image": "string", "publisher": "string", "shortDescription": "string", "publishedYear": 0 }]</pre>	

POST /books Create a new book ^

Parameters Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{  "libraryId": 0,  "author": "string",  "title": "string",  "isbn": "string",  "image": "string",  "publisher": "string",  "shortDescription": "string",  "publishedYear": 0}
```

Responses

Code	Description	Links
201	Book created Media type application/json Controls Accept header. Example Value Schema 0	No links

GET /books/{id} Get book details

Parameters

Try it out

Name	Description
id * required	id

integer(\$int64)
(path)

Responses

Code	Description	Links
200	book details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "libraryId": 0, "author": "string", "title": "string", "isbn": "string", "image": "string", "publisher": "string", "shortDescription": "string", "publishedYear": 0, "available": true, "bookingId": 0 }</pre>	No links

PUT

/books/{id} Update a book

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Request body required

application/json

Example Value Schema

```
{
  "author": "string",
  "title": "string",
  "isbn": "string",
  "image": "string",
  "publisher": "string",
  "shortDescription": "string",
  "publishedYear": 0
}
```

Responses

Code	Description	Links
200	Book updated	No links

DELETE /books/{id} Delete a book

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	Book deleted	No links

library

GET /libraries/{id}/books Get all books in a library

Parameters

Try it out

Name	Description
id * required	id
string	
(path)	

Responses

Code	Description	Links
200	List of books Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "author": "string", "title": "string", "isbn": "string", "image": "string", "available": true }]</pre>	No links

GET	/libraries Get all libraries	^
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	List of books Media type application/json Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string" }]</pre>	No links

booking

POST	/bookings Create a new booking	^
------	----------------------------------	---

Parameters

Try it out

No parameters

Request body required

application/json

Example Value

Schema

```
{
  "book_id": 0,
  "user_id": 0,
  "startDate": "2025-06-11",
  "endDate": "2025-06-11"
}
```

Responses

Code	Description	Links
201	Booking created	No links

PUT

/bookings/{id}

Update a booking

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Request body required

application/json

Example Value

Schema

```
{
  "startDate": "2025-06-11",
  "endDate": "2025-06-11"
}
```

Responses

Code	Description	Links
200	Booking updated	No links

DELETE

/bookings/{id}

Delete a booking

^

Parameters

Try it out

Name	Description
id * required	id
string	
(path)	

Responses

Code	Description	Links
200	Booking deleted	No links

GET

/bookings/{id}/edit

Get editable fields of a specific booking

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	Editable fields	No links

Media type

Code	Description	Links
	application/json Controls Accept header. Example Value Schema <pre>{ "user_id": 0, "startDate": "2025-06-11", "endDate": "2025-06-11"}</pre>	

rating



GET /books/{id}/ratings Get ratings for a book

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	List of ratings Media type application/json Controls Accept header. Example Value Schema <pre>[{ "bookId": 0, "userId": 0, "rating": 5, "comment": "string" }]</pre>	No links

POST /ratings Submit a new rating

Parameters

Try it out

No parameters

Request body required

application/json

Example Value Schema

```
{
  "bookId": 0,
  "userId": 0,
  "rating": 5,
  "comment": "string"
}
```

Responses

Code	Description	Links
201	Rating submitted	No links

PUT /ratings/{id} Edit a rating



Parameters

Try it out

Name Description

id * required

id

integer(\$int64)

(path)

Request body required

application/json

Example Value Schema

```
{
  "rating": 5,
  "comment": "string"
}
```

Responses		
Code	Description	Links
200	Rating updated	No links

DELETE

/ratings/{id}

Delete a rating

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	Rating deleted	No links

GET

/ratings/{id}/edit

get editable field of a rating

^

Parameters

Try it out

Name	Description
id * required	id
integer(\$int64)	
(path)	

Responses

Code	Description	Links
200	editable fields Media type application/json Controls Accept header. Example Value Schema <pre>{ "userFullName": "string", "rating": 5, "comment": "string"} </pre>	No links

user



GET	/users Get user details	^
Parameters		Try it out
No parameters		
Responses		
Code	Description	Links
200	User details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "userFullName": "string", "role": "user"} </pre>	No links

GET	/users/students Get user details of students	^
Parameters		Try it out

No parameters

Responses

Code	Description	Links
200	User details Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "userFullName": "string" }</pre>	No links

Schemas



Book



BookMitId



BookEdit



ListOfBooks



Booking



BookingEdit



BookingEditResponse**Rating****RatingEditResponse****RatingEditRequest****User****UserStudent****Library****BookId**