

ACE Escapes - Hotel Booking API

API and SDK Documentation

Version: 1.0.0

REST API for the Boutique Hotel Technikum booking application. Implemented in v1.0.0: room browsing and availability checks (Rooms tag). The Bookings and Guests endpoints are designed but NOT yet implemented in the code. They are kept here as planned work and are marked accordingly.

Bookings

cancelBooking

Cancel a booking (PLANNED)

Cancels an existing booking by ID. NOT implemented yet.

DELETE

```
/bookings/{bookingId}
```

Usage and SDK Samples

[Curl](#) [Java](#) [Android](#) [Obj-C](#) [JavaScript](#) [C#](#) [PHP](#) [Perl](#) [Python](#)

```
curl -X DELETE\  
-H "Accept: application/json"\  
"http://localhost:8080/api/bookings/{bookingId}"
```

Parameters

Path parameters

Name	Description
bookingId*	Long (int64) Required

Responses

Status: 204 - Booking cancelled successfully

Status: 404 - Resource not found

Schema

▼ { [] }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ { [] } string (date-time)  
           example: 2026-05-25T10:30:00Z  
status:    integer  
           example: 404  
error:     string  
           example: Not Found  
path:      string  
           example: /api/rooms/99
```

```
}
```

Status: 500 - Internal server error

Schema

▼ { }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

timestamp: ▼ { }

string (date-time)

example: 2026-05-25T10:30:00Z

status:

integer

example: 404

error:

string

example: Not Found

path:

string

example: /api/rooms/99

}

createBooking

Create a new booking (PLANNED)

Creates a new room booking. Used in the booking form (U4). NOT implemented yet. Note: the current bookings table only stores roomId, checkIn and checkOut - the guest fields below are part of the planned design.

POST

/bookings

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X POST\
-H "Accept: application/json"\
-H "Content-Type: application/json"\
"http://localhost:8080/api/bookings"
```

Parameters

Body parameters

Name	Description
body *	▼ { } Required: breakfast,checkIn,checkOut,email,firstName,lastName,roomId roomId: ▼ { } integer (int64) example: 1 checkIn: ▼ { } string (date) checkOut: ▼ { } string (date) firstName: string example: Jane lastName: string example: Doe email: ▼ { } string (email) example: jane.doe@email.com breakfast: boolean example: true }

Responses

Status: 201 - Booking created successfully

Schema

```
▼ { []
  id: ▼ [] integer (int64)
    example: 42
  roomId: ▼ [] integer (int64)
    example: 1
  room: ▼ { []
    id: ▼ [] integer (int64)
      example: 1
    title: string
      example: Deluxe Double
    description: string
      example: Second floor, courtyard side. Linen drapes and an oak desk.
    pricePerNight: ▼ [] number (double)
      Stored as DECIMAL in the database to avoid rounding issues.
      example: 129
    capacity: ▼ [] integer (int32)
      example: 2
    sizeSqm: ▼ [] integer (int32)
      example: 32
    images: ▼[ []
      ▼ { []
        id: ▼ [] integer (int64)
          example: 10
        filePath: string
          example: /images/rooms/1-main.jpg
        isPrimary: boolean
          example: true
      }
    ]
    extras: ▼[ []
      ▼ { []
        id: ▼ [] integer (int64)
          example: 1
        name: string
          example: Wi-Fi
        description: string
          example: Free high speed internet
        iconName: string
          example: wifi
      }
    ]
  }
  checkIn: ▼ [] string (date)
  checkOut: ▼ [] string (date)
  firstName: string
    example: Jane
  lastName: string
    example: Doe
  email: ▼ [] string (email)
    example: jane.doe@email.com
  breakfast: boolean
    example: true
  createdAt: ▼ [] string (date-time)
    example: 2026-05-03T10:30:00Z
```

```
}
```

Status: 400 - Invalid request data (missing fields, invalid email, etc.)

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ [] string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:      string
            example: /api/rooms/99
```

```
}
```

Status: 409 - Room is not available for the selected period

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ [] string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:      string
            example: /api/rooms/99
```

```
}
```

Status: 500 - Internal server error

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ [] string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:      string
            example: /api/rooms/99
```

```
}
```

Returns the details of a booking. Used for the confirmation page (U5). NOT implemented yet.

Usage and SDK Samples

```
curl -X GET \
-H "Accept: application/json" \
"http://localhost:8080/api/bookings/{bookingId}"
```

Path parameters

Name	Description
bookingId*	Long (int64) Required

Status: 200 - Booking found and returned

```

▼ { []
  id: ▼ [] integer (int64)
    example: 42
  roomId: ▼ [] integer (int64)
    example: 1
  room: ▼ { []
    id: ▼ [] integer (int64)
      example: 1
    title: string
      example: Deluxe Double
    description: string
      example: Second floor, courtyard side. Linen drapes and an oak desk.
    pricePerNight: ▼ [] number (double)
      Stored as DECIMAL in the database to avoid rounding issues.
      example: 129
    capacity: ▼ [] integer (int32)
      example: 2
    sizeSqm: ▼ [] integer (int32)
      example: 32
    images: ▼ [ []
      ▼ { []
        id: ▼ [] integer (int64)
          example: 10
        filePath: string
          example: /images/rooms/1-main.jpg
        isPrimary: boolean
          example: true
      }
    ]
  extras: ▼ [ []
    ▼ { []
      id: ▼ [] integer (int64)

```

```
        example: 1
        name: string
        example: Wi-Fi
        description: string
        example: Free high speed internet
        iconName: string
        example: wifi
    }
]
}

checkIn: ▼ [] string (date)
checkOut: ▼ [] string (date)
firstName: string
example: Jane
lastName: string
example: Doe
email: ▼ [] string (email)
example: jane.doe@email.com
breakfast: boolean
example: true
createdAt: ▼ [] string (date-time)
example: 2026-05-03T10:30:00Z
}
```

Status: 404 - Resource not found

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
  timestamp: ▼ [] string (date-time)
    example: 2026-05-25T10:30:00Z
  status: integer
    example: 404
  error: string
    example: Not Found
  path: string
    example: /api/rooms/99
}
```

Status: 500 - Internal server error

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
  timestamp: ▼ [] string (date-time)
    example: 2026-05-25T10:30:00Z
  status: integer
    example: 404
  error: string
    example: Not Found
  path: string
    example: /api/rooms/99
}
```

updateBooking

Update an existing booking (PLANNED)

Updates a booking before check-in. NOT implemented yet.

PUT

```
/bookings/{bookingId}
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X PUT \
-H "Accept: application/json" \
-H "Content-Type: application/json" \
"http://localhost:8080/api/bookings/{bookingId}"
```

Parameters

Path parameters

Name	Description
bookingId*	Long (int64) Required

Body parameters

Name	Description
body *	▼ { [] Required: breakfast,checkIn,checkOut,email,firstName,lastName,roomId roomId: ▼ [] integer (int64) example: 1 checkIn: ▼ [] string (date) checkOut: ▼ [] string (date) firstName: string example: Jane lastName: string example: Doe email: ▼ [] string (email) example: jane.doe@email.com breakfast: boolean example: true }

Responses

Status: 200 - Booking updated successfully

- Schema

```
▼ { []
  id:      ▼ [] integer (int64)
           example: 42
  roomId:  ▼ [] integer (int64)
           example: 1
  room:    ▼ { []
            id:      ▼ [] integer (int64)
                     example: 1
```

```

    title:      string
                example: Deluxe Double

    description: string
                example: Second floor, courtyard side. Linen drapes and an oak desk.

    pricePerNight: ▼ [] number (double)
                    Stored as DECIMAL in the database to avoid rounding issues.
                example: 129

    capacity:    ▼ [] integer (int32)
                example: 2

    sizeSqm:     ▼ [] integer (int32)
                example: 32

    images:      ▼ [ []
                  ▼ { []
                    id:      ▼ [] integer (int64)
                              example: 10
                    filePath: string
                              example: /images/rooms/1-main.jpg
                    isPrimary: boolean
                              example: true
                  }
                ]

    extras:      ▼ [ []
                  ▼ { []
                    id:      ▼ [] integer (int64)
                              example: 1
                    name:     string
                              example: Wi-Fi
                    description: string
                              example: Free high speed internet
                    iconName: string
                              example: wifi
                  }
                ]
  }

  checkIn: ▼ [] string (date)
  checkOut: ▼ [] string (date)
  firstName: string
            example: Jane
  lastName: string
            example: Doe
  email:    ▼ [] string (email)
            example: jane.doe@email.com
  breakfast: boolean
            example: true
  createdAt: ▼ [] string (date-time)
            example: 2026-05-03T10:30:00Z
}

```

Status: 400 - Invalid request data

Schema

```

▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z

  status:    integer
              example: 404
}

```



```
error:    string
         example: Not Found

path:    string
         example: /api/rooms/99

}
```

Status: 404 - Resource not found

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z

  status:    integer
              example: 404

  error:     string
              example: Not Found

  path:     string
              example: /api/rooms/99

}
```

Status: 409 - Room not available for the updated period

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z

  status:    integer
              example: 404

  error:     string
              example: Not Found

  path:     string
              example: /api/rooms/99

}
```

Status: 500 - Internal server error

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z

  status:    integer
              example: 404

  error:     string
              example: Not Found

  path:     string
              example: /api/rooms/99

}
```

Guests

getGuestBookings

Get all bookings for a guest (PLANNED)

Returns all bookings of a guest. Planned feature for U6. NOT implemented yet.

GET

```
/guests/{guestId}/bookings
```

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/guests/{guestId}/bookings"
```

Parameters

Path parameters

Name	Description
guestId*	Long (int64) Required

Responses

Status: 200 - List of bookings returned

Schema

▼ [{}]

▼ { {} }

id:

▼ [{}] integer (int64)
example: 42

roomId:

▼ [{}] integer (int64)
example: 1

room:

▼ { {} }

id:

▼ [{}] integer (int64)
example: 1

title:

string
example: Deluxe Double

description:

string
example: Second floor, courtyard side. Linen drapes and an oak desk.

pricePerNight:

▼ [{}] number (double)
Stored as DECIMAL in the database to avoid rounding issues.
example: 129

capacity:

▼ [{}] integer (int32)
example: 2

sizeSqm:

▼ [{}] integer (int32)
example: 32

images:

▼ [{}]

▼ { {} }

id:

▼ [{}] integer (int64)

```

    example: 10
    filePath: string
                example: /images/room
    isPrimary: boolean
                example: true
}
]
▼ [ []
  ▼ { []
    id:          ▼ [ ] integer (int64)
                  example: 1
    name:        string
                  example: Wi-Fi
    description: string
                  example: Free high s
    iconName:    string
                  example: wifi
  }
]

```

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z

  status:    integer
              example: 404

  error:     string
              example: Not Found

  path:     string
              example: /api/rooms/99
}
```

Schema

- ▼ { }

```
timestamp: ▼ [] string (date-time)
           example: 2026-05-25T10:30:00Z

status:    integer
           example: 404

error:     string
           example: Not Found

path:      string
           example: /api/rooms/99

}
```

Status: 500 - Internal server error

Schema

▼ { []
Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
timestamp: ▼ [] string (date-time)
 example: 2026-05-25T10:30:00Z
status: integer
 example: 404
error: string
 example: Not Found
path: string
 example: /api/rooms/99
}

getGuestById

Get guest profile (PLANNED)

Returns the details of a logged in guest. Planned feature for U6. NOT implemented yet.

GET

```
/guests/{guestId}
```

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/guests/{guestId}"

Parameters

Path parameters

Name	Description
guestId*	Long (int64) Required

Responses

Status: 200 - Guest profile returned

Schema

```
▼ { []  
  id: ▼ [] integer (int64)  
    example: 7  
  firstName: string  
    example: Jane  
  lastName: string  
    example: Doe  
  email: ▼ [] string (email)  
    example: jane.doe@email.com  
}
```

Status: 401 - Unauthorized

Schema

```
▼ { []  
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.  
  timestamp: ▼ [] string (date-time)  
    example: 2026-05-25T10:30:00Z  
  status: integer  
    example: 404  
  error: string  
    example: Not Found  
  path: string  
    example: /api/rooms/99  
}
```

Status: 404 - Resource not found

Schema

```
▼ { []  
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.  
  timestamp: ▼ [] string (date-time)  
    example: 2026-05-25T10:30:00Z  
  status: integer  
    example: 404  
  error: string  
    example: Not Found  
  path: string  
    example: /api/rooms/99  
}
```

Status: 500 - Internal server error

Schema

```
▼ { []  
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.  
  timestamp: ▼ [] string (date-time)  
    example: 2026-05-25T10:30:00Z  
  status: integer  
    example: 404
```

```

    error:      string
               example: Not Found

    path:       string
               example: /api/rooms/99
  }

```

loginGuest

Guest login (PLANNED)

Authenticates a guest and returns a session token. Planned feature for U6. NOT implemented yet.

POST

/guests/login

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```

curl -X POST\
-H "Accept: application/json"\
-H "Content-Type: application/json"\
"http://localhost:8080/api/guests/login"

```

Parameters

Body parameters

Name	Description
body *	▼ { [] Required: email,password email: ▼ [] string (email) example: jane.doe@email.com password: ▼ [] string (password) example: supersecret123 }

Responses

Status: 200 - Login successful

Schema

▼ { [] token: string example: eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9... guestId: ▼ [] integer (int64) example: 7 }
--

Status: 400 - Missing email or password

Schema

▼ { [] Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
--

```
timestamp: ▼ [] string (date-time)
           example: 2026-05-25T10:30:00Z
status:    integer
           example: 404
error:     string
           example: Not Found
path:      string
           example: /api/rooms/99
}
```

Status: 401 - Unauthorized

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z
  status:    integer
              example: 404
  error:     string
              example: Not Found
  path:      string
              example: /api/rooms/99
}
```

Status: 500 - Internal server error

Schema

```
▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
  timestamp: ▼ [] string (date-time)
              example: 2026-05-25T10:30:00Z
  status:    integer
              example: 404
  error:     string
              example: Not Found
  path:      string
              example: /api/rooms/99
}
```

registerGuest

Register a new guest (PLANNED)

Creates a new guest account. Planned feature for U6 (post v1.0.0). NOT implemented yet.

POST

```
/guests/register
```

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```
curl -X POST\  
-H "Accept: application/json"\  
-H "Content-Type: application/json"\  
"http://localhost:8080/api/guests/register"
```

Parameters

Body parameters

Name	Description
body *	▼ { [] Required: email,firstName,lastName,password firstName: string example: Jane lastName: string example: Doe email: ▼ [] string (email) example: jane.doe@email.com password: ▼ [] string (password) example: supersecret123 }

Responses

Status: 201 - Guest registered successfully

Schema

▼ { []

id: ▼ [] integer (int64)
example: 7

firstName: string
example: Jane

lastName: string
example: Doe

email: ▼ [] string (email)
example: jane.doe@email.com

}

Status: 400 - Invalid input (missing fields, invalid email format)

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

timestamp: ▼ [] string (date-time)
example: 2026-05-25T10:30:00Z

status: integer
example: 404

error: string
example: Not Found

path: string
example: /api/rooms/99

}

Status: 409 - Email already in use

Schema

▼ { }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ { } string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:     string
            example: /api/rooms/99
}
```

Status: 500 - Internal server error

Schema

▼ { }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ { } string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:     string
            example: /api/rooms/99
}
```

Rooms

checkAvailability

Check room availability

Checks whether a room is available for a given date range. Used for the availability check feature (U3). check-out must be after check-in, otherwise 400 is returned.

GET

```
/rooms/{roomId}/availability
```

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/rooms/{roomId}/availability?checkIn=&checkOut="
```

Parameters

Path parameters

Name	Description
roomId*	Long (int64) Required

Query parameters

Name	Description
checkIn*	date (date) <i>Desired check-in date (YYYY-MM-DD)</i> Required
checkOut*	date (date) <i>Desired check-out date (YYYY-MM-DD)</i> Required

Responses

Status: 200 - Availability status returned

Schema

▼ { []

roomId: ▼ [] integer (int64)

example: 1

checkIn: ▼ [] string (date)

checkOut: ▼ [] string (date)

available: boolean

example: true

}

Status: 400 - Invalid date range (e.g. check-out not after check-in)

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

timestamp: ▼ [] string (date-time)

example: 2026-05-25T10:30:00Z

status: integer

example: 404

error: string

example: Not Found

path: string

example: /api/rooms/99

}

Status: 404 - Resource not found

Schema

▼ { []

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

timestamp: ▼ [] string (date-time)

example: 2026-05-25T10:30:00Z

status: integer

example: 404

```

    error:      string
               example: Not Found

    path:       string
               example: /api/rooms/99
  }

```

Status: 500 - Internal server error

Schema

```

▼ { []
  Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

  timestamp: ▼ { [] string (date-time)
               example: 2026-05-25T10:30:00Z

  status:    integer
               example: 404

  error:     string
               example: Not Found

  path:      string
               example: /api/rooms/99
}

```

getAllRooms

Get all rooms

Returns the list of all hotel rooms. Used for the room overview page (U2).

GET

/rooms

Usage and SDK Samples

Curl

Java

Android

Obj-C

JavaScript

C#

PHP

Perl

Python

```

curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/rooms"

```

Parameters

Responses

Status: 200 - List of rooms returned

Schema

```

▼ [ []
  ▼ { []
    id:      ▼ { [] integer (int64)
               example: 1

    title:   string
               example: Deluxe Double

    description: string
               example: Second floor, courtyard side. Linen drapes and an oak desk.
  }
}

```

```
pricePerNight: ▼ [] number (double)
    Stored as DECIMAL in the database to avoid rounding issues.
    example: 129
capacity: ▼ [] integer (int32)
    example: 2
sizeSqm: ▼ [] integer (int32)
    example: 32
images: ▼ [ []
    ▼ { []
        id: ▼ [] integer (int64)
            example: 10
        filePath: string
            example: /images/rooms/1-main.jpg
        isPrimary: boolean
            example: true
    }
]
extras: ▼ [ []
    ▼ { []
        id: ▼ [] integer (int64)
            example: 1
        name: string
            example: Wi-Fi
        description: string
            example: Free high speed internet
        iconName: string
            example: wifi
    }
]
}
```

Status: 500 - Internal server error

Schema

```
▼ { []
    Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.
    timestamp: ▼ [] string (date-time)
        example: 2026-05-25T10:30:00Z
    status: integer
        example: 404
    error: string
        example: Not Found
    path: string
        example: /api/rooms/99
}
```

getRoomById

Get room by ID

Returns the details of a single room. Used for the room detail and booking flow (U2, U4).

```
/rooms/{roomId}
```

Usage and SDK Samples

Curl	Java	Android	Obj-C	JavaScript	C#	PHP	Perl	Python
------	------	---------	-------	------------	----	-----	------	--------

```
curl -X GET\  
-H "Accept: application/json"\  
"http://localhost:8080/api/rooms/{roomId}"
```

Parameters

Path parameters

Name	Description
roomId*	Long (int64) Required

Responses

Status: 200 - Room found and returned

Schema

```

▼ { []
  id: ▼ [] integer (int64)
    example: 1
  title: string
    example: Deluxe Double
  description: string
    example: Second floor, courtyard side. Linen drapes and an oak desk.
  pricePerNight: ▼ [] number (double)
    Stored as DECIMAL in the database to avoid rounding issues.
    example: 129
  capacity: ▼ [] integer (int32)
    example: 2
  sizeSqm: ▼ [] integer (int32)
    example: 32
  images: ▼[ []
    ▼ { []
      id: ▼ [] integer (int64)
        example: 10
      filePath: string
        example: /images/rooms/1-main.jpg
      isPrimary: boolean
        example: true
    }
  ]
  extras: ▼[ []
    ▼ { []
      id: ▼ [] integer (int64)
        example: 1
      name: string
        example: Wi-Fi
      description: string
        example: Free high speed internet
      iconName: string
        example: wifi
    }
  ]
}

```

Status: 404 - Resource not found

Schema

▼ { }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ { } string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:     string
            example: /api/rooms/99
}
```

Status: 500 - Internal server error

Schema

▼ { }

Default Spring Boot error body. There is no custom exception handler yet, so errors are returned in this shape.

```
timestamp: ▼ { } string (date-time)
            example: 2026-05-25T10:30:00Z
status:    integer
            example: 404
error:     string
            example: Not Found
path:     string
            example: /api/rooms/99
}
```

Suggestions, contact, support and error reporting;

Information URL: <https://helloreverb.com> (<https://helloreverb.com>)

Contact Info: hello@helloreverb.com (hello@helloreverb.com)

Apache 2.0

<http://apache.org/licenses/LICENSE-2.0.html>