

ACE Escapes - Hotel Booking API

API and SDK Documentation

Version: 1.0.0

REST API for the Boutique Hotel Technikum booking application. Covers room browsing, availability checking, booking management and guest authentication.

Availability

roomsRoomIdAvailabilityGet

Check room availability

Checks whether a specific room is available for a given date range. Used for the availability check feature (U3).

GET

/rooms/{roomId}/availability

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET \
-H "Accept: application/json" \
"http://localhost:8080/api/v1/rooms/{roomId}/availability?checkIn=&checkOut="
```

Parameters

Path parameters

Name	Description
roomId*	Integer Required

Query parameters

Name	Description
checkIn*	date (date) <i>Desired check-in date (YYYY-MM-DD)</i> Required
checkOut*	date (date) <i>Desired check-out date (YYYY-MM-DD)</i> Required

Responses

Status: 200 - Availability status returned

Schema

▼ { }

roomId: integer
example: 1

checkIn: ▼ string (date)
example: 2026-07-01

checkOut: ▼ string (date)
example: 2026-07-07

```
    available: boolean
      example: true
  }
}
```

Status: 400 - Invalid date range (e.g. check-out before check-in)

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 404 - Room not found

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Booking

bookingsBookingIdDelete

Cancel a booking

Cancels an existing booking by ID.

DELETE

/bookings/{bookingId}

Usage and SDK Samples

```
curl -X DELETE\  
-H "Accept: application/json\  
"http://localhost:8080/api/v1/bookings/{bookingId}"
```

Parameters

Path parameters

Name	Description
bookingId*	Integer Required

Responses

Status: 204 - Booking cancelled successfully

Status: 404 - Booking not found

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

bookingsBookingIdGet

Get booking by ID

Returns the details of a specific booking. Used for the booking confirmation page (U5).

GET

```
/bookings/{bookingId}
```

Usage and SDK Samples

```
curl -X GET\  
-H "Accept: application/json\  
"http://localhost:8080/api/v1/bookings/{bookingId}"
```

Parameters

Path parameters

Name	Description
bookingId*	Integer Required

Responses

Status: 200 - Booking found and returned

Schema

▼ { }

id: integer
example: 42

roomId: integer
example: 1

room: ▼ { }

id: integer
example: 1

title: string
example: Deluxe Double Room

description: string
example: A spacious double room with a view of the city skyline.

pricePerNight: ▼ [] number (float)
example: 129.99

extras: ▼ [] string
example: WiFi,Breakfast,Parking

imageUrl: string
example: /images/rooms/1.jpg

checkIn: ▼ [] string (date)
example: 2026-07-01

checkOut: ▼ [] string (date)
example: 2026-07-07

firstName: string
example: Jane

lastName: string
example: Doe

email: ▼ [] string (email)
example: jane.doe@email.com

breakfast: boolean
example: true

createdAt: ▼ [] string (date-time)
example: 2026-05-03T10:30:00Z

}

Status: 404 - Booking not found

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Schema

▼ { }

status: integer

example: 404

message: string

example: The requested resource was not found.

}

bookingsBookingIdPut

Update an existing booking

Updates the details of an existing booking. Can be used for modifications before check-in.

PUT

/bookings/{bookingId}

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

```
curl -X PUT \
-H "Accept: application/json" \
-H "Content-Type: application/json" \
"http://localhost:8080/api/v1/bookings/{bookingId}"
```

Parameters

Path parameters

Name	Description
bookingId*	Integer Required

Body parameters

Name	Description
body *	▼ { } Required: breakfast,checkIn,checkOut,email,firstName,lastName,roomId roomId: integer example: 1 checkIn: ▼ { } string (date) example: 2026-07-01 checkOut: ▼ { } string (date) example: 2026-07-07 firstName: string example: Jane lastName: string example: Doe email: ▼ { } string (email) example: jane.doe@email.com breakfast: boolean example: true

}

Responses

Status: 200 - Booking updated successfully

Schema

▼ { }

id: integer
example: 42

roomId: integer
example: 1

room: ▼ { }

id: integer
example: 1

title: string
example: Deluxe Double Room

description: string
example: A spacious double room with a view of the city skyline.

pricePerNight: ▼ [] number (float)
example: 129.99

extras: ▼ [] string
example: WiFi,Breakfast,Parking

imageUrl: string
example: /images/rooms/1.jpg

checkIn: ▼ [] string (date)
example: 2026-07-01

checkOut: ▼ [] string (date)
example: 2026-07-07

firstName: string
example: Jane

lastName: string
example: Doe

email: ▼ [] string (email)
example: jane.doe@email.com

breakfast: boolean
example: true

createdAt: ▼ [] string (date-time)
example: 2026-05-03T10:30:00Z

}

Status: 400 - Invalid request data

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 404 - Booking not found

Schema

▼ { }

```
status: integer
      example: 404

message: string
      example: The requested resource was not found.

}
```

Status: 409 - Room not available for updated period

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

bookingsPost

Create a new booking

Creates a new room booking for a guest. Used in the booking form (U4).

POST

/bookings

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X POST\
-H "Accept: application/json"\
-H "Content-Type: application/json"\
"http://localhost:8080/api/v1/bookings"

Parameters

Body parameters

Name	Description
------	-------------

body *	▼ { } Required: breakfast,checkIn,checkOut,email,firstName,lastName,roomId roomId: integer example: 1 checkIn: ▼ { } string (date) example: 2026-07-01 checkOut: ▼ { } string (date) example: 2026-07-07 firstName: string example: Jane lastName: string example: Doe email: ▼ { } string (email) example: jane.doe@email.com breakfast: boolean example: true }
--------	---

Responses

Status: 201 - Booking created successfully

Schema	▼ { } id: integer example: 42 roomId: integer example: 1 room: ▼ { } id: integer example: 1 title: string example: Deluxe Double Room description: string example: A spacious double room with a view of the city skyline. pricePerNight: ▼ { } number (float) example: 129.99 extras: ▼ [] string example: WiFi,Breakfast,Parking imageUrl: string example: /images/rooms/1.jpg } checkIn: ▼ { } string (date) example: 2026-07-01 checkOut: ▼ { } string (date) example: 2026-07-07 firstName: string example: Jane lastName: string example: Doe email: ▼ { } string (email) example: jane.doe@email.com breakfast: boolean example: true createdAt: ▼ { } string (date-time) example: 2026-05-03T10:30:00Z }
--------	--

Status: 400 - Invalid request data (missing fields, invalid email, etc.)

Schema

▼ { }

status: integer

example: 404

message: string

example: The requested resource was not found.

Status: 409 - Room is not available for the selected period

Schema

▼ { }

status: integer

example: 404

message: string

example: The requested resource was not found.

Status: 500 - Internal server error

Schema

▼ { }

status: integer

example: 404

message: string

example: The requested resource was not found.

Guest

guestsGuestIdBookingsGet

Get all bookings for a guest

Returns a list of all bookings made by a specific guest. Planned feature for U6 (post v1.0.0).

GET

/guests/{guestId}/bookings

Usage and SDK Samples

- Curl
- Java
- Android
- Obj-C
- JavaScript
- C#
- PHP
- Perl
- Python

```
curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/v1/guests/{guestId}/bookings"
```

Parameters

Path parameters

Name	Description
guestId*	Integer Required

Responses

Status: 200 - List of bookings returned

Schema

▼ []

▼ { }

id:

integer

example: 42

roomId:

integer

example: 1

room:

▼ { }

id:

integer

example: 1

title:

string

example: Deluxe Double Room

description:

string

example: A spacious double room with a view of the city skyline.

pricePerNight:

▼ [] number (float)

example: 129.99

extras:

▼ []

string

]

example: WiFi,Breakfast,Parking

imageUrl:

string

example: /images/rooms/1.jpg

}

checkIn:

▼ [] string (date)

example: 2026-07-01

checkOut:

▼ [] string (date)

example: 2026-07-07

firstName:

string

example: Jane

lastName:

string

example: Doe

email:

▼ [] string (email)

example: jane.doe@email.com

breakfast:

boolean

example: true

createdAt:

▼ [] string (date-time)

example: 2026-05-03T10:30:00Z

}

]

Status: 401 - Unauthorized

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 404 - Guest not found

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

guestsGuestIdGet

Get guest profile

Returns the personal details of a logged in guest. Planned feature for U6 (post v1.0.0).

GET

/guests/{guestId}

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/v1/guests/{guestId}"

Parameters

Path parameters

Name	Description
guestId*	Integer Required

Responses

Status: 200 - Guest profile returned

Schema

▼ { }

id: integer
example: 7

firstName: string
example: Jane

lastName: string
example: Doe

email: ▼ { } string (email)
example: jane.doe@email.com

}

Status: 401 - Unauthorized

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 404 - Guest not found

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

guestsLoginPost

Guest login

Authenticates a guest and returns a session token. Planned feature for U6 (post v1.0.0).

POST

/guests/login

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\  
-H "Accept: application/json\  
-H "Content-Type: application/json\  
"http://localhost:8080/api/v1/guests/login"
```

Parameters

Body parameters

Name	Description
body *	▼ { } Required: email,password email: ▼ { } string (email) example: jane.doe@email.com password: ▼ { } string (password) example: supersecret123 }

Responses

Status: 200 - Login successful

Schema

▼ { }

token: string
 example: eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9...

guestId: integer
 example: 7

}

Status: 400 - Missing email or password

Schema

▼ { }

status: integer
 example: 404

message: string
 example: The requested resource was not found.

}

Status: 401 - Invalid credentials

Schema

```
▼ { }
  status: integer
         example: 404
  message: string
         example: The requested resource was not found.
}
```

Status: 500 - Internal server error

Schema

```
▼ { }
  status: integer
         example: 404
  message: string
         example: The requested resource was not found.
}
```

guestsRegisterPost

Register a new guest

Creates a new guest account. Planned feature for U6 (post v1.0.0).

POST

/guests/register

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X POST\
-H "Accept: application/json"\
-H "Content-Type: application/json"\
"http://localhost:8080/api/v1/guests/register"
```

Parameters

Body parameters

Name	Description
body *	<pre>▼ { } Required: email,firstName,lastName,password firstName: string example: Jane lastName: string example: Doe email: ▼ { } string (email) example: jane.doe@email.com password: ▼ { } string (password) example: supersecret123 }</pre>

Responses

Status: 201 - Guest registered successfully

Schema

▼ { }

id: integer
example: 7

firstName: string
example: Jane

lastName: string
example: Doe

email: ▼ { } string (email)
example: jane.doe@email.com

}

Status: 400 - Invalid input (missing fields, invalid email format)

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 409 - Email already in use

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer
example: 404

message: string
example: The requested resource was not found.

}

Room

roomsGet

Get all rooms

Returns a list of all available hotel rooms. Used for the room overview page (U2).

GET

/rooms

Usage and SDK Samples

Curl Java Android Obj-C JavaScript C# PHP Perl Python

```
curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/v1/rooms?page=&size="
```

Parameters

Query parameters

Name	Description
page	Integer Page number for pagination (default 1)
size	Integer Number of rooms per page (default 5)

Responses

Status: 200 - List of rooms returned successfully

Schema

▼ { }

data: ▼ []

▼ { }

id: integer
 example: 1

title: string
 example: Deluxe Double Room

description: string
 example: A spacious double room with a view of the city skyline.

pricePerNight: ▼ [] number (float)
 example: 129.99

extras: ▼ []

string

]

example: WiFi,Breakfast,Parking

imageUrl: string
 example: /images/rooms/1.jpg

}

]

totalPages: integer
 example: 3

currentPage: integer
 example: 1

totalRooms: integer
 example: 12

}

Status: 500 - Internal server error

Schema

▼ { }

status: integer

example: 404

message: string

example: The requested resource was not found.

}

roomsRoomIdGet

Get room by ID

Returns details of a single room by its ID. Used for room detail view and booking flow (U2, U4, U5).

GET

/rooms/{roomId}

Usage and SDK Samples

CurlJavaAndroidObj-CJavaScriptC#PHPPerlPython

curl -X GET\
-H "Accept: application/json"\
"http://localhost:8080/api/v1/rooms/{roomId}"

Parameters

Path parameters

Name	Description
roomId*	Integer Required

Responses

Status: 200 - Room found and returned

Schema

▼ { }

id: integer

example: 1

title: string

example: Deluxe Double Room

description: string

example: A spacious double room with a view of the city skyline.

pricePerNight: ▼ { } number (float)

example: 129.99

extras: ▼ [{ }

string

]

example: WiFi,Breakfast,Parking

imageUrl: string

example: /images/rooms/1.jpg

```
}
```

Status: 404 - Room not found

Schema

```
▼ { []
  status: integer
    example: 404
  message: string
    example: The requested resource was not found.
}
```

Status: 500 - Internal server error

Schema

```
▼ { []
  status: integer
    example: 404
  message: string
    example: The requested resource was not found.
}
```

Suggestions, contact, support and error reporting;

Information URL: <https://helloverb.com> (<https://helloverb.com>)

Contact Info: hello@helloverb.com (hello@helloverb.com)

All rights reserved

<http://apache.org/licenses/LICENSE-2.0.html>