Операционные системы

Продвинутое использование git

Лабси Мохаммед

12 февраля 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы __________



Получение навыков правильной работы с репозиториями git.

Задачи лабораторной работы

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

```
mohammedlabsi@mohammedlabsi:~$ pnpm setup
Appended new lines to /home/mohammedlabsi/.bashrc
Next configuration changes were made:
export PNPM HOME="/home/mohammedlabsi/.local/share/pnpm"
case ":$PATH:" in
 *":$PNPM HOME:"*) ::
 *) export PATH="$PNPM_HOME:$PATH" ;;
esac
To start using pnpm, run:
source /home/mohammedlabsi/.bashrc
mohammedlabsi@mohammedlabsi:~$ source ~/.bashrc
mohammedlabsi@mohammedlabsi:~$
```

Рис. 1: Node.js

```
mohammedlabsi@mohammedlabsi:~$
mohammedlabsi@mohammedlabsi:~$ pnpm add -g commitizen
                    Update available! 9.13.0 \rightarrow 10.3.0.
                    Run "pnpm self-update" to update.
             Follow @pnpmjs for updates: https://x.com/pnpmjs
WARN
Progress: resolved 151, reused 0, downloaded 151, added 151, done
+ commitizen 4.3.1
Done in 3.4s
mohammedlabsi@mohammedlabsi:~$
```

Рис. 2: установка commitizen

standard-changelog

```
mohammedlabsi@mohammedlabsi:~$
mohammedlabsi@mohammedlabsi:~$ pnpm add -g standard-changelog
      2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6
Packages: +39
Progress: resolved 190, reused 151, downloaded 39, added 39, done
/home/mohammedlabsi/.local/share/pnpm/global/5:
 standard-changelog 6.0.0
Done in 2.8s
mohammedlabsi@mohammedlabsi:~$
```

Рис. 3: установка standard-changelog

```
package.json
                   \oplus
  <u>О</u>ткрыть
                                                       ~/git-extended
       "name": "git-extended",
       "version": "1.0.0",
       "description": "Git repo for educational purposes",
       "main": "index.is".
       "repository": "git@github.com:LamsiMohammed/git-extended.git".
       "author": "LamsiMohammed",
       "license": "CC-BY-4.0",
9
10
11
12
13
       "config": {
           "commitizen": {
                "path": "cz-conventional-changelog"
14
```

Рис. 4: package.json

Использование commitizen

```
Select the type of change that you're committing: chore: Other changes that don't modify arc or test files
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
[master fb9b8f0] chore: test
create mode 100644 package.ison
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 494 байта | 494.00 КиБ/с, готово.
To github.com:LamsiMohammed/git-extended.git
  e773654..fb9b8f0 master -> master
mohammedlabsi@mohammedlabsi:~/git-extended$
```

Рис. 5: Отправка

```
mohammedlabsi@mohammedlabsi:~/git-extended$ git flow init
Which branch should be used for bringing forth production releases?
Branch name for production releases: [master]
Branch name for "next release" development: [develop]
How to name your supporting branch prefixes?
Feature branches? [feature/]
Bugfix branches? [bugfix/]
Release branches? [release/]
Hotfix branches? [hotfix/]
Version tag prefix? []
Hooks and filters directory? [/home/mohammedlabsi/git-extended/.git/hooks]
mohammedlabsi@mohammedlabsi:~/git-extended$ git branch
mohammedlabsi@mohammedlabsi:~/git-extended$ git push --all
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Create a pull request for 'develop' on GitHub by visiting:
To github.com:LamsiMohammed/git-extended.git
 * [new branch]
mohammedlabsi@mohammedlabsi:~/git-extendeds
```

Рис. 6: Инициализация и загрузка изменений

git-flow

```
mohammedlabsi@mohammedlabsi:~/git-extended$ standard-changelog --first-release
✓ created CHANGELOG.md
✓ output changes to CHANGELOG.md
mohammedlabsi@mohammedlabsi:~/git-extended$ git add CHANGELOG.md
mohammedlabsi@mohammedlabsi:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 d5044f8] chore(site): add changelog
 create mode 100644 CHANGELOG.md
mohammedlabsi@mohammedlabsi:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
create mode 100644 CHANGELOG.md
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
  (используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Merge made by the 'ort' strategy.
 CHANGELOG. md | 4 ++++
create mode 100644 CHANGELOG.md
Ветка release/1.0.0 удалена (была d5044f8).
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
 Release tag '1.0.0' has been back-merged into 'develop'
```

Рис. 7: Завершение релиза

Отправим данные на github

```
mohammedlabsi@mohammedlabsi:~/git-extended$ git push --all
Перечисление объектов: 6, готово.
Подсчет объектов: 100% (6/6), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (4/4), готово.
Запись объектов: 100% (5/5), 559 байтов | 559.00 КиБ/с, готово.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), done.
To github.com:LamsiMohammed/git-extended.git
   fb9b8f0..85d8b33 develop -> develop
   fb9b8f0..a0ba4a9 master -> master
mohammedlabsi@mohammedlabsi:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 165 байтов | 165.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:LamsiMohammed/git-extended.git
 * [new tag]
mohammedlabsi@mohammedlabsi:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md
https://github.com/LamsiMohammed/git-extended/releases/tag/v1.0.0
mohammedlabsi@mohammedlabsi:~/git-extended$
```

Рис. 8: Отправка

Объединение веток

```
mohammedlabsi@mohammedlabsi:~/git-extended$ git flow feature start feature branch
Переключились на новую ветку «feature/feature_branch»
Summary of actions:
- A new branch 'feature/feature branch' was created, based on 'develop'
- You are now on branch 'feature/feature branch'
Now, start committing on your feature. When done, use:
     git flow feature finish feature_branch
mohammedlabsi@mohammedlabsi:~/git-extended$ touch test2
mohammedlabsi@mohammedlabsi:~/git-extended$ git flow feature finish feature branch
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Уже актуально.
Ветка feature/feature_branch удалена (была 85d8b33).
Summary of actions:

    The feature branch 'feature/feature branch' was merged into 'develop'

- Feature branch 'feature/feature branch' has been locally deleted

    You are now on branch 'develop'

mohammedlabsi@mohammedlabsi:~/git-extended$
```

Рис. 9: Объединение веток

```
mohammedlabsi@mohammedlabsi:~/git-extended
Œ.
 CHANGELOG.md | 4 ++++
Summary of actions:
 Release branch 'release/1.2.3' has been merged into 'master'
 Release tag '1.2.3' has been back-merged into 'develop'
 Release branch 'release/1.2.3' has been locally deleted
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
Запись объектов: 100% (6/6), 774 байта | 774.00 КиБ/с, готово.
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
   a0ba4a9..c7ab92d master -> master
mohammedlabsi@mohammedlabsi:~/git-extended$ git push --tags
Перечисление объектов: 1. готово.
Запись объектов: 100% (1/1), 166 байтов | 166.00 КиБ/с, готово.
To github.com:LamsiMohammed/git-extended.git
mohammedlabsi@mohammedlabsi:~/git-extendeds gh release create v1.2.3 -F CHANGELOG.md
mohammedlabsi@mohammedlabsi:~/git-extendeds
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
ohammedlabsi@mohammedlabsi:~/work/study/2024-2025/Операционные системы/os-intro$ gedit package.ison
 Select the type of change that you're committing: chore: Other changes that don't modify src or test files
 What is the scope of this change (e.g. component or file name): (press enter to skip)
 Write a short, imperative tense description of the change (max 93 chars):
 Provide a longer description of the change: (press enter to skip)
 Are there any breaking changes? No
 Does this change affect any open issues? No
 master c5be605l chore: test
create mode 100644 package.ison
Перечисление объектов: 4. готово.
Полсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 489 байтов | 489,00 КиБ/с, готово.
To github.com:LamsiMohammed/os-intro.git
  b7f7da1..c5be605 master -> master
mohammedlabsi@mohammedlabsi:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория

```
erge made by the 'ort' strategy.
Ветка release/1.0.0 удалена (была ddlff74).
 Release branch 'release/1.0.0' has been merged into 'master'
 The release was tagged '1.0.0'
 Release tag '1.0.0' has been back-merged into 'develop'
Перечисление объектов: 7. готово.
Подсчет объектов: 100% (7/7), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 631 байт | 631.00 КиБ/с, готово.
remote: Resolving deltas: 100% (3/3), completed with 1 local object.
To github.com:LamsiMohammed/os-intro.git
  c5be605..86f23e9 develop -> develop
  c5be605..3ebe834 master -> master
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 166 байтов | 166.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:LamsiMohammed/os-intro.git
* [new tag]
nohammedlabsi@mohammedlabsi:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 12: Завершение релиза

Выводы по проделанной работе



Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.