

Generated by lb8075 on 05 August 2014, 14:54:29

This report has been generated automatically by MADANALYSIS 5.

Please cite:

**E. Conte, B. Fuks and G. Serret,**  
*MadAnalysis 5, A User-Friendly Framework for Collider Phenomenology,*  
Comput. Phys. Commun. **184** (2013) 222-256,  
arXiv:1206.1599 [hep-ph].

To contact us:

<http://madanalysis.irmp.ucl.ac.be>  
[ma5team@iphc.cnrs.fr](mailto:ma5team@iphc.cnrs.fr)

---

## Contents

<b>1</b>	<b>Setup</b>	<b>2</b>
1.1	Command history	2
1.2	Configuration	2
<b>2</b>	<b>Datasets</b>	<b>3</b>
2.1	defaultset	3

---

## 1 Setup

### 1.1 Command history

```
ma5>import /Users/lb8075/MG5_aMC_v2_1_2/SM_4T/Events/run_02/tag_1_pythia_events.hep.gz
ma5>import ../MG5_aMC_v2_1_2/SM_4T/Events/run_02/tag_1_pythia_events.hep.gz
ma5>set main.fastsim.package
ma5>set main.fastsim.package = fastjet
ma5>set main.fastsim.algorithm = antikt
ma5>set main.fastsim.radius = 0.5
ma5>set main.outputfile = sm4t.lhe
ma5>import /Users/lb8075/MG5_aMC_v2_1_2/SM_4T/Events/run_02/tag_1_pythia_events.hep.gz
ma5>submit
```

### 1.2 Configuration

- MadAnalysis version 1.1.12.01 (2014/07/24).
- Histograms are not scaled.

## 2 Datasets

### 2.1 defaultset

- Samples stored in the directory: `/Users/lb8075/madanalysis5` .
- Sample consisting of: `signal` events.
- Generated events: `10000` events.
- Normalization to the luminosity: `89+/- 0` events.
- Ratio (event weight): `0.0089` .

Path to the event file	Nr. of events	Cross section (pb)	Negative wgt (%)
/Users/lb8075/- MG5_aMC_v2_1_2/- SM_4T/Events/run_02/- tag_1_pythia_events.hep.gz	10000	0.00898	0.0