

URL to GitHub Repository:

URL to Public Link of your Video: https://www.youtube.com/watch?v=FYIFzfAS8RA

Instructions:

- 1. Follow the **Coding Steps** below to complete this assignment.
 - In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed.
 - Create a new repository on GitHub for this week's assignment and push your completed code to this dedicated repo.
 - Create a video showcasing your work:
 - In this video: record and present your project verbally while showing the results of the working project.
 - <u>Easy way to Create a video</u>: Start a meeting in Zoom, share your screen, open Eclipse with the code and your Console window, start recording & record yourself describing and running the program showing the results.
 - Your video should be a maximum of 5 minutes.
 - Upload your video with a public link.
 - <u>Easy way to Create a Public Video Link</u>: Upload your video recording to YouTube with a public link.
- 2. In addition, please include the following in your Coding Assignment Document:
 - The URL for this week's GitHub repository.
 - The URL of the public link of your video.
- 3. Save the Coding Assignment Document as a .pdf and do the following:
 - Push the .pdf to the GitHub repo for this week.
 - Upload the .pdf to the LMS in your Coding Assignment Submission.



Coding Steps — Arrays and Methods

- 1. Create an array of int called ages that contains the following values: 3, 9, 23, 64, 2, 8, 28, 93.
 - a. Programmatically subtract the value of the first element in the array from the value in the last element of the array (i.e. do not use ages[7] in your code). Print the result to the console.
 - b. Add a new age to your array and repeat the step above to ensure it is dynamic (works for arrays of different lengths).
 - c. Use a loop to iterate through the array and calculate the average age. Print the result to the console.
- 2. Create an array of String called names that contains the following values: "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob".
 - a. Use a loop to iterate through the array and calculate the average number of letters per name. Print the result to the console.
 - b. Use a loop to iterate through the array again and concatenate all the names together, separated by spaces, and print the result to the console.
- 3. How do you access the last element of any array?
- 4. How do you access the first element of any array?
- 5. Create a new array of int called nameLengths. Write a loop to iterate over the previously created names array and add the length of each name to the nameLengths array.
- 6. Write a loop to iterate over the nameLengths array and calculate the sum of all the elements in the array. Print the result to the console.
- 7. Write a method that takes a String, word, and an int, n, as arguments and returns the word concatenated to itself n number of times. (i.e. if I pass in "Hello" and 3, I expect the method to return "HelloHelloHello").
- 8. Write a method that takes two Strings, firstName and lastName, and returns a full name (the full name should be the first and the last name as a String separated by a space).
- 9. Write a method that takes an array of int and returns true if the sum of all the ints in the array is greater than 100.
- 10. Write a method that takes an array of double and returns the average of all the elements in the array.
- 11. Write a method that takes two arrays of double and returns true if the average of the elements in the first array is greater than the average of the elements in the second array.
- 12. Write a method called willBuyDrink that takes a boolean isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and if moneyInPocket is greater than 10.50.
- 13. Create a method of your own that solves a problem. In comments, write what the method does and why you created it.



```
package week4;
public class specialWeek4 {
public static void main(String[] args) {
// 1. Create an array of int called ages that contains the following values: 3,
// 9, 23, 64, 2, 8, 28, 93.
int[] ages = { 3, 9, 23, 64, 2, 8, 28, 93 };
// a. Programmatically subtract the value of the first element in the array from
// the value in the last element of the array (i.e. do not use ages[7] in your
// code). Print the result to the console.
System.out.println(ages[ages.length - 1] - ages[0]);
// b. Add a new age to your array and repeat the step above to ensure it is
// dynamic (works for arrays of different lengths).
int[] ages2 = { 3, 9, 23, 64, 2, 8, 28, 93, 13 };
System.out.println(ages2[ages2.length - 1] - ages2[0]);
// c. Use a loop to iterate through the array and calculate the average age.
// Print the result to the console.
int sum = 0;
int avrg = 0;
for (int age : ages) {
sum += age;
avrg = sum / ages.length;
```



System.out.println(avrg); // 2. Create an array of String called names that contains the following values: // "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob". String[] names = { "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob" }; // a. Use a loop to iterate through the array and calculate the average number // of letters per name. Print the result to the console. int sum1 = 0;for (String name : names) { sum1 += name.length(); } System.out.println(sum1 / names.length); // b. Use a loop to iterate through the array again and concatenate all the // names together, separated by spaces, and print the result to the console. **for** (**int** i = 0; i < 1; i++) { System.out.println(names[0] + "" + names[1] + "" + names[2] + "" + names[3] + "" + names[4] + "" + names[5]);} // 3. How do you access the last element of any array? $int[] arr = { 1, 14, 3, 2, 5 };$ System.out.println(arr[arr.length - 1]); // 4. How do you access the first element of any array? $int[] arr1 = { 1, 14, 3, 2, 5 };$ System.out.println(arr1[0]);



```
// 5. Create a new array of int called nameLengths. Write a loop to iterate over
// the previously created names array and add the length of each name to the
// nameLengths array.
int[] nameLengths = new int[names.length];
for (int i = 0; i < names.length; i++) {
nameLengths[i] = names[i].length();
}
for (int number : nameLengths) {
System.out.println(number);
}
// 6. Write a loop to iterate over the nameLengths array and calculate the sum
// of all the elements in the array. Print the result to the console.
int sumOfNameLengths = 0;
for (int number : nameLengths) {
sumOfNameLengths += number;
}
System.out.println(sumOfNameLengths);
// 7. Write a method that takes a String, word, and an int, n, as arguments and
// returns the word concatenated to itself n number of times. (i.e. if I pass in
// "Hello" and 3, I expect the method to return "HelloHelloHello").
String word = "Hello";
int n = 3;
System.out.println(concatenation(word, n));
```



```
// 8. Write a method that takes two Strings, firstName and lastName, and returns
// a full name (the full name should be the first and the last name as a String
// separated by a space).
String firstName = "Linda";
String lastName = "Belcher";
System.out.println(fullName(firstName, lastName));
// 9. Write a method that takes an array of int and returns true if the sum of
// all the ints in the array is greater than 100.
int[] arr3 = { 16, 86, 3, 1, 9 };
System.out.println(sumOfInts(arr3));
// 10. Write a method that takes an array of double and returns the average of
// all the elements in the array.
double[] arrayDouble = { 54.78, 31.63, 44.56, 11.23, 78.90 };
System.out.println(avrgDoubleArray(arrayDouble));
// 11. Write a method that takes two arrays of double and returns true if the
// average of the elements in the first array is greater than the average of the
// elements in the second array.
double[] array1 = { 54.78, 31.63, 44.56, 11.23, 78.90 };
double[] array2 = { 1.23, 2.34, 3.45, 4.56, 5.67 };
System.out.println(greaterDouble(array1, array2));
// 12. Write a method called willBuyDrink that takes a boolean isHotOutside, and
// a double moneyInPocket, and returns true if it is hot outside and if
// moneyInPocket is greater than 10.50.
```



```
boolean isHotOutside = true;
double moneyInPocket = 11.75;
System.out.println(willBuyDrink(isHotOutside, moneyInPocket));
// 13. Create a method of your own that solves a problem. In comments, write
// what the method does and why you created it.
double[] monthlyGroceries = {165.70, 120.02, 123.50, 98.78, 78.56, 170.31, 240.02, 65.31, 45.79, 90.09, 87.34, 23.58};
System.out.println(avrgCostOfGroceries(monthlyGroceries));
}
//7.
public static String concatenation(String word, int n) {
String str = "";
for (int i = 0; i < n; i++) {
str += word;
}
return str;
}
//8.
public static String fullName(String firstName, String lastName) {
return firstName + " " + lastName;
}
//9.
public static boolean sumOfInts(int[] intss) {
int summ = 0;
```



```
for (int ints : intss) {
summ += ints;
if (summ > 100)
return true;
return false;
}
//10.
public static double avrgDoubleArray(double[] doubleArray) {
double sum = 0;
for (double number : doubleArray) {
sum += number;
}
return sum / doubleArray.length;
}
//11.
public static boolean greaterDouble(double[] array1, double[] array2) {
double sum1 = 0;
double sum2 = 0;
for (double numb : array1) {
sum1 += numb;
```



```
for (double numb2 : array2) {
sum2 += numb2;
if (sum1 / array1.length > sum2 / array2.length) {
}
}
}
return true;
}
//12.
public static boolean willBuyDrink(boolean isHotOutside, double moneyInPocket) {
if (isHotOutside = true && moneyInPocket > 10.50) {
}
return true;
}
//13.
public static double avrgCostOfGroceries(double[] n) {
double totalCost = 0;
for (double groceries : n) {
totalCost += groceries;
}
```



return totalCost / 12;	
}	
} The method allows to calculate the average cost of groceries per more	nth