
Start: Jan 11, 1:23:50.324 AM End: Jan 11, 1:24:41.871 AM **Duration: 51.547 s** Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 30 6 30 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 100


Feature			Scei	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S	
Login page Quan ly Cong Viec	11.183 s	1	0	1	0	4	0	0	4	
Them Moi Cong Viec page Quan ly Cong Viec	7.936 s	1	0	1	0	8	0	0	8	
Cap Nhap Cong Viec page Quan ly Cong Viec	8.095 s	1	0	1	0	9	0	0	9	
Login page Quan ly Cong Viec with input invalid	24.166 s	3	0	3	0	9	0	0	9	

FEATURES SUMMARY -- 3 --



#	Feature Name	T	P	F	S	Duration
1	Login page Quan ly Cong Viec	1	0	1	0	11.183 s
2	Them Moi Cong Viec page Quan ly Cong Viec	1	0	1	0	7.936 s
3	Cap Nhap Cong Viec page Quan ly Cong Viec	1	0	1	0	8.095 s
4	Login page Quan ly Cong Viec with input invalid	3	0	3	0	24.166 s

SCENARIOS SUMMARY -- 4 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login page Quan ly Cong Viec	Login page quan ly cong viec with input valid	4	0	0	4	11.165 s
2	Them Moi Cong Viec page Quan ly Cong Viec	Them moi cong viec tai trang quang ly cong viev	8	0	0	8	7.935 s
3	Cap Nhap Cong Viec page Quan ly Cong Viec	Cap nhap cong viec tai trang quang ly cong viec	9	0	0	9	8.095 s
4	Login page Quan ly Cong Viec with input invalid	Login page quan ly cong viec with input invalid	3	0	0	3	7.924 s
5	Login page Quan ly Cong Viec with input invalid	Login page quan ly cong viec with input invalid	3	0	0	3	7.852 s
6	Login page Quan ly Cong Viec with input invalid	Login page quan ly cong viec with input invalid	3	0	0	3	8.134 s

DETAILED SECTION -- 5 --

Login page Quan ly Cong Viec

FAILED	DURATION - 11.183 s	Scenarios		Steps	
		Total - 1		Total - 4	
/ 1:23:50.324 AM // 1	:24:01.507 AM /	Pass - 0	1	Pass - 0	4
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 4	

Login page quan ly cong viec with input valid



Step / Hook Details	Status	Duration
BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	11.033 s
org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1112bfb637a6a5fe883859df366cb0bb, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.121, (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57423}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57423/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1112bfb637a6a5fe883859df366cb0bb at sun.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.ConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)	PAILED	11.033 \$
	BEFORE - hooks.Hooks.stateOfTheAUT() org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '13.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1112bfb637a6a5fe883859df366cb0bb, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57423}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57423/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFielnteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1112bfb637a6a5fe883859df366cb0bb at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.lang.reflect.ConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)	BEFORE - hooks.Hooks.stateOfTheAUT() org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1112bfb637a6a5fe883859df366cb0bb, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: (chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca), goog:chromeOptions: {debuggerAddress: localhost:57423}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57423/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1112bfb637a6a5fe883859df366cb0bb at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.getaeException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at hooks.Hooks.stateOfTheAUT(Hooks.java:22)		
1	Given title of login page is Quan Ly cong Viec	SKIPPED	0.002 s
2	When user enters "htha" and "1234"	SKIPPED	0.000 s
3	And user clicks on login button	SKIPPED	0.001 s
4	Then user is on home pag	SKIPPED	0.001 s

Them Moi Cong Viec page Quan ly Cong Viec

FAILED	DURATION - 7.936 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 1:24:01.591 AM // 1	1:24:09.527 AM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 8	

Them moi cong viec tai trang quang ly cong viev


	ior borig vice tar traing quaring i	, 00.	ig vicv										
FAILED	DURATION - 7.935 s	0.15	1								Steps		
/ 1:24:01 592 A	M // 1:24:09.527 AM /	0.1			!						Total - 8		
7 1.24.01.032 71	W// 1.24.00.021 / W//										Pass - 0		
Them Moi Cong	g Viec page Quan ly Cong Viec	.05									Fail - 0	°	,
		0			-	_			_	_	Skip - 8		′
			1	2	3	4	5	6	7	8			


#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	7.777 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [229173a6dff36f00bd71f38db691c307, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir:		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	C:\Users\admin\AppData\Loca\}, goog:chromeOptions: {debuggerAddress: localhost:57457}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57457/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 229173a6dff36f00bd71f38db691c307 at sun.reflect.NativeConstructorAccessorImpl.newInstance(O(Native Method)) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:312) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:312) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at hooks.Hooks.stateOfTheAUT(Hooks.java:22)		
1	Given user enters valid "htha" and "1234"	SKIPPED	0.000 s
2	And click on login button	SKIPPED	0.001 s
3	When click tag Quan ly cong viec and click button them moi	SKIPPED	0.001 s
4	And user enter input information cong viec "automation_test13" and "thuc hien do an" and thong tin khac	SKIPPED	0.000 s
5	And click button them moi	SKIPPED	0.000 s
6	When click tag quan ly cong viec	SKIPPED	0.000 s
7	And user enter ten cong viec moi "automation_test13"	SKIPPED	0.000 s
8	Then Verify new cong viec is correctly displayed on quan ly cong viec window	SKIPPED	0.000 s

Cap Nhap Cong Viec page Quan ly Cong Viec






#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	7.967 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '18.0. 321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [841dfec2a6706a6dd778521cea8f9fad, get {uri=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.171 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57491}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57491/devtoo, se:cdp\version: 108.0.5359.125, set\widthydowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 841dfec2a6706a6dd778521cea8f9fad at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.edec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver		
1	Given user enters valid "htha", "1234"	SKIPPED	0.000 s
2	When click tag Quan ly cong viec	SKIPPED	0.000 s
3	And user enter input information cong viec "automation_test13"	SKIPPED	0.000 s
4	And click button cap nhap	SKIPPED	0.003 s
5	And user enter input cap nhap cong viec: "do an selenium_auto15","do an hoan thien"	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And user enter input information cong viec "do an selenium_auto15"	SKIPPED	0.001 s
7	Then Verify update cong viec success	SKIPPED	0.000 s
8	When user click button tam dung and popup button yes	SKIPPED	0.000 s
9	Then Verify tam dung cong viec success	SKIPPED	0.000 s

Login page Quan ly Cong Viec with input invalid

FAILED	DURATION - 24.166 s	Scenarios		Steps	
		Total - 3		Total - 9	
/ 1:24:17.705 AM // 1	L:24:41.871 AM /	Pass - 0	3	Pass - 0	9 N
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 9	
				'	


Login page quan ly cong viec with input invalid



#	#	Step / Hook Details	Status	Duration
		BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	7.826 s
		org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a43f51d8d35f62856ec5e439c8b532ea, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57523}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57523/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: a43f51d8d35f62856ec5e439c8b532ea		

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at hooks.Hooks.stateOfTheAUT(Hooks.java:22)		
1	Given user enters input invalid "htha1" and "1234"	SKIPPED	0.000 s
2	And user clicks on đặng nhập button	SKIPPED	0.001 s
3	Then Ui is show validatioon	SKIPPED	0.000 s


Login page quan ly cong viec with input invalid



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	7.769 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ed72718cdb06b733b0ccc7e406f0f97e, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57556}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57556/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: ed72718cdb06b733b0ccc7e406f0f97e		

#	Step / Hook Details	Status	Duration
	at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at hooks.Hooks.stateOfTheAUT(Hooks.java:22)		
1	Given user enters input invalid "htha" and "12345"	SKIPPED	0.000 s
2	And user clicks on đăng nhập button	SKIPPED	0.000 s
3	Then Ui is show validatioon	SKIPPED	0.000 s

Login page quan ly cong viec with input invalid



#	Step / Hook Details	Status	Duration
	BEFORE - hooks.Hooks.stateOfTheAUT()	FAILED	8.021 s
	org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.1.1', revision: 'e8fcc2cecf' System info: host: 'LAPTOP-G4EGU9EA', ip: '192.168.186.1', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '1.8.0_321' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0d9b3247e6a2b3eae034afd38894f14c, get {url=http://localhost:8080/ZKTaskManagement/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06, userDataDir: C:\Users\admin\AppData\Loca}, goog:chromeOptions: {debuggerAddress: localhost:57587}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57587/devtoo, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		

DETAILED SECTION -- 12 --

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0d9b3247e6a2b3eae034afd38894f14c at sun.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at sun.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:62) at sun.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.lang.reflect.Constructor.newInstance(Constructor.java:423) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543)	Otatus	Daracion
1	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:312) at hooks.Hooks.stateOfTheAUT(Hooks.java:22)	CMDDED	0.000
1	Given user enters input invalid "htha1" and "12345"	SKIPPED	0.000 s
2	And user clicks on đăng nhập button	SKIPPED	0.000 s
3	Then Ui is show validatioon	SKIPPED	0.000 s