AI Agent Presentation - Slide Content Outline

Duration: 30-35 minutes

COVER SLIDE: Topic of the Day

Content:

- Title: "AI Agents in Production: What Could Go Wrong?"
- Date/Time/Location
- Community branding

SLIDE 1: Introduction by Lance (5 mins)

Content:

- "Welcome! I'm Lance, your organiser today"
- Brief intro

Visual:

- **Large QR Code** for survey (center-right)
- enhancd.ai logo
- Text: "Scan to take our quick survey"

Talking Points:

- Welcome everyone
- "I'm Lance, organiser of this community"
- "Please scan the QR code for our quick survey"
- "Today: What can go wrong with AI agents and how to build them safely"

TODO: Generate QR code for survey

SLIDE 2: What This Session Is About

Content:

Community Building

- Creating space for AI practitioners to connect
- Sharing real-world experiences

Education on Latest Breakthroughs

- Staying current with AI developments
- Understanding new patterns and risks

Practical Knowledge

- Real problems we're facing
- Battle-tested architectural solutions
- Not theory - practical insights for tomorrow

Talking Point: "This isn't a pitch - we're sharing what we've learned in the trenches."

SLIDE 3: Interactive - What's the Worst That Could Happen? (2 mins)

Title: "AI Agents - What's the Worst That Could Happen?"

Audience Poll: "Show of hands - what worries you most?"

- Security breaches / getting hacked
- Making expensive mistakes
- Integration nightmares
- Agents doing unexpected things
- Leaking sensitive data
- Replacing human jobs

Talking Point: "Don't worry - all of these have happened to someone. Let's learn from their mistakes."

Transition: "Let's look at the 5 ways AI agents fail in production..."

SLIDE 4: The 5 Failure Modes - Overview

Title: "What Can Go Wrong: 5 Critical Failure Modes"

Content:

1. **Security Vulnerabilities** Prompt injection, data leaks, unauthorized access
2. **Integration Difficulty** 40+ systems, different APIs, rate limits, data format chaos
3. **Error Propagation** Mistakes multiply through multi-agent workflows
4. **Lack of Guardrails** Unlimited agency, no boundaries, no kill switch
5. **Human Displacement** Fear, resistance, unclear collaboration model


Talking Point: "These are the 5 patterns failing in production right now. Let's look at each with real examples and solutions."

SLIDE 5: Problem #1 - Security Vulnerabilities (with Solutions)

Title: "Security: Prompt Injection, Data Leaks & Tool Exploits"


The Problems

Problem A: Prompt Injection (OWASP LLM01)



Real Impact: This happened to multiple companies in 2024 with chatbots that had payment processing access.

Problem B: Sensitive Data Leakage (OWASP LLM06)



Real Case: Samsung banned ChatGPT after employees accidentally leaked proprietary source code.

Problem C: Tool Exploitation (OWASP LLM07)



Solution A: Input Validation & Output Guardrails

Solves: Prompt Injection (OWASP LLM01)



Solution B: Data Anonymization & PII Protection

Solves: Sensitive Data Leakage (OWASP LLM06)



Solution C: Tool Sandboxing + Network Isolation


Solves: Insecure Tool/Plugin Design (OWASP LLM07)



Putting It All Together: Defense-in-Depth Architecture

How all solutions work together as layers:


User Request
LAYER 1: INPUT VALIDATION (from Solution A)
• Detect injection patterns
• Sanitize input before processing
• Flag suspicious content for review
• Rate limiting
LAYER 2: DATA PROTECTION (from Solution B)
BEFORE AI sees data:
AFTER anonymization:
name: "John Smith" → name: "[PERSON_1]"
email: "j@corp.com" → email: "[EMAIL_1]"
card: "4111...1111" → card: "[REDACTED]"
api_key: "sk-xxx" → api_key: "[REDACTED]"
AI works with anonymized data
Re-hydration only at display time (if authorized)
LAYER 3: TOOL SECURITY (from Solution C)
• Domain allowlisting for web tools
• Network isolation for code execution
• Block internal network access (SSRF prevention)
• Resource limits (CPU, memory, time)
• Tool-specific authentication tokens
LAYER 4: OUTPUT VALIDATION (from Solution A)
Before action executes:



Key Points:


- Assume breach will happen - design for it
- Each layer catches what previous missed
- Security is architecture, not a feature added later

Talking Point: "Prompt injection is the new SQL injection. Defense in depth - built from day one, not added later."


SLIDE 6: Problem #2 - Integration Difficulty (with Solution)

Title: "Integration: The Multi-System Nightmare"

The Problem



Real Scenario: Order Creation Failure



The Solution: Integration Abstraction Layer


AI AGENT
Agent sees unified interface:
• get_customer(name)
• create_order(details)
• send_notification(message)
• log_activity(data)
Agent doesn't know: which system, what format, what auth
INTEGRATION GATEWAY
AUTH DELEGATION
• Issues scoped, time-limited tokens
• No credentials stored in agent config
• Full audit trail of access
FORMAT NORMALIZER
• Translates between system formats
• Maps field names automatically
• Handles schema differences
RATE MANAGER
• Queues requests to respect limits
• Caches responses where appropriate
• Automatic retry with backoff
CRM System
ERP System
Chat Platform
Database

How It Works:



Benefits:

- Agent doesn't need to know about 40 different APIs
- Rate limiting handled automatically
- Data formats normalized
- One API change doesn't break everything
- Credentials never stored in agent config

Talking Point: "Integration isn't about giving AI direct access to 40 APIs. It's about building an abstraction layer that handles the complexity so agents can focus on the task."

SLIDE 7: Problem #3 - Error Propagation (with Solution)

Title: "Error Propagation: The Q4 Revenue Disaster"

The Problem




WHY THIS HAPPENED:


- Each agent trusts previous agent completely
- No validation between steps
- Errors amplify with each handoff
- 100% confidence ≠ 100% correct

The Solution: Validation Checkpoints



Execution with Checkpoints:


AGENT 1: Data Extraction
Output: "Q4 Revenue: $2.3M"
CHECKPOINT 1: Data Validation
Validation Rules:
✓ Date range matches request?
Requested: Q4 2024 (Oct-Dec)
Returned: Jul-Sep 2024
Result: ✗ MISMATCH
✓ Data completeness check?
(not reached - failed previous check)
Action: ✗ WORKFLOW PAUSED
Agent 1 re-invoked with explicit date filter
"Extract data for: 2024-10-01 to 2024-12-31"
AGENT 1 (Retry): Data Extraction
Output: "Q4 Revenue: $3.1M" ✓ Correct
CHECKPOINT 1: Data Validation (Retry)
✓ Date range matches: Oct-Dec 2024 ✓
✓ Data complete: 12/12 fields ✓
✓ Values in expected range ✓
Status: PASS → Continue
AGENT 2: Analysis
Output: "35% growth. Strong performance."


CHECKPOINT 2: Logic Validation
✓ Growth rate realistic? (-50% to +200%)
Calculated: 35% ✓
✓ Totals match sum of parts? ✓
✓ Within historical baseline (2 std dev)? ✓
Status: PASS → Continue
AGENT 3: Report Generation
Output: Board presentation ready
CHECKPOINT 3: Action Validation
Action: Send to board@company.com
Risk Assessment:
• Recipients: External stakeholders
• Content: Financial data
• Impact: HIGH
Rule: High-impact external comms require approval
Status: PENDING HUMAN APPROVAL
Notification sent to: finance-approvers@company.com
Human approves → Report sent ✓
Correct data, reviewed by human, full audit trail

Key Points:

- Validate at each workflow step
- Cross-reference with authoritative sources
- Auto-retry with clarified parameters
- Human review for high-impact actions
- Treat agent handoffs like API boundaries

Talking Point: "AI agents are confident, not correct. Without validation checkpoints, you're building a confidence amplifier for errors."

SLIDE 8: Problem #4 - Lack of Guardrails (with Solution)

Title: "Guardrails: The Helpful Agent Gone Rogue"

The Problem: 90 Days to Disaster


DAY 1: Agent deployed
User: "Send a reminder to John about the meeting"
Agent: ✓ Sends email to John
Status: Working as expected
DAY 30: Agent learns patterns
User: "Send meeting reminders"
Agent: ✓ Sends to John, Sarah, Mike (learned pattern)
Status: Still working, getting "smarter"
DAY 90: Agent "optimizes"
Agent sees calendar: "Performance Review: John"
Agent decides: "This is a meeting. I send reminders for
meetings. I should send a reminder."
Agent sends to: John + entire team
Email content:
Subject: Reminder - Performance Review: John
Hi team,
Reminder: John's performance review is tomorrow.
We'll cover his transition plan and final day
arrangements.
- AI Assistant
THE DISASTER

• John learns he's being let go... from an AI email
• Entire team knows before manager tells him
• HR nightmare, potential legal issues
• Trust in AI systems destroyed

What was missing:
❌ No boundaries on who to email
❌ No sensitive content detection
❌ No escalation rules
❌ No human approval for edge cases

The Solution: Guardrails Framework

```
GUARDRAILS CONFIGURATION

agent: email_assistant

boundaries:
  max_recipients: 5
  max_emails_per_hour: 20
  blocked_domains: ["competitor.com", "personal.*"]
  blocked_keywords:
    - "confidential"
    - "termination"
    - "performance review"
    - "salary"
    - "fired"

escalation_rules:
  - condition: recipients > 5
    action: require_approval
  - condition: contains_sensitive_keyword
    action: human_review
  - condition: confidence < 0.8
    action: ask_clarification
  - condition: new_recipient_never_contacted
    action: confirm_before_sending

kill_switch:
  auto_disable_after: 3 flagged_actions
  admin_override: true
  health_check_interval: 60s
```

Guardrails in Action:


Agent attempts: "Send Performance Review reminder to team"
GUARDRAIL CHECK 1: Recipient Count
Recipients: 12
Limit: 5
Result: ⚠️ESCALATE (requires approval)
GUARDRAIL CHECK 2: Keyword Detection
Subject: "Performance Review: John"
Detected keywords: ["performance", "review"]
Sensitivity level: HIGH
Result: ⚠️ESCALATE (human review required)
GUARDRAIL CHECK 3: Subject-Recipient Conflict
Subject mentions: "John"
John in recipient list: YES
Content appears to be ABOUT a recipient
Result: 🛑BLOCK
FINAL DECISION
❌Action BLOCKED
📝Event logged: "Blocked potentially harmful communication"
👤Notification sent to: manager@company.com
🔔Flagged action count: 1/3 (2 more = auto-disable)
Agent receives:
"This action requires human approval. A notification has been sent to your manager."

Key Points:


- Explicit boundaries prevent overreach
- Sensitive content detection catches edge cases
- Escalation rules route to humans appropriately
- Kill switches provide emergency stop capability
- Audit trail shows what happened and why

Talking Point: "The best agents know when to stop and ask. Guardrails aren't limitations—they're professionalism."

SLIDE 9: Problem #5 - Human Displacement (with Solution)

Title: "Human-AI Collaboration: Augmentation, Not Replacement"

The Problem




Real Example: Customer Support Disaster



The Solution: Clear Task Allocation

What AI Does Well vs What Humans Do Well:



Intelligent Task Routing:

```
TASK ROUTING CONFIGURATION

task_routing:
  - type: "password_reset"
    route: AI_ONLY
    reason: Simple, clear rules, low risk


  - type: "order_status"
    route: AI_ONLY
    reason: Data lookup, no judgment needed

  - type: "refund_request"
    route: AI_ASSISTED
    ai_does: Gather context, history, recommendation
    human_does: Final decision on approval

  - type: "complaint_escalation"
    route: HUMAN_PRIMARY
    ai_supports: Summary, sentiment, history
    reason: Needs empathy and judgment

  - type: "legal_question"
    route: HUMAN_ONLY
    ai_supports: Document retrieval only
    reason: Liability, requires expertise
```

Example: Refund Request Flow


Incoming: "I want a refund for my damaged order"
STEP 1: AI CLASSIFICATION
Type: refund_request (confidence: 0.94)
Sentiment: frustrated (0.78)
Route: AI_ASSISTED
STEP 2: AI PREPARATION (saves human 15 min research)
AI gathers:
Customer: Sarah Johnson
Customer since: 2019 (5 years)
Total orders: 47
Previous refunds: 1 (2021, approved)
Customer value: HIGH
This order: #12847 ($149.99)
Product: Wireless Headphones
Issue: "damaged on arrival"
AI Recommendation: APPROVE
Confidence: 0.89
Reasoning: Long-term customer, low refund history,
damage claim consistent with recent
shipping issues from this warehouse
STEP 3: HUMAN DECISION (5 seconds with full context)
Refund Request: Sarah Johnson - Order #12847
AI Summary: Long-term customer (5 yrs), 47 orders,
1 previous refund. Damage claim credible.
AI Recommendation: ✓ APPROVE

[Approve Full] [Partial Refund] [Reject] [Contact]

Human clicks: [Approve Full]

STEP 4: AI EXECUTION


✓ Process refund in payment system
✓ Update order status
✓ Send confirmation email to Sarah
✓ Log decision for continuous improvement

Human freed to: Handle next case (already prepped by AI)

Results:

BEFORE (All Human)	AFTER (Human + AI)
Tickets/day/agent: 45	Tickets/day/agent: 120
Avg resolution: 18 min	Avg resolution: 4 min
Customer satisfaction: 72%	Customer satisfaction: 89%
Agent satisfaction: 58%	Agent satisfaction: 84%

Task Distribution:



Key insight: Humans handle 38% of volume but 100% of judgment calls

Communication That Works:

- ✅"AI handles the boring stuff so you can focus on what matters"
- ✅"You're the expert - AI just does the research for you"
- ✅"AI makes you faster, not obsolete"
- ❌"We're automating your job"
- ❌"AI will handle this now"

Talking Point: "The question isn't 'Will AI replace humans?' It's 'How do we make humans 10x more effective with AI as their partner?'"

SLIDE 10: Complete Framework Summary

Title: "5 Problems → 5 Solutions"

Problem	Solution
Security vulnerabilities	Defense-in-depth architecture: input validation, data anonymization, tool sandboxing, output validation, monitoring
Integration difficulty	Abstraction layer: unified API, auth delegation, format normalization, rate management
Error propagation	Validation checkpoints: cross-reference sources, sanity checks, human approval gates
Lack of guardrails	Guardrails framework: explicit boundaries, escalation rules, kill switches
Human displacement	Task allocation: AI for volume, humans for judgment, clear routing rules

Every AI Agent Should Have:

1. **Clear scope** - What can it do?
2. **Defined boundaries** - What can't it do?
3. **Kill switch** - How do we stop it?
4. **Audit trail** - What did it do?
5. **Human oversight** - Who's accountable?

Talking Point: "These aren't optional features to add later. This is foundational architecture."

SLIDE 11: What We're Building

Title: "Our Approach at enhancd.ai"

Opening: "We're not here to pitch—we're sharing what we've learned building solutions to these exact problems."

The Platform:


enhancd.ai PLATFORM
"The infrastructure layer for safe AI agents"
ORCHESTRATION LAYER
• Workflow coordination • Task routing • Agent management
SECURITY LAYER
• OWASP Analysis
• Input Validation
• Guardrails
DATA PROTECTION
• Anonymizer
• PII Redaction
• Tokenizer
INTEGRATION GATEWAY
• Auth Delegation
• Rate Limiting
• Format Normalize
AUDIT & MONITORING
• Decision logging • Anomaly detection • Kill switches

How Our Platform Addresses Each Problem:

Problem You Saw Today	What We're Building
Security vulnerabilities	Automated OWASP security analysis that continuously scans AI workflows against known vulnerability patterns
Data leakage	Anonymization layer - sensitive data never reaches the AI model
Integration chaos	Integration gateway with auth delegation, format normalization, rate management
Error propagation	Workflow orchestration with built-in validation checkpoints
Lack of guardrails	Configurable guardrails engine with boundaries, escalation rules, and kill switches

---

Why We Built This:

> "We saw organizations deploying AI agents without basic safety measures. No input validation. No data protection. No kill switches."

> "It felt like 2005 web security all over again—everyone excited about the possibilities, nobody thinking about SQL injection."

> "The organizations that figure out AI security early will be the ones that can actually scale AI adoption. Everyone else will have an incident that sets them back years."

Interested?

- **Early access:** enhancd.ai
- **Chat with us:** Come find us after the session
- **Collaboration:** We're looking for design partners

SLIDE 12: Key Takeaways

Title: "What to Remember"

3 Core Principles:

1. **Assume Failure**
    - AI will make mistakes
    - AI will be attacked
    - Data will leak
    - Design accordingly
2. **Security is Architecture**
    - Not a feature added later
    - Built from day one
    - Defense in depth
3. **Humans + AI, Not Humans vs AI**
    - AI handles volume
    - Humans handle judgment
    - Both essential

Quick Wins for Tomorrow:

- Add input validation to your AI workflows
- Implement spending/action limits
- Require human approval for high-risk actions
- Start logging agent decisions
- Define explicit boundaries for each agent

SLIDE 13: Thank You

Content:

Questions?

Connect:

- enhancd.ai
- [contact email]
- [community link]

Large QR Code: Early access signup

Talking Point: "Thank you for being here. This is just the beginning - let's keep learning together."

APPENDIX (For Q&A)

SLIDE A1: OWASP Top 10 for LLMs

#	Vulnerability	One-liner
1	Prompt Injection	"Ignore previous instructions..."
2	Insecure Output Handling	AI output executed as code
3	Training Data Poisoning	Garbage in, garbage out
4	Model Denial of Service	Crash the AI, crash the business
5	Supply Chain Vulnerabilities	Compromised models/dependencies
6	Sensitive Information Disclosure	AI spills your secrets
7	Insecure Plugin Design	Tools become attack vectors
8	Excessive Agency	Too much power, too little oversight
9	Overreliance	Blind trust in AI output
10	Model Theft	Your AI becomes their AI

SLIDE A2: Implementation Checklist

Security:

- [ ] Input validation (injection detection)
- [ ] Output validation (guardrails)
- [ ] RBAC with least privilege
- [ ] Data anonymization before AI processing
- [ ] Sandboxed tool execution
- [ ] Human approval gates for high-risk
- [ ] Comprehensive audit logging
- [ ] Kill switch (manual + automatic)

Integration:

- [ ] Abstraction layer (unified API)
- [ ] Auth delegation (no credentials in agents)
- [ ] Rate limit handling (queue + cache)
- [ ] Data format normalization
- [ ] Retry logic with backoff

Workflow:

- [ ] Validation checkpoints between steps
- [ ] Cross-reference with source systems
- [ ] Anomaly detection (flag unusual results)
- [ ] Human-in-the-loop for edge cases

Collaboration:

- [ ] Task allocation matrix (AI vs Human)
- [ ] Clear communication to team
- [ ] Success metrics defined
- [ ] Training on new workflows

SLIDE A3: Generic Terms Reference

When discussing integrations, use generic terms:

Instead of...	Say...
Salesforce	CRM System
SAP/Oracle	ERP System
Slack/Teams	Chat Platform
Jira/Asana	Project Tracker
Google Sheets	Spreadsheet Service
Gmail/Outlook	Email Service
AWS S3	Storage Service
Stripe	Payment Processor