
TCGA−ACC | Progression−free interval


n=92 Events=49 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ACC | Disease−free interval


n=53 Events=14 Excluded=39



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ACC | Disease−specific survival


n=90 Events=30 Excluded=2



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ACC | Overall survival (OS / OSS)


n=92 Events=34 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BLCA | Progression−free interval


n=412 Events=177 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BLCA | Disease−free interval


n=189 Events=32 Excluded=223



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BLCA | Disease−specific survival


n=397 Events=123 Excluded=15



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BLCA | Overall survival (OS / OSS)


n=411 Events=180 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BRCA | Progression−free interval


n=1096 Events=145 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BRCA | Disease−free interval


n=952 Events=84 Excluded=145



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BRCA | Disease−specific survival


n=1077 Events=83 Excluded=20



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−BRCA | Overall survival (OS / OSS)


n=1096 Events=151 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CESC | Progression−free interval


n=307 Events=71 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CESC | Disease−free interval


n=176 Events=26 Excluded=131



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CESC | Disease−specific survival


n=303 Events=54 Excluded=4



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CESC | Overall survival (OS / OSS)


n=307 Events=71 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CHOL | Progression−free interval


n=36 Events=20 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CHOL | Disease−free interval


n=24 Events=10 Excluded=12



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CHOL | Disease−specific survival


n=35 Events=16 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−CHOL | Overall survival (OS / OSS)


n=36 Events=18 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−DLBC | Progression−free interval


n=48 Events=12 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−DLBC | Disease−free interval


n=28 Events=4 Excluded=20



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−DLBC | Disease−specific survival


n=48 Events=4 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−DLBC | Overall survival (OS / OSS)


n=48 Events=9 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ESCA | Progression−free interval


n=185 Events=87 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ESCA | Disease−free interval


n=89 Events=23 Excluded=96



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ESCA | Disease−specific survival


n=183 Events=51 Excluded=2



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−ESCA | Overall survival (OS / OSS)


n=185 Events=77 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KICH | Progression−free interval


n=65 Events=11 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KICH | Disease−free interval


n=29 Events=3 Excluded=37



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KICH | Disease−specific survival


n=65 Events=7 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KICH | Overall survival (OS / OSS)


n=65 Events=9 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRC | Progression−free interval

n=532 Events=160 Excluded=2



Number at risk

Cluster 0	141	65	23	4	0
Cluster 1	239	124	48	15	1
Cluster 2	152	76	24	9	0


0 1000 2000 3000 4000

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRC | Disease−free interval

n=115 Events=15 Excluded=419



Number at risk

Cluster 0	19	8	5	2	0
Cluster 1	55	33	22	11	1
Cluster 2	41	24	12	6	0


0 1000 2000 3000 4000

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRC | Disease−specific survival

n=522 Events=110 Excluded=12



Number at risk

Cluster 0	139	74	30	7	1
Cluster 1	234	143	61	22	2
Cluster 2	149	86	28	11	0


0 1000 2000 3000 4000

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRC | Overall survival (OS / OSS)

n=534 Events=177 Excluded=0



Number at risk

Cluster 0	142	76	31	7	1
Cluster 1	239	145	62	22	2
Cluster 2	153	87	28	11	0


0 1000 2000 3000 4000

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRP | Progression−free interval


n=289 Events=57 Excluded=2



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRP | Disease−free interval


n=184 Events=28 Excluded=107



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRP | Disease−specific survival


n=286 Events=28 Excluded=5



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−KIRP | Overall survival (OS / OSS)


n=290 Events=44 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LGG | Progression−free interval


n=514 Events=192 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LGG | Disease−free interval


n=133 Events=20 Excluded=382



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LGG | Disease−specific survival


n=506 Events=113 Excluded=9



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LGG | Overall survival (OS / OSS)


n=514 Events=125 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LIHC | Progression−free interval


n=376 Events=185 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LIHC | Disease−free interval


n=322 Events=147 Excluded=55



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LIHC | Disease−specific survival


n=367 Events=80 Excluded=10



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LIHC | Overall survival (OS / OSS)


n=376 Events=132 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUAD | Progression−free interval


n=510 Events=208 Excluded=9



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUAD | Disease−free interval


n=305 Events=91 Excluded=214



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUAD | Disease−specific survival


n=475 Events=113 Excluded=44



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUAD | Overall survival (OS / OSS)


n=510 Events=184 Excluded=9



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUSC | Progression−free interval

n=499 Events=148 Excluded=5



Number at risk


	0	1000	2000	3000	4000	5000
Cluster 0	129	35	11	4	2	0
Cluster 1	144	44	17	7	2	0
Cluster 2	121	30	12	3	2	1
Cluster 3	105	34	16	6	1	0

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUSC | Disease−free interval

n=303 Events=63 Excluded=201



Number at risk


	0	1000	2000	3000	4000
Cluster 0	74	27	9	4	2
Cluster 1	85	33	13	5	3
Cluster 2	83	23	8	1	1
Cluster 3	61	20	12	5	1

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUSC | Disease−specific survival

n=446 Events=89 Excluded=58



Number at risk


	0	1000	2000	3000	4000
Cluster 0	114	37	11	6	3
Cluster 1	131	43	18	8	3
Cluster 2	107	32	12	3	1
Cluster 3	94	33	14	7	1

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−LUSC | Overall survival (OS / OSS)

n=498 Events=215 Excluded=6



Number at risk


	0	1000	2000	3000	4000	5000
Cluster 0	129	43	15	6	3	0
Cluster 1	144	49	21	9	3	0
Cluster 2	121	37	14	4	2	1
Cluster 3	104	39	17	8	1	0

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−MESO | Progression−free interval


n=84 Events=59 Excluded=3



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−MESO | Disease−free interval


n=15 Events=7 Excluded=72



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−MESO | Disease−specific survival


n=66 Events=43 Excluded=21



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−MESO | Overall survival (OS / OSS)


n=86 Events=73 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−OV | Progression−free interval


n=567 Events=404 Excluded=4



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−OV | Disease−free interval


n=282 Events=193 Excluded=289



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−OV | Disease−specific survival


n=532 Events=293 Excluded=39



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−OV | Overall survival (OS / OSS)


n=567 Events=338 Excluded=4



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PAAD | Progression−free interval


n=185 Events=110 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PAAD | Disease−free interval


n=69 Events=23 Excluded=116



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PAAD | Disease−specific survival


n=178 Events=79 Excluded=7



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PAAD | Overall survival (OS / OSS)


n=185 Events=100 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PCPG | Progression−free interval


n=179 Events=21 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PCPG | Disease−free interval


n=160 Events=4 Excluded=19



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PCPG | Disease−specific survival


n=179 Events=4 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PCPG | Overall survival (OS / OSS)


n=179 Events=6 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PRAD | Progression−free interval


n=498 Events=93 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PRAD | Disease−free interval


n=338 Events=30 Excluded=160



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PRAD | Disease−specific survival


n=496 Events=5 Excluded=2



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−PRAD | Overall survival (OS / OSS)


n=498 Events=10 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SARC | Progression−free interval


n=261 Events=139 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SARC | Disease−free interval


n=153 Events=67 Excluded=108



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SARC | Disease−specific survival


n=255 Events=81 Excluded=6



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SARC | Overall survival (OS / OSS)


n=261 Events=99 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SKCM | Progression−free interval

n=455 Events=307 Excluded=14




Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SKCM | DFI

No valid event/time pairs; cannot estimate

TCGA−SKCM | Disease−specific survival


n=448 Events=187 Excluded=21



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−SKCM | Overall survival (OS / OSS)


n=454 Events=213 Excluded=15



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−STAD | Progression−free interval

n=439 Events=143 Excluded=4



Number at risk


	0	1000	2000	3000
Cluster 0	143	15	1	0
Cluster 1	146	19	5	1
Cluster 2	150	22	5	3

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−STAD | Disease−free interval

n=257 Events=46 Excluded=186



Number at risk


	0	1000	2000	3000
Cluster 0	84	12	1	0
Cluster 1	85	16	4	1
Cluster 2	88	18	4	2

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−STAD | Disease−specific survival

n=410 Events=101 Excluded=33



Number at risk


	0	1000	2000	3000
Cluster 0	138	17	1	0
Cluster 1	135	23	6	1
Cluster 2	137	24	5	3

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−STAD | Overall survival (OS / OSS)

n=437 Events=169 Excluded=6



Number at risk


	0	1000	2000	3000
Cluster 0	143	17	1	0
Cluster 1	146	23	6	1
Cluster 2	148	24	5	3

Time since diagnosis (days)

Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−TGCT | Progression−free interval


n=134 Events=35 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−TGCT | Disease−free interval


n=105 Events=27 Excluded=29



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−TGCT | Disease−specific survival


n=134 Events=3 Excluded=0




Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value


TCGA−TGCT | Overall survival (OS / OSS)


n=134 Events=4 Excluded=0




Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value


TCGA−THCA | Progression−free interval
n=503 Events=51 Excluded=0
Cluster 0 (n=300)
Cluster 1 (n=203)
Event−free probability
Log−rank p = 0.46114
Number at risk
Cluster 0 300 119 38 19 6 1
Cluster 1 203 91 32 10 8 2
Time since diagnosis (days)
Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value



TCGA−THCA | Disease−free interval
n=354 Events=25 Excluded=149
Cluster 0 (n=204)
Cluster 1 (n=150)
Event−free probability
Log−rank p = 0.65934
Number at risk
Cluster 0 204 89 29 14 3 1
Cluster 1 150 70 29 9 8 2
Time since diagnosis (days)
Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value


TCGA−THCA | Disease−specific survival
n=497 Events=7 Excluded=6
Cluster 0 (n=298)
Cluster 1 (n=199)
Survival probability
Log−rank p = 0.45641
Number at risk
Cluster 0 298 132 44 21 7 1
Cluster 1 199 96 37 13 9 2
Time since diagnosis (days)
Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value


TCGA−THCA | Overall survival (OS / OSS)
n=503 Events=16 Excluded=0
Cluster 0 (n=300)
Cluster 1 (n=203)
Survival probability
Log−rank p = 0.60752
Number at risk
Cluster 0 300 132 44 21 7 1
Cluster 1 203 99 38 13 9 2
Time since diagnosis (days)
Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−THYM | Progression−free interval

n=123 Events=22 Excluded=1




Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−THYM | DFI

No valid event/time pairs; cannot estimate

TCGA−THYM | Disease−specific survival


n=123 Events=4 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−THYM | Overall survival (OS / OSS)


n=123 Events=9 Excluded=1



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UCS | Progression−free interval


n=57 Events=37 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UCS | Disease−free interval


n=27 Events=10 Excluded=30



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UCS | Disease−specific survival


n=55 Events=31 Excluded=2



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UCS | Overall survival (OS / OSS)


n=57 Events=35 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UVM | Progression−free interval

n=79 Events=29 Excluded=1




Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UVM | DFI

No valid event/time pairs; cannot estimate

TCGA−UVM | Disease−specific survival


n=80 Events=21 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value

TCGA−UVM | Overall survival (OS / OSS)

n=80 Events=23 Excluded=0



Clinical source: TCGA−CDR | Shading: 95% CI | +: censoring | Raw p−value