



Business Gateway Developer pack

Interface specification
Register Extract Service V2.1



Contents

1	Bac	kground3	
2	Purp	oose3	
3	Sco	pe3	
4	Defi	nitions, Acronyms and Abbreviations3	
5		rface Specification3	
	5.1	XML Requirements	3
6	Bus	iness Gateway3	
	6.1	Business Gateway Process Diagram	4
	6.2	Register Extract V2_1 Specific Messages	5
7	XML	_ Schemas 5	
	7.1	Current list of XML Schemas	5
	7.2	Schema Legend	6
Re	giste	r Extract V2_0 Request7	
	7.3	Request Message	7
	7.4	Request Message Structure	7
	7.5	Register Extract Request Specific Elements	8
	7.6	TitleKnownOfficialCopy Elements	9
8	Reg	ister Extract Response11	
	8.1	Response Message	11
	8.2	Response Message Structure	11
	8.3	Acknowledgement Response Structure	12
	8.4	Rejection Response Structure	
	8.5	Result Response Structure	
	8.6	Common OCSummaryData Data Types	
	8.7	OCSummaryData Structure	
	8.8	OCRegisterData Structure	50
9		ssary or terms and abbreviations52	
10		ex A52	
		RequestOCWithSummaryV2_0.xsd	
	10.2	ResponseOCWithSummaryV2_1.xsd	58

Interface Specification



1 Background

This document provides the interface requirements for the Register Extract V2_1 Business Gateway service.

2 Purpose

The purpose of this document is to specify the interface between Land Registry and a Business Gateway Customer, indicating the message layouts and XML schemas that must be adhered to in order to communicate with LR, so that data may be exchanged between the organisations to effect Business Gateway.

The XML schemas associated with this interface represent the authoritative definition of the interface and takes precedence over any information in this document. The schemas will be issued with this document, along with sample requests.

3 Scope

The scope of this document encompasses the Register Extract V2_1 interface and XML message format.

4 Definitions, Acronyms and Abbreviations

Any specific terms and abbreviations are further explained in the Glossary.

5 Interface Specification

This section covers general information about the configuration and use of the interface.

XML Requirements

The XML schema attached as part of this document is compliant with 'XML Schema W3C Recommendation', 04 Feb 2004 and e-GIF standards. The XML version is 2.0 and encoding is UTF-8.

In an XML message, use of the characters &, <, " and ' is constrained. The characters & and < are permitted to represent themselves only in Comments, Processing Instructions and CDATA sections. The characters " and ' cannot appear in an attribute if they are being used to demarcate the value.

Escape sequences are used to represent these characters when required. These escape sequences are:

<u>Character</u>	Escape Sequence
&	&
<	<
>	>
"	"
•	'

Within CDATA blocks the above characters are permitted and escape sequences must not be used. CDATA blocks are used for attachments to messages.

6 Business Gateway








Business Gateway Process Diagram

Business Gateway Process



When using the Register Extract V2_1 service a Register Extract V2_0 Request and the Poll Request are acknowledged with a Register Extract V2_1 Response message.

Interface Specification

Register Extract V2_1 Specific Messages

Schema: RequestOCWithSummaryV2_0

ResponseOCWithSummaryV2_1

Description: Register Extract requests allow a single title number to be supplied for a copy of

the Official Copy Register in PDF format, an Official Copy of the Title Plan (if requested), the Register in XML format and a summary of the register also in XML

format. The response indicates either:

 A success response with the PDF and XML version of the register as well as an Official Copy of the Title Plan, if requested, and the Official Copy Summary details.

A System error

Rejection with details of which documents are not available electronically.

7 XML Schemas

Current list of XML Schemas

Name	Version
RequestOCWithSummaryV2_0	1.0
ResponseOCWithSummaryV2_1	1.0
PollRequest	1.0

See Annexes for details of the individual Schemas relating to the Register Extract service.







Interface Specification








Optional data items appear as dotted boxes while lined boxes are mandatory items.




Sequences are identified by an elongated hexagon with three dots with a line running though it. The items that appear after the sequence are returned in that order.



Choices are identified by an elongated hexagon with three dots ordered vertically with a line branching off each of the dots joining onto a single line. The items that appear after it can be returned in any order.

Interface Specification





Request Message


The Register Extract V2_0 Request message uses the namespace $http://www.oscre.org/ns/eReg-Final/2011/RequestOCWithSummaryV2_0 and must be valid with respect to the XML Schema published by the Land Registry for that namespace.$

Message	Description
RequestOCWithSummary V2_0	This message allows Customers to submit Register Extract Requests to LR.

1.

Request Message Structure

The request message comprises generic header information which is common with requests for other services, plus information specific to the OCWithSummaryV2_0 request. This is illustrated below:



2.

3.

7.1.1 Key specific elements


Element	Description	Rules for Use
MessageID	Unique string of characters to identify the request message	Mandatory

Interface Specification



Register Extract Request Specific Elements

The request message breakdown is illustrated below:



7.1.2 Key specific elements


Element	Description	Rules for Use
TitleNumber	The property title which is the subject of the transaction, or on which a search is being prepared	Mandatory
ExpectedPrice:	Information about price	
GrossPriceAmount	The gross price is the price including the VAT.	Optional
NetPriceAmount	The Net Price is the amount before the VAT.	Optional
VATAmount	This is the amount of the VAT	Optional
ExternalReference:	Reference associated with a case in a Case Management System (CMS)	
Reference	A unique reference given to identify a particular request in the system of the organisation allocating it.	Mandatory
AllocatedBy	The name of the organisation that has allocated the Reference	Optional
Description	This field can be used to provide reference description	Optional





Element	Description	Rules for Use
CustomerReference:	Reference for the person submitting the request	Mandatory
(see External reference)	(see External reference)	
TitleKnownOfficialCopy	The ability for the external system to submit a request for an official copy using the title number.	Mandatory
	See Q1TitleKnownOfficialCopyType for expanded details	

TitleKnownOfficialCopy Elements



7.1.3 Key elements of the Q1TitleKnownOfficalCopyType element





Element	Description	Rules for Use
ContinuelfTitleIsClosedA ndContinuedIndicator	An indicator sent by the CMS to the BG to advise whether to continue with the new Title number without warning	Mandatory
NotifyIfPendingFirstRegis trationIndicator	An indicator sent by the CMS to the BG to advise whether to continue where there is a pending new title application	Mandatory
NotifyIfPendingApplicatio nIndicator	An indicator sent by the CMS to the BG to advise whether to continue where there is a pending application	Mandatory
SendBackDatedIndicator	An indicator sent by the CMS to the BG to advise whether to issue back dated official copies	Mandatory
ContinuelfActualFeeExce edsExpectedFeeIndicator	An indicator sent by the CMS to the BG to advise whether to continue where the fee calculated by BG is more than the fee expected to be paid by the customer	Mandatory
IncludeTitlePlanIndicator	Indicator to request an electronic title plan for the requested property	Mandatory

Interface Specification



8 Register Extract Response


Response Message

Register Extract V2_1 Response messages use the namespace $http://www.oscre.org/ns/eReg-Final/2011/ResponseOCWithSummaryV2_1 and must be valid with respect to the XML Schema published by the Land Registry for that namespace.$

Message	Description
ResponseOCWithSummary V2_1	This message allows Land Registry to send Register Extract V2_1 Responses to the Customer.

Response Message Structure

The response message comprises generic information common with responses to other services, plus information specific to the Register Extract V2_1 response. This is illustrated below:



Element	Description	Rules for Use
TypeCode	Used to identify the response that will be issued to the CMS Vendor.	Mandatory
	Acknowledgement = 10	
	Rejection = 20	
	Result = 30	
Acknowledgement	This is the Business Gateway confirmation response to the External System	Optional
Rejection	This is the Business Gateway rejection response to the External System	Optional
Results	This is the Business Gateway success response to the External System	Optional






Acknowledgement Response Structure

The purpose of the Acknowledgement message is to inform the originator of the Request message that it has been received and understood (positive acknowledgement).

If for any reason a valid acknowledgement is not received by the originator (i.e. through network error, corruption or incorrectly prepared XML) then there is no way for the server to know if it was successfully received or not. The Request or Response should be resent, at the risk of receiving a DUPLICATE acknowledgement.

The acknowledgement response structure is illustrated below:



8.1.1 Key specific elements


Element	Description	Rules for Use
UniqueID	A unique identifier used by the end user to get the status update of their request	Mandatory
ExpectedResponse DateTime	This element will hold the expected time when Business Gateway will try to process the queued request. This element will contain date and time data in a GMT format.	Mandatory
MessageDescription	This will be a String type element and will be used to display a message to the end user.	Mandatory

Interface Specification



Rejection Response Structure

The purpose of the Rejection message is to inform the originator of the Request message that it has been rejected due to known circumstances.




8.1.2 Key specific elements

Element	Description	Rules for Use
ExternalReference	A unique reference given to identify a particular request, order or instruction in the system of the organisation allocating it with the ability to associate the name of the Company that has allocated it.	Mandatory
ActualPrice	This is the actual fee payable for a Search/Product	Optional
Reason	A description of the reason for rejection:	Mandatory
	 Your Official Copy request cannot be delivered electronically. Postal delivery is not available for the Register Extract Service. 	
	 Your Official Copy Title Plan cannot be delivered electronically. Postal delivery is not available for the Register Extract Service. 	
	 The Summary Data of your Official Copy Register cannot be delivered electronically. Postal delivery is not available for the Register Extract Service. 	
	When the title plan is not available, it is still possible to order an Official Copy of the register to obtain the RES data.	
Code	A code signifying the reason for rejection	Mandatory
OtherDescription	A free format text field to convey any further information about the rejection.	Optional
ValidationErrors	Validation errors.	Optional
Description	A free format text field to convey any further information about the validation error.	Mandatory

Interface Specification

Result Response Structure






8.1.3 Key elements of the response

Element	Description	Rules for Use
MessageDetails	Optional description	Optional
ExternalReference	A unique reference given to identify a particular request, order or instruction in the system of the organisation allocating it with the ability to associate the name of the Company that has allocated it	Mandatory
ActualPrice	This is the price for a Search/Product	Optional
Attachment	An electronic copy of a document(s) that may be attached to a message in either PDF or ZIP format	Mandatory
OCSummaryData	Register extract information (see 9.6)	Mandatory
OCRegisterData	XML representation of the Official Copy of the register (see 9.7)	Mandatory

Interface Specification

Common OCSummaryData Data Types



Infills 掛

8.1.4 Key elements of the Q1EntryDetailsType

The Q1EntryDetailsType is a common data type used for most entries returned in the response schema. Entries will either be a Q1EntryDetailsType or of a specific entry type that contains a Q1EntryDetailsType. Q1EntryDetailsType consists of a sequence of elements that are either mandatory or optional as well as a choice of either a SubRegisterCode or ScheduleCode. The Infills element will consists of other data items that form the EntryText.


Element	Description	Rules for Use
EntryNumber	The entry number within the relevant Sub-Register or Schedule	Mandatory
EntryText	The text of a particular entry on the register	Mandatory
RegistrationDate	Date that the entry was registered	Optional
ScheduleCode	The Type of schedule the entry refers to.	Optional
	10 - Schedule of Leases of Easements	
	20 - Schedule of Single Registered Lease	
	30 - Schedule of Notice of Leases	
	40 - Schedule of Registered Properties	
	50 - Schedule of Registered Rentcharges	
	60 - Schedule of Restrictive Covenants	
	70 - Schedule of Apportioned Rents	
	80 - Schedule of Rentcharges	
	90 - Schedule of Apportionments and Exonerations	
	100 - Schedule of Rentcharges created by Transfers of Part	
	110 - Schedule of Personal Covenants	
	120 - Schedule of Single Registered Rentcharge Lease	
	130 - Schedule of Multiple Registered Leases	
	140 - Schedule of Deeds imposing Restrictive Covenants	
SubRegisterCode	Code which identifies an entry to a subset of the register of title.	Optional
	A - Property Register	
	B - Proprietorship Register	
	C - Charges Register	
	D - Cautioner's Register	







Element	Description	Rules for Use
Infills	Contains the infill data elements that constitute an Entry text. Explained in detail in the Q1InfillDetailsType definition.	Optional



8.1.5 Key elements of the Q1InfillDetailsType

The Q1InfillDetailsType is an optional element found in the Q1EntryDetailsType. This element contains data items (infills) that form part of the Q1EntryDetailsType EntryText element. The Q1InfillDetailsType is an unbounded list that can consist of any of the data items in any order but will always be returned in the order they appear on the Entry Text. Although design shows all the items as mandatory, not all items are required to be returned. This design just enforces that one of the data items must exist if a Q1InfillDetailType exists.

Element	Description	Rules for Use
Amount	Value denoting a monetary value	Optional
ChargeDate	The date of the charge	Optional
ChargeParty	Name of the chargee	Optional
Date	Date infill for the entry text	Optional
DeedDate	Date on which the deed was drawn up	Optional
DeedExtent	Text which describes the extent of land affected by a deed	Optional
DeedParty	Names of those associated with a deed	Optional
DeedType	The type of Deed.	Optional
ExtentOfLand	Text which describes the extent of land	Optional
MiscellaneousText	Text containing any additional information which forms part of an entry on the register	Optional






Element	Description	Rules for Use
Name	Infill name	Optional
Note	Text contained in a note which forms part of an entry on the register	Optional
OptionalMiscText	Text containing any additional information which forms part of an entry on the register	Optional
PlansReference	Reference shown on an explanatory plan	Optional
TitleNumber	A unique identifier for a title	Optional
VerbatimText	Text containing any additional information which forms part of an entry on the register	Optional

Interface Specification






8.1.6 Key elements of the Q1PartyType

The Q1PartyType is a common element used to store details of a private individual or an organisation. This is modelled as a choice in the diagram where it is mandatory to have one or the other provided. Q1PartyType is used to record registered proprietor, cautioner, charge and lease party details.

Element	Description	Rules for Use
PrivateIndividual	See Q1PrivateIndividualType definition for an expanded description.	Optional
Organisation	See Q1OrganisationType definition for an expanded description.	Optional
CharityDetails	See Q1CharityDetailsType definition for an expanded description.	Optional
TradingName	A private individual or company that carries out business transactions under another name.	Optional
PartyNumber	Number denoting order of the party	Optional
PartyDescription	The description of the parties that make up a lease that are shown in the H schedule i.e. Lessee and Lessor	Optional

Interface Specification






8.1.7 Key elements of the Q1PriviateIndividualType

The Q1PrivateIndividualType is a common element used to store details of individual persons not registered as a company.


Element	Description	Rules for Use
Name	Details of the private individual's name	Mandatory
Alias	Alternative name for the private individual	Optional
ForenamesName	Forename(s)	Optional
SurnameName	Surname	Mandatory



8.1.8 Key elements of the Q1OrganisationType

The Q1OrganisationType is a common element used to store details of a company.

Element	Description	Rules for Use
Name	Name of the Organisation	Mandatory
CompanyRegistrationNumber	Registration number for a company registered at Companies House and registered as the proprietor of the land or caution	Optional




8.1.9 Key elements of the Q1AddressType

The Q1AddressType is a common element used to address details.





Element	Description	Rules for Use
PostcodeZone	Element that contains the postcode	Optional
Postcode	Post code for the property	Mandatory
AddressLine	Contains the address of the property broken down per line.	Mandatory
IndexNumberic	Number	Optional
Line	Details of address broken down per line	Optional



8.1.10 Key elements of the Q1CharityDetailsType


The Q1CharityDetailsType is a common element used to store charity details.

Element	Description	Rules for Use
CharityName	The name of a charity proprietor as proprietor of the estate or charge	Mandatory
CharityAddress	The address of a charity	Optional
CharityType	The type of charity proprietor. C - Charity R - Official Custodian for Charities S - Official Custodian for Charities (Trustees)	Mandatory

Interface Specification

OCSummaryData Structure






8.1.11 Key elements of the OCSummaryData

Element	Description	Rules for Use
OfficialCopyDateTime	Date and time of the associated official copy.	Mandatory
EditionDate	Date of the latest edition of the register	Mandatory

Interface Specification






8.1.12 Key elements of the PricePaidEntryType

Element	Description	Rules for Use
MultipleTitleIndicator	Indicator showing whether an entry affects other titles	Optional
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to Q1PricePaidEntryType: EntryNumber	
		Mandatory
	EntryText	Mandatory
	RegistrationDate	Optional
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to Q1PricePaidEntryType:	
	Amount	Optional
	Date	Optional
	MicellaneousText	Optional


Interface Specification





8.1.13 Key elements of the PropertyAddress element

Element	Description	Rules for Use
PropertyAddress	Address of the property associated with the title number	Mandatory
PostcodeZone	Element containing the postcode	Optional
AddressLine	Contains the property address	Mandatory




8.1.14 Key elements of the Title element



Element	Description	Rules for Use
TitleNumber	A unique reference number given to a piece of registered land	Mandatory
ClassOfTitleCode	The class of title is granted to the proprietor based on the proof provided that they are in rightful ownership.	Mandatory
	10 – Absolute Freehold	
	20 - Possessory Freehold	
	30 - Qualified Freehold	
	40- Scheme Title - Freehold	
	50 - Scheme Title - Leasehold	
	60 - Absolute Leasehold	
	70 - Good Leasehold	
	80 - Qualified Leasehold	
	90 - Possessory Leasehold	
	100 - Absolute Rentcharge	
	110 - Possessory Rentcharge	
	120 - Qualified Rentcharge	
	130 - Caution Against First Registration	
CommonholdIndicator	Indicator showing whether the title is commonhold property	Mandatory
DistrictName	Name of the district that the title belongs in. If the title falls under multiple districts only the first district will be revealed.	Mandatory
AdministrativeArea	Name of the administrative area that title belongs in.	Mandatory
LandRegistryOfficeName	Name of the Land Registry office to whom the title belongs.	Mandatory
LatestEditionDate	Date of latest edition	Mandatory
PostcodeZone	Element containing the postcode	Optional
RegistrationDate	Date that the entry was registered	Optional

Interface Specification





8.1.15 Key elements of the RegisterEntryIndicators element

This RegistryEntryIndicators will display what entry are present on the register. If an indicator is set to true, then a corresponding entry will be returned in the summary. The only exception to this rule is for ScheduleOfLeasesIndicator and PropertyDescriptionNotesIndicator, where no entry details will be returned.


Element	Description	Rules for Use
AgreedNoticeIndicator	Indicates the existence of an Agreed Notice in the charges register	Mandatory
BankruptcyIndicator	Indicates the existence of a bankruptcy entry in the register	Mandatory
CautionIndicator	Indicates the existence of a caution entry in the register	Mandatory
CCBIIndicator	Indicates the existence of a Caution/Creditor Notice/Bankruptcy/Inhibition entry in the register	Mandatory
ChargeeIndicator	Indicates the existence of a Chargee entry in the register	Mandatory
ChargeIndicator	Indicates the existence of a Charge entry in the register	Mandatory
ChargeRelatedRestrictionIndicator	Indicates the existence of a Charge Related Restriction entry in the register	Mandatory



Element	Description	Rules for Use
ChargeRestrictionIndicator	Indicates the existence of a Charge Restriction entry in the register	Mandatory
CreditorNoticeIndicator	Indicates the existence of a Creditor Notice entry in the register	Mandatory
DeathOfProprietorIndicator	Indicates the existence of an entry relating to the death of a registered proprietor of the estate	Mandatory
DeedOfPostponementIndicator	Indicates the existence of a Deed of Postponement entry in the register	Mandatory
DiscountChargeIndicator	Indicates the existence of a Discount Charge entry in the register	Mandatory
EquitableChargeIndicator	Indicates the existence of a Equitable Charge entry in the register	Mandatory
GreenOutEntryIndicator	Indicates the existence of a Green Out entry in the register	Mandatory
HomeRightsChangeOfAddressIndicator	Indicates the existence of a Home Rights Change Of Address entry in the register	Mandatory
HomeRightsIndicator	Indicates the existence of a Home Rights entry in the register	Mandatory
LeaseHoldTitleIndicator	Indicator showing whether the Title is a Leasehold Class of Title	Mandatory
MultipleChargeIndicator	Indicator showing whether multiple charges exist	Mandatory
NonChargeRestrictionIndicator	Indicates the existence of a Non-Charge Restriction entry in the register	Mandatory
NotedChargeIndicator	Indicates the existence of a Noted Charge entry in the register	Mandatory
PricePaidIndicator	Indicates the existence of a Price Paid entry in the register	Mandatory
PropertyDescriptionNotesIndicator	Indicator showing whether any notes exist in association with the property description.	Mandatory
RentChargeIndicator	Indicates the existence of a Rent Charge entry in the register	Mandatory
RightOfPreEmptionIndicator	Indicates the existence of a Right Of Pre- emption entry in the register	Mandatory
ScheduleOfLeasesIndicator	Indicates the existence of a Schedule Of Leases entry in the register	Mandatory
SubChargeIndicator	Indicates the existence of a Sub Charge entry in the register	Mandatory
UnidentifiedEntryIndicator	Indicates whether any entries exist on the register that could not be identified by the system	Mandatory
UnilateralNoticeBeneficiaryIndicator	Indicates the existence of a Unilateral Notice Beneficiary entry in the register	Mandatory
UnilateralNoticeIndicator	Indicates the existence of a Unilateral Notice in the charges register	Mandatory
VendorsLienIndicator	Indicates the existence of a Vendors Lien entry in the register	Mandatory

Interface Specification






Key elements of the Proprietorship element

The proprietor of an estate can either be a CautionerParty or RegisterProprietorParty. At least one of these elements must exist.

Element	Description	Rules for Use
CurrentProprietorshipDate	The date of the proprietorship entry in the Register	Optional
CautionerParty	The registered proprietor of the estate, when the title is a Caution title.	Optional
RegisteredProprietorParty	The registered proprietor of the estate	Optional




8.1.6 Key elements of the CautionerParty element

Element	Description	Rules for Use
CautionerParty	See Q1PartyType definition for expanded description	Mandatory


Interface Specification





8.1.7 Key elements of the ProprietorParty element

Element	Description	Rules for Use
RegisteredProprietorParty	See Q1PartyType definition for expanded description	Mandatory




8.1.8 Key elements of the Q1LeaseEntriesType element

Element	Description	Rules for Use
LeaseTerm	The term of the lease including the commencement date (e.g. 125 years from 21 June 2001).	Mandatory





Element	Description	Rules for Use
LeaseDate	Date of the lease.	Mandatory
Rent	The rent amount of the lease. This information does not get entered on the register anymore but will exist on older registers.	Optional
LeaseParty	The names of parties to a lease. Can be individuals or organisations. This element may also contain address details. See Q1PartyType for expanded description.	Mandatory
PartyNumber	Number denoting order of the party	Optional
PartyDescription	The description of the parties that make up a lease that are shown in the H schedule i.e. Lessee and Lessor	Optional
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to Q1LeaseEntriesType:	
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional



Key elements of the Q1RestrictionEntryType element


The RestrictionDetails is a list containing restriction entries of type Q1RestrictionEntryType.

Element	Description	Rules for Use
RestrictionEntry	List containing details of each restriction entries on the register	Mandatory
ChargeRelatedRestriction	Details of a Charge Related Restriction entry	Optional
ChargeRestriction	Details of a Charge Restriction entry	Optional
NonChargeRestriction	Details of a Non Charge Related Restriction entry	Optional



Element	Description	Rules for Use
RestrictionTypeCode	Type of restriction present on the register. 0 – Other 10 - Joint Proprietor 20 - Charge Related 30 - Charge	Mandatory
ChargeID	A unique identifier linking a charge to a charge proprietor and a restriction entry if it exists.	Optional
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to Q1RestrictionType:	
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to ChargeRelatedRestriction:	
	ChargeDate	Optional
	ChargeParty	Optional
	Date	Optional
	MiscellaneousText	Optional (07)
	Name	Optional (02)
	OptionalMiscText	Optional (06)
	Types relevant to ChargeRelatedRestriction:	
	ChargeDate	Mandatory
	ChargeParty	Optional
	Date	Optional
	MiscellaneousText	Optional
	Name	Optional
	OptionalMiscText	Optional (02)
	Types relevant to NonChargeRestriction:	
	ChargeParty	Optional
	Date	Optional
	MiscellaneousText	Optional (07)
	Name	Optional (02)
	OptionalMiscText	Optional (07)
	TitleNumber	Optional






8.1.10 Key elements of the Charge element

Element	Description	Rules for Use
ChargeEntry	List containing details of each charge entry on the register	Mandatory
ChargeID	A unique identifier linking a charge to a charge proprietor and a restriction entry if it exists.	Optional
ChargeDate	The date of the Charge	Optional
RegisteredCharge	Charge entry details	Mandatory
ChargeProprietor	Charge Proprietor entry details	Mandatory
SubCharge	Sub-Charge entry details.	Optional
MultipleTitleIndicator	Indicator showing whether an entry affects other titles	Optional
ChargeeParty	Details of the Chargee. See Q1PartyType for expanded description.	Mandatory



Element	Description	Rules for Use
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to Q1ChargeType and Q1ChargeProprietorType: EntryNumber EntryText RegistrationDate ScheduleCode SubRegisterCode	Mandatory Mandatory Optional Optional Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to Q1ChargeType: ChargeDate ChargeParty MiscellaneousText Note OptionalMiscText TitleNumber Types relevant to Q1ChargeProprietorType: MiscellaneousText OptionalMiscText	Optional Optional Optional Optional Optional Optional Optional Optional






8.1.11 Key elements of the AgreedNotice element

Element	Description	Rules for Use
AgreedNoticeEntry	List containing details of each Agreed Notice entry on the register	Mandatory
AgreedNoticeType	Enumeration type detailing a specific form of Agreed notice. 10 - Option to Purchase 20 - Right of Pre-emption	Optional
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to Q1AgreedNoticeType:	
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to Q1AgreedNoticeType:	
	Date	Optional
	DeedDate	Optional
	DeedExtent	Optional
	DeedParty	Optional (02)
	DeedType	Optional
	ExtentOfLand	Optional
	MiscellaneousText	Optional (02)
	Name	Optional
	Note	Optional
	OptionalMiscText	Optional
	VerbatimText	Optional






8.1.12 Key elements of the Bankruptcy element

Element	Description	Rules for Use
EntryDetails	List containing details of each Bankruptcy entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Bankruptcy entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Bankruptcy entry are:	
	ChargeDate	Optional
	MiscellaneousText	Mandatory (3)
	Name	Mandatory






8.1.13 Key elements of the Caution element

Element	Description	Rules for Use
EntryDetails	List containing details of each Caution entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Caution entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Caution entry are:	
	Date	Optional
	ExtentOfLand	Optional
	MiscellaneousText	Optional (02)
	Name	Optional (02)
	VerbatimText	Optional






8.1.14 Key elements of the DeedOfPostponement element

Element	Description	Rules for Use
EntryDetails	List containing details of each Deed Of Postponement entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Deed Of Postponement entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Deed Of Postponement entry are:	
	ChargeDate	Optional (02)
	Date	Optional
	DeedDate	Optional
	DeedParty	Optional
	MiscellaneousText	Optional
	OptionalMiscText	Optional (03)






8.1.15 Key elements of the GreenOutEntry element

Element	Description	Rules for Use
EntryDetails	List containing details of each Green Out entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Green Out entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Green Out entry are:	
	MiscellaneousText	Optional (02)
	OptionalMiscText	Optional
	TitleNumber	Optional






8.1.16 Key elements of the HomeRights element

Element	Description	Rules for Use
HomeRightsEntry	List containing details of each Home rights entry on the register, including Change of Address Home Rights entries	Mandatory
ChangeOfAddressIndicator	Identifies if a Change of Address Entry exists against the Home rights entry. If 'true' a corresponding ChangeOfAddressEntryDetails element will be visible.	Mandatory
HomeRightsEntryDetails	Details of the Home Rights entry	Mandatory
ChangeOfAddressEntryDetails	Details of the Home Rights Change of Address entry	Optional
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to a Home Rights entry and Home Rights Change Of Address entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional





Element	Description	Rules for Use
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Home Rights entry and Home Rights Change Of Address entry are: Date MiscellaneousText Name OptionalMiscText	Optional Optional (02) Mandatory (12) Optional
	Types relevant to a Home Rights Change Of Address entry are:	
	Name	Mandatory (1)




8.1.17 Key elements of the Rentcharge element

Element	Description	Rules for Use
EntryDetails	List containing details of each Rent Charge entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Rent Charge entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional





Element	Description	Rules for Use
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Rent Charge entry are:	
	Amount DeedDate	Optional
	DeedExtent	Optional (03)
	DeedParty	Optional (03)
	DeedType	Optional (02) Optional (03)
	ExtentOfLand	Optional
	MiscellaneousText	Optional (03)
	Note	Optional
	OptionalMiscText	Optional
	PlansReference	Optional




8.1.18 Key elements of the VendorsLien element

Element	Description	Rules for Use
EntryDetails	List containing details of each Vendors Lien entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Vendors Lien entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Vendors Lien entry are: DeedDate DeedParty MiscellaneousText	Optional Optional Optional
	Note	Optional


Interface Specification





8.1.19 Key elements of the RightOfPreEmption element

Element	Description	Rules for Use
EntryDetails	List containing details of each Right Of Pre-emption entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Right Of Preemption entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Right Of Pre-emption entry are:	
	Date	Mandatory
	DeedDate	Mandatory
	DeedExtent	Mandatory
	DeedType	Mandatory
	Name	Mandatory
	OptionalMiscText	Optional




8.1.20 Key elements of the UnilateralNoticeDetails element






Element	Description	Rules for Use
UnilateralNoticeEntry	List containing Q1UnilateralNoticeDetailsType elements that consist of a UnilateralNotice and UnilateralNoticeBenficiary entries.	Mandatory
UnilateralNotice	Details of the Unilateral Notice entry	Mandatory
UnilateralNoticeBenficiary	Details of the Unilateral Notice Beneficiary entry	Mandatory
EntryDetails	See Q1EntryDetailsType definition for an expanded description. Types relevant to a Unilateral Notice entry and Unilateral Notice Beneficiary entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Unilateral Notice entry: ChargeDate ExtentOfLand MiscellaneousText Note OptionalMiscText	Optional Mandatory Mandatory Optional Mandatory
	Types relevant to a Unilateral Notice Beneficiary entry: MiscellaneousText Name	Mandatory Mandatory



8.1.21 Key elements of the DeathOfProprietor element

Element	Description	Rules for Use
EntryDetails	List containing details of each Death of Proprietor entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Death of Proprietor entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional






8.1.22 Key elements of the DiscountCharge element


Element	Description	Rules for Use
EntryDetails	List containing details of each Discount Charge entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Discount Charge entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Discount Charge entry are: ChargeDate Date MiscellaneousText Name Note	Optional Optional Optional (03) Optional Optional





8.1.23 Key elements of the EquitableCharge element

Element	Description	Rules for Use
EntryDetails	List containing details of each Equitable Charge entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Equitable Charge entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Equitable Charge entry are:	
	ChargeDate	Optional
	Date	Optional
	DeedDate	Optional
	DeedExtent	Optional
	DeedType	Optional
	MiscellaneousText	Optional (02)
	Name	Optional
	Note	Optional
	OptionalMiscText	Optional
	TitleNumber	Optional






8.1.24 Key elements of the NotedCharge element

Element	Description	Rules for Use
EntryDetails	List containing details of each Noted Charge entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Noted Charge entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Noted Charge entry are:	
	ChargeDate	Mandatory
	DeedDate	Optional
	DeedParty	Optional
	ExtentOfLand	Optional
	MiscellaneousText	Optional
	Name	Optional
	Note	Optional






8.1.25 Key elements of the CreditorsNotice element

Element	Description	Rules for Use
EntryDetails	List containing details of each Creditors Notice entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Creditors Notice entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Mandatory
	ScheduleCode	Optional
	SubRegisterCode	Optional
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Creditors Notice entry are:	
	MiscellaneousText	Mandatory (3)
	Name	Mandatory (1)






8.1.26 Key elements of the UnidentifiedEntry element

Element	Description	Rules for Use
EntryDetails	List containing details of each Unidentified entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Unidentified entry are: EntryNumber EntryText ScheduleCode	Mandatory Mandatory Mandatory Optional
	SubRegisterCode	Optional






8.1.27 Key elements of the CCBIEntry element

Element	Description	Rules for Use
EntryDetails	List containing details of each Cautions/Creditor Notice/Bankruptcy/Inhibition entry on the register. See Q1EntryDetailsType definition for an expanded description. Types relevant to a Cautions/Creditor	Mandatory
	Notice/Bankruptcy/Inhibition entry are:	Mandatory
	EntryNumber	Mandatory
	EntryText	Optional
	ScheduleCode	Optional
	SubRegisterCode	
Infills	See Q1InfillDetailsType definition for expanded description. Types relevant to a Cautions/Creditor Notice/Bankruptcy/Inhibition entry are:	Ontional
	ChargeDate	Optional
	ChargeParty	Optional
	MiscellaneousText	Optional (05)
	Name	Optional






8.1.28 Key elements of the DocumentDetails element

Element	Description	Rules for Use
Document	List of documents referred to on the register.	Mandatory
DocumentType	The type of document referred to in the register. 10 - Abstract 20 - Agreement 30 - Assent 40 - Assignment 50 - Charge 60 - Conveyance 70 - Deed 80 - Indenture 90 - Lease 100 - Licence 110 - Plan 120 - Sub-Charge 130 - Transfer 140 - Other 150 - Commonhold Community Statement 160 - Memorandum and Articles of Association 170 - Surrender of Development Rights 180 - Termination Document	Mandatory
DocumentDate	The date of the document referred to in the register	Optional
EntryNumber	The letter and entry number within the relevant Sub-Register or Schedule	Mandatory
PlanOnlyIndicator	Indicator showing whether the document is only held as a plan	Mandatory
FiledUnder	Displays the title number the document is filed under	Optional
RegisterDescription	The full description of the document as it appears on the register	Mandatory

Interface Specification

OCRegisterData Structure





8.1.29 Key elements of the OCRegisterData element





Element	Description	Rules for Use
PropertyRegister	A - Register	Mandatory
ProprietorshipRegister	B - Register	Optional
ChargesRegister	C - Register	Optional
DistrictDetails	Element containing district information associated with the property	Optional
RegisterEntry	Element containing entry details	Mandatory
Schedule	Element containing schedule details	Optional
EntryText	Details of the entry. Unformatted.	Mandatory
EntryNumber	The entry number within the relevant Sub-Register or Schedule	Mandatory
EntryType	Identifies the type of entry the entry text relates to.	Optional
EntryDate	Date when the entry was inputted on the register.	Optional
ScheduleType	Identifies the type of entry the schedule text relates to	Mandatory
ScheduleEntry	Element containing schedule entry details.	Mandatory



Interface Specification

9 Glossary or terms and abbreviations

RES	Register Extract Service
OC	Official Copy
HTTP	HyperText Transfer Protocol
PDF	Portable Document Format
URL	Universal Resource Locator
XML	eXtensible Markup Language
ZIP	ZIP File Format

10 Annex A

XML Schemas are compliant with e-GIF (Electronic Government Interoperability Framework) standards.

Schema files are named according to the standard < filename>-vm-n.xsd where v is the letter 'v', m is the major version number and n is the minor version number.

Interface Specification



RequestOCWithSummaryV2_0.xsd

```
<?xml version="1.0" encoding="UTF-8"?>
<xs:schema xmlns:xs="http://www.w3.org/2001/XMLSchema"
    xmlns="http://www.oscre.org/ns/eReg-Final/2011/RequestOCWithSummaryV2_0"
        targetNamespace="http://www.oscre.org/ns/eReg-Final/2011/RequestOCWithSummaryV2_0"
        elementFormDefault="qualified"
        attributeFormDefault="unqualified">
<xs:annotation>
           <xs:documentation>This is the Business Gateway request for the OC with Summary service./xs:documentation>
</xs:annotation>
<!--Document-->
<xs:element name="RequestOCWithSummaryV2_0"</pre>
             type="RequestOCWithSummaryV2_0Type"/>
<xs:complexType name="Q1CustomerReferenceType">
</xs:annotation>
           <xs:sequence>
                      <xs:element name="Reference"</pre>
                                   type="ReferenceTextContentType"
                                  minOccurs="1"
                                   maxOccurs="1">
                                <xs:annotation>
<\!\!xs:\!\!documentation\!\!>\!\!A\ unique\ reference\ given\ to\ identify\ a\ particular\ request,\ order\ or\ instruction\ in\ the\ system\ of\ the\ organisation\ allocating\ it.<\!/xs:\!documentation\!\!>
                      </xs:annotation>
</xs:element>
                      <xs:element name="AllocatedBy"</pre>
                                  type="Q3TextType"
minOccurs="0"
                                  maxOccurs="1">
                                <xs:annotation>
                                           <xs:documentation>The name of the organisation that has allocated the
                                </xs:annotation>
                      </xs:element>
                      <xs:element name="Description"</pre>
                                  type="Q3TextType"
minOccurs="0"
maxOccurs="1">
                                 <xs:annotation>
                                           <xs:documentation>This field can be used to provide reference description</xs:documentation>
                      </xs:element>
           </xs:sequence>
</xs:complexType>
<xs:documentation>Information about price</xs:documentation>
           </xs:annotation>
           <xs:sequence>
                      <xs:element name="GrossPriceAmount"</pre>
                                  type="AmountType"
minOccurs="0"
                                maxOccurs="1">
<xs:annotation>
                                         <xs:documentation>The gross price is the price including the VAT.
If the VAT is zero then the Gross and Net Price will be the same/xs:documentation>
                                </xs:annotation>
                      <xs:element name="NetPriceAmount"</pre>
                                  type="AmountType"
minOccurs="0"
                                  maxOccurs="1">
                                <xs:annotation>
                                           <xs:documentation>The Net Price is the amount before the VAT is added on.
                                           If the VAT is zero then the Gross and Net Price will be the same</xs:documentation>
                                </xs:annotation>
                      </r></r></r>
                      <xs:element name="VATAmount"</pre>
                                  type="AmountType"
minOccurs="0"
maxOccurs="1">
                                <xs:annotation>
                                           <xs:documentation>This is the amount of the VAT</xs:documentation>
                                </xs:annotation>
                      </xs:element>
           </xs:sequence>
</xs:complexType>
<xs:sequence>
                      minOccurs="1"
maxOccurs="1">
                                <xs:annotation>
                                           <xs:documentation>A unique reference given to identify a particular request, order or
instruction in the system of the organisation allocating it.</ri>
                                </xs:annotation>
                      </xs:element>
                      <xs:element name="AllocatedBy"</pre>
                                  type="Q3TextType
minOccurs="0"
                                <xs:annotation>
                                           <xs:documentation>The name of the organisation that has allocated the
Reference</xs:documentation>
                                </xs:annotation>
```



```
</xs:element>
                     <xs:element name="Description"</pre>
                                  type="Q3TextType"
minOccurs="0"
maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>This field can be used to provide reference description</xs:documentation>
                                </xs:annotation>
                     </xs:element>
           </xs:sequence>
</xs:complexType>
<xs:complexType name="Q1IdentifierType">
          <xs:sequence>
                     <xs:element name="MessageID"</pre>
                                 type="Q1TextType"
minOccurs="1"
                                  maxOccurs="1">
                                <xs:annotation>
                                          <-xs:documentation>A character string (i.e. a finite set of characters) generally in the form of
words of a language.</xs:documentation>
                                </xs:annotation>
                     </xs:element>
</xs:complexType>
<xs:complexType name="Q1ProductType">
           <xs:annotation>
<xs:documentation>This component contains details regarding the search being ordered, expedited service, price
details, delivery method and any attachment.
          </xs:annotation>
          <xs:sequence>
                     <xs:element name="SubjectProperty"</pre>
                                 type="Q1SubjectPropertyType"
minOccurs="1"
maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>The Property which is the subject of the transaction, or on which a search is
being prepared</xs:documentation>
                                </xs:annotation>
                     </r></ra>
                     <xs:element name="ExpectedPrice"</pre>
                                  type="Q1ExpectedPriceType"
minOccurs="0"
maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>Information about price</xs:documentation>
                                </xs:annotation>
                     </xs:element>
                     <xs:element name="ExternalReference"</pre>
                                 type="Q1ExternalReferenceType"
minOccurs="1"
                                  maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>Reference associated with a case in Case Management System
                                </xs:annotation>
                     </xs:element>
                     <xs:element name="CustomerReference"</pre>
                                  type="Q1CustomerReferenceType"
                                 minOccurs="1"
maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>Reference of the person for whom the remortgage is
performed.</xs:documentation>
                     </xs:element>
                     <xs:element name="TitleKnownOfficialCopy"</pre>
                                 type="Q1TitleKnownOfficialCopyType"
minOccurs="1"
                                  maxOccurs="1">
</xs:element>
          </xs:sequence>
</xs:complexType>
<xs:complexType name="Q1SubjectPropertyType">
          <xs:annotation>
                     <xs:documentation>The Property which is the subject of the transaction.
           <xs:sequence>
                     <xs:element name="TitleNumber"</pre>
                                  type="Q2TextType
                                  minOccurs="1"
                                  maxOccurs="1">
                                <xs:annotation>
                                          <xs:documentation>Provides the subject property title
                                                     number if known</xs:documentation>
                                </xs:annotation>
                     </xs:element>
          </xs:sequence>
</xs:complexType>
<xs:complexType name="Q1TitleKnownOfficialCopyType">
           <xs:sequence>
                     <xs:element name="ContinueIfTitleIsClosedAndContinuedIndicator"</pre>
                                  type="IndicatorType"
                                 minOccurs="1"
maxOccurs="1"
default="false">
                                <xs:annotation>
                                          <xs:documentation>
                                                     An indicator sent by the CMS to the BG to advise
                                                     whether to continue with the new Title number without warning.
                                          </xs:documentation>
                                </xs:annotation>
```

</xs:element>

Interface Specification



```
<xs:element name="NotifyIfPendingFirstRegistrationIndicator"</pre>
                                    type="IndicatorType'
                                   minOccurs="1"
maxOccurs="1"
default="false">
                                 <xs:annotation>
                                            <xs:documentation>
                                                       A list of two mutually exclusive Boolean values
                                                       that express the only possible states of \boldsymbol{a}
                                                       Please note that this value will always be treated as
                                            being set to false by HMLR </xs:documentation>
                                 </xs:annotation>
                      </xs:element>
                      <xs:element name="NotifyIfPendingApplicationIndicator"</pre>
                                   type="IndicatorType"
minOccurs="1"
                                   maxOccurs="1"
default="false">
                                 <xs:annotation>
                                            <xs:documentation>
                                                       A list of two mutually exclusive Boolean values
                                                       that express the only possible states of a
                                                       Please note that this value will always be treated as being set to false by HMLR
                                            </xs:documentation>
                                 </xs:annotation>
                      </xs:element>
                      <xs:element name="SendBackDatedIndicator"</pre>
                                   type="IndicatorType"
                                   minOccurs="1"
                                   maxOccurs="1"
default="false">
                                 <xs:annotation>
                                            <xs:documentation>
                                                       A list of two mutually exclusive Boolean values that express the only possible states of \boldsymbol{a}
                                                       Property.
                                            </xs:documentation>
                                 </xs:annotation>
                      </r></r></r>
                      <xs:element name="ContinueIfActualFeeExceedsExpectedFeeIndicator"</pre>
                                   type="IndicatorType"
minOccurs="1"
maxOccurs="1"
                                    default="false"
                                 <xs:annotation>
                                            <xs:documentation>
                                                       A list of two mutually exclusive Boolean values
                                                       that express the only possible states of a
                                            </xs:documentation>
                                 </xs:annotation>
                      </xs:element>
                      <xs:element name="IncludeTitlePlanIndicator"</pre>
                                   type="IndicatorType"
                                   maxOccurs="1"
           </xs:sequence>
</xs:complexType>
<xs:complexType name="RequestOCWithSummaryV2 OType">
```

If the chosen method of delivery is 'electronic', the requested official copy is made available to the user in a suitable electronic format (PDF) if the official copy can be provided electronically. However if an electronic version of the official copy cannot be supplied, an official copy will be sent through the post. If the chosen method of delivery is 'postal', the requested official copy is sent by post.

If the External System has requested more than one type of official copy and selected the delivery method as 'electronic', Land Registry System will deliver electronic versions only if all the requested official copy types are available electronically. For



```
example, if Register and Title Plan are requested electronically, and Register cannot be provided electronically, both Register and
Title Plan will be sent by post.
                     </xs:documentation>
          </xs:annotation>
          <xs:sequence>
                     <xs:element name="ID"</pre>
                                 type="Q1IdentifierType"
                                 minOccurs="1"
                    maxOccurs="1"/>
<xs:element name="Product"
                                 type="Q1ProductType"
                                minOccurs="1
                                 maxOccurs="1">
                               <xs:annotation>
                                         <xs:documentation>This component contains details regarding the search being ordered, expedited
service, price details, delivery method and any attachment</xs:documentation>
                              </xs:annotation>
                    </xs:element>
          </xs:sequence>
</xs:complexType>
   -Datatypes-->
<xs:complexType name="IndicatorType">

<
Property.</xs:documentation>
          </xs:annotation>
          <xs:simpleContent>
                     <xs:extension base="xs:boolean"/>
          </xs:simpleContent>
</xs:complexType>
<xs:complexType name="Q1TextType">
          <xs:annotation>
                    language.</xs:documentation>
          <xs:simpleContent>
                     <xs:extension base="Q1TextContentType"/>
          </xs:simpleContent>
</ri></xs:complexType>
<xs:complexType name="Q2TextType">
          <xs:annotation>
                    </xs:documentation>
          <xs:simpleContent>
                     <xs:extension base="Q2TextContentType"/>
          </xs:simpleContent>
</xs:complexType>
<xs:complexType name="Q3TextType">
          <xs:annotation>
                     <xs:documentation>A character string (i.e. a finite set of
                               characters) generally in the form of words of a language.
                    </xs:documentation>
          </xs:annotation>
          <xs:simpleContent>
                     <xs:extension base="Q3TextContentType"/>
          </xs:simpleContent>
</xs:complexType>
</as:complexiype>
<!--Contenttypes-->
<xs:simpleType name="CustomerReferenceTextContentType">
<xs:restriction base="xs:string">

                    <xs:minLength value="1"/>
<xs:maxLength value="25"/>
                     </xs:restriction>
</xs:simpleType>
<xs:simpleType name="ERegAmountContentType"
<xs:restriction base="xs:decimal";</pre>
                    <xs:maxInclusive value="10000000"/>
<xs:minInclusive value="0"/>
          </xs:restriction>
</xs:simpleType>
<xs:complexType name="AmountType">
          <xs:annotation>
                    <xs:documentation>A number of monetary units specified in a currency
                               where the unit of the currency is explicit or implied.
                     </xs:documentation>
          </xs:annotation>
          <xs:simpleContent>
                    <xs:extension base="xs:decimal">
                               use="optional">
<xs:annotation>
                                                   <xs:documentation>The currency of the amount</xs:documentation>
                                         </xs:annotation>
                               </xs:attribute>
                     </xs:extension>
          </xs:simpleContent>
</xs:complexType>
               name="ReferenceTextContentType
<xs:simpleType</pre>
          <xs:restriction base="xs:string"</pre>
                    <xs:minLength value="1"/>
<xs:maxLength value="25"/>
                     <xs:pattern value="[A-Za-z0-9\s~!&quot;@#$%'\(\)\*\+,\-\./:;=&gt;\?\[\\\]_\{\}\^&#xa3;&amp;]*"/>
          </xs:restriction>
</xs:simpleType>
<xs:simpleType name="Q1TextContentType">
<xs:restriction base="xs:string"</pre>
                    <xs:minLength value="5"/>
<xs:maxLength value="50"/>
          </rs:simpleType>
<xs:simpleType name="Q2TextContentType">
```





```
<TypeCode>0</TypeCode>
<Acknowledgement>
            <AcknowledgementDetails>
                CUniqueID schemeAgencyName="" schemeName="">UniqueID</UniqueID>
<ExpectedResponseDateTime>2001-12-31T12:00:00</ExpectedResponseDateTime>
             <MessageDescription xsi:type="TextType">MessageDescription</MessageDescription>
</AcknowledgementDetails>
        </Acknowledgement>
        <Rejection>
            <ExternalReference>
                Reference xsi:type="TextType">Reference</Reference>
<AllocatedBy xsi:type="TextType">AllocatedBy</AllocatedBy>
<Description xsi:type="TextType">Description</Description>
             </ExternalReference>
             <ActualPrice>
             <ActualPrice>
<GrossPriceAmount currencyID="">0.0</GrossPriceAmount>
<NetPriceAmount currencyID="">0.0</NetPriceAmount>
<VATAmount currencyID="">0.0</VATAmount>

            <ValidationErrors>
                     altuations://os/
<Code xsi:type="TextType">Code</Code>
<Description xsi:type="TextType">Description</Description>
                 </ValidationErrors>
             </RejectionResponse>
        </Rejection>
<Results>
            <MessageDetails>
             <Description xsi:type="TextType">Description</Description>
</MessageDetails>
            <ExternalReference>
                <Reference xsi:type="TextType">Reference</Reference>
<AllocatedBy xsi:type="TextType">AllocatedBy</AllocatedBy>
                 <Description xsi:type="TextType">Description/Description>
             </ExternalReference>
            </EXPERIBITED FOR THE PROOF OF THE PROO
             </ActualPrice>
             <Attachment>
                 <EmbeddedFileBinaryObject characterSetCode="" filename="" format="" mimeCode="">MA==</EmbeddedFileBinaryObject>
                <Title xsi:type="TextType">Title</Title>
<Description xsi:type="TextType">Description</Description>
<Date xsi:type="DateType">2001-01-01</Date>
                 <CopyrightNotices xsi:type="TextType">CopyrightNotices</CopyrightNotices>
             </Attachment>
             <OCSummaryData>
  <OfficialCopyDateTime>2001-12-31T12:00:00</OfficialCopyDateTime>
                <EditionDate xsi:type="DateType">2001-01-01</EditionDate><PricePaidEntry>
                     <MultipleTitleIndicator>2</MultipleTitleIndicator>
                     <EntryNumber xsi:type="TextType">EntryNumber
                         <EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
                         <SubRegisterCode>A</SubRegisterCode>
                             <Amount>Amount</Amount>
                     </Infills>
</EntryDetails>
                 </PricePaidEntry>
                 <PropertyAddress>
                    <PostcodeZone>
<Postcode xsi:type="TextType">Postcode</Postcode>
                     </PostcodeZone>

<AddressLine>
<IndexNumeric>0.0</IndexNumeric>
<Line xsi:type="TextType">Line</Line>
</AddressLine>
                 </PropertyAddress>
                     <TitleNumber xsi:type="Q2TextType">TitleNumber</TitleNumber>
                     <ClassOfTitleCode>10</ClassOfTitleCode>
<CommonholdIndicator>true</commonholdIndicator>
                     <TitleRegistrationDetails>
                         <DistrictName>DistrictName</DistrictName>
<AdministrativeArea>AdministrativeArea</AdministrativeArea>
                         <LandRegistryOfficeName>LandRegistryOfficeName</LandRegistryOfficeName><
<LatestEditionDate xsi:type="DateType">2001-01-01</LatestEditionDate>
                         <PostcodeZone>
  <Postcode xsi:type="TextType">Postcode/Postcode>
                         </PostcodeZone>
                          <RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
                     </TitleRegistrationDetails>
                 </Title>
                 <RegisterEntryIndicators>
                    <AgreedNoticeIndicator>true</AgreedNoticeIndicator>
<BankruptcyIndicator>true</BankruptcyIndicator>
                     <CautionIndicator>true</CautionIndicator>
                     <CCBIIndicator>true</CBIIndicator>
<ChargeeIndicator>true</ChargeeIndicator>
                     <ChargeIndicator>true</ChargeIndicator>
<ChargeRelatedRestrictionIndicator>true</ChargeRelatedRestrictionIndicator>
                     <ChargeRestrictionIndicator>true</ChargeRestrictionIndicator>
<CreditorsNoticeIndicator>true</CreditorsNoticeIndicator>
```





```
<DeathOfProprietorIndicator>true</DeathOfProprietorIndicator>
<DeedOfPostponementIndicator>true</DeedOfPostponementIndicator>
     <DiscountChargeIndicator>true</DiscountChargeIndicator>
<EquitableChargeIndicator>true</EquitableChargeIndicator>
<GreenOutEntryIndicator>true</GreenOutEntryIndicator>
     <HomeRightsChangeOfAddressIndicator>true/HomeRightsChangeOfAddressIndicator>
<homeRightsIndicator>true</homeRightsIndicator>
     CleaseHoldTitleIndicator>true/LeaseHoldTitleIndicator>
<MultipleChargeIndicator>true/MultipleChargeIndicator>
     <NonChargeRestrictionIndicator>true</NonChargeRestrictionIndicator>
     <NotedChargeIndicator>true</NotedChargeIndicator>
<PricePaidIndicator>true</PricePaidIndicator>
     <PropertyDescriptionNotesIndicator>true</PropertyDescriptionNotesIndicator>
<RentChargeIndicator>true</RentChargeIndicator>
     <RightOfPreEmptionIndicator>true</RightOfPreEmptionIndicator>
<ScheduleOfLeasesIndicator>true</ScheduleOfLeasesIndicator>
<SubChargeIndicator>true</SubChargeIndicator>
     <UnidentifiedEntryIndicator>true</UnidentifiedEntryIndicator>
<UnilateralNoticeBeneficiaryIndicator>true</UnilateralNoticeBeneficiaryIndicator>
     <UnilateralNoticeIndicator>true</UnilateralNoticeIndicator>
<VendorsLienIndicator>true</VendorsLienIndicator>
</RegisterEntryIndicators>
<Pre><
     <CautionerParty>
  <PrivateIndividual>
              <Name>
                   <-Grown with the control of the
               </Name>
                  <ForenamesName xsi:type="TextType">ForenamesName</ForenamesName>
<SurnameName xsi:type="TextType">SurnameName</SurnameName>
               </Alias>
          <Address>
               <PostcodeZone>
                   <Postcode xsi:type="TextType">Postcode</Postcode>
               </PostcodeZone>
               <AddressLine>
                   <IndexNumeric>0.0</IndexNumeric>
                    <Line xsi:type="TextType">Line</Line>
               </AddressLine>
          </Address>
          <CharityDetails>
              <CharityName xsi:type="TextType">CharityName</CharityName>
<CharityAddress>
                   <PostcodeZone>
                         <Postcode xsi:type="TextType">Postcode</Postcode>
                    </PostcodeZone>

<
               </CharitvAddress>

<
</Proprietorship>
<Lease>
<LeaseEntry>
         <LeaseTerm>LeaseTerm/LeaseTerm>
<LeaseDate xsi:type="TextType">LeaseDate/LeaseDate>
<Rent>Rent/Rent>
              <PrivateIndividual>
                   <Name>
                       <Alias>
                       </Alias>
               </PrivateIndividual>
               <Address>
                   <PostcodeZone>
                        <Postcode xsi:type="TextType">Postcode</Postcode>
                    </PostcodeZone>
                   <AddressLine>
                       <IndexNumeric>0.0</IndexNumeric>
<Line xsi:type="TextType">Line</Line>
                    </AddressLine>
               <CharityDetails>
                   <CharityName xsi:type="TextType">CharityName</CharityName>
<CharityAddress>
                        <PostcodeZone>
                        <Postcode xsi:type="TextType">Postcode</Postcode>
</PostcodeZone>
                        <AddressLine>
<IndexNumeric>0.0</IndexNumeric>
                         <Line xsi:type="TextType">Line</Line>
</AddressLine>
                    </CharitvAddress>
                    <CharityType>C</CharityType>
               </CharityDetails>
          </maintypetails
</pre>
<TradingName xsi:type="TextType">TradingName
<PartyNumber xsi:type="TextType">PartyNumber
<PartyDescription xsi:type="TextType">PartyDescription

<pr
          <LeaseParty>
  <PrivateIndividual>
```



```
<ForenamesName xsi:type="TextType">ForenamesName</forenamesName>
<SurnameName xsi:type="TextType">SurnameName</SurnameName>
         <Alias>
            <ForenamesName xsi:type="TextType">ForenamesName</ForenamesName</pre><SurnameName xsi:type="TextType">SurnameName</surnameName>
         </Alias>
       </PrivateIndividual>
       <Address>
         <PostcodeZone>
            <Postcode xsi:type="TextType">Postcode</Postcode>
         </PostcodeZone>
<AddressLine>
           <IndexNumeric>0.0</IndexNumeric>
            <Line xsi:type="TextType">Line</Line>
          </AddressLine>
       </Address>
       <CharityDetails>
         </pr
            <PostcodeZone>
               <Postcode xsi:type="TextType">Postcode</postcode>
            </PostcodeZone>
           <AddressLine>
<IndexNumeric>0.0</IndexNumeric>
<Line xsi:type="TextType">Line</Line>
</AddressLine>

          </CharitvAddress>
       <EntryDetails>
       %EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryNumber xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
       <Infills>
       <Amount>Amount</Amount>
</Infills>
  </EntryDetails>
</LeaseEntry>
</Lease>
<RestrictionDetails>
  <RestrictionEntry>
     <ChargeRelatedRestriction>
  <RestrictionTypeCode>0</RestrictionTypeCode>
       <EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
         <EntryNumber xsi:type="TextType">EntryNumber/EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
<Infills>
            <Amount>Amount</Amount>
         </Infills>
    </RestrictionEntry>
</RestrictionDetails>
<Charge>
  <RegisteredCharge>
  <MultipleTitleIndicator xsi:type="TextType">MultipleTitleIndicator</MultipleTitleIndicator>
       <EntryDetails>
         cntryDetails>
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
         <Infills>
<Amount>Amount</Amount>
</Infills>
       </EntryDetails>
     </RegisteredCharge>
     <ChargeProprietor>
       <ChargeeParty>
         <ForenamesName xsi:type="TextType">ForenamesName</forenamesName>
<SurnameName xsi:type="TextType">SurnameName</SurnameName>
            </Name>
            </PrivateIndividual>
            <PostcodeZone>
              <Postcode xsi:type="TextType">Postcode</Postcode>
            </PostcodeZone>
            <AddressLine>
<IndexNumeric>0.0</IndexNumeric>
            <Line xsi:type="TextType">Line</Line>
</AddressLine>
          </Address>
          <CharityDetails>

CharityName//CharityName>
            <CharityAddress>
  <PostcodeZone>
                 <Postcode xsi:type="TextType">Postcode</Postcode>
```



```
<AddressLine>
                          <IndexNumeric>0.0</IndexNumeric>
                          <Line xsi:type="TextType">Line</Line>
                   </CharityAddress
              <CharityType>C</CharityType>
</CharityDetails>

           <EntryDetails>
              calltypecalls
cEntryNumber xsi:type="TextType">EntryNumber
<EntryNumber xsi:type="TextType">EntryText
<EntryText xsi:type="TextType">EntryText

cRegistrationDate xsi:type="DateType">2001-01-01

<SubRegisterCode>A</pubRegisterCode>

              <Infills>
              <Amount>Amount</Amount>
</Infills>
       </EntryDetails>
       <SubCharge>
           <ChargeDate xsi:type="DateType">2001-01-01</ChargeDate>
           <RegisteredCharge>
              <MultipleTitleIndicator xsi:type="TextType">MultipleTitleIndicator</MultipleTitleIndicator>
                  ShittyDetails/
EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
                  <Infills>
                      <Amount>Amount</Amount>
                  </Infills>
          </EntryDetails>
</RegisteredCharge>
          <ChargeProprietor>
              <ChargeeParty>
  <PrivateIndividual>
                         value/
ForenamesName xsi:type="TextType">ForenamesName/SurnameName//SurnameName///////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////////<pr
                      <Alias>
                         <ForenamesName xsi:type="TextType">ForenamesName<SurnameName xsi:type="TextType">SurnameName</surnameName>
                      </Alias>
                  </PrivateIndividual>
                  <Address>
                      <PostcodeZone>
                          <Postcode xsi:type="TextType">Postcode</Postcode>
                      </PostcodeZone>
<AddressLine>
                         <TndexNumeric>0.0</TndexNumeric>
                          <Line xsi:type="TextType">Line</Line>
                      </AddressLine>
                  </Address>
                  <CharityDetails>
                      <CharityName xsi:type="TextType">CharityName</CharityName>
<CharityAddress>
                          <PostcodeZone>
                              <Postcode xsi:type="TextType">Postcode</Postcode>
                          </PostcodeZone>
                          <AddressLine>
<IndexNumeric>0.0</IndexNumeric>
                          <Line xsi:type="TextType">Line</Line>
</AddressLine>
                      </CharityAddress>
                  <CharityType>C</CharityType>
</CharityDetails>
              </charityUetalis>
<TradingName xsi:type="TextType">TradingName</TradingName>
<PartyNumber xsi:type="TextType">PartyNumber</PartyNumber>
<PartyDescription xsi:type="TextType">PartyDescription</PartyDescription>
</chargeeParty>
               <EntryDetails>
                  calls/substance
cEntryNumber xsi:type="TextType">EntryNumber
<EntryText xsi:type="TextType">EntryText
<RegistrationDate xsi:type="DateType">2001-01-01

                  <SubRegisterCode>A</SubRegisterCode>
                  <Infills>
                  <Amount>Amount</Amount>
</Infills>
              </EntryDetails>
           </ChargeProprietor>
       </SubCharge>
   </ChargeEntry>
</Charge>
<AgreedNotice>
   <AgreedNoticeEntry>
       <AgreedNoticeType>10</AgreedNoticeType>
<EntryDetails>
          MILTYPELATIS>

EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>

<EntryText xsi:type="TextType">EntryText/EntryText>

<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
           <SubRegisterCode>A</SubRegisterCode>
          <Infills>
              <Amount>Amount</Amount>
           </Infills>
   </EntryDetails>
</AgreedNoticeEntry>
</AgreedNotice>
<Bankruptcy>
   <EntryDetails>
      callipectals/

EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>

<EntryText xsi:type="TextType">EntryText</EntryText>

<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>

<SubRegisterCode>A</SubRegisterCode>
```

```
<Infills>
      <Amount>Amount</Amount>
</Infills>
   </EntryDetails>
</Bankruptcy>
<Caution>
   <EntryDetails>
     ShittyDetails/
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
      <SubRegisterCode>A</SubRegisterCode>
      <Infills>
         <Amount>Amount</Amount>
      </Infills>
   </EntryDetails>
</Caution>
<DeedOfPostponement>
   <EntryDetails>
     sntryDetails>
<entryNumber xsi:type="TextType">EntryNumber</fntryNumber>
<EntryText xsi:type="TextType">EntryText</fntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubregisterCode>A</SubRegisterCode>
      <Infills>
<Amount>Amount</Amount>
      </Infills>
   </EntryDetails>
</DeedOfPostponement>
<GreenOutEntry>
   <EntryDetails>
     shtryDetails>
<mtryDetails>
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A
/**Code>
      <Infills>
          <Amount>Amount</Amount>
      </Infills>
</EntryDetails>
</GreenOutEntry>
<HomeRights>
   <HomeŘightsEntry>
      <ChangeOfAddressIndicator>true</ChangeOfAddressIndicator>
      <Infills>
            <Amount>Amount</Amount>
         </Infills>
      </HomeRightsEntryDetails>

<
         <SubRegisterCode>A</SubRegisterCode>
         <Infills>
<Amount>Amount</Amount>
         </Tnfills>
      </ChangeOfAddressEntryDetails>
   </HomeRightsEntry>
</HomeRights>
<RentCharge>
      <EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
      <EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
      <SubRegisterCode>A</SubRegisterCode>
      <Infills>
         <Amount>Amount
   </minount/Amo
</Infills>
</EntryDetails>
</RentCharge>
   <EntryDetails>
      <SubRegisterCode>A</SubRegisterCode>
      <Infills>
         <Amount>Amount</Amount>
      </Infills>
</EntryDetails>
</VendorsLien>
<RightOfPreEmption>
<EntryDetails>
      <EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
      <EntryText xsi:type="TextType">EntryText/EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
      <SubRegisterCode>A</SubRegisterCode>
<Infills>
         <Amount>Amount</Amount>
   </Infills>
</EntryDetails>
</RightOfPreEmption>
<DocumentDetails>
   <Document>
      <DocumentType>10</DocumentType>
      CoocumentDate xsi:type="TextType">DocumentDate

CentryNumber xsi:type="TextType">EntryNumber

      <FiledUnder xsi:type="TextType">FiledUnder</FiledUnder>
<RegisterDescription xsi:type="TextType">RegisterDescription</RegisterDescription>
   </Document>
</DocumentDetails>
<UnilateralNoticeDetails>
   <UnilateralNoticeEntry>
```

```
<UnilateralNotice>
                              <EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
                             CENTRYMENT ASTRIPE TEXTTYPE TEXT TYPE TEX
                              <SubRegisterCode>A</SubRegisterCode>
                             <Infills>
<Amount>Amount</Amount>
</Infills>
                       </UnilateralNotice>
                       <UnilateralNoticeBeneficiarv>
                             **CENTRYNumber xsi:type="TextType">EntryNumber</EntryNumber>

<EntryText xsi:type="TextType">EntryText/EntryText>

<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>

<SubRegisterCode>A</SubRegisterCode>
                             <Infills>
                                     <Amount>Amount</Amount>
                             </Infills>
               </UnilateralNoticeBeneficiary>
</UnilateralNoticeEntry>
       </UnilateralNoticeDetails>
       <DeathOfProprietor>
              <EntryDetails>
                     CENTRYNUMBER xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
                     <Infills>
                     <Amount>Amount</Amount>
</Infills>
      </EntryDetails>
</DeathOfProprietor>
       <DiscountCharge>
              <EntryDetails>
                    %EntryDetails/
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>

                      <Infills>
                             <Amount>Amount</Amount>
                     </Infills>
      </EntryDetails>
</DiscountCharge>
       <EquitableCharge>
             <SubRegisterCode>A</SubRegisterCode>
                             <Amount>Amount</Amount>
              </mount/And
</Infills>
</EntryDetails>
       </EquitableCharge>
       <NotedCharge>
              <EntryDetails>
                     MILTYDELATIS>
CENTRYNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText/EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
<SubRegisterCode>A</SubRegisterCode>
                     <Infills>
                              <Amount>Amount</Amount>
                      </Infills>
               </EntryDetails>
       </NotedCharge>
      <CreditorsNotice>
  <EntryDetails>
                    sntryDetails>
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryText xsi:type="TextType">EntryText</EntryText>
<RegistrationDate xsi:type="DateType">2001-01-01</RegistrationDate>
                     <SubRegisterCode>A</SubRegisterCode>
<Infills>
                             <Amount>Amount</Amount>
                      </Infills>
      </fractions/
</EntryDetails>
</CreditorsNotice>
<UnidentifiedEntry>
               <EntryDetails>
                     cells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/sells/s
                      <SubRegisterCode>A</SubRegisterCode>
                     <Infills>
<Amount>Amount</Amount>
                      </Infills>
               </EntryDetails>
       </UnidentifiedEntry>
              <EntryDetails>
                    calls/subsections
cEntryNumber xsi:type="TextType">EntryNumber
<EntryNumber xsi:type="TextType">EntryText
<EntryText xsi:type="TextType">EntryText
<RegistrationDate xsi:type="DateType">2001-01-01

CSubRegisterCode>A
/Textilla
                     <Infills>
                     <Amount>Amount</Amount>
</Infills>
              </EntryDetails>
       </CCBIEntry>
</OCSummaryData>
<OCRegisterData>
       <PropertyRegister>
             </DistrictDetails>
               <RegisterEntry>
                     wegisterEntry>
<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>
<EntryDate xsi:type="TextType">EntryDate</EntryDate>
```

```
<EntryType xsi:type="TextType">EntryType</EntryType>
<EntryText xsi:type="TextType">EntryText</EntryText>
                                    </RegisterEntry>
                                          <ScheduleType xsi:type="TextType">ScheduleType</ScheduleType>
                                         </Schedule>
                            </PropertyRegister>
<ProprietorshipRegister>
                                  <DistrictDetails>
                                          <EntryText xsi:type="TextType">EntryText</EntryText>
                                    </DistrictDetails>

<
                                    <Schedule>
                                          <ScheduleType xsi:type="TextType">ScheduleType/ScheduleType>
                                         ScheduleEntry

<ScheduleEntry>

<EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>

<EntryDate xsi:type="TextType">EntryDate</EntryDate>

<EntryTeye xsi:type="TextType">EntryType</EntryType>

<EntryText xsi:type="TextType">EntryType</EntryType>

<ScheduleEntry>
</ScheduleEntry>
                                   </schedule>
                             </ProprietorshipRegister>
                            <ChargesRegister>
  <DistrictDetails>
                                   <EntryText xsi:type="TextType">EntryText</EntryText>
</DistrictDetails>
                                    <RegisterEntry>
                                  <RegisterEntryY

(EntryNumber xsi:type="TextType">EntryNumber</EntryNumber>

(EntryDate xsi:type="TextType">EntryDate</EntryDate>

(EntryType xsi:type="TextType">EntryType</EntryType>

(EntryText xsi:type="TextType">EntryText</EntryText>

(RegisterEntry></EntryText xsi:type="TextType">EntryText</EntryText></EntryText</EntryText></EntryText</EntryText></EntryText</EntryText></EntryText</EntryText></EntryText</EntryText></EntryText></EntryText</EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText></EntryText>
                                   <Schedule>
  <ScheduleType xsi:type="TextType">ScheduleType</ScheduleType>
                                         </ScheduleEntry>
                             </ChargesRegister>
                      </OCRegisterData>
              </Results>
</GatewayResponse>
</ResponseOCWithSummaryV2_1>
```