

Table of contents

Structure of CII schema	3
Detailed documentation	34
ExchangedDocumentContext	34
GuidelineSpecifiedDocumentContextParameter	34
ExchangedDocument	35
SupplyChainTradeTransaction	38
SpecifiedTradeProduct	40
SpecifiedTradeProduct	40
SpecifiedLineTradeAgreement	49
SpecifiedLineTradeDelivery	63
SpecifiedLineTradeSettlement	74
ApplicableHeaderTradeAgreement	83
SellerTradeParty	84
BuyerTradeParty	90
ApplicableTradeDeliveryTerms	115
ApplicableHeaderTradeDelivery	127
ShipToTradeParty	128
ActualDeliverySupplyChainEvent	142
DeliveryNoteReferencedDocument	143
ApplicableHeaderTradeSettlement	144
ApplicableTradeTax	167
BillingSpecifiedPeriod	172
SpecifiedTradeSettlementHeaderMonetarySummation	190
Geschäftsregeln	197
General business rules	197
Integrity rules	200
Reverse charge	201
Exempt from VAT	202
Export	203
Intracommunity supply	204

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

valid from: 2026-07-01

Profile EXTENDED

Table of contents

VAT in the Canary Islands	205
VAT on Ceuta and Melilla	206
Out of scope of VAT	207
VAT standard and reduced rate.....	208
Zero rate VAT.....	209
CIUS ZUGFeRD/Factur-X Extended.....	210
CIUS ZUGFeRD/Factur-X Extended.....	216

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

	CrossIndustryInvoice		Invoice	BG-0
	<i>xs:sequence</i>			
1 .. 1	ExchangedDocumentContext	PROCESS CONTROL		BG-2
	<i>xs:sequence</i>			
0 .. 1	TestIndicator	Test Indicator		BT-X-1-00
	<i>xs:choice</i>			
1 .. 1	Indicator	Test Indicator, value		BT-X-1
		Test Indicator, value		BT-X-1
0 .. 1	BusinessProcessSpecifiedDocumentContextParameter	Grouping of business context information		BT-23-00
	<i>xs:sequence</i>			
1 .. 1	ID	Business process type		BT-23
1 .. 1	GuidelineSpecifiedDocumentContextParameter	Grouping of application recommendation information		BT-24-00
	<i>xs:sequence</i>			
1 .. 1	ID	Specification identifier		BT-24
1 .. 1	ExchangedDocument	Grouping of characteristics that affect the entire document		BT-1-00
	<i>xs:sequence</i>			
1 .. 1	ID	Invoice number		BT-1
0 .. 1	Name	Document name		BT-X-2
1 .. 1	TypeCode	Invoice type code		BT-3
1 .. 1	IssueDateTime	Invoice issue date		BT-2-00
	<i>xs:choice</i>			
1 .. 1	DateTimeString	Invoice issue date		BT-2
required	format	Date, format		BT-2-0
0 .. 1	CopyIndicator	Copy Indicator		BT-X-3-00
	<i>xs:choice</i>			
1 .. 1	Indicator	Copy indicator, value		BT-X-3
0 .. 1	LanguageID	Invoice language code		BT-X-4
0 .. unbounded	IncludedNote	INVOICE NOTE		BG-1
	<i>xs:sequence</i>			
0 .. 1	ContentCode	Free text on header level (qualifying the content)		BT-X-5
0 .. 1	Content	Invoice note		BT-22
0 .. 1	SubjectCode	Invoice note subject code		BT-21
0 .. 1	EffectiveSpecifiedPeriod	Contractual due date of the invoice		BT-X-6-000
	<i>xs:sequence</i>			
1 .. 1	CompleteDateTime	Contractual due date of the invoice		BT-X-6-00
	<i>xs:choice</i>			
1 .. 1	DateTimeString	Contractual due date of the invoice, value		BT-X-6
required	format	Date, format		BT-X-6-0
1 .. 1	SupplyChainTradeTransaction	Grouping of information about the business transaction		BG-25-00
	<i>xs:sequence</i>			
1 .. unbounded	IncludedSupplyChainTradeLineItem	INVOICE LINE		BG-25
	<i>xs:sequence</i>			
1 .. 1	AssociatedDocumentLineDocument	Grouping of general position information		BT-126-00
	<i>xs:sequence</i>			
1 .. 1	LineID	Invoice line identifier		BT-126
0 .. 1	ParentLineID	Parent line ID		BT-X-304
0 .. 1	LineStatusCode	Type of the invoice line item (Code)		BT-X-7
0 .. 1	LineStatusReasonCode	Subtype of the invoice line item		BT-X-8
0 .. unbounded	IncludedNote	Detailed information about the free text of the line item		BT-127-00
	<i>xs:sequence</i>			
0 .. 1	ContentCode	Free text on line level (code)		BT-X-9
0 .. 1	Content	Invoice line note		BT-127
0 .. 1	SubjectCode	Invoice line note subject code		BT-X-10
1 .. 1	SpecifiedTradeProduct	ITEM INFORMATION		BG-31
	<i>xs:sequence</i>			
0 .. 1	ID	Product identifier		BT-X-305
0 .. 1	GlobalID	Item standard identifier		BT-157

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

<i>required</i>		 <i>schemeID</i>	Scheme identifier	BT-157-1
0 .. 1		 <i>SellerAssignedID</i>	Item Seller's identifier	BT-155
0 .. 1		 <i>BuyerAssignedID</i>	Item Buyer's identifier	BT-156
0 .. 1		 <i>IndustryAssignedID</i>	Industry assigned product identifier	BT-X-532
0 .. 1		 <i>ModelID</i>	Model identification of the item	BT-X-533
1 .. 1		 <i>Name</i>	Item name	BT-153
0 .. 1		 <i>Description</i>	Item description	BT-154
0 .. unbounded		 <i>BatchID</i>	Batch (lot) identification of the item	BT-X-534
0 .. 1		 <i>BrandName</i>	Item brand name	BT-X-535
0 .. 1		 <i>ModelName</i>	Item model name	BT-X-536
0 .. unbounded		 <i>ApplicableProductCharacteristic</i>	ITEM ATTRIBUTES	BG-32
		 <i>xs:sequence</i>		
0 .. 1		 <i>TypeCode</i>	Item Attribute Type (Code)	BT-X-11
0 .. 1		 <i>Description</i>	Item attribute name	BT-160
0 .. 1		 <i>ValueMeasure</i>	Item Attribute Value (numerical measurand)	BT-X-12
		 <i>unitCode</i>	Unit of measure	BT-X-12-0
0 .. 1		 <i>Value</i>	Item attribute value	BT-161
0 .. unbounded		 <i>DesignatedProductClassification</i>	Detailed information on the item classification	BT-158-00
		 <i>xs:sequence</i>		
0 .. 1		 <i>ClassCode</i>	Item classification identifier	BT-158
<i>required</i>		 <i>listID</i>	Scheme identifier	BT-158-1
		 <i>listVersionID</i>	Scheme version identifier	BT-158-2
0 .. 1		 <i>ClassName</i>	Classification name	BT-X-13
0 .. unbounded		 <i>IndividualTradeProductInstance</i>	Item (Trade Product) Instances	BG-X-84
		 <i>xs:sequence</i>		
0 .. 1		 <i>BatchID</i>	Item (Trade Product) Instances Batch ID	BT-X-306
0 .. 1		 <i>SupplierAssignedSerialID</i>	Item (Trade Product) Instances Supplier Serial ID	BT-X-307
0 .. 1		 <i>OriginTradeCountry</i>	Detailed information on the item origin	BT-159-00
		 <i>xs:sequence</i>		
1 .. 1		 <i>ID</i>	Item country of origin	BT-159
0 .. 1		 <i>ManufacturerTradeParty</i>	MANUFACTURER	BG-X-93
		 <i>xs:sequence</i>		
0 .. unbounded		 <i>ID</i>	Manufacturer identifier	BT-X-593
0 .. unbounded		 <i>GlobalID</i>	Global identifier	BT-X-594
<i>required</i>		 <i>schemeID</i>	Scheme identifier	BT-X-594-0
0 .. 1		 <i>Name</i>	Manufacturer name	BT-X-595
0 .. 1		 <i>RoleCode</i>	Role (code)	BT-X-596
0 .. 1		 <i>Description</i>	Manufacturer additional legal information	BT-X-597
0 .. 1		 <i>SpecifiedLegalOrganization</i>	Manufacturer legal registration information	BT-X-598-00
		 <i>xs:sequence</i>		
0 .. 1		 <i>ID</i>	Manufacturer legal registration identifier	BT-X-598
		 <i>schemeID</i>	Scheme identifier	BT-X-598-0
0 .. 1		 <i>TradingBusinessName</i>	Manufacturer trading name	BT-X-599
0 .. unbounded		 <i>DefinedTradeContact</i>	Detailed contact information of the item seller	BG-X-94
		 <i>xs:sequence</i>		
0 .. 1		 <i>PersonName</i>	Name of the contact	BT-X-600
0 .. 1		 <i>DepartmentName</i>	Department name	BT-X-601
0 .. 1		 <i>TypeCode</i>	Type of contact (code)	BT-X-602
0 .. 1		 <i>TelephoneUniversalCommunication</i>	Contact telephone number	BT-X-603-00
		 <i>xs:sequence</i>		
1 .. 1		 <i>CompleteNumber</i>	Contact telephone number, value	BT-X-603
0 .. 1		 <i>FaxUniversalCommunication</i>	Contact point fax number	BT-X-604-00
		 <i>xs:sequence</i>		

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

1 .. 1		CompleteNumber	Contact point fax number, value	BT-X-604
0 .. 1		EmailURIUniversalCommunication	Contact email address	BT-X-605-00
		xs:sequence		
1 .. 1		URIID	Contact email address, value	BT-X-605
0 .. 1		PostalTradeAddress	MANUFACTURER POSTAL ADDRESS	BG-X-95
		xs:sequence		
0 .. 1		PostcodeCode	Post code	BT-X-606
0 .. 1		LineOne	Address line 1	BT-X-607
0 .. 1		LineTwo	Address line 2	BT-X-608
0 .. 1		LineThree	Address line 3	BT-X-609
0 .. 1		CityName	City	BT-X-610
1 .. 1		CountryID	Country code	BT-X-611
0 .. 1		CountrySubDivisionName	Country subdivision	BT-X-612
0 .. 1		URIUniversalCommunication	Details about the electronic address	BT-X-613-00
		xs:sequence		
1 .. 1		URIID	Electronic address	BT-X-613
required		schemeID	Scheme identifier	BT-X-613-0
0 .. 2		SpecifiedTaxRegistration <BT-X-614 VAT identifier>	Detailed information on tax information of the seller on line item level	BT-X-614-00
		xs:sequence		
1 .. 1		ID	VAT ID	BT-X-614
required		schemeID	Tax Scheme identifier	BT-X-614-0
0 .. 2		SpecifiedTaxRegistration <BT-X-615 Local tax identifier>	Detailed information on tax information of the manufacturer	BT-X-615-00
		xs:sequence		
1 .. 1		ID	Tax ID (local)	BT-X-615
required		schemeID	Tax Scheme identifier	BT-X-615-0
0 .. unbounded		IncludedReferencedProduct	An included product referenced from this trade product.	BG-X-1
		xs:sequence		
0 .. 1		ID	ID of Included Referenced Product	BT-X-308
0 .. unbounded		GlobalID	Global ID of Included Referenced Product	BT-X-15
required		schemeID	Scheme identifier	BT-X-15-1
0 .. 1		SellerAssignedID	SellerAssignedID of Included Referenced Product	BT-X-16
0 .. 1		BuyerAssignedID	BuyerAssignedID of Included Referenced Product	BT-X-17
0 .. 1		IndustryAssignedID	IndustryAssignedID of Included Referenced Product	BT-X-309
1 .. 1		Name	Name of Included Referenced Product	BT-X-18
0 .. 1		Description	Description of Included Referenced Product	BT-X-19
0 .. 1		UnitQuantity	UnitQuantity of Included Referenced Product	BT-X-20
required		unitCode	Measurement unit	BT-X-20-1
0 .. 1		SpecifiedLineTradeAgreement	PRICE DETAILS	BG-29
		xs:sequence		
0 .. 1		ApplicableTradeDeliveryTerms	Details of the delivery conditions	BG-X-87
		xs:sequence		
1 .. 1		DeliveryTypeCode	Delivery condition (Code)	BT-X-562
0 .. 1		RelevantTradeLocation	Delivery terms location	BG-X-89
		xs:sequence		
0 .. 1		CountryID	Country code of location for the delivery terms	BT-X-565
0 .. 1		Name	Name of the relevant location for the delivery terms	BT-X-566
0 .. 1		SellerOrderReferencedDocument	Details of an seller order document reference	BG-X-81

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1		<i>xs:sequence</i>			
0 .. 1		IssuerAssignedID	Document number	BT-X-537	
0 .. 1		LineID	Referenced position	BT-X-538	
0 .. 1		FormattedIssueDateTime	Document date	BT-X-539-00	
1 .. 1		<i>xs:sequence</i>			
required		DateTimeString	Document date, value	BT-X-539	
		format	Date, format	BT-X-539-0	
0 .. 1		BuyerOrderReferencedDocument	Details of the associated order	BT-132-00	
0 .. 1		<i>xs:sequence</i>			
0 .. 1		IssuerAssignedID	Order Id	BT-X-21	
0 .. 1		LineID	Referenced purchase order line reference	BT-132	
0 .. 1		FormattedIssueDateTime	Order date	BT-X-22-00	
1 .. 1		<i>xs:sequence</i>			
required		DateTimeString	Order date, value	BT-X-22	
		format	Date, format	BT-X-22-0	
0 .. 1		QuotationReferencedDocument	Details of an quotation document reference	BG-X-47	
0 .. 1		<i>xs:sequence</i>			
0 .. 1		IssuerAssignedID	Document number	BT-X-310	
0 .. 1		LineID	Referenced position	BT-X-311	
0 .. 1		FormattedIssueDateTime	Document date	BT-X-312-00	
1 .. 1		<i>xs:sequence</i>			
required		DateTimeString	Document date, value	BT-X-312	
		format	Date, format	BT-X-312-0	
0 .. 1		ContractReferencedDocument	Detailed information on the associated contract	BG-X-2	
0 .. 1		<i>xs:sequence</i>			
0 .. 1		IssuerAssignedID	Contract number	BT-X-24	
0 .. 1		LineID	Contract position	BT-X-25	
0 .. 1		FormattedIssueDateTime	Contract Date	BT-X-26-00	
1 .. 1		<i>xs:sequence</i>			
required		DateTimeString	Contract Date, value	BT-X-26	
		format	Date, format	BT-X-26-0	
0 .. unbounded		AdditionalReferencedDocument	Details of an additional document reference	BG-X-3	
1 .. 1		<i>xs:sequence</i>			
0 .. 1		IssuerAssignedID	Document number	BT-X-27	
0 .. 1		URIID	External document location	BT-X-28	
0 .. 1		LineID	Referenced position	BT-X-29	
1 .. 1		TypeCode	Type of the document (code)	BT-X-30	
0 .. 1		Name	Document description	BT-X-299	
0 .. 1		AttachmentBinaryObject	Attached document	BT-X-31	
required		mimeCode	Attached document Mime code	BT-X-31-1	
required		filename	Attached document Filename	BT-X-31-2	
0 .. 1		ReferenceTypeCode	Type of the document reference (code)	BT-X-32	
0 .. 1		FormattedIssueDateTime	Document date	BT-X-33-00	
1 .. 1		<i>xs:sequence</i>			
required		DateTimeString	Document date, value	BT-X-33	
		format	Date, format	BT-X-33-0	
0 .. 1		GrossPriceProductTradePrice	Detailed information on the gross price of the item	BT-148-00	
1 .. 1		<i>xs:sequence</i>			
0 .. 1		ChargeAmount	Item gross price	BT-148	
0 .. 1		BasisQuantity	Item price base quantity	BT-149-1	
		unitCode	Item price base quantity unit of measure code	BT-150-1	
0 .. unbounded		AppliedTradeAllowanceCharge <Price allowance>	Price-related discounts	BT-147-00	
		<i>xs:sequence</i>			

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

1	..	1	ChargeIndicator	Indicator for price allowance	BT-147-01
			<i>xs:choice</i>		
1	..	1	Indicator	Indicator for price allowance, value	BT-147-02
0	..	1	CalculationPercent	Discount in percent	BT-X-34
0	..	1	BasisAmount	Discount base amount	BT-X-35
1	..	1	ActualAmount	Item price discount	BT-147
0	..	1	ReasonCode	Reason for the discount (code)	BT-X-313
0	..	1	Reason	Reason for the discount (free text)	BT-X-36
0	..	unbounded	AppliedTradeAllowanceCharge <Price charge>	Price-related surcharges	BT-X-302-00
			<i>xs:sequence</i>		
1	..	1	ChargeIndicator	Indicator for price charge	BT-X-302-01
			<i>xs:choice</i>		
1	..	1	Indicator	Indicator for price charge, value	BT-X-302-02
0	..	1	CalculationPercent	Charge in percent	BT-X-300
0	..	1	BasisAmount	Charge base amount	BT-X-301
1	..	1	ActualAmount	Charge amount	BT-X-302
0	..	1	ReasonCode <Price charge non-VAT type code>	Invoice line-level non-VAT tax code	BT-X-616
			<i>listID</i>	Non-VAT tax code list identifier	BT-X-616-1
0	..	1	ReasonCode <Price charge reason code>	Reason for the charge (code)	BT-X-314
0	..	1	Reason	Reason for the charge (free text)	BT-X-303
0	..	1	NetPriceProductTradePrice	Detailed information on the net price of the item	BT-146-00
			<i>xs:sequence</i>		
1	..	1	ChargeAmount	Item net price	BT-146
0	..	1	BasisQuantity	Item price base quantity	BT-149
			<i>unitCode</i>	Item price base quantity unit of measure code	BT-150
0	..	1	IncludedTradeTax	Included tax for B2C	BG-X-4
			<i>xs:sequence</i>		
1	..	1	CalculatedAmount	Included tax for B2C	BT-X-37
1	..	1	TypeCode	Type of tax (code)	BT-X-38
0	..	1	ExemptionReason	VAT exemption reason text	BT-X-39
1	..	1	CategoryCode	VAT category code	BT-X-40
0	..	1	ExemptionReasonCode	VAT exemption reason code	BT-X-41
1	..	1	RateApplicablePercent	VAT category rate	BT-X-42
0	..	1	ItemSellerTradeParty	Detailed information on the deviating item seller	BG-X-90
			<i>xs:sequence</i>		
0	..	unbounded	ID	Item seller identifier	BT-X-567
0	..	unbounded required	GlobalID	Item seller global identifier	BT-X-568
			<i>schemeID</i>	Scheme identifier	BT-X-568-0
0	..	1	Name	Item seller name	BT-X-569
0	..	1	RoleCode	Role (code)	BT-X-570
0	..	1	Description	Seller additional legal information	BT-X-571
0	..	1	SpecifiedLegalOrganization	Item seller details about the organization	BT-X-572-00
			<i>xs:sequence</i>		
0	..	1	ID	Line Item Seller Legal ID	BT-X-572
			<i>schemeID</i>	Scheme identifier	BT-X-572-0
0	..	1	TradingBusinessName	Trading Business Name	BT-X-573
0	..	unbounded	DefinedTradeContact	Detailed contact information of the item seller	BG-X-91
			<i>xs:sequence</i>		
0	..	1	PersonName	Name of the contact	BT-X-574
0	..	1	DepartmentName	Department name	BT-X-574-1
0	..	1	TypeCode	Type of contact (code)	BT-X-575

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1		TelephoneUniversalCommunication	Contact telephone number	BT-X-576-00
		<i>xs:sequence</i>		
1 .. 1		CompleteNumber	Contact telephone number, value	BT-X-576
0 .. 1		FaxUniversalCommunication	Contact point fax number	BT-X-577-00
		<i>xs:sequence</i>		
1 .. 1		CompleteNumber	Contact point fax number, value	BT-X-577
0 .. 1		EmailURIUniversalCommunication	Contact email address	BT-X-578-00
		<i>xs:sequence</i>		
1 .. 1		URIID	Contact email address, value	BT-X-578
0 .. 1		PostalTradeAddress	Detailed information about the address of item seller	BG-X-92
		<i>xs:sequence</i>		
0 .. 1		PostcodeCode	Post code	BT-X-579
0 .. 1		LineOne	Address line 1	BT-X-580
0 .. 1		LineTwo	Address line 2	BT-X-581
0 .. 1		LineThree	Address line 3	BT-X-582
0 .. 1		CityName	City	BT-X-583
1 .. 1		CountryID	Country code	BT-X-584
0 .. 1		CountrySubDivisionName	Country subdivision	BT-X-585
0 .. 1		URIUniversalCommunication	Details about the electronic address	BT-X-586-00
		<i>xs:sequence</i>		
1 .. 1		URIID	Electronic address	BT-X-586
required		schemeID	Scheme identifier	BT-X-586-0
0 .. 1		SpecifiedTaxRegistration <BT-X-587 VAT Identifier>	Detailed information on tax information of the seller on line item level	BT-X-587-00
		<i>xs:sequence</i>		
1 .. 1		ID	VAT ID	BT-X-587
required		schemeID	Tax Scheme identifier	BT-X-587-0
0 .. 1		SpecifiedTaxRegistration <BT-X-588 Local Tax Identifier>	Detailed information on tax information of the seller on line item level	BT-X-588-00
		<i>xs:sequence</i>		
1 .. 1		ID	Tax ID (local)	BT-X-588
required		schemeID	Tax Scheme identifier	BT-X-588-0
0 .. unbounded		UltimateCustomerOrderReferencedDocument	Details on referenced customer order	BG-X-5
		<i>xs:sequence</i>		
0 .. 1		IssuerAssignedID	Order number of the final customer	BT-X-43
0 .. 1		LineID	Order item (ultimate customer)	BT-X-44
0 .. 1		FormattedIssueDateTime	Document date	BT-X-45-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Document date, value	BT-X-45
required		format	Date, format	BT-X-45-0
0 .. 1		SpecifiedLineTradeDelivery	Grouping of delivery details on line level	BT-129-00
		<i>xs:sequence</i>		
0 .. 1		BilledQuantity	Invoiced quantity	BT-129
		unitCode	Invoiced quantity unit of measure	BT-130
0 .. 1		ChargeFreeQuantity	Quantity, without charge	BT-X-46
required		unitCode	Unit of measure	BT-X-46-0
0 .. 1		PackageQuantity	Package quantity	BT-X-47
required		unitCode	Unit of measure	BT-X-47-0
0 .. 1		PerPackageUnitQuantity	Number of units per package	BT-X-561
required		unitCode	Unit of measure	BT-X-561-0
0 .. 1		ShipToTradeParty	Detailed information on the deviating goods recipient	BG-X-7
		<i>xs:sequence</i>		

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1		ID	Goods recipient identifier	BT-186-00
0 .. unbounded		GlobalID	Goods recipient global identifier	BT-186
required		schemeID	Scheme identifier	BT-186-1
0 .. 1		Name	ShipTo name	BT-X-50
0 .. 1		RoleCode	Role (code)	BT-X-541
0 .. 1		SpecifiedLegalOrganization	ShipTo details about the organization	BT-X-51-00
		xs:sequence		
0 .. 1		ID	ShipTo Legal ID	BT-X-51
required		schemeID	Scheme identifier	BT-X-51-0
0 .. 1		TradingBusinessName	Trading Business Name	BT-X-52
0 .. unbounded		DefinedTradeContact	Detailed contact information of the goods recipient	BG-X-8
		xs:sequence		
0 .. 1		PersonName	Name of the contact	BT-X-54
0 .. 1		DepartmentName	Department name	BT-X-54-1
0 .. 1		TypeCode	Type of contact (code)	BT-X-315
0 .. 1		TelephoneUniversalCommunication	Contact telephone number	BT-X-55-00
		xs:sequence		
1 .. 1		CompleteNumber	Contact telephone number, value	BT-X-55
0 .. 1		FaxUniversalCommunication	Contact point fax number	BT-X-56-00
		xs:sequence		
1 .. 1		CompleteNumber	Contact point fax number, value	BT-X-56
0 .. 1		EmailURIUniversalCommunication	Contact email address	BT-X-57-00
		xs:sequence		
1 .. 1		URIID	Contact email address, value	BT-X-57
0 .. 1		PostalTradeAddress	Detailed information about the address of the goods recipient	BG-X-9
		xs:sequence		
0 .. 1		PostcodeCode	Post code	BT-X-58
0 .. 1		LineOne	Address line 1	BT-X-59
0 .. 1		LineTwo	Address line 2	BT-X-60
0 .. 1		LineThree	Address line 3	BT-X-61
0 .. 1		CityName	City	BT-X-62
1 .. 1		CountryID	Country code	BT-X-63
0 .. 1		CountrySubDivisionName	Country subdivision	BT-X-64
0 .. 1		URIUniversalCommunication	Details about the electronic address	BT-X-65-00
		xs:sequence		
1 .. 1		URIID	Electronic address	BT-X-65
required		schemeID	Scheme identifier	BT-X-65-0
0 .. 1		SpecifiedTaxRegistration	Detailed information on tax information	BT-X-66-00
		xs:sequence	Detailed information on tax information of the goods recipient	BT-X-66-00
		xs:sequence		
1 .. 1		ID	VAT ID	BT-X-66
required		schemeID	Tax Scheme identifier	BT-X-66-0
0 .. 1		UltimateShipToTradeParty	Detailed information on the deviating final recipient	BG-X-10
		xs:sequence		
0 .. 1		ID	Final recipient identifier	BT-X-67
0 .. unbounded		GlobalID	Final recipient global identifier	BT-X-68
required		schemeID	Scheme identifier	BT-X-68-0
0 .. 1		Name	Final Recipient Name / Company Name	BT-X-69
0 .. 1		RoleCode	Role (code)	BT-X-542
0 .. 1		SpecifiedLegalOrganization	Details about the organization	BT-X-70-00
		xs:sequence		
0 .. 1		ID	Company Registration Number	BT-X-70

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1				Scheme identifier	BT-X-70-0
0 .. 1				Trading Business Name	BT-X-71
0 .. unbounded				Detailed contact information of the final goods recipient	BG-X-11
0 .. 1				Name of the contact	BT-X-72
0 .. 1				Department name	BT-X-72-1
0 .. 1				Type of contact (code)	BT-X-316
0 .. 1				Contact telephone number	BT-X-73-00
1 .. 1				Contact telephone number, value	BT-X-73
0 .. 1				Contact point fax number	BT-X-74-00
1 .. 1				Contact point fax number, value	BT-X-74
0 .. 1				Contact email address	BT-X-75-00
1 .. 1				Contact email address, value	BT-X-75
0 .. 1				Detailed information about the address of the final goods recipient	BG-X-12
0 .. 1				Post code	BT-X-76
0 .. 1				Address line 1	BT-X-77
0 .. 1				Address line 2	BT-X-78
0 .. 1				Address line 3	BT-X-79
0 .. 1				City	BT-X-80
1 .. 1				Country code	BT-X-81
0 .. 1				Country subdivision	BT-X-82
0 .. 1				Details about the electronic address	BT-X-83-00
1 .. 1				Electronic address	BT-X-83
required				Scheme identifier	BT-X-83-0
0 .. 1				Detailed information on tax information of the goods recipient	BT-X-84-00
1 .. 1				VAT ID	BT-X-84
required				Tax Scheme identifier	BT-X-84-0
0 .. 1				Detailed information about the actual delivery	BT-X-85-000
1 .. 1				Actual Delivery Time	BT-X-85-00
1 .. 1				Actual delivery date for this line, value	BT-X-85
required				Date, format	BT-X-85-0
0 .. 1				Detailed information on the corresponding despatch advice	BG-X-13
0 .. 1				Despatch advice number	BT-X-86
0 .. 1				Despatch advice item	BT-X-87
0 .. 1				Document date	BT-X-88-00
1 .. 1				Document date, value	BT-X-88
required				Date, format	BT-X-88-0
0 .. 1				Detailed information on the corresponding goods receipt	BG-X-82
0 .. 1				Goods receipt number	BT-X-89
0 .. 1				Goods receipt item	BT-X-90

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	FormattedIssueDateTime	Document date	BT-X-91-00
1 .. 1 required	xs:sequence DateTimeString format	Document date, value Date, format	BT-X-91 BT-X-91-0
0 .. 1	DeliveryNoteReferencedDocument	Detailed information about the corresponding delivery note	BG-X-83
0 .. 1	xs:sequence IssuerAssignedID	Delivery Note Number	BT-X-92
0 .. 1	LineID	Delivery note item	BT-X-93
0 .. 1	FormattedIssueDateTime	Document date	BT-X-94-00
1 .. 1 required	xs:sequence DateTimeString format	Document date, value Date, format	BT-X-94 BT-X-94-0
1 .. 1	SpecifiedLineTradeSettlement	Grouping of billing information at line level	BG-30-00
0 .. unbounded	xs:sequence ApplicableTradeTax	LINE VAT INFORMATION	BG-30
0 .. 1	xs:sequence CalculatedAmount	Tax Amount	BT-X-95
1 .. 1	TypeCode	Invoiced item VAT category code, Content	BT-151-0
0 .. 1	ExemptionReason	VAT exemption reason text	BT-X-96
1 .. 1	CategoryCode	Invoiced item VAT category code	BT-151
0 .. 1	ExemptionReasonCode	VAT exemption reason code	BT-X-97
0 .. 1	DueDateTypeCode	Value added tax point date code	BT-X-589
0 .. 1	RateApplicablePercent	Invoiced item VAT rate	BT-152
0 .. 1	BillingSpecifiedPeriod	INVOICE LINE PERIOD	BG-26
0 .. 1	xs:sequence StartDateDateTime	Start of the invoice line billing period	BT-134-00
1 .. 1 required	xs:choice DateTimeString format	Invoice line period start date Date, format	BT-134 BT-134-0
0 .. 1	EndDateDateTime	End of the invoice line billing period	BT-135-00
1 .. 1 required	xs:choice DateTimeString format	Invoice line period end date Date, format	BT-135 BT-135-0
0 .. unbounded	SpecifiedTradeAllowanceCharge <Allowance>	INVOICE LINE ALLOWANCES	BG-27
1 .. 1	xs:sequence ChargeIndicator	Indicator for allowance	BG-27-0
1 .. 1	xs:choice Indicator	Indicator for price, value	BG-27-1
0 .. 1	CalculationPercent	Invoice line allowance percentage	BT-138
0 .. 1	BasisAmount	Invoice line allowance base amount	BT-137
1 .. 1	ActualAmount	Invoice line allowance amount	BT-136
0 .. 1	ReasonCode	Invoice line allowance reason code	BT-140
0 .. 1	Reason	Invoice line allowance reason	BT-139
0 .. unbounded	SpecifiedTradeAllowanceCharge <Charge>	INVOICE LINE CHARGES	BG-28
1 .. 1	xs:sequence ChargeIndicator	Indicator for charge	BG-28-0
1 .. 1	xs:choice Indicator	Indicator for charge, value	BG-28-1
0 .. 1	CalculationPercent	Invoice line charge percentage	BT-143
0 .. 1	BasisAmount	Invoice line charge base amount	BT-142
1 .. 1	ActualAmount	Invoice line charge amount	BT-141
0 .. 1	ReasonCode <Invoice line charge reason code>	Invoice line charge reason code	BT-145
0 .. 1	ReasonCode <Invoice line-level non-VAT tax type code> listID	Invoice line-level non-VAT tax code Invoice line-level non-VAT tax code list identifier	BT-193 BT-193-1
0 .. 1	Reason	Invoice line charge reason	BT-144
0 .. 1	SpecifiedTradeSettlementLineMonetarySummation	Detailed information about item totals	BT-131-00
0 .. 1	xs:sequence LineTotalAmount	Invoice line net amount	BT-131

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	ChargeTotalAmount	Total amount of line item charges	BT-X-327
0 .. 1	AllowanceTotalAmount	Total amount of line item allowances	BT-X-328
0 .. 1	TaxTotalAmount <VAT Total Amount>	Total amount of line item taxes	BT-X-329
	currencyID	Invoice currency code	BT-X-329-0
0 .. 1	TaxTotalAmount <VAT Total Amount in Accounting Currency>	Total amount of line item taxes in accounting currency	BT-X-590
	currencyID	Invoice currency code	BT-X-590-0
0 .. 1	GrandTotalAmount	Total line item gross amount	BT-X-330
0 .. 1	TotalAllowanceChargeAmount	Total amount of allowances / charges	BT-X-98
0 .. 1	InvoiceReferencedDocument	PRECEDING INVOICE REFERENCE	BG-X-48
	xs:sequence		
0 .. 1	IssuerAssignedID	Preceding Invoice reference	BT-X-331
0 .. 1	LineID	Referenced position	BT-X-540
0 .. 1	TypeCode	Preceding invoice type code	BT-X-332
0 .. 1	FormattedIssueDateTime	Preceding Invoice issue date	BT-X-333-00
	xs:sequence		
1 .. 1 required	DateTimeString	Preceding Invoice issue date, value	BT-X-333
	format	Date, format	BT-X-333-0
0 .. unbounded	AdditionalReferencedDocument	Object identifier at the invoice item level	BT-128-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Invoice line object identifier	BT-128
1 .. 1	TypeCode	Object identifier type code (fix value)	BT-128-0
0 .. 1	ReferenceTypeCode	Invoice line object identifier	BT-128-1
0 .. unbounded	ReceivableSpecifiedTradeAccountingAccount	Detailed information on the accounting reference	BT-133-00
	xs:sequence		
1 .. 1	ID	Invoice line Buyer accounting reference	BT-133
0 .. 1	TypeCode	Accounting reference (Code)	BT-X-99
1 .. 1	ApplicableHeaderTradeAgreement	Grouping of contract information	BT-10-00
	xs:sequence		
0 .. 1	BuyerReference	Buyer reference	BT-10
1 .. 1	SellerTradeParty	SELLER	BG-4
	xs:sequence		
0 .. unbounded	ID	Seller identifier, value	BT-29
0 .. unbounded required	GlobalID	Seller global identifier	BT-29-0
	schemeID	Seller identifier identification scheme identifier	BT-29-1
1 .. 1	Name	Seller name	BT-27
0 .. 1	RoleCode	Seller Role (code)	BT-X-543
0 .. 1	Description	Seller additional legal information	BT-33
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-30-00
	xs:sequence		
0 .. 1	ID	Seller legal registration identifier	BT-30
	schemeID	Scheme identifier	BT-30-1
0 .. 1	TradingBusinessName	Seller trading name	BT-28
0 .. 1	PostalTradeAddress	SELLER LEGAL ADDRESS	BG-X-14
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-100
0 .. 1	LineOne	Address line 1	BT-X-101
0 .. 1	LineTwo	Address line 2	BT-X-102
0 .. 1	LineThree	Address line 3	BT-X-103
0 .. 1	CityName	City	BT-X-104
1 .. 1	CountryID	Country code	BT-X-105
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-106
0 .. unbounded	DefinedTradeContact	SELLER CONTACT	BG-6
	xs:sequence		
0 .. 1	PersonName	Seller contact point	BT-41
0 .. 1	DepartmentName	Department name	BT-41-0
0 .. 1	TypeCode	Type of contact (code)	BT-X-317

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1		TelephoneUniversalCommunication	Detailed information about the seller phone number	BT-42-00
		xs:sequence		
1 .. 1		CompleteNumber	Seller contact telephone number	BT-42
0 .. 1		FaxUniversalCommunication	Detailed information about the seller fax number	BT-X-107-00
		xs:sequence		
1 .. 1		CompleteNumber	Seller contact fax number	BT-X-107
0 .. 1		EmailURIUniversalCommunication	Detailed information about the seller email address	BT-43-00
		xs:sequence		
1 .. 1		URIID	Seller contact email address	BT-43
1 .. 1		PostalTradeAddress	SELLER POSTAL ADDRESS	BG-5
		xs:sequence		
0 .. 1		PostcodeCode	Seller post code	BT-38
0 .. 1		LineOne	Seller address line 1	BT-35
0 .. 1		LineTwo	Seller address line 2	BT-36
0 .. 1		LineThree	Seller address line 3	BT-162
0 .. 1		CityName	Seller city	BT-37
1 .. 1		CountryID	Seller country code	BT-40
0 .. 1		CountrySubDivisionName	Seller country subdivision	BT-39
0 .. 1		URIUniversalCommunication	Details about the electronic address	BT-34-00
		xs:sequence		
1 .. 1		URIID	Seller electronic address	BT-34
required		schemeID	Scheme identifier	BT-34-1
0 .. 1		SpecifiedTaxRegistration <BT-31 VAT Identifier>	Detailed information on tax information of the seller	BT-31-00
		xs:sequence		
1 .. 1		ID	Seller VAT identifier	BT-31
required		schemeID	Tax Scheme identifier	BT-31-0
0 .. 1		SpecifiedTaxRegistration <BT-32 Local Tax Identifier>	Detailed information on tax information of the seller	BT-32-00
		xs:sequence		
1 .. 1		ID	Seller tax registration identifier	BT-32
required		schemeID	Tax Scheme identifier	BT-32-0
1 .. 1		BuyerTradeParty	BUYER	BG-7
		xs:sequence		
0 .. 1		ID	Buyer identifier	BT-46
0 .. unbounded		GlobalID	Buyer global identifier	BT-46-0
		xs:sequence		
required		schemeID	Buyer global identifier	BT-46-0
1 .. 1		Name	Scheme identifier	BT-46-1
0 .. 1		RoleCode	Buyer name	BT-44
0 .. 1		Description	Role (code)	BT-X-544
0 .. 1		SpecifiedLegalOrganization	Buyer additional legal information	BT-X-334
		xs:sequence	Details about the organization	BT-47-00
0 .. 1		ID	Buyer legal registration identifier	BT-47
		schemeID	Scheme identifier	BT-47-1
0 .. 1		TradingBusinessName	Buyer trading name	BT-45
0 .. 1		PostalTradeAddress	Detailed information about the business address	BG-X-15
		xs:sequence		
0 .. 1		PostcodeCode	Post code	BT-X-108
0 .. 1		LineOne	Address line 1	BT-X-109
0 .. 1		LineTwo	Address line 2	BT-X-110
0 .. 1		LineThree	Address line 3	BT-X-111
0 .. 1		CityName	City	BT-X-112
1 .. 1		CountryID	Country code	BT-X-113
0 .. 1		CountrySubDivisionName	Country subdivision	BT-X-114
0 .. unbounded		DefinedTradeContact	BUYER CONTACT	BG-9
		xs:sequence		
0 .. 1		PersonName	Buyer contact point	BT-56
0 .. 1		DepartmentName	Department name	BT-56-0

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	TypeCode	Type of contact (code)	BT-X-318
0 .. 1	TelephoneUniversalCommunication	Detailed information about the buyer phone number	BT-57-00
	xs:sequence		
1 .. 1	CompleteNumber	Buyer contact telephone number	BT-57
0 .. 1	FaxUniversalCommunication	Detailed information about the buyer fax number	BT-X-115-00
	xs:sequence		
1 .. 1	CompleteNumber	Buyer contact fax number	BT-X-115
0 .. 1	EmailURIUniversalCommunication	Detailed information about the buyer email address	BT-58-00
	xs:sequence		
1 .. 1	URIID	Buyer contact email address	BT-58
1 .. 1	PostalTradeAddress	BUYER POSTAL ADDRESS	BG-8
	xs:sequence		
0 .. 1	PostcodeCode	Buyer post code	BT-53
0 .. 1	LineOne	Buyer address line 1	BT-50
0 .. 1	LineTwo	Buyer address line 2	BT-51
0 .. 1	LineThree	Buyer address line 3	BT-163
0 .. 1	CityName	Buyer city	BT-52
1 .. 1	CountryID	Buyer country code	BT-55
0 .. 1	CountrySubDivisionName	Buyer country subdivision	BT-54
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-49-00
	xs:sequence		
1 .. 1	URIID	Buyer electronic address	BT-49
required	schemeID	Scheme identifier	BT-49-1
0 .. 1	SpecifiedTaxRegistration	Detailed information on buyer tax information	BT-48-00
	xs:sequence		
1 .. 1	ID	Buyer VAT identifier	BT-48
required	schemeID	Tax Scheme identifier	BT-48-0
0 .. 1	SalesAgentTradeParty	Detailed information about the sales agent	BG-X-49
	xs:sequence		
0 .. 1	ID	Sales agent identifier	BT-X-337
0 .. unbounded required	GlobalID	Sales agent global identifier, value	BT-X-338
	schemeID	Scheme identifier	BT-X-338-0
1 .. 1	Name	Sales agent identifier Name / Company Name	BT-X-335
0 .. 1	RoleCode	Role (code)	BT-X-545
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BG-X-50
	xs:sequence		
0 .. 1	ID	Sales Agent Registration Number	BT-X-339
	schemeID	Scheme identifier	BT-X-339-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-336
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-53
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-355
0 .. 1	LineOne	Address line 1	BT-X-356
0 .. 1	LineTwo	Address line 2	BT-X-357
0 .. 1	LineThree	Address line 3	BT-X-358
0 .. 1	CityName	City	BT-X-359
1 .. 1	CountryID	Country code	BT-X-360
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-361
0 .. unbounded	DefinedTradeContact	Detailed contact information of the deviating end user	BG-X-51
	xs:sequence		
0 .. 1	PersonName	Name of the contact	BT-X-342
0 .. 1	DepartmentName	Department name	BT-X-343
0 .. 1	TypeCode	Type of contact (code)	BT-X-347

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-344-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-344
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-345-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-345
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-346-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-346
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-52
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-348
0 .. 1	LineOne	Address line 1	BT-X-349
0 .. 1	LineTwo	Address line 2	BT-X-350
0 .. 1	LineThree	Address line 3	BT-X-351
0 .. 1	CityName	City	BT-X-352
1 .. 1	CountryID	Country code	BT-X-353
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-354
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-341-00
	<i>xs:sequence</i>		
1 .. 1 required	URIID	Electronic address	BT-X-341
	schemeID	Scheme identifier	BT-X-341-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-340-00
	<i>xs:sequence</i>		
1 .. 1 required	ID	VAT ID	BT-X-340
	schemeID	Tax Scheme identifier	BT-X-340-0
0 .. 1	BuyerTaxRepresentativeTradeParty	Detailed information about the buyer tax representative	BG-X-54
	<i>xs:sequence</i>		
0 .. 1	ID	Identifier	BT-X-364
0 .. unbounded required	GlobalID	Global identifier	BT-X-365
	schemeID	Scheme identifier	BT-X-365-0
1 .. 1	Name	Identifier Name / Company Name	BT-X-362
0 .. 1	RoleCode	Role (code)	BT-X-546
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BG-X-58
	<i>xs:sequence</i>		
0 .. 1	ID	Company Registration Number	BT-X-366
	schemeID	Scheme identifier	BT-X-366-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-363
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-57
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-382
0 .. 1	LineOne	Address line 1	BT-X-383
0 .. 1	LineTwo	Address line 2	BT-X-384
0 .. 1	LineThree	Address line 3	BT-X-385
0 .. 1	CityName	City	BT-X-386
1 .. 1	CountryID	Country code	BT-X-387
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-388
0 .. unbounded	DefinedTradeContact	Detailed contact information of the deviating end user	BG-X-55
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-369
0 .. 1	DepartmentName	Department name	BT-X-370

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	TypeCode	Type of contact (code)	BT-X-371
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-372-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-372
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-373-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-373
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-374-00
	xs:sequence		
1 .. 1	URIID	Contact email address, value	BT-X-374
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-56
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-375
0 .. 1	LineOne	Address line 1	BT-X-376
0 .. 1	LineTwo	Address line 2	BT-X-377
0 .. 1	LineThree	Address line 3	BT-X-378
0 .. 1	CityName	City	BT-X-379
1 .. 1	CountryID	Country code	BT-X-380
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-381
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-368-00
	xs:sequence		
1 .. 1 required	URIID	Electronic address	BT-X-368
	schemeID	Scheme identifier	BT-X-368-0
1 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-367-00
	xs:sequence		
1 .. 1 required	ID	VAT ID	BT-X-367
	schemeID	Tax Scheme identifier	BT-X-367-0
0 .. 1	SellerTaxRepresentativeTradeParty	SELLER TAX REPRESENTATIVE PARTY	BG-11
	xs:sequence		
0 .. 1	ID	Identifier	BT-X-116
0 .. unbounded required	GlobalID	Global identifier	BT-X-117
	schemeID	Scheme identifier	BT-X-117-1
1 .. 1	Name	Seller tax representative name	BT-62
0 .. 1	RoleCode	Role (code)	BT-X-547
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BG-X-16
	xs:sequence		
0 .. 1	ID	Legal registration identifier	BT-X-118
	schemeID	Scheme identifier	BT-X-118-0
0 .. 1	TradingBusinessName	Trading name	BT-X-119
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-59
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-389
0 .. 1	LineOne	Address line 1	BT-X-390
0 .. 1	LineTwo	Address line 2	BT-X-391
0 .. 1	LineThree	Address line 3	BT-X-392
0 .. 1	CityName	City	BT-X-393
1 .. 1	CountryID	Country code	BT-X-394
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-395
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-17
	xs:sequence		
0 .. 1	PersonName	Name of the contact	BT-X-120
0 .. 1	DepartmentName	Department name	BT-X-121
0 .. 1	TypeCode	Type of contact (code)	BT-X-319

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-122-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-122
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-123-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-123
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-124-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-124
1 .. 1	PostalTradeAddress	SELLER TAX REPRESENTATIVE POSTAL ADDRESS	BG-12
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Tax representative post code	BT-67
0 .. 1	LineOne	Tax representative address line 1	BT-64
0 .. 1	LineTwo	Tax representative address line 2	BT-65
0 .. 1	LineThree	Tax representative address line 3	BT-164
0 .. 1	CityName	Tax representative city	BT-66
1 .. 1	CountryID	Tax representative country code	BT-69
0 .. 1	CountrySubDivisionName	Tax representative country subdivision	BT-68
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-125-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Electronic address	BT-X-125
required	schemeID	Scheme identifier	BT-X-125-0
1 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-63-00
	<i>xs:sequence</i>		
1 .. 1	ID	Seller tax representative VAT identifier	BT-63
required	schemeID	Tax Scheme identifier	BT-63-0
0 .. 1	ProductEndUserTradeParty	Detailed information about the deviating end user	BG-X-18
	<i>xs:sequence</i>		
0 .. 1	ID	Deviating end user identifier	BT-X-126
0 .. unbounded	GlobalID	Deviating end user global identifier	BT-X-127
required	schemeID	Scheme identifier	BT-X-127-0
1 .. 1	Name	Deviating end user identifier Name / Company Name	BT-X-128
0 .. 1	RoleCode	Role (code)	BT-X-548
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BG-X-19
	<i>xs:sequence</i>		
0 .. 1	ID	Company Registration Number	BT-X-129
	schemeID	Scheme identifier	BT-X-129-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-130
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-60
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-396
0 .. 1	LineOne	Address line 1	BT-X-397
0 .. 1	LineTwo	Address line 2	BT-X-398
0 .. 1	LineThree	Address line 3	BT-X-399
0 .. 1	CityName	City	BT-X-400
1 .. 1	CountryID	Country code	BT-X-401
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-402
0 .. unbounded	DefinedTradeContact	Detailed contact information of the deviating end user	BG-X-20
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-131
0 .. 1	DepartmentName	Department name	BT-X-132

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	TypeCode	Type of contact (code)	BT-X-320
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-133-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-133
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-134-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-134
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-135-00
	xs:sequence		
1 .. 1	URIID	Contact email address, value	BT-X-135
0 .. 1	PostalTradeAddress	Detailed information about the address of the deviating end user	BG-X-21
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-136
0 .. 1	LineOne	Address line 1	BT-X-137
0 .. 1	LineTwo	Address line 2	BT-X-138
0 .. 1	LineThree	Address line 3	BT-X-139
0 .. 1	CityName	City	BT-X-140
1 .. 1	CountryID	Country code	BT-X-141
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-142
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-143-00
	xs:sequence		
1 .. 1	URIID	Electronic address	BT-X-143
required	schemeID	Scheme identifier	BT-X-143-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information of the final goods recipient	BT-X-144-00
	xs:sequence	Detailed information on tax information	BT-X-144-00
	ID	VAT ID	BT-X-144
required	schemeID	Tax Scheme identifier	BT-X-144-0
0 .. 1	ApplicableTradeDeliveryTerms	Details of the delivery conditions	BG-X-22
	xs:sequence		
1 .. 1	DeliveryTypeCode	Delivery condition (Code)	BT-X-145
0 .. 1	RelevantTradeLocation	Delivery terms location	BG-X-88
	xs:sequence		
0 .. 1	CountryID	Country code of location for the delivery terms	BT-X-563
0 .. 1	Name	Name of the relevant location for the delivery terms	BT-X-564
0 .. 1	SellerOrderReferencedDocument	Details about the associated order confirmation	BT-14-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Sales order reference	BT-14
0 .. 1	FormattedIssueDateTime	Details about the sales order confirmation date	BT-X-146-00
	xs:sequence		
1 .. 1	DateTimeString	Order confirmation date, value	BT-X-146
required	format	Date, format	BT-X-146-0
0 .. 1	BuyerOrderReferencedDocument	Details of the associated order	BT-13-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Purchase order reference	BT-13
0 .. 1	FormattedIssueDateTime	Order Date	BT-X-147-00
	xs:sequence		
1 .. 1	DateTimeString	Order Date, value	BT-X-147

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

<i>required</i>			Date, format	BT-X-147-0
0 .. 1		QuotationReferencedDocument	Details on referenced quotation	BG-X-61
		<i>xs:sequence</i>		
1 .. 1		IssuerAssignedID	Quotation number	BT-X-403
0 .. 1		FormattedIssueDateTime	Document date	BT-X-404-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Document date, value	BT-X-404
<i>required</i>			Date, format	BT-X-404-0
0 .. 1		ContractReferencedDocument	Details of the associated contract	BT-12-00
		<i>xs:sequence</i>		
1 .. 1		IssuerAssignedID	Contract reference	BT-12
0 .. 1		ReferenceTypeCode	Type of contract (code)	BT-X-405
0 .. 1		FormattedIssueDateTime	Contract Date	BT-X-148-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Contract date, value	BT-X-148
<i>required</i>			Date, format	BT-X-148-0
0 .. unbounded		AdditionalReferencedDocument <Additional supporting documents>	ADDITIONAL SUPPORTING DOCUMENTS	BG-24
		<i>xs:sequence</i>		
1 .. 1		IssuerAssignedID	Supporting document reference	BT-122
0 .. 1		URIID	External document location	BT-124
1 .. 1		TypeCode	Referenced document type	BT-122-0
0 .. 1		Name	Supporting document description	BT-123
0 .. 1		AttachmentBinaryObject	Attached document	BT-125
<i>required</i>		<i>mimeCode</i>	Attached document Mime code	BT-125-1
<i>required</i>		<i>filename</i>	Attached document Filename	BT-125-2
0 .. 1		FormattedIssueDateTime	Document date	BT-X-149-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Document date, value	BT-X-149
<i>required</i>			Date, format	BT-X-149-0
0 .. unbounded		AdditionalReferencedDocument <BT-17-Tender or lot reference>	Details on tender or lot reference	BT-17-00
		<i>xs:sequence</i>		
1 .. 1		IssuerAssignedID	Tender or lot reference	BT-17
1 .. 1		TypeCode	Referenced document type	BT-17-0
0 .. 1		FormattedIssueDateTime	Document date	BT-X-556-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Document date, value	BT-X-556
<i>required</i>			Date, format	BT-X-556-0
0 .. unbounded		AdditionalReferencedDocument <BT-18-Invoiced object identifier>	Details on invoiced object identifier	BT-18-00
		<i>xs:sequence</i>		
1 .. 1		IssuerAssignedID	Invoiced object identifier	BT-18
1 .. 1		TypeCode	Referenced document type	BT-18-0
0 .. 1		ReferenceTypeCode	Scheme identifier	BT-18-1
0 .. 1		FormattedIssueDateTime	Document date	BT-X-557-00
		<i>xs:sequence</i>		
1 .. 1		DateTimeString	Document date, value	BT-X-557
<i>required</i>			Date, format	BT-X-557-0
0 .. 1		BuyerAgentTradeParty	Detailed information about the buyer agent	BG-X-62
		<i>xs:sequence</i>		
0 .. 1		ID	Identifier	BT-X-408
0 .. unbounded		GlobalID	Global identifier	BT-X-409

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

required		└─ schemeID	Scheme identifier	BT-X-409-0
1 .. 1		└─ Name	Name / Company Name	BT-X-406
0 .. 1		└─ RoleCode	Role (code)	BT-X-549
0 .. 1		└─ SpecifiedLegalOrganization	Details about the organization	BG-X-63
		└─ xs:sequence		
0 .. 1		└─ ID	Company Registration Number	BT-X-410
		└─ schemeID	Scheme identifier	BT-X-410-0
0 .. 1		└─ TradingBusinessName	Trading Business Name	BT-X-407
0 .. 1		└─ PostalTradeAddress	Detailed information about the business address	BG-X-66
		└─ xs:sequence		
0 .. 1		└─ PostcodeCode	Post code	BT-X-426
0 .. 1		└─ LineOne	Address line 1	BT-X-427
0 .. 1		└─ LineTwo	Address line 2	BT-X-428
0 .. 1		└─ LineThree	Address line 3	BT-X-429
0 .. 1		└─ CityName	City	BT-X-430
1 .. 1		└─ CountryID	Country code	BT-X-431
0 .. 1		└─ CountrySubDivisionName	Country subdivision	BT-X-432
0 .. unbounded		└─ DefinedTradeContact	Detailed contact information of the deviating buyer agent	BG-X-64
		└─ xs:sequence		
0 .. 1		└─ PersonName	Name of the contact	BT-X-413
0 .. 1		└─ DepartmentName	Department name	BT-X-414
0 .. 1		└─ TypeCode	Type of contact (code)	BT-X-415
0 .. 1		└─ TelephoneUniversalCommunication	Contact telephone number	BT-X-416-00
		└─ xs:sequence		
1 .. 1		└─ CompleteNumber	Contact telephone number, value	BT-X-416
0 .. 1		└─ FaxUniversalCommunication	Contact point fax number	BT-X-417-00
		└─ xs:sequence		
1 .. 1		└─ CompleteNumber	Contact point fax number, value	BT-X-417
0 .. 1		└─ EmailURIUniversalCommunication	Contact email address	BT-X-418-00
		└─ xs:sequence		
1 .. 1		└─ URIID	Contact email address, value	BT-X-418
0 .. 1		└─ PostalTradeAddress	Detailed information about the address	BG-X-65
		└─ xs:sequence		
0 .. 1		└─ PostcodeCode	Post code	BT-X-419
0 .. 1		└─ LineOne	Address line 1	BT-X-420
0 .. 1		└─ LineTwo	Address line 2	BT-X-421
0 .. 1		└─ LineThree	Address line 3	BT-X-422
0 .. 1		└─ CityName	City	BT-X-423
1 .. 1		└─ CountryID	Country code	BT-X-424
0 .. 1		└─ CountrySubDivisionName	Country subdivision	BT-X-425
0 .. 1		└─ URIUniversalCommunication	Details about the electronic address	BT-X-412-00
		└─ xs:sequence		
1 .. 1		└─ URIID	Electronic address	BT-X-412
required		└─ schemeID	Scheme identifier	BT-X-412-0
0 .. 1		└─ SpecifiedTaxRegistration	Detailed information on tax information	BT-X-411-00
		└─ xs:sequence		
1 .. 1		└─ ID	VAT ID	BT-X-411
required		└─ schemeID	Tax Scheme identifier	BT-X-411-0
0 .. 1		└─ SpecifiedProcuringProject	Details about a project reference	BT-11-00
		└─ xs:sequence		
1 .. 1		└─ ID	Project reference	BT-11
1 .. 1		└─ Name	Project name	BT-11-0

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. unbounded	UltimateCustomerOrderReferencedDocument	Details on referenced customer order	BG-X-23
	<i>xs:sequence</i>		
1 .. 1	IssuerAssignedID	Ultimate Customer Order number of the final customer	BT-X-150
0 .. 1	FormattedIssueDateTime	Document date	BT-X-151-00
	<i>xs:sequence</i>		
1 .. 1 required	DateTimeString	Document date, value	BT-X-151
	<i>format</i>	Date, format	BT-X-151-0
1 .. 1	ApplicableHeaderTradeDelivery	Grouping of delivery details	BG-13-00
	<i>xs:sequence</i>		
0 .. 1	RelatedSupplyChainConsignment	Related SupplyChain Consignment	BG-X-24
	<i>xs:sequence</i>		
0 .. unbounded	SpecifiedLogisticsTransportMovement	Specified Logistics Transport Movement	BT-X-152-00
	<i>xs:sequence</i>		
1 .. 1	ModeCode	Delivery method (Code)	BT-X-152
0 .. 1	ShipToTradeParty	DELIVERY INFORMATION	BG-13
	<i>xs:sequence</i>		
0 .. 1	ID	Deliver to location identifier	BT-71
0 .. unbounded required	GlobalID	Deliver to location global identifier	BT-71-0
	<i>schemeID</i>	Scheme identifier	BT-71-1
0 .. 1	Name	Deliver to party name	BT-70
0 .. 1	RoleCode	Role (code)	BT-X-550
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BG-X-25
	<i>xs:sequence</i>		
0 .. 1	ID	Legal registration identifier	BT-X-153
	<i>schemeID</i>	Scheme identifier	BT-X-153-0
0 .. 1	TradingBusinessName	Trading name	BT-X-154
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-67
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-433
0 .. 1	LineOne	Address line 1	BT-X-434
0 .. 1	LineTwo	Address line 2	BT-X-435
0 .. 1	LineThree	Address line 3	BT-X-436
0 .. 1	CityName	City	BT-X-437
1 .. 1	CountryID	Country code	BT-X-438
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-439
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-26
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-155
0 .. 1	DepartmentName	Department name	BT-X-156
0 .. 1	TypeCode	Type of contact (code)	BT-X-321
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-157-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-157
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-158-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-158
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-159-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-159
0 .. 1	PostalTradeAddress	DELIVER TO ADDRESS	BG-15
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Deliver to post code	BT-78
0 .. 1	LineOne	Deliver to address line 1	BT-75
0 .. 1	LineTwo	Deliver to address line 2	BT-76

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	LineThree	Deliver to address line 3	BT-165
0 .. 1	CityName	Deliver to city	BT-77
1 .. 1	CountryID	Deliver to country code	BT-80
0 .. 1	CountrySubDivisionName	Deliver to country subdivision	BT-79
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-160-00
	xs:sequence		
1 .. 1 required	URIID	Electronic address	BT-X-160
	schemeID	Scheme identifier	BT-X-160-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information of the goods recipient	BT-X-161-00
	xs:sequence		
1 .. 1 required	ID	VAT identifier	BT-X-161
	schemeID	Tax Scheme identifier	BT-X-161-0
0 .. 1	UltimateShipToTradeParty	Detailed information about the final recipient	BG-X-27
	xs:sequence		
0 .. 1	ID	Final recipient identifier	BT-X-162
0 .. unbounded required	GlobalID	Final recipient global identifier	BT-X-163
	schemeID	Scheme identifier	BT-X-163-0
0 .. 1	Name	Final Recipient Name / Company Name	BT-X-164
0 .. 1	RoleCode	Role (code)	BT-X-551
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-165-00
	xs:sequence		
0 .. 1	ID	Company Registration Number	BT-X-165
	schemeID	Scheme identifier	BT-X-165-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-166
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-68
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-440
0 .. 1	LineOne	Address line 1	BT-X-441
0 .. 1	LineTwo	Address line 2	BT-X-442
0 .. 1	LineThree	Address line 3	BT-X-443
0 .. 1	CityName	City	BT-X-444
1 .. 1	CountryID	Country code	BT-X-445
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-446
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-28
	xs:sequence		
0 .. 1	PersonName	Name of the contact	BT-X-167
0 .. 1	DepartmentName	Department name	BT-X-168
0 .. 1	TypeCode	Type of contact (code)	BT-X-322
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-169-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-169
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-170-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-170
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-171-00
	xs:sequence		
1 .. 1	URIID	Contact email address, value	BT-X-171
0 .. 1	PostalTradeAddress	Detailed information about the address of the final recipient	BG-X-29
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-172

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	LineOne	Address line 1	BT-X-173
0 .. 1	LineTwo	Address line 2	BT-X-174
0 .. 1	LineThree	Address line 3	BT-X-175
0 .. 1	CityName	City	BT-X-176
1 .. 1	CountryID	Country code	BT-X-177
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-178
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-179-00
1 .. 1 required	xs:sequence		
	URIID	Electronic address	BT-X-179
	schemeID	Scheme identifier	BT-X-179-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-180-00
1 .. 1 required	xs:sequence		
	ID	VAT ID	BT-X-180
	schemeID	Tax Scheme identifier	BT-X-180-0
0 .. 1	ShipFromTradeParty	Identification of the deviating sender	BG-X-30
	xs:sequence		
0 .. 1	ID	Deviating sender identifier	BT-X-181
0 .. unbounded required	GlobalID	Deviating sender global identifier	BT-X-182
	schemeID	Scheme identifier	BT-X-182-0
0 .. 1	Name	Deviating sender name / company name	BT-X-183
0 .. 1	RoleCode	Role (code)	BT-X-552
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-184-00
	xs:sequence		
0 .. 1	ID	Company Registration Number	BT-X-184
	schemeID	Scheme identifier	BT-X-184-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-185
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-69
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-447
0 .. 1	LineOne	Address line 1	BT-X-448
0 .. 1	LineTwo	Address line 2	BT-X-449
0 .. 1	LineThree	Address line 3	BT-X-450
0 .. 1	CityName	City	BT-X-451
1 .. 1	CountryID	Country code	BT-X-452
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-453
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-31
	xs:sequence		
0 .. 1	PersonName	Name of the contact	BT-X-186
0 .. 1	DepartmentName	Department name	BT-X-187
0 .. 1	TypeCode	Type of contact (code)	BT-X-323
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-188-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-188
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-189-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-189
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-190-00
	xs:sequence		
1 .. 1	URIID	Contact email address, value	BT-X-190
0 .. 1	PostalTradeAddress	Detailed information about the address of the deviating sender	BG-X-32
	xs:sequence		

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	PostcodeCode	Post code	BT-X-191
0 .. 1	LineOne	Address line 1	BT-X-192
0 .. 1	LineTwo	Address line 2	BT-X-193
0 .. 1	LineThree	Address line 3	BT-X-194
0 .. 1	CityName	City	BT-X-195
1 .. 1	CountryID	Country code	BT-X-196
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-197
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-198-00
	xs:sequence		
1 .. 1 required	URIID	Electronic address	BT-X-198
	schemeID	Scheme identifier	BT-X-198-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-199-00
	xs:sequence		
1 .. 1 required	ID	VAT ID	BT-X-199
	schemeID	Tax Scheme identifier	BT-X-199-0
0 .. 1	ActualDeliverySupplyChainEvent	Detailed information about the actual Delivery	BT-72-000
	xs:sequence		
1 .. 1	OccurrenceDateTime	Actual delivery date, Content	BT-72-00
	xs:choice		
1 .. 1 required	DateTimeString	Actual delivery date	BT-72
	format	Date, format	BT-72-0
0 .. 1	DespatchAdviceReferencedDocument	Detailed information on the corresponding despatch advice	BT-16-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Despatch advice reference	BT-16
0 .. 1	FormattedIssueDateTime	Despatch advice date	BT-X-200-00
	xs:sequence		
1 .. 1 required	DateTimeString	Despatch advice date, value	BT-X-200
	format	Date, format	BT-X-200-0
0 .. 1	ReceivingAdviceReferencedDocument	Detailed information about the associated goods receipt	BT-15-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Receiving advice reference	BT-15
0 .. 1	FormattedIssueDateTime	Goods receipt date	BT-X-201-00
	xs:sequence		
1 .. 1 required	DateTimeString	Goods receipt date, value	BT-X-201
	format	Date, format	BT-X-201-0
0 .. 1	DeliveryNoteReferencedDocument	Detailed information about the corresponding delivery note	BT-X-202-00
	xs:sequence		
1 .. 1	IssuerAssignedID	Delivery note reference	BT-X-202
0 .. 1	FormattedIssueDateTime	Delivery note date	BT-X-203-00
	xs:sequence		
1 .. 1 required	DateTimeString	Delivery note date, value	BT-X-203
	format	Date, format	BT-X-203-0
1 .. 1	ApplicableHeaderTradeSettlement	DIRECT DEBIT	BG-19
	xs:sequence		
0 .. 1	CreditorReferenceID	Bank assigned creditor identifier	BT-90
0 .. 1	PaymentReference	Remittance information	BT-83
0 .. 1	TaxCurrencyCode	VAT accounting currency code	BT-6
1 .. 1	InvoiceCurrencyCode	Invoice currency code	BT-5
0 .. 1	InvoiceIssuerReference	Seller reference number	BT-X-204

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	InvoiceTradeParty	Deviating invoicing party	BG-X-33
	xs:sequence		
0 .. 1	ID	Deviating invoicer identifier	BT-X-205
0 .. unbounded required	GlobalID	Deviating invoicer global identifier	BT-X-206
	schemeID	Scheme identifier	BT-X-206-0
1 .. 1	Name	Name	BT-X-207
0 .. 1	RoleCode	Role (code)	BT-X-553
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-208-00
	xs:sequence		
0 .. 1	ID	Company Registration Number	BT-X-208
	schemeID	Scheme identifier	BT-X-208-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-209
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-70
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-454
0 .. 1	LineOne	Address line 1	BT-X-455
0 .. 1	LineTwo	Address line 2	BT-X-456
0 .. 1	LineThree	Address line 3	BT-X-457
0 .. 1	CityName	City	BT-X-458
1 .. 1	CountryID	Country code	BT-X-459
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-460
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-34
	xs:sequence		
0 .. 1	PersonName	Name of the contact	BT-X-210
0 .. 1	DepartmentName	Department name	BT-X-211
0 .. 1	TypeCode	Type of contact (code)	BT-X-324
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-212-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-212
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-213-00
	xs:sequence		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-213
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-214-00
	xs:sequence		
1 .. 1	URIID	Contact email address, value	BT-X-214
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-35
	xs:sequence		
0 .. 1	PostcodeCode	Post code	BT-X-215
0 .. 1	LineOne	Address line 1	BT-X-216
0 .. 1	LineTwo	Address line 2	BT-X-217
0 .. 1	LineThree	Address line 3	BT-X-218
0 .. 1	CityName	City	BT-X-219
1 .. 1	CountryID	Country code	BT-X-220
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-221
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-222-00
	xs:sequence		
1 .. 1 required	URIID	Electronic address	BT-X-222
	schemeID	Scheme identifier	BT-X-222-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-223-00
	xs:sequence		
1 .. 1 required	ID	VAT ID	BT-X-223
	schemeID	Tax Scheme identifier	BT-X-223-0

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	InvoiceeTradeParty	Detailed information about the deviating invoice recipient	BG-X-36
	<i>xs:sequence</i>		
0 .. 1	ID	Deviating invoice recipient identifier	BT-X-224
0 .. unbounded required	GlobalID	Deviating invoice recipient global identifier	BT-X-225
	<i>schemeID</i>	Scheme identifier	BT-X-225-0
1 .. 1	Name	Deviating invoice recipient name / company name	BT-X-226
0 .. 1	RoleCode	Role (code)	BT-X-554
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-227-00
	<i>xs:sequence</i>		
0 .. 1	ID	Company Registration Number	BT-X-227
	<i>schemeID</i>	Scheme identifier	BT-X-227-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-228
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-71
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-461
0 .. 1	LineOne	Address line 1	BT-X-462
0 .. 1	LineTwo	Address line 2	BT-X-463
0 .. 1	LineThree	Address line 3	BT-X-464
0 .. 1	CityName	City	BT-X-465
1 .. 1	CountryID	Country code	BT-X-466
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-467
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-37
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-229
0 .. 1	DepartmentName	Department name	BT-X-230
0 .. 1	TypeCode	Type of contact (code)	BT-X-325
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-231-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-231
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-232-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-232
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-233-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-233
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-38
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-234
0 .. 1	LineOne	Address line 1	BT-X-235
0 .. 1	LineTwo	Address line 2	BT-X-236
0 .. 1	LineThree	Address line 3	BT-X-237
0 .. 1	CityName	City	BT-X-238
1 .. 1	CountryID	Country code	BT-X-239
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-240
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-241-00
	<i>xs:sequence</i>		
1 .. 1 required	URIID	Electronic address	BT-X-241
	<i>schemeID</i>	Scheme identifier	BT-X-241-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-242-00
	<i>xs:sequence</i>		
1 .. 1	ID	VAT ID	BT-X-242

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

<i>required</i>	ZUGFeRD 2.5 / Factur-X 1.09 Generated by GEFEG.FX
-----------------	--

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	PayerTradeParty	Detailed information about the deviating invoice payer	BG-X-73
	<i>xs:sequence</i>		
0 .. 1	ID	Deviating invoice payer identifier	BT-X-478
0 .. unbounded required	GlobalID	Deviating invoice payer global identifier	BT-X-479
	<i>schemeID</i>	Payer identifier Scheme identifier	BT-X-479-0
1 .. 1	Name	Name/company name of the deviating invoice payer	BT-X-476
0 .. 1	RoleCode	Role (code)	BT-X-483
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-480-00
	<i>xs:sequence</i>		
0 .. 1	ID	Company Registration Number	BT-X-480
	<i>schemeID</i>	Scheme identifier	BT-X-480-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-477
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-76
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-497
0 .. 1	LineOne	Address line 1	BT-X-498
0 .. 1	LineTwo	Address line 2	BT-X-499
0 .. 1	LineThree	Address line 3	BT-X-500
0 .. 1	CityName	City	BT-X-501
1 .. 1	CountryID	Country code	BT-X-502
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-503
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-74
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-484
0 .. 1	DepartmentName	Department name	BT-X-485
0 .. 1	TypeCode	Type of contact (code)	BT-X-486
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-487-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-487
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-488-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-488
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-489-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-489
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-75
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-490
0 .. 1	LineOne	Address line 1	BT-X-491
0 .. 1	LineTwo	Address line 2	BT-X-492
0 .. 1	LineThree	Address line 3	BT-X-493
0 .. 1	CityName	City	BT-X-494
1 .. 1	CountryID	Country code	BT-X-495
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-496
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-482-00
	<i>xs:sequence</i>		
1 .. 1 required	URIID	Payer Electronic address	BT-X-482
	<i>schemeID</i>	Scheme identifier	BT-X-482-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-481-00
	<i>xs:sequence</i>		
1 .. 1	ID	VAT ID	BT-X-481

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

required	└─ schemeID	Tax Scheme identifier	BT-X-481-0
0 .. 1	└─ TaxApplicableTradeCurrencyExchange	Specification of the invoice currency, local currency and exchange rate	BG-X-41
	└─ xs:sequence		
1 .. 1	└─ SourceCurrencyCode	Invoice currency	BT-X-258
1 .. 1	└─ TargetCurrencyCode	Local currency	BT-X-259
1 .. 1	└─ ConversionRate	Exchange rate	BT-X-260
0 .. 1	└─ ConversionRateDateTime	Exchange rate date	BT-X-261-00
	└─ xs:choice		
1 .. 1	└─ DateTimeString	Exchange rate date, value	BT-X-261
required	└─ format	Date, format	BT-X-261-0
0 .. unbounded	└─ SpecifiedTradeSettlementPaymentMeans	PAYMENT INSTRUCTIONS	BG-16
	└─ xs:sequence		
1 .. 1	└─ TypeCode	Payment means type code	BT-81
0 .. 1	└─ Information	Payment means text	BT-82
0 .. 1	└─ ApplicableTradeSettlementFinancialCard	PAYMENT CARD INFORMATION	BG-18
	└─ xs:sequence		
1 .. 1	└─ ID	Payment card primary account number	BT-87
0 .. 1	└─ CardholderName	Payment card holder name	BT-88
0 .. 1	└─ PayerPartyDebtorFinancialAccount	Buyer bank information	BT-91-00
	└─ xs:sequence		
1 .. 1	└─ IBANID	Debited account identifier	BT-91
0 .. 1	└─ AccountName	Debited account name	BT-216
0 .. 1	└─ PayeePartyCreditorFinancialAccount	CREDIT TRANSFER	BG-17
	└─ xs:sequence		
0 .. 1	└─ IBANID	Payment account identifier	BT-84
0 .. 1	└─ AccountName	Payment account name	BT-85
0 .. 1	└─ ProprietaryID	National account number (not SEPA)	BT-84-0
0 .. 1	└─ PayerSpecifiedDebtorFinancialInstitution	Buyer bank information	BT-215-00
	└─ xs:sequence		
0 .. 1	└─ BICID	Debited account payment service provider identifier	BT-215
0 .. 1	└─ PayeeSpecifiedCreditorFinancialInstitution	Seller bank information	BT-86-00
	└─ xs:sequence		
1 .. 1	└─ BICID	Payment service provider identifier	BT-86
1 .. unbounded	└─ ApplicableTradeTax	VAT BREAKDOWN	BG-23
	└─ xs:sequence		
1 .. 1	└─ CalculatedAmount	VAT category tax amount	BT-117
1 .. 1	└─ TypeCode	Type of tax (code)	BT-118-0
0 .. 1	└─ ExemptionReason	VAT exemption reason text	BT-120
1 .. 1	└─ BasisAmount	VAT category taxable amount	BT-116
0 .. 1	└─ LineTotalBasisAmount	Line Total Basis Amount	BT-X-262
0 .. 1	└─ AllowanceChargeBasisAmount	Total amount of charges / allowances on document level	BT-X-263
1 .. 1	└─ CategoryCode	VAT category code	BT-118
0 .. 1	└─ ExemptionReasonCode	VAT exemption reason code	BT-121
0 .. 1	└─ TaxPointDate	Tax due date	BT-7-00
	└─ xs:choice		
1 .. 1	└─ DateTimeString	Value added tax point date	BT-7
required	└─ format	Date, format	BT-7-0
0 .. 1	└─ DueDateTypeCode	Value added tax point date code	BT-8
0 .. 1	└─ RateApplicablePercent	VAT category rate	BT-119
0 .. 1	└─ BillingSpecifiedPeriod	INVOICING PERIOD	BG-14
	└─ xs:sequence		
0 .. 1	└─ Description	Invoicing period description (free text)	BT-X-264
0 .. 1	└─ StartDateTime	Invoicing period start date	BT-73-00
	└─ xs:choice		
1 .. 1	└─ DateTimeString	Invoicing period start date	BT-73
required	└─ format	Date, format	BT-73-0
0 .. 1	└─ EndDateTime	Invoicing period end date	BT-74-00

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

1 .. 1 required	<i>xs:choice</i> DateTimeString format	Invoicing period end date Date, format	BT-74 BT-74-0
0 .. unbounded	SpecifiedTradeAllowanceCharge <Document Level Allowances> <i>xs:sequence</i>	DOCUMENT LEVEL ALLOWANCES	BG-20
1 .. 1	ChargeIndicator <i>xs:choice</i> Indicator	Indicator for allowance Indicator for allowance, value	BG-20-0 BG-20-1
0 .. 1	SequenceNumeric	Calculation sequence	BT-X-265
0 .. 1	CalculationPercent	Document level allowance percentage	BT-94
0 .. 1	BasisAmount	Document level allowance base amount	BT-93
0 .. 1	BasisQuantity unitCode	Allowance / charge base quantity Unit code	BT-X-266 BT-X-267
1 .. 1	ActualAmount	Document level allowance amount	BT-92
0 .. 1	ReasonCode	Document level allowance reason code	BT-98
0 .. 1	Reason	Document level allowance reason	BT-97
1 .. 1	CategoryTradeTax	VAT type code for document level allowances	BT-95-00
1 .. 1	<i>xs:sequence</i> TypeCode	Type of tax (code)	BT-95-0
0 .. 1	ExemptionReason	Document level allowance exemption reason text	BT-173
1 .. 1	CategoryCode	Document level allowance VAT category code	BT-95
0 .. 1	ExemptionReasonCode	Document level allowance VAT exemption reason and specification code	BT-174
0 .. 1	RateApplicablePercent	Document level allowance VAT rate	BT-96
0 .. unbounded	SpecifiedTradeAllowanceCharge <Document Level Charges> <i>xs:sequence</i>	DOCUMENT LEVEL CHARGES	BG-21
1 .. 1	ChargeIndicator <i>xs:choice</i> Indicator	Indicator for charge Indicator for charge, value	BG-21-0 BG-21-1
0 .. 1	SequenceNumeric	Calculation sequence	BT-X-268
0 .. 1	CalculationPercent	Document level charge percentage	BT-101
0 .. 1	BasisAmount	Document level charge base amount	BT-100
0 .. 1	BasisQuantity unitCode	Allowance / charge base quantity Price base quantity, unit	BT-X-269 BT-X-270
1 .. 1	ActualAmount	Document level charge amount	BT-99
0 .. 1	ReasonCode <Document level charge reason code>	Document level charge reason code	BT-105
0 .. 1	ReasonCode <Document level non-VAT tax code> listID	Document level non-VAT tax code Document level non-VAT tax code list identifier	BT-177 BT-177-1
0 .. 1	Reason	Document level charge reason	BT-104
1 .. 1	CategoryTradeTax	Detailed information on tax information	BT-102-00
1 .. 1	<i>xs:sequence</i> TypeCode	Type of tax (code)	BT-102-0
0 .. 1	ExemptionReason	VAT Exemption Reason for document level charges	BT-175
1 .. 1	CategoryCode	Document level charge VAT category code	BT-102
0 .. 1	ExemptionReasonCode	VAT Exemption Reason Code for document level charges	BT-176
0 .. 1	RateApplicablePercent	Document level charge VAT rate	BT-103
0 .. unbounded	SpecifiedLogisticsServiceCharge <i>xs:sequence</i>	Detailed information on logistics service fees	BG-X-42
1 .. 1	Description	Service fee description	BT-X-271
1 .. 1	AppliedAmount	Service fee amount	BT-X-272
1 .. unbounded	AppliedTradeTax <i>xs:sequence</i>	Detailed tax information	BT-X-273-00

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

1 .. 1	TypeCode	Tax type (Code)	BT-X-273-0
0 .. 1	ExemptionReason	VAT exemption reason text	BT-X-591
1 .. 1	CategoryCode	VAT category code	BT-X-273
0 .. 1	ExemptionReasonCode	VAT exemption reason code	BT-X-592
1 .. 1	RateApplicablePercent	VAT category rate	BT-X-274
0 .. unbounded	SpecifiedTradePaymentTerms	Detailed information about payment terms	BT-20-00
	<i>xs:sequence</i>		
0 .. 1	Description	Payment terms	BT-20
0 .. 1	DueDateDateTime	Due date	BT-9-00
	<i>xs:choice</i>		
1 .. 1	DateTimeString	Payment due date	BT-9
required	format	Date, format	BT-9-0
0 .. 1	DirectDebitMandateID	Mandate reference identifier	BT-89
0 .. 1	PartialPaymentAmount	Partial payment amount	BT-X-275
0 .. 1	ApplicableTradePaymentPenaltyTerms	Detailed information about penalties	BG-X-43
	<i>xs:sequence</i>		
0 .. 1	BasisDateTime	Maturity Reference Date	BT-X-276-00
	<i>xs:choice</i>		
1 .. 1	DateTimeString	Maturity Reference Date, value	BT-X-276
required	format	Date, format	BT-X-276-0
0 .. 1	BasisPeriodMeasure	Due date period basis	BT-X-277
required	unitCode	Maturity Period, Unit code	BT-X-278
0 .. 1	BasisAmount	Payment penalty base amount	BT-X-279
0 .. 1	CalculationPercent	Payment penalty percentage	BT-X-280
0 .. 1	ActualPenaltyAmount	Payment penalty amount	BT-X-281
0 .. 1	ApplicableTradePaymentDiscountTerms	Detailed information about payment discounts	BG-X-44
	<i>xs:sequence</i>		
0 .. 1	BasisDateTime	Maturity Reference Date	BT-X-282-00
	<i>xs:choice</i>		
1 .. 1	DateTimeString	Maturity Reference Date, value	BT-X-282
required	format	Date, format	BT-X-282-0
0 .. 1	BasisPeriodMeasure	Due date period basis	BT-X-283
	unitCode	Maturity Period, Unit code	BT-X-284
0 .. 1	BasisAmount	Payment discount base amount	BT-X-285
0 .. 1	CalculationPercent	Payment discount percentage	BT-X-286
0 .. 1	ActualDiscountAmount	Payment discount amount	BT-X-287
0 .. 1	PayeeTradeParty	Deviating payee per payment	BG-X-77
	<i>xs:sequence</i>		
0 .. 1	ID	Deviating invoice payee identifier	BT-X-506
0 .. unbounded	GlobalID	Deviating invoice payer global identifier	BT-X-507
required	schemeID	Payee scheme identifier	BT-X-507-0
1 .. 1	Name	Name/company name of Payee	BT-X-504
0 .. 1	RoleCode	Role (code)	BT-X-511
0 .. 1	SpecifiedLegalOrganization	Details about the organization	BT-X-508-00
	<i>xs:sequence</i>		
0 .. 1	ID	Company Registration Number	BT-X-508
	schemeID	Scheme identifier	BT-X-508-0
0 .. 1	TradingBusinessName	Trading Business Name	BT-X-505
0 .. 1	PostalTradeAddress	Detailed information about the business address	BG-X-80
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-525
0 .. 1	LineOne	Address line 1	BT-X-526
0 .. 1	LineTwo	Address line 2	BT-X-527

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

0 .. 1	LineThree	Address line 3	BT-X-528
0 .. 1	CityName	City	BT-X-529
1 .. 1	CountryID	Country code	BT-X-530
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-531
0 .. unbounded	DefinedTradeContact	Detailed contact information	BG-X-78
	<i>xs:sequence</i>		
0 .. 1	PersonName	Name of the contact	BT-X-512
0 .. 1	DepartmentName	Department name	BT-X-513
0 .. 1	TypeCode	Type of contact (code)	BT-X-514
0 .. 1	TelephoneUniversalCommunication	Contact telephone number	BT-X-515-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact telephone number, value	BT-X-515
0 .. 1	FaxUniversalCommunication	Contact point fax number	BT-X-516-00
	<i>xs:sequence</i>		
1 .. 1	CompleteNumber	Contact point fax number, value	BT-X-516
0 .. 1	EmailURIUniversalCommunication	Contact email address	BT-X-517-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Contact email address, value	BT-X-517
0 .. 1	PostalTradeAddress	Detailed information about the address	BG-X-79
	<i>xs:sequence</i>		
0 .. 1	PostcodeCode	Post code	BT-X-518
0 .. 1	LineOne	Address line 1	BT-X-519
0 .. 1	LineTwo	Address line 2	BT-X-520
0 .. 1	LineThree	Address line 3	BT-X-521
0 .. 1	CityName	City	BT-X-522
1 .. 1	CountryID	Country code	BT-X-523
0 .. 1	CountrySubDivisionName	Country subdivision	BT-X-524
0 .. 1	URIUniversalCommunication	Details about the electronic address	BT-X-510-00
	<i>xs:sequence</i>		
1 .. 1	URIID	Electronic address	BT-X-510
required	schemeID	Scheme identifier	BT-X-510-0
0 .. 1	SpecifiedTaxRegistration	Detailed information on tax information	BT-X-509-00
	<i>xs:sequence</i>		
1 .. 1	ID	VAT ID	BT-X-509
required	schemeID	Tax Scheme identifier	BT-X-509-0
1 .. 1	SpecifiedTradeSettlementHeaderMonetarySummation	DOCUMENT TOTALS	BG-22
	<i>xs:sequence</i>		
1 .. 1	LineTotalAmount	Sum of Invoice line net amount	BT-106
0 .. 1	ChargeTotalAmount	Sum of charges on document level	BT-108
0 .. 1	AllowanceTotalAmount	Sum of allowances on document level	BT-107
1 .. 1	TaxBasisTotalAmount	Invoice total amount without VAT	BT-109
0 .. 1	TaxTotalAmount <VAT total amount>	Invoice total VAT amount	BT-110
	<i>currencyID</i>	Invoice currency code	BT-110-0
0 .. 1	TaxTotalAmount <VAT total amount in VAT accounting currency>	Invoice total VAT amount in accounting currency	BT-111
	<i>currencyID</i>	VAT accounting currency code	BT-111-0
0 .. 1	RoundingAmount	Rounding amount	BT-114
1 .. 1	GrandTotalAmount	Invoice total amount with VAT	BT-112
0 .. 1	TotalPrepaidAmount	Paid amount	BT-113
1 .. 1	DuePayableAmount	Amount due for payment	BT-115
0 .. unbounded	SpecifiedFinancialAdjustment	Third party payments	BG-34
	<i>xs:sequence</i>		
1 .. 1	Reason	Third party payment description	BT-180
1 .. 1	ActualAmount	Third party payment amount	BT-179
0 .. unbounded	InvoiceReferencedDocument	PRECEDING INVOICE REFERENCE	BG-3
	<i>xs:sequence</i>		

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Structure of the CII scheme according to CEN/TS 16931-3-3 with extensions of the EXTENDED pr

1 .. 1	IssuerAssignedID	Preceding Invoice reference	BT-25
0 .. 1	TypeCode	Preceding invoice type code	BT-X-555
0 .. 1	FormattedIssueDateTime	Preceding Invoice Reference	BT-26-00
	xs:sequence		
1 .. 1	DateTimeString	Preceding Invoice issue date	BT-26
required	format	Date, format	BT-26-0
0 .. unbounded	ReceivableSpecifiedTradeAccountingAccount	Detailed information about the accounting reference	BT-19-00
	xs:sequence		
1 .. 1	ID	Buyer accounting reference	BT-19
0 .. 1	TypeCode	Accounting reference type (Code)	BT-X-290
0 .. unbounded	SpecifiedAdvancePayment	Included tax for advanced payment	BG-X-45
	xs:sequence		
1 .. 1	PaidAmount	Advanced payment, value	BT-X-291
0 .. 1	FormattedReceivedDateTime	Date of advanced payment	BT-X-292-00
	xs:sequence		
1 .. 1	DateTimeString	Date of advanced payment, value	BT-X-292
required	format	Date, format	BT-X-292-0
1 .. unbounded	IncludedTradeTax	Tax information on advanced payments	BG-X-46
	xs:sequence		
1 .. 1	CalculatedAmount	Included tax	BT-X-293
1 .. 1	TypeCode	Type of tax (code)	BT-X-294
0 .. 1	ExemptionReason	VAT exemption reason text	BT-X-295
1 .. 1	CategoryCode	VAT category code	BT-X-296
0 .. 1	ExemptionReasonCode	VAT exemption reason code	BT-X-297
0 .. 1	RateApplicablePercent	VAT category rate	BT-X-298
0 .. 1	InvoiceSpecifiedReferencedDocument	PRECEDING INVOICE REFERENCE FOR ADVANCE PAYMENT	BG-X-85
	xs:sequence		
1 .. 1	IssuerAssignedID	Preceding Invoice reference	BT-X-558
0 .. 1	TypeCode	Preceding invoice type code	BT-X-559
0 .. 1	FormattedIssueDateTime	Preceding Invoice Reference	BT-X-560-00
	xs:sequence		
1 .. 1	DateTimeString	Preceding Invoice issue date	BT-X-560
required	format	Date, format	BT-X-560-0

ZUGFeRD 2.5 / Factur-X 1.09 Specification - Technical Appendix

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

CrossIndustryInvoice					PROCESS CONTROL
ExchangedDocumentContext					
Data type: ram:ExchangedDocumentContextType					
Occurrence: 1 .. 1					
EN16931-ID: BG-2					
Use: A group of business terms providing information on the business process and rules applicable to the Invoice document.					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X X X X X					
TestIndicator				Test Indicator	
Data type: udt:IndicatorType					
Usage note: To be used only in case of a test invoice, with Indicator = true					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-1-00					
Use: The Indicator type may be used when implementing a new system in order to mark the invoice as „test invoice“.					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X					
Indicator				Test Indicator, value Test Indicator, value	
Data type: xs:boolean					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-1					
BT-X-1					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X					
BusinessProcessSpecifiedDocumentContextParameter				Grouping of business context information	
Data type: ram:DocumentContextParameterType					
Occurrence: 0 .. 1					
EN16931-ID: BT-23-00					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X X X X X Diverging cardinality: 1..1					
ID				Business process type	
Data type: udt:IDType					
Usage note: To be specifid by the Buyer.					
Occurrence: 1 .. 1					
EN16931-ID: BT-23					
Use: Identifies the business process context in which the transaction appears, to enable the Buyer to process the Invoice in an appropriate way.					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X X X X X					
GuidelineSpecifiedDocumentContextParameter				Grouping of application recommendation information	
Data type: ram:DocumentContextParameterType					
Occurrence: 1 .. 1					
EN16931-ID: BT-24-00					
MINIMUMBASIC WLBASICEN 16931 (COMFORT)EXTENDED Used in: X X X X X					
ID				Specification Identifier	
Data type: udt:IDType					
Usage note: This identifies compliance or conformance to this document. Conformant invoices specify: urn:cen.eu:en16931:2017. Invoices, compliant to a user specification may identify that user specification here. No identification scheme is to be used.					
Occurrence: 1 .. 1					
EN16931-ID: BT-24					
Use: An identification of the specification containing the total set of rules regarding semantic content, cardinalities and business rules to which the data contained in the instance document conforms.					
CodeCode name urn:cen.eu:en16931:2017#conformant#urn:factur-x.eu:1p0:extendedZUGFeRD 2.0 deprecated Profile EXTENDED, should not be used					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		Code	Code name			
2017#conformant#urn:zugferd.de:2p0:extended						
Business rule: BR-1		Process control				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X	X
ExchangedDocument		Grouping of characteristics that affect the entire document				
Data type: ram:ExchangedDocumentType						
Occurrence: 1 .. 1						
EN16931-ID: BT-1-00						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X	X
ID		Invoice number				
Data type: udt:IDType						
Usage note: The sequential number required in Article 226(2) of the directive 2006/112/EC [2], to uniquely identify the Invoice within the business context, time-frame, operating systems and records of the Seller . It may be based on one or more series of numbers, which may include alphanumeric characters. No identification scheme is to be used.						
Occurrence: 1 .. 1						
EN16931-ID: BT-1						
Use: A unique identification of the Invoice.						
Business rule: BR-2		Invoice				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X	X
Name		Document name				
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-2						
Use: Text is the actual wording of anything written or printed. This EN 16931_ Text. Type is based on the Text. Type as defined in ISO 15000-5:2014, Annex B. Line breaks in the text may be present.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X	
TypeCode		Invoice type code				
Data type: qdt:DocumentCodeType						
Usage note: Commercial invoices and credit notes are defined according the entries in UNTDID 1001 [6]. Other entries of UNTDID 1001 [6] with specific invoices or credit notes may be used if applicable.						
Occurrence: 1 .. 1						
EN16931-ID: BT-3						
Use: A code specifying the functional type of the Invoice.						
		Code	Code name			
		71	Request for payment			
		80	Debit note related to goods or services			
		81	Credit note related to goods or services			
		82	Metered services invoice			
		83	Credit note related to financial adjustments			
		84	Debit note related to financial adjustments			
		102	Tax notification			
		130	Invoicing data sheet			
		202	Direct payment valuation			
		203	Provisional payment valuation			
		204	Payment valuation			
		211	Interim application for payment			
		218	Final payment request based on completion of work			
		219	Payment request for completed units			
		261	Self billed credit note			
		262	Consolidated credit note - goods and services			
		295	Price variation invoice			
		296	Credit note for price variation			
		308	Delcredere credit note			
		325	Proforma invoice			
		326	Partial invoice			
		331	Commercial invoice which includes a packing list			
		380	Commercial invoice			
		381	Credit note			
		382	Commission note			

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Code	Code name					
	383	Debit note					
	384	Corrected invoice					
	385	Consolidated invoice					
	386	Prepayment invoice					
	387	Hire invoice					
	388	Tax invoice					
	389	Self-billed invoice					
	390	Delcredere invoice					
	393	Factored invoice					
	394	Lease invoice					
	395	Consignment invoice					
	396	Factored credit note					
	420	Optical Character Reading (OCR) payment credit note					
	456	Debit advice					
	457	Reversal of debit					
	458	Reversal of credit					
	471	Self-billed corrective invoice					
	472	Factored corrective Invoice					
	473	Self-billed factored corrective invoice					
	500	Self billed prepayment invoice					
	501	Self billed factored invoice					
	502	Self billed factored credit note					
	503	Prepayment credit note					
	527	Self billed debit note					
	532	Forwarder's credit note					
	553	Forwarder's invoice discrepancy report					
	575	Insurer's invoice					
	623	Forwarder's invoice					
	633	Port charges documents					
	751	Invoice information for accounting purposes					
	780	Freight invoice					
	817	Claim notification					
	870	Consular invoice					
	875	Partial construction invoice					
	876	Partial final construction invoice					
	877	Final construction invoice					
	935	Customs invoice					
Business rule: BR-4			Invoice				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X		X	X	X	X	X
IssueDateTime							
Data type: udt:DateTimeType							
Occurrence: 1 .. 1							
EN16931-ID: BT-2-00							
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X		X	X	X	X	X
DateTimeString							
Data type: extension (xs:string)							
Synonyme: Invoice date, value							
Occurrence: 1 .. 1							
EN16931-ID: BT-2							
Use: The date when the Invoice was issued.							
Business rule: BR-3			Invoice				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X		X	X	X	X	X
format							
Data type: xs:string							
Usage note: Only value "102"							
Occurrence: required							
EN16931-ID: BT-2-0							
	Code	Code name					
	102	CCYYMMDD					
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X		X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	CopyIndicator		Copy Indicator
	Data type: udt:IndicatorType Usage note: With indicator = true, the document is a copy. Occurrence: 0 .. 1 EN16931-ID: BT-X-3-00 Use: Indicates if the invoice document is a copy of another invoice document.	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	Indicator		Copy indicator, value
	Data type: xs:boolean Occurrence: 1 .. 1 EN16931-ID: BT-X-3	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LanguageID		Invoice language code
	Data type: udt:IDType Usage note: Valid languages are registered with the ISO 639-2 "Codes for the representation of names of languages" Maintenance Agency. Occurrence: 0 .. 1 EN16931-ID: BT-X-4 Use: Indicates the language used in the invoice document.	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	IncludedNote		INVOICE NOTE
	Data type: ram:NoteType Occurrence: 0 .. unbounded EN16931-ID: BG-1 Use: A group of business terms providing textual notes that are relevant for the invoice, together with an indication of the note subject.	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	ContentCode		Free text on header level (qualifying the content)
	Data type: udt:CodeType Usage note: The code is bilaterally agreed on and must have the same meaning as BT-22. Occurrence: 0 .. 1 EN16931-ID: BT-X-5 Use: A code to classify the content of the invoice note. Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 01	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	Content		Invoice note
	Data type: udt:TextType Usage note: Such as the reason for any correction or assignment note in case the invoice has been factored. Occurrence: 0 .. 1 EN16931-ID: BT-22 Use: A textual note that gives unstructured information that is relevant to the Invoice as a whole. Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 01	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	SubjectCode		Invoice note subject code
	Data type: udt:CodeType Usage note: To be chosen from the entries in UNTDID 4451 [6]. Occurrence: 0 .. 1 EN16931-ID: BT-21 Use: The subject of the textual note in BT-22.	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	EffectiveSpecifiedPeriod		Contractual due date of the invoice
	Data type: ram:SpecifiedPeriodType Usage note: Information only required if the contractual due date differs from due date of the payment (i.e. for SEPA direct debit). Occurrence: 0 .. 1 EN16931-ID: BT-X-6-000 Use: Indication of the due date of the invoice if this differs from the payment.		

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteDateTime						Contractual due date of the invoice
	Data type: udt:DateTimeType						
	Usage note: Information only required if the contractual due date differs from due date of the payment (i.e. for SEPA direct debit).						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-6-00						
	Use: Indication of the due date of the invoice if this differs from the payment.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DateTimeString						Contractual due date of the invoice, value
	Data type: extension (xs:string)						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-6						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	format						Date, format
	Data type: xs:string						
	Usage note: Only value "102"						
	Occurrence: required						
	EN16931-ID: BT-X-6-0						
		Code	Code name				
		102	CCYYMMDD				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	SupplyChainTradeTransaction						Grouping of information about the business transaction
	Data type: ram:SupplyChainTradeTransactionType						
	Occurrence: 1 .. 1						
	EN16931-ID: BG-25-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:	X	X	X	X	X	
	IncludedSupplyChainTradeLineItem						INVOICE LINE
	Data type: ram:SupplyChainTradeLineItemType						
	Synonyme: Aggregation of line items						
	Occurrence: 1 .. unbounded						
	EN16931-ID: BG-25						
	Use: A group of business terms providing information on individual Invoice lines.						
	Business rule: BR-16 Invoice						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X	X	X	
	Diverging cardinality:	-	-	1..n	1..n	1..n	
	AssociatedDocumentLineDocument						Grouping of general position information
	Data type: ram:DocumentLineDocumentType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-126-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X	X	X	
	LineID						Invoice line identifier
	Data type: udt:IDType						
	Synonyme: Line number						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-126						
	Use: A unique identifier for the individual line within the Invoice.						
	Business rule: BR-21 Invoice line						
	Business rule: BR-FXEXT-11						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X	X	X	
	ParentLineID						Parent line ID
	Data type: udt:IDType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-304						
	Use: The value given here refers to the superior line. In this way, a hierarchy tree of invoice items can be mapped.						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-FXEXT-06									
Business rule: BR-FXEXT-11									
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>									
Used in:	X								
LineStatusCode	Type of the invoice line item (Code)								
Data type: qdt:LineStatusCodeType									
Usage note: Use codes from codelist UNTDID 1229. The following code should be applied per default: 39									
Synonyme: Invoice line type									
Occurrence: 0 .. 1									
EN16931-ID: BT-X-7									
Use: Indicating whether an item includes the prices which must be taken into account when calculating the invoice amount, or whether it only contains information.									
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>									
Used in:	X								
LineStatusReasonCode	Subtype of the invoice line item								
Data type: udt:CodeType									
Usage note: If the LineStatusCode element is used, the LineStatusReasonCode must be filled in: DETAIL, GROUP, INFORMATION									
Synonyme: Invoice line subtype									
Occurrence: 0 .. 1									
EN16931-ID: BT-X-8									
Use: Complements the type to clarify whether the invoice item is one of the following:									
- Detail (default positioning)									
- Subtotal									
- Solely information									
<table> <tr> <th>Code</th><th>Code name</th></tr> <tr> <td>DETAIL</td><td>Regular item position (standard case)</td></tr> <tr> <td>GROUP</td><td>Subtotal</td></tr> <tr> <td>INFORMATION</td><td>For information only</td></tr> </table>		Code	Code name	DETAIL	Regular item position (standard case)	GROUP	Subtotal	INFORMATION	For information only
Code	Code name								
DETAIL	Regular item position (standard case)								
GROUP	Subtotal								
INFORMATION	For information only								
Business rule: BR-FXEXT-05									
Business rule: BR-FXEXT-07									
Business rule: BR-FXEXT-08									
Business rule: BR-FXEXT-09									
Business rule: BR-FXEXT-BR-22									
Business rule: BR-FXEXT-BR-23									
Business rule: BR-FXEXT-BR-24									
Business rule: BR-FXEXT-Price details BR-26									
Business rule: BR-FXEXT-BR-27									
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>									
Used in:	X								
IncludedNote	Detailed information about the free text of the line item								
Data type: ram:NoteType									
Occurrence: 0 .. unbounded									
EN16931-ID: BT-127-00									
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>									
Used in:	X X X								
Diverging cardinality:	0..1								
ContentCode	Free text on line level (code)								
Data type: udt:CodeType									
Usage note: The code is agreed bilaterally and must have the same meaning as BT-127.									
Occurrence: 0 .. 1									
EN16931-ID: BT-X-9									
Use: A code to classify the content of the invoice note.									
Business rule: BR-FXEXT-CIUS Factur-X / ZUGFeRD Extended 02									

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
Content						Invoice line note
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-127						
Use: A textual note that gives unstructured information that is relevant to the Invoice line.						
Business rule: BR-FXEXT-02						
Business rule: CIUS Factur-X / ZUGFeRD Extended						
Used in:			X	X	X	
Diverging cardinality:				0..1		
SubjectCode						Invoice line note subject code
Data type: udt:CodeType						
Usage note: To be chosen from the entries in UNTDID 4451 [6].						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-10						
Business rule: BR-FXEXT-02						
Business rule: CIUS Factur-X / ZUGFeRD Extended						
Used in:					X	
SpecifiedTradeProduct						ITEM INFORMATION
Data type: ram:TradeProductType						
Occurrence: 1 .. 1						
EN16931-ID: BG-31						
Use: A group of business terms providing information about the goods and services invoiced.						
Used in:			X	X	X	
ID						Product identifier
Data type: udt:IDType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-305						
Use: This identifier can be additionally specified to be interoperable with Order-X.						
Used in:					X	
GlobalID						Item standard identifier
Data type: udt:IDType						
Occurrence: 0 .. 1						
EN16931-ID: BT-157						
Use: An item identifier based on a registered scheme.						
Used in:			X	X	X	
schemeID						Scheme identifier
Data type: xs:token						
Usage note: The identification scheme shall be identified from the entries of the list published by the ISO/IEC 6523 maintenance agency.						
Occurrence: required						
EN16931-ID: BT-157-1						
Use: The identification scheme identifier of the Item standard identifier						
Business rule: BR-64						
Business rule: Item standard identifier						
Used in:			X	X	X	
SellerAssignedID						Item Seller's identifier
Data type: udt:IDType						
Occurrence: 0 .. 1						
EN16931-ID: BT-155						
Use: An identifier, assigned by the Seller, for the item.						
Used in:				X	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

BuyerAssignedID	Item Buyer's identifier
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-156 Use: An identifier, assigned by the Buyer, for the item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X
IndustryAssignedID	Industry assigned product identifier
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-532 Use: An identifier, assigned by the Industry, for the item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
ModelID	Model identification of the item
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-533 Use: A unique model identifier for this item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
Name	Item name
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-153 Use: A name for an item.	
Business rule: BR-25 Item information	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X X
Description	Item description
Data type: udt:TextType Usage note: The Item description allows for describing the item and its features in more detail than the Item name. Occurrence: 0 .. 1 EN16931-ID: BT-154 Use: A description for an item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X
BatchID	Batch (lot) identification of the item
Data type: udt:IDType Occurrence: 0 .. unbounded EN16931-ID: BT-X-534 Use: A batch identifier for this item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
BrandName	Item brand name
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-535 Use: The brand name, expressed as text, for this item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
ModelName	Item model name
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-536	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
ApplicableProductCharacteristic	ITEM ATTRIBUTES
Data type: ram:ProductCharacteristicType Occurrence: 0 .. unbounded EN16931-ID: BG-32 Use: A group of business terms providing information about properties of the goods and services invoiced.	
Business rule: BR-54 Item attributes	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	TypeCode	Item Attribute Type (Code)
	Data type: udt:CodeType Usage note: To ensure automated processing of the article attributes without bilateral reconciliation, only values from the code list UNTDED 6313+Factur-X-Extension should be used. Occurrence: 0 .. 1 EN16931-ID: BT-X-11	
	Business rule: BR-FXEXT-04 Business rule: BR-FXEXT-04	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	Description	Item attribute name
	Data type: udt:TextType Usage note: Such as "Colour". Occurrence: 0 .. 1 EN16931-ID: BT-160	
	Use: The name of the attribute or property of the item. Business rule: BR-54 Item attributes	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ValueMeasure	Item Attribute Value (numerical measurand)
	Data type: udt:MeasureType Occurrence: 0 .. 1 EN16931-ID: BT-X-12	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	unitCode	Unit of measure
	Data type: xs:token EN16931-ID: BT-X-12-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	Value	Item attribute value
	Data type: udt:TextType Usage note: Such as "Red". Occurrence: 0 .. 1 EN16931-ID: BT-161	
	Use: The value of the attribute or property of the item. Business rule: BR-54 Item attributes	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	DesignatedProductClassification	Detailed information on the item classification
	Data type: ram:ProductClassificationType Occurrence: 0 .. unbounded EN16931-ID: BT-158-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ClassCode	Item classification identifier
	Data type: udt:CodeType Usage note: Classification codes are used to allow grouping of similar items for a various purposes e.g. public procurement (CPV), e-Commerce (UNSPSC) etc. Occurrence: 0 .. 1 EN16931-ID: BT-158	
	Use: A code for classifying the item by its type or nature. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X	
	listID	Scheme identifier
	Data type: xs:token Usage note: The identification scheme shall be chosen from the entries in UNTDID 7143 [6]. Occurrence: required EN16931-ID: BT-158-1	
	Use: The identification scheme identifier of the Item classification identifier Business rule: BR-65 Item classification identifier	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	listVersionID	Scheme version identifier
	Data type: xs:token EN16931-ID: BT-158-2 Use: The version of the identification scheme. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ClassName	Classification name
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-13 Use: Name used to classify an item according to its type or nature. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	IndividualTradeProductInstance	Item (Trade Product) Instances
	Data type: ram:TradeProductInstanceType Occurrence: 0 .. unbounded EN16931-ID: BG-X-84 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	BatchID	Item (Trade Product) Instances Batch ID
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-306 Use: The unique batch identifier for this trade product instance <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	SupplierAssignedSerialID	Item (Trade Product) Instances Supplier Serial ID
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-307 Use: The unique supplier assigned serial identifier for this trade product instance <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	OriginTradeCountry	Detailed information on the item origin
	Data type: ram:TradeCountryType Occurrence: 0 .. 1 EN16931-ID: BT-159-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ID	Item country of origin
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-159 Use: The code identifying the country from which the item originates. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ManufacturerTradeParty	MANUFACTURER
	Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-93 Use: A group of business terms providing information about the manufacturer. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	ID	Manufacturer identifier
	Data type: udt:IDType Usage note: A previously exchanged assigned identifier of the business partner. Occurrence: 0 .. unbounded EN16931-ID: BT-X-593 Use: An identification of the manufacturer. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

GlobalID	Global identifier
Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-594	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-594-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
Name	Manufacturer name
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-595 Use: The full formal name by which the manufacturer is registered in the national registry of legal entities or as a Taxable person or otherwise trades as a person or persons.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
RoleCode	Role (code)
Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-596 Use: A code qualifying the role	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
Description	Manufacturer additional legal information
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-597 Use: Additional legal information relevant for the manufacturer.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedLegalOrganization	Manufacturer legal registration information
Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-598-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	Manufacturer legal registration identifier
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-598 Use: An identifier issued by an official registrar that identifies the manufacturer as a legal entity or person.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-598-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TradingBusinessName	Manufacturer trading name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-599 Use: A name by which the manufacturer is known, other than manufacturer name (also known as Business name).	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DefinedTradeContact						Detailed contact information of the item seller
	Data type: ram:TradeContactType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BG-X-94						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	PersonName						Name of the contact
	Data type: udt:TextType						
	Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-600						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DepartmentName						Department name
	Data type: udt:TextType						
	Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-601						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TypeCode						Type of contact (code)
	Data type: qdt:ContactTypeCodeType						
	Usage note: To be chosen from the entries of UNTDID 3139						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-602						
	Use: The code specifying the type of trade contact						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TelephoneUniversalCommunication						Contact telephone number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-603-00						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact telephone number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-603						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FaxUniversalCommunication						Contact point fax number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-604-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact point fax number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-604						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	EmailURIUniversalCommunication						Contact email address
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-605-00						
	Use: An e-mail address for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

L	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-605 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	PostalTradeAddress	MANUFACTURER POSTAL ADDRESS
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-95 Use: A group of business terms providing information about the address of the manufacturer. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-606 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-607 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-608 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-609 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CityName	City
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-610 Use: The common name of the city, town or village. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-611 Use: A code that identifies the country. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-612 Use: The subdivision of a country.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
URIUniversalCommunication						Details about the electronic address
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-613-00						
Used in:					X	
URIID						Electronic address
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-613						
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Occurrence: required						
EN16931-ID: BT-X-613-0						
Used in:					X	
SpecifiedTaxRegistration <BT-X-614 VAT identifier>						Detailed information on tax information of the seller on line item level
Data type: ram:TaxRegistrationType						
Occurrence: 0 .. 2						
EN16931-ID: BT-X-614-00						
Used in:					X	
ID						VAT ID
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-614						
Used in:					X	
schemeID						Tax Scheme identifier
Data type: xs:token						
Usage note: VA = VAT ID						
Occurrence: required						
EN16931-ID: BT-X-614-0						
Used in:					X	
SpecifiedTaxRegistration <BT-X-615 Local tax identifier>						Detailed information on tax information of the manufacturer
Data type: ram:TaxRegistrationType						
Occurrence: 0 .. 2						
EN16931-ID: BT-X-615-00						
Used in:					X	
ID						Tax ID (local)
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-615						
Used in:					X	
schemeID						Tax Scheme identifier
Data type: xs:token						
Usage note: FC = Tax identifier (local)						
Occurrence: required						
EN16931-ID: BT-X-615-0						
Used in:					X	
IncludedReferencedProduct						An included product referenced from this trade product.
Data type: ram:ReferencedProductType						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-X-1						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-FXEXT-10				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
ID	ID of Included Referenced Product			
Data type: udt:IDType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-308				
Use: Article identifier for interoperability with Order-X				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
GlobalID	Global ID of Included Referenced Product			
Data type: udt:IDType				
Occurrence: 0 .. unbounded				
EN16931-ID: BT-X-15				
Use: An item identifier based on a registered scheme.				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
schemeID	Scheme identifier			
Data type: xs:token				
Usage note: The identification scheme shall be identified from the entries of the list published by the ISO/IEC 6523 maintenance agency.				
Occurrence: required				
EN16931-ID: BT-X-15-1				
Use: The identification scheme identifier of the Item standard identifier				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
SellerAssignedID	SellerAssignedID of Included Referenced Product			
Data type: udt:IDType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-16				
Use: An identifier, assigned by the Seller, for the item.				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
BuyerAssignedID	BuyerAssignedID of Included Referenced Product			
Data type: udt:IDType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-17				
Use: An identifier, assigned by the Buyer, for the item.				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
IndustryAssignedID	IndustryAssignedID of Included Referenced Product			
Data type: udt:IDType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-309				
Use: Article identifier for interoperability with Order-X				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
Name	Name of Included Referenced Product			
Data type: udt:TextType				
Occurrence: 1 .. 1				
EN16931-ID: BT-X-18				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X
Description	Description of Included Referenced Product			
Data type: udt:TextType				
Usage note: The Item description allows for describing the item and its features in more detail than the Item name.				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-19				
Use: A description for an item.				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	UnitQuantity						UnitQuantity of Included Referenced Product
	Data type: udt:QuantityType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-20						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:					X	
	unitCode						Measurement unit
	Data type: xs:token						
	Occurrence: required						
	EN16931-ID: BT-X-20-1						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:					X	
	SpecifiedLineTradeAgreement						PRICE DETAILS
	Data type: ram:LineTradeAgreementType						
	Synonyme: Aggregation of the contract information at line level						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-29						
	Use: A group of business terms providing information about the price applied for the goods and services invoiced on the Invoice line.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:		X		X	X	
	ApplicableTradeDeliveryTerms						Details of the delivery conditions
	Data type: ram:TradeDeliveryTermsType						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-X-87						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:					X	
	DeliveryTypeCode						Delivery condition (Code)
	Data type: qdt:DeliveryTermsCodeType						
	Usage note: To be chosen from the entries in UNTDID 4053 + INCOTERMS List						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-562						
	Use: The code specifying the type of delivery for these trade delivery terms.						
		Code	Code name				
		1	Delivery arranged by supplier				
		2	Delivery arranged by logistic service provider				
		CFR	Cost and Freight				
		CIF	Cost, Insurance and Freight				
		CIP	Carriage and Insurance Paid to (insert named place of destination)				
		CPT	Carriage Paid To (insert named place of destination)				
		DAP	Delivered At Place (insert named place of destination)				
		DDP	Delivered Duty Paid (insert named place of destination)				
		DPU	Delivered At Place Unloaded (insert named place of unloading)				
		EXW	Ex Works (insert named place of delivery)				
		FAS	Free Alongside Ship (insert named port of shipment)				
		FCA	Free Carrier (insert named place of delivery)				
		FOB	Free On Board (insert named port of shipment)				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:					X	
	RelevantTradeLocation						Delivery terms location
	Data type: ram:TradeLocationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-X-89						
	Use: A group of information elements containing information about the relevant location of the delivery terms.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
	Used in:					X	
	CountryID						Country code of location for the delivery terms
	Data type: qdt:CountryIDType						
	Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-565						
	Use: Country code of location for the delivery terms						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	Name	Name of the relevant location for the delivery terms				
	Data type: udt:TextType					
	Usage note: Such as port, place of delivery					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-566					
	Use: Name of the relevant location for the delivery terms					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	SellerOrderReferencedDocument	Details of an seller order document reference				
	Data type: ram:ReferencedDocumentType					
	Occurrence: 0 .. 1					
	EN16931-ID: BG-X-81					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	IssuerAssignedID	Document number				
	Data type: udt:IDType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-537					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	LineID	Referenced position				
	Data type: udt:IDType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-538					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	FormattedIssueDateTime	Document date				
	Data type: qdt:FormattedDateTimeType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-539-00					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	DateTimeString	Document date, value				
	Data type: extension (xs:string)					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-X-539					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType					
	Usage note: Only value "102"					
	Occurrence: required					
	EN16931-ID: BT-X-539-0					
		Code	Code name			
		102	CCYYMMDD			
		205	CCYYMMDDHHMMZHHMM			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	BuyerOrderReferencedDocument	Details of the associated order				
	Data type: ram:ReferencedDocumentType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-132-00					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:			X		X
	IssuerAssignedID	Order Id				
	Data type: udt:IDType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-21					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineID	Referenced purchase order line reference
Data type: udt:IDType Usage note: The purchase order identifier is referenced on document level. Occurrence: 0 .. 1 EN16931-ID: BT-132 Use: An identifier for a referenced line within a purchase order, issued by the Buyer.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X
FormattedIssueDateTime	Order date
Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-22-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
DateTimeString	Order date, value
Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-22	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
format	Date, format
Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-22-0	
	<i>Code Code name</i>
	102 CCYYMMDD
	205 CCYYMMDDHHMMZHHMM
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
QuotationReferencedDocument	Details of an quotation document reference
Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BG-X-47	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
IssuerAssignedID	Document number
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-310	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
LineID	Referenced position
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-311	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
FormattedIssueDateTime	Document date
Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-312-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
DateTimeString	Document date, value
Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-312	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
format	Date, format
Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-312-0	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Code	Code name	
	102	CCYMMDD	
	205	CCYMMDDHHMMZHHMM	
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
ContractReferencedDocument			Detailed information on the associated contract
Data type: ram:ReferencedDocumentType			
Occurrence: 0 .. 1			
EN16931-ID: BG-X-2			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
IssuerAssignedID			Contract number
Data type: udt:IDType			
Occurrence: 0 .. 1			
EN16931-ID: BT-X-24			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
LineID			Contract position
Data type: udt:IDType			
Occurrence: 0 .. 1			
EN16931-ID: BT-X-25			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
FormattedIssueDateTime			Contract Date
Data type: qdt:FormattedDateTimeType			
Occurrence: 0 .. 1			
EN16931-ID: BT-X-26-00			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
DateTimeString			Contract Date, value
Data type: extension (xs:string)			
Occurrence: 1 .. 1			
EN16931-ID: BT-X-26			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
format			Date, format
Data type: qdt:FormattedDateTimeFormatContentType			
Usage note: Only value "102"			
Occurrence: required			
EN16931-ID: BT-X-26-0			
	Code	Code name	
	102	CCYMMDD	
	205	CCYMMDDHHMMZHHMM	
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
AdditionalReferencedDocument			Details of an additional document reference
Data type: ram:ReferencedDocumentType			
Occurrence: 0 .. unbounded			
EN16931-ID: BG-X-3			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
IssuerAssignedID			Document number
Data type: udt:IDType			
Occurrence: 1 .. 1			
EN16931-ID: BT-X-27			
	MINIMUM	BASIC WL	BASIC EN 16931 (COMFORT) EXTENDED
Used in:			X
URIID			External document location
Data type: udt:IDType			
Usage note: A means of locating the resource including its primary access mechanism, e.g. http:// or ftp://.			
External document location shall be used if the Buyer requires additional information to support the Invoice.			
External documents do not form part of the invoice. Risks can be involved when accessing external documents.			
Occurrence: 0 .. 1			
EN16931-ID: BT-X-28			
Use: The URL (Uniform Resource Locator) that identifies where the external document is located.			

[illegible]

FormattedIssueDateTime		Document date								
Data type: qdt:FormattedDateTimeType										
Occurrence: 0 .. 1										
EN16931-ID: BT-X-33-00										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X										
DateTimeString		Document date, value								
Data type: extension (xs:string)										
Occurrence: 1 .. 1										
EN16931-ID: BT-X-33										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X										
format		Date, format								
Data type: qdt:FormattedDateTimeFormatContentType										
Usage note: Only value "102"										
Occurrence: required										
EN16931-ID: BT-X-33-0										
<table><tr><td>Code</td><td>Code name</td></tr><tr><td>102</td><td>CCYYMMDD</td></tr><tr><td>205</td><td>CCYYMMDDHHMMZHHMM</td></tr></table>					Code	Code name	102	CCYYMMDD	205	CCYYMMDDHHMMZHHMM
Code	Code name									
102	CCYYMMDD									
205	CCYYMMDDHHMMZHHMM									
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X										
GrossPriceProductTradePrice		Detailed information on the gross price of the item								
Data type: ram:TradePriceType										
Occurrence: 0 .. 1										
EN16931-ID: BT-148-00										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										
ChargeAmount		Item gross price								
Data type: udt:AmountType										
Occurrence: 1 .. 1										
EN16931-ID: BT-148										
Use: The unit price, exclusive of VAT, before subtracting Item price discount.										
Business rule: BR-28 Price details										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										
BasisQuantity		Item price base quantity								
Data type: udt:QuantityType										
Occurrence: 0 .. 1										
EN16931-ID: BT-149-1										
Use: The number of item units to which the price applies.										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										
unitCode		Item price base quantity unit of measure code								
Data type: xs:token										
Usage note: The Item price base quantity unit of measure shall be the same as the Invoiced quantity unit of measure (BT-130).										
EN16931-ID: BT-150-1										
Use: The unit of measure that applies to the Item price base quantity.										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										
AppliedTradeAllowanceCharge <Price allowance>		Price-related discounts								
Data type: ram:TradeAllowanceChargeType										
Occurrence: 0 .. unbounded										
EN16931-ID: BT-147-00										
Use: Detailed information on discounts and charges										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										
Diverging cardinality: 0..1 0..1 0..n										
ChargeIndicator		Indicator for price allowance								
Data type: udt:IndicatorType										
Occurrence: 1 .. 1										
EN16931-ID: BT-147-01										
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED										
Used in: X X X										

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Indicator	Indicator for price allowance, value				
		Data type: xs:boolean Usage note: Price allowance => false Occurrence: 1 .. 1 EN16931-ID: BT-147-02				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:		X	X	X	
	CalculationPercent	Discount in percent				
		Data type: udt:PercentType Occurrence: 0 .. 1 EN16931-ID: BT-X-34				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	BasisAmount	Discount base amount				
		Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-35				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	ActualAmount	Item price discount				
		Data type: udt:AmountType Usage note: Only applies if the discount is provided per unit and if it is not included in the Item gross price. Occurrence: 1 .. 1 EN16931-ID: BT-147 Use: The total discount subtracted from the Item gross price to calculate the Item net price.				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:		X	X	X	
	ReasonCode	Reason for the discount (code)				
		Data type: qdt:AllowanceChargeReasonCodeType Usage note: Use entries of the UNTDID 5189 code list [6]. The Invoice line level allowance reason code and the Invoice line level allowance reason shall indicate the same allowance reason. Occurrence: 0 .. 1 EN16931-ID: BT-X-313				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	Reason	Reason for the discount (free text)				
		Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-36				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	AppliedTradeAllowanceCharge <Price charge>	Price-related surcharges				
		Data type: ram:TradeAllowanceChargeType Occurrence: 0 .. unbounded EN16931-ID: BT-X-302-00				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	Diverging cardinality:				0..n	
	ChargeIndicator	Indicator for price charge				
		Data type: udt:IndicatorType Occurrence: 1 .. 1 EN16931-ID: BT-X-302-01				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	
	Indicator	Indicator for price charge, value				
		Data type: xs:boolean Usage note: Price charge => true Occurrence: 1 .. 1 EN16931-ID: BT-X-302-02				
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>
	Used in:				X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

					CalculationPercent	Charge in percent
					Data type: udt:PercentType Occurrence: 0 .. 1 EN16931-ID: BT-X-300	
					<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
					Used in: X	
					BasisAmount	Charge base amount
					Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-301	
					<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
					Used in: X	
					ActualAmount	Charge amount
					Data type: udt:AmountType Usage note: Only applies if the surcharge is given per unit and is not included in the gross price. Occurrence: 1 .. 1 EN16931-ID: BT-X-302	
					Use: The surcharge added to the gross price to calculate the net price	
					<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
					Used in: X	
					ReasonCode <Price charge non-VAT type code>	Invoice line-level non-VAT tax code
					Data type: qdt:AllowanceChargeReasonCodeType Usage note: Use entries of the UNTDID 5153 code list [6]. The gross price charge non-VAT tax code and the gross price charge or tax reason shall indicate the same tax type. Either BT-X-314 or BT-X-616 is to be used, not both. Occurrence: 0 .. 1 EN16931-ID: BT-X-616	
					Use: The type of non-VAT tax charged, expressed as a code.	
					Code	Code name
					AAA	Petroleum tax
					AAB	Provisional countervailing duty cash
					AAC	Provisional countervailing duty bond
					AAD	Tobacco tax
					AAE	Energy fee
					AAF	Coffee tax
					AAG	Harmonised sales tax, Canadian
					AAH	Quebec sales tax
					AAI	Canadian provincial sales tax
					AAJ	Tax on replacement part
					AAK	Mineral oil tax
					AAL	Special tax
					AAM	Insurance tax
					AAO	Provincial Cannabis Tax
					AAP	Outstanding duty interest
					ADD	Anti-dumping duty
					BOL	Stamp duty (Imposta di Bollo)
					CAP	Agricultural levy
					CAR	Car tax
					COC	Paper consortium tax (Italy)
					CST	Commodity specific tax
					CUD	Customs duty
					CVD	Countervailing duty
					ENV	Environmental tax
					EXC	Excise duty
					EXP	Agricultural export rebate
					FET	Federal excise tax
					FRE	Free
					GCN	General construction tax
					GST	Goods and services tax
					ILL	Illuminants tax
					IMP	Import tax
					IND	Individual tax
					LAC	Business license fee
					LCN	Local construction tax
					LDP	Light dues payable
					LOC	Local sales tax
					LST	Lust tax
					MCA	Monetary compensatory amount

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Code	Code name
	MCD	Miscellaneous cash deposit
	OTH	Other taxes
	PDB	Provisional duty bond
	PDC	Provisional duty cash
	PRF	Preference duty
	SCN	Special construction tax
	SSS	Shifted social securities
	STT	State/provincial sales tax
	SUP	Suspended duty
	SUR	Surtax
	SWT	Shifted wage tax
	TAC	Alcohol mark tax
	TOT	Total
	TOX	Turnover tax
	TTA	Tonnage taxes
	VAD	Valuation deposit
	VAT	Value added tax
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
listID		Non-VAT tax code list identifier
Data type: xs:token		
Usage note: Value = 5153		
EN16931-ID: BT-X-616-1		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
ReasonCode <Price charge reason code>		Reason for the charge (code)
Data type: qdt:AllowanceChargeReasonCodeType		
Usage note: Use entries of the UNTDID 7161 code list [6]. The Invoice line charge reason code and the Invoice line charge reason shall indicate the same charge reason.		
Occurrence: 0 .. 1		
EN16931-ID: BT-X-314		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Reason		Reason for the charge (free text)
Data type: udt:TextType		
Occurrence: 0 .. 1		
EN16931-ID: BT-X-303		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:		X
NetPriceProductTradePrice		Detailed information on the net price of the item
Data type: ram:TradePriceType		
Usage note: The net price includes all surcharges and discounts, except for VAT.		
Occurrence: 0 .. 1		
EN16931-ID: BT-146-00		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
ChargeAmount		Item net price
Data type: udt:AmountType		
Usage note: The Item net price has to be equal with the Item gross price less the Item price discount.		
Occurrence: 1 .. 1		
EN16931-ID: BT-146		
Use: The price of an item, exclusive of VAT, after subtracting item price discount.		
Business rule: BR-FXEXT- BR-26		
Business rule: BR-FXEXT- BR-27		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
BasisQuantity		Item price base quantity
Data type: udt:QuantityType		
Occurrence: 0 .. 1		
EN16931-ID: BT-149		
Use: The number of item units to which the price applies.		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

unitCode	Item price base quantity unit of measure code
Data type: xs:token Usage note: The Item price base quantity unit of measure shall be the same as the Invoiced quantity unit of measure (BT-130). EN16931-ID: BT-150 Use: The unit of measure that applies to the Item price base quantity.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X
IncludedTradeTax	Included tax for B2C
Data type: ram:TradeTaxType Occurrence: 0 .. 1 EN16931-ID: BG-X-4	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
CalculatedAmount	Included tax for B2C
Data type: udt:AmountType Occurrence: 1 .. 1 EN16931-ID: BT-X-37	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
TypeCode	Type of tax (code)
Data type: qdt:TaxTypeCodeType Usage note: Fixed value = "VAT" Occurrence: 1 .. 1 EN16931-ID: BT-X-38	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
ExemptionReason	VAT exemption reason text
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-39 Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
CategoryCode	VAT category code
Data type: qdt:TaxCategoryCodeType Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets): - Standard rate (Liable for VAT in a standard way) - Zero rated goods (Liable for VAT with a percentage rate of zero) - Exempt from tax (VAT/IGIC/IPSI) - VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply) - VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules) - Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU) - Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI) - Canary Islands General Indirect Tax (Liable for IGIC tax) - Liable for IPSI (Ceuta/Melilla tax) Occurrence: 1 .. 1 EN16931-ID: BT-X-40 Use: Coded identification of a VAT category.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
ExemptionReasonCode	VAT exemption reason code
Data type: udt:CodeType Usage note: Code list issued and maintained by the Connecting Europe Facility. Occurrence: 0 .. 1 EN16931-ID: BT-X-41 Use: A coded statement of the reason for why the amount is exempted from VAT.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
RateApplicablePercent	VAT category rate
Data type: udt:PercentType Usage note: The VAT category code and the VAT category rate shall be consistent. Occurrence: 1 .. 1 EN16931-ID: BT-X-42 Use: The VAT rate, represented as percentage that applies for the relevant VAT category.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
ItemSellerTradeParty					Detailed information on the deviating item seller
Data type: ram:TradePartyType					
Occurrence: 0 .. 1					
EN16931-ID: BG-X-90					
Use: A group of business terms providing information about the Seller on line level					
Used in:					X
ID					Item seller identifier
Data type: udt:IDType					
Usage note: A previously exchanged assigned identifier of the business partner.					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-X-567					
Used in:					X
GlobalID					Item seller global identifier
Data type: udt:IDType					
Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID					
Synonyme: GLN, DUNS, BIC,ODETTE, ...					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-X-568					
Used in:					X
schemeID					Scheme identifier
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
Occurrence: required					
EN16931-ID: BT-X-568-0					
Used in:					X
Name					Item seller name
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-569					
Used in:					X
RoleCode					Role (code)
Data type: qdt:PartyRoleCodeType					
Usage note: To be chosen from UNTDID 3035.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-570					
Use: A code qualifying the role					
Used in:					X
Description					Seller additional legal information
Data type: udt:TextType					
Usage note: Such as share capital.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-571					
Use: Additional legal information relevant for the Seller.					
Used in:					X
SpecifiedLegalOrganization					Item seller details about the organization
Data type: ram:LegalOrganizationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-572-00					
Used in:					X
ID					Line Item Seller Legal ID
Data type: udt:IDType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-572					
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency.						
EN16931-ID: BT-X-572-0						
Used in:					X	
TradingBusinessName						Trading Business Name
Data type: udt:TextType						
Usage note: This may be used if different from the party name.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-573						
Use: A name by which the party is known, other than party name (also known as business name).						
Used in:					X	
DefinedTradeContact						Detailed contact information of the item seller
Data type: ram:TradeContactType						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-X-91						
Used in:					X	
PersonName						Name of the contact
Data type: udt:TextType						
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-574						
Used in:					X	
DepartmentName						Department name
Data type: udt:TextType						
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-574-1						
Used in:					X	
TypeCode						Type of contact (code)
Data type: qdt:ContactTypeCodeType						
Usage note: To be chosen from the entries of UNTDID 3139						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-575						
Use: The code specifying the type of trade contact						
Used in:					X	
TelephoneUniversalCommunication						Contact telephone number
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-576-00						
Use: A phone number for the contact point.						
Used in:					X	
CompleteNumber						Contact telephone number, value
Data type: udt:TextType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-576						
Use: A phone number for the contact point.						
Used in:					X	
FaxUniversalCommunication						Contact point fax number
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-577-00						
Used in:					X	

CompleteNumber Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-577 MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Contact point fax number, value
EmailURIUniversalCommunication Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-578-00 Use: An e-mail address for the contact point. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Contact email address
URIID Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-578 Use: An e-mail address for the contact point. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Contact email address, value
PostalTradeAddress Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-92 MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Detailed information about the address of item seller
PostcodeCode Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-579 Use: The identifier for an addressable group of properties according to the relevant postal service. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Post code
LineOne Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-580 Use: The main address line in an address. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Address line 1
LineTwo Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-581 Use: An additional address line in an address that can be used to give further details supplementing the main line. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Address line 2
LineThree Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-582 Use: An additional address line in an address that can be used to give further details supplementing the main line. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X Address line 3
CityName Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-583 Use: The common name of the city, town or village. MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED Used in: X City

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-584 Use: A code that identifies the country.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-585 Use: The subdivision of a country.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	URIUniversalCommunication	Details about the electronic address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-586-00	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	URIID	Electronic address
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-586	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	schemeID	Scheme identifier
	Data type: xs:token Occurrence: required EN16931-ID: BT-X-586-0	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	SpecifiedTaxRegistration <BT-X-587 VAT Identifier>	Detailed information on tax information of the seller on line item level
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-587-00	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	ID	VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-587	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	schemeID	Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-587-0	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	SpecifiedTaxRegistration <BT-X-588 Local Tax Identifier>	Detailed information on tax information of the seller on line item level
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-588-00	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID		Tax ID (local)
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-588		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	schemeID		Tax Scheme identifier
	Data type: xs:token Usage note: FC = Tax identifier (local) Occurrence: required EN16931-ID: BT-X-588-0		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	UltimateCustomerOrderReferencedDocument		Details on referenced customer order
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. unbounded EN16931-ID: BG-X-5		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	IssuerAssignedID		Order number of the final customer
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-43		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	LineID		Order item (ultimate customer)
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-44		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	FormattedIssueDateTime		Document date
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-45-00		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	DateTimeString		Document date, value
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-45		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	format		Date, format
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-45-0		
		<i>Code Code name</i>	
		102 CCYYMMDD	
		205 CCYYMMDDHHMMZHHMM	
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X	
	SpecifiedLineTradeDelivery		Grouping of delivery details on line level
	Data type: ram:LineTradeDeliveryType Occurrence: 0 .. 1 EN16931-ID: BT-129-00 Use: Grouping of delivery details on line level		
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	BilledQuantity		Invoiced quantity
	Data type: udt:QuantityType		
	Occurrence: 0 .. 1		
	EN16931-ID: BT-129		
	Use: The quantity of items (goods or services) that is charged in the Invoice line.		
	Business rule: BR-FXEXT-BR-22		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X X X	
	unitCode		Invoiced quantity unit of measure
	Data type: xs:token		
	Usage note: The unit of measure shall be chosen from the lists in UN/ECE Recommendation N° 20 "Codes for Units of Measure Used in International Trade" [7] and UN/ECE Recommendation N° 21 "Codes for Passengers, Types of Cargo, Packages and Packaging Materials (with Complementary Codes for Package Names)" [19] applying the method described in UN/ECE Rec N° 20 Intro 2.a). Note that in most cases it is not needed for Buyers and Sellers to implement these lists fully in their software. Sellers need only to support the units needed for their goods and services; Buyers only need to verify that the units used in the Invoice are equal to the units used in other documents (such as Contract, Catalogue, Order and Despatch advice).		
	EN16931-ID: BT-130		
	Use: The unit of measure that applies to the invoiced quantity.		
	Business rule: BR-FXEXT-BR-23		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X X X	
	ChargeFreeQuantity		Quantity, without charge
	Data type: udt:QuantityType		
	Occurrence: 0 .. 1		
	EN16931-ID: BT-X-46		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	unitCode		Unit of measure
	Data type: xs:token		
	Occurrence: required		
	EN16931-ID: BT-X-46-0		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	PackageQuantity		Package quantity
	Data type: udt:QuantityType		
	Occurrence: 0 .. 1		
	EN16931-ID: BT-X-47		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	unitCode		Unit of measure
	Data type: xs:token		
	Occurrence: required		
	EN16931-ID: BT-X-47-0		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	PerPackageUnitQuantity		Number of units per package
	Data type: udt:QuantityType		
	Occurrence: 0 .. 1		
	EN16931-ID: BT-X-561		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	unitCode		Unit of measure
	Data type: xs:token		
	Occurrence: required		
	EN16931-ID: BT-X-561-0		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	
	ShipToTradeParty		Detailed information on the deviating goods recipient
	Data type: ram:TradePartyType		
	Occurrence: 0 .. 1		
	EN16931-ID: BG-X-7		
	Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
		X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID	Goods recipient identifier
	Data type: udt:IDType Usage note: A previously exchanged assigned identifier of the business partner. Occurrence: 0 .. 1 EN16931-ID: BT-186-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	GlobalID	Goods recipient global identifier
	Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-186	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-186-1	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	Name	ShipTo name
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-50	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-541 Use: A code qualifying the role	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedLegalOrganization	ShipTo details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-51-00 Use: ShipTo details about the organization	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	ShipTo Legal ID
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-51 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-51-0 Use: The identification scheme identifier of the Buyer legal registration identifier.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	TradingBusinessName	Trading Business Name
	Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-52 Use: A name by which the party is known, other than party name (also known as business name).	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DefinedTradeContact						Detailed contact information of the goods recipient
	Data type: ram:TradeContactType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BG-X-8						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	PersonName						Name of the contact
	Data type: udt:TextType						
	Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-54						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DepartmentName						Department name
	Data type: udt:TextType						
	Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-54-1						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TypeCode						Type of contact (code)
	Data type: qdt:ContactTypeCodeType						
	Usage note: To be chosen from the entries of UNTDID 3139						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-315						
	Use: The code specifying the type of trade contact						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TelephoneUniversalCommunication						Contact telephone number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-55-00						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact telephone number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-55						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FaxUniversalCommunication						Contact point fax number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-56-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact point fax number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-56						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	EmailURIUniversalCommunication						Contact email address
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-57-00						
	Use: An e-mail address for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

L	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-57 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	PostalTradeAddress	Detailed information about the address of the goods recipient
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-9 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-58 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-59 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-60 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-61 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CityName	City
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-62 Use: The common name of the city, town or village. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-63 Use: A code that identifies the country. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
L	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-64 Use: The subdivision of a country.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
URIUniversalCommunication						Details about the electronic address
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-65-00						
Used in:					X	
URIID						Electronic address
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-65						
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Occurrence: required						
EN16931-ID: BT-X-65-0						
Used in:					X	
SpecifiedTaxRegistration						Detailed information on tax information
						Detailed information on tax information of the goods recipient
Data type: ram:TaxRegistrationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-66-00						
BT-X-66-00						
Use: Detailed information on tax information of the goods recipient						
Used in:					X	
ID						VAT ID
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-66						
Business rule: BR-FXEXT-03						
CIUS Factur-X / ZUGFeRD Extended						
Used in:					X	
schemeID						Tax Scheme identifier
Data type: xs:token						
Usage note: VA = VAT ID						
Occurrence: required						
EN16931-ID: BT-X-66-0						
Used in:					X	
UltimateShipToTradeParty						Detailed information on the deviating final recipient
Data type: ram:TradePartyType						
Occurrence: 0 .. 1						
EN16931-ID: BG-X-10						
Used in:					X	
ID						Final recipient identifier
Data type: udt:IDType						
Usage note: A previously exchanged assigned identifier of the business partner.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-67						
Used in:					X	
GlobalID						Final recipient global identifier
Data type: udt:IDType						
Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID						
Synonym: GLN, DUNS, BIC,ODETTE, ...						
Occurrence: 0 .. unbounded						
EN16931-ID: BT-X-68						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
schemeID					
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
Occurrence: required					
EN16931-ID: BT-X-68-0					
Used in:					X
Name					
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-69					
Used in:					X
RoleCode					
Data type: qdt:PartyRoleCodeType					
Usage note: To be chosen from UNTDID 3035.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-542					
Use: A code qualifying the role					
Used in:					X
SpecifiedLegalOrganization					
Data type: ram:LegalOrganizationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-70-00					
Use: Details about the organization					
Used in:					X
ID					
Data type: udt:IDType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-70					
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.					
Used in:					X
schemeID					
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency.					
EN16931-ID: BT-X-70-0					
Use: The identification scheme identifier of the Buyer legal registration identifier.					
Used in:					X
TradingBusinessName					
Data type: udt:TextType					
Usage note: This may be used if different from the party name.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-71					
Use: A name by which the party is known, other than party name (also known as business name).					
Used in:					X
DefinedTradeContact					
Data type: ram:TradeContactType					
Occurrence: 0 .. unbounded					
EN16931-ID: BG-X-11					
Used in:					X
PersonName					
Data type: udt:TextType					
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-72					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
DepartmentName					
Department name					
Data type: udt:TextType					
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-72-1					
Used in:					X
TypeCode					
Type of contact (code)					
Data type: qdt:ContactTypeCodeType					
Usage note: To be chosen from the entries of UNTDID 3139					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-316					
Use: The code specifying the type of trade contact					
Used in:					X
TelephoneUniversalCommunication					
Contact telephone number					
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-73-00					
Use: A phone number for the contact point.					
Used in:					X
CompleteNumber					
Contact telephone number, value					
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-73					
Use: A phone number for the contact point.					
Used in:					X
FaxUniversalCommunication					
Contact point fax number					
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-74-00					
Used in:					X
CompleteNumber					
Contact point fax number, value					
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-74					
Used in:					X
EmailURIUniversalCommunication					
Contact email address					
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-75-00					
Use: An e-mail address for the contact point.					
Used in:					X
URIID					
Contact email address, value					
Data type: udt:IDType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-75					
Use: An e-mail address for the contact point.					
Used in:					X
PostalTradeAddress					
Detailed information about the address of the final goods recipient					
Data type: ram:TradeAddressType					
Occurrence: 0 .. 1					
EN16931-ID: BG-X-12					
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-76 Use: The identifier for an addressable group of properties according to the relevant postal service.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-77 Use: The main address line in an address.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-78 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-79 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	CityName	City
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-80 Use: The common name of the city, town or village.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-81 Use: A code that identifies the country.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-82 Use: The subdivision of a country.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	URIUniversalCommunication	Details about the electronic address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-83-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	URIID	Electronic address
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-83	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	schemeID	Scheme identifier
	Data type: xs:token Occurrence: required EN16931-ID: BT-X-83-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedTaxRegistration	Detailed information on tax information of the goods recipient
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-84-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-84	
	Business rule: BR-FXEXT-03 CIUS Factur-X / ZUGFeRD Extended	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-84-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ActualDeliverySupplyChainEvent	Detailed information about the actual delivery
	Data type: ram:SupplyChainEventType Occurrence: 0 .. 1 EN16931-ID: BT-X-85-000	
	Use: Detailed information about the actual delivery	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	OccurrenceDateTime	Actual Delivery Time
	Data type: udt:DateTimeType Usage note: The VAT relevant date of delivery and achievement must be specified on the level of document. Synonyme: Date of delivery and achievement Occurrence: 1 .. 1 EN16931-ID: BT-X-85-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	DateTimeString	Actual delivery date for this line, value
	Data type: extension (xs:string) Usage note: The VAT relevant date of delivery and achievement must be specified on the level of document. Synonyme: Date of delivery and achievement Occurrence: 1 .. 1 EN16931-ID: BT-X-85	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	format	Date, format
	Data type: xs:string Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-85-0	
	<i>Code Code name</i> 102 CCYYMMDD	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	DespatchAdviceReferencedDocument	Detailed information on the corresponding despatch advice
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BG-X-13	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	IssuerAssignedID						Despatch advice number
	Data type: udt:IDType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-86						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	LineID						Despatch advice item
	Data type: udt:IDType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-87						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FormattedIssueDateTime						Document date
	Data type: qdt:FormattedDateTimeType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-88-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DateTimeString						Document date, value
	Data type: extension (xs:string)						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-88						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	format						Date, format
	Data type: qdt:FormattedDateTimeFormatContentType						
	Usage note: Only value "102"						
	Occurrence: required						
	EN16931-ID: BT-X-88-0						
		Code	Code name				
		102	CCYYMMDD				
		205	CCYYMMDDHHMMZHHMM				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	ReceivingAdviceReferencedDocument						Detailed information on the corresponding goods receipt
	Data type: ram:ReferencedDocumentType						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-X-82						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	IssuerAssignedID						Goods receipt number
	Data type: udt:IDType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-89						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	LineID						Goods receipt item
	Data type: udt:IDType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-90						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FormattedIssueDateTime						Document date
	Data type: qdt:FormattedDateTimeType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-91-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DateTimeString						Document date, value
	Data type: extension (xs:string)						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-91						

[illegible]

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ApplicableTradeTax	LINE VAT INFORMATION
	Data type: ram:TradeTaxType Occurrence: 0 .. unbounded EN16931-ID: BG-30 Use: A group of business terms providing information about the VAT applicable for the goods and services invoiced on the Invoice line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X	
	CalculatedAmount	Tax Amount
	Data type: udt:AmountType Usage note: Specification only for taxes that are not VAT Occurrence: 0 .. 1 EN16931-ID: BT-X-95	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	TypeCode	Invoiced item VAT category code, Content
	Data type: qdt:TaxTypeCodeType Usage note: For more information on the recommended codes, please refer to subclause 6.3.3.2 - Specification of VAT category codes. Occurrence: 1 .. 1 EN16931-ID: BT-151-0 Use: The VAT category code for the invoiced item.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X	
	ExemptionReason	VAT exemption reason text
	Data type: udt:TextType Usage note: Specification only for taxes that are not VAT Occurrence: 0 .. 1 EN16931-ID: BT-X-96 Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CategoryCode	Invoiced item VAT category code
	Data type: qdt:TaxCategoryCodeType Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets): - Standard rate (Liable for VAT in a standard way) - Zero rated goods (Liable for VAT with a percentage rate of zero) - Exempt from tax (VAT/IGIC/IPSI) - VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply) - VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules) - Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU) - Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI) - Canary Islands General Indirect Tax (Liable for IGIC tax) - Liable for IPSI (Ceuta/Melilla tax) Occurrence: 1 .. 1 EN16931-ID: BT-151 Use: The VAT category code for the invoiced item.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-CO-4	Invoice line
Business rule: BR-AE-1	Reverse charge VAT
Business rule: BR-AE-2	Reverse charge VAT
Business rule: BR-AE-5	Reverse charge VAT
Business rule: BR-FXEXT-AE-08	
Business rule: BR-E-1	Exempt from VAT
Business rule: BR-E-2	Exempt from VAT
Business rule: BR-E-5	Exempt from VAT
Business rule: BR-FXEXT-E-08	
Business rule: BR-G-1	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-2	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-5	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-FXEXT-G-08	
Business rule: BR-IC-1	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-2	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-5	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-FXEXT-IC-08	
Business rule: BR-IG-1	Liable for IGIC (Canary) tax
Business rule: BR-IG-2	Liable for IGIC (Canary) tax
Business rule: BR-IG-5	Liable for IGIC (Canary) tax
Business rule: BR-FXEXT-AF-08	
Business rule: BR-IP-1	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-2	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-5	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-FXEXT-AG-08	
Business rule: BR-O-1	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-2	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-5	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-FXEXT-O-08	
Business rule: BR-O-12	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-1	Standard rated VAT
Business rule: BR-S-2	Standard rated VAT
Business rule: BR-S-5	Standard rated VAT
Business rule: BR-FXEXT-S-08	
Business rule: BR-Z-1	Zero rated VAT
Business rule: BR-Z-2	Zero rated VAT
Business rule: BR-Z-5	Zero rated VAT
Business rule: BR-FXEXT-Z-08	

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED

Used in: X X X

ExemptionReasonCode

VAT exemption reason code

Data type: udt:CodeType

Usage note: Code list issued and maintained by the Connecting Europe Facility. Specification only for taxes that are not VAT

Occurrence: 0 .. 1

EN16931-ID: BT-X-97

Use: A coded statement of the reason for why the amount is exempted from VAT.

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED

Used in: X

DueDateTypeCode

Value added tax point date code

Data type: qdt:TimeReferenceCodeType

Usage note: The code shall distinguish between the following entries of UNTDID 2005 [6]:

- Invoice document issue date

- Delivery date, actual

- Payment date. The Value added tax point date code is used if the Value added tax point date is not known when the invoice is issued. The use of BT-8 / BT-X-589 and BT-7 is mutually exclusive.

Occurrence: 0 .. 1

EN16931-ID: BT-X-589

Use: The code of the date when the VAT becomes accountable for the Seller and for the Buyer.

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Code	Code name
	5	Date of invoice
	29	Date of delivery of goods to establishments/domicile/site
	72	Payment date
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:		X
RateApplicablePercent		Invoiced item VAT rate
Data type: udt:PercentType		
Occurrence: 0 .. 1		
EN16931-ID: BT-152		
Use: The VAT rate, represented as percentage that applies to the invoiced item.		
Business rule: BR-AE-5		Reverse charge VAT
Business rule: BR-E-5		Exempt from VAT
Business rule: BR-G-5		VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-IC-5		VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IG-5		Liable for IGIC (Canary) tax
Business rule: BR-IG-8		Liable for IGIC (Canary) tax
Business rule: BR-IP-5		Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-8		Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-O-5		Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-5		Standard rated VAT
Business rule: BR-FXEXT-S-08		
Business rule: BR-Z-5		Zero rated VAT
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
BillingSpecifiedPeriod		INVOICE LINE PERIOD
Data type: ram:SpecifiedPeriodType		
Usage note: Is also called Invoice line delivery period.		
Occurrence: 0 .. 1		
EN16931-ID: BG-26		
Use: A group of business terms providing information about the Invoice period relevant for the Invoice line.		
Business rule: BR-CO-20		Invoice line period
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
StartDateTime		Start of the invoice line billing period
Data type: udt:DateTimeType		
Occurrence: 0 .. 1		
EN16931-ID: BT-134-00		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
DateTimeString		Invoice line period start date
Data type: extension (xs:string)		
Usage note: The date is the first day of the period.		
Occurrence: 1 .. 1		
EN16931-ID: BT-134		
Use: The date when the Invoice period for this Invoice line starts.		
Business rule: BR-30		Invoice line period
Business rule: BR-CO-20		Invoice line period
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
format		Date, format
Data type: xs:string		
Usage note: Only value "102"		
Occurrence: required		
EN16931-ID: BT-134-0		
	Code	Code name
	102	CCYYMMDD
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X
EndDateTime		End of the invoice line billing period
Data type: udt:DateTimeType		
Occurrence: 0 .. 1		
EN16931-ID: BT-135-00		
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X	X X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	DateTimeString	Invoice line period end date				
		Data type: extension (xs:string)				
		Usage note: The date is the last day of the period.				
		Occurrence: 1 .. 1				
		EN16931-ID: BT-135				
		Use: The date when the Invoice period for this Invoice line ends.				
		Business rule: BR-30 Invoice line period				
		Business rule: BR-CO-20 Invoice line period				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	format	Date, format				
		Data type: xs:string				
		Usage note: Only value "102"				
		Occurrence: required				
		EN16931-ID: BT-135-0				
		Code Code name				
		102 CCYYMMDD				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	SpecifiedTradeAllowanceCharge <Allowance>	INVOICE LINE ALLOWANCES				
		Data type: ram:TradeAllowanceChargeType				
		Occurrence: 0 .. unbounded				
		EN16931-ID: BG-27				
		Use: A group of business terms providing information about allowances applicable to the individual Invoice line.				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	ChargeIndicator	Indicator for allowance				
		Data type: udt:IndicatorType				
		Occurrence: 1 .. 1				
		EN16931-ID: BG-27-0				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	Indicator	Indicator for price, value				
		Data type: xs:boolean				
		Usage note: Allowance => false				
		Occurrence: 1 .. 1				
		EN16931-ID: BG-27-1				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	CalculationPercent	Invoice line allowance percentage				
		Data type: udt:PercentType				
		Occurrence: 0 .. 1				
		EN16931-ID: BT-138				
		Use: The percentage that may be used, in conjunction with the Invoice line allowance base amount, to calculate the Invoice line allowance amount.				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				
	BasisAmount	Invoice line allowance base amount				
		Data type: udt:AmountType				
		Occurrence: 0 .. 1				
		EN16931-ID: BT-137				
		Use: The base amount that may be used, in conjunction with the Invoice line allowance percentage, to calculate the Invoice line allowance amount.				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X				
	ActualAmount	Invoice line allowance amount				
		Data type: udt:AmountType				
		Occurrence: 1 .. 1				
		EN16931-ID: BT-136				
		Use: The amount of an allowance, without VAT.				
		Business rule: BR-41 Invoice line allowances				
		<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>				
		Used in: X X X				

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

ReasonCode	Invoice line allowance reason code					
Data type: qdt:AllowanceChargeReasonCodeType						
Usage note: Use entries of the UNTDID 5189 code list [6]. The Invoice line level allowance reason code and the Invoice line level allowance reason shall indicate the same allowance reason.						
Occurrence: 0 .. 1						
EN16931-ID: BT-140						
Use: The reason for the Invoice line allowance, expressed as a code.						
Business rule: BR-42		Invoice line allowances				
Business rule: BR-CO-7		Invoice line allowances				
Business rule: BR-CO-23		Invoice line allowances				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
Reason	Invoice line allowance reason					
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-139						
Use: The reason for the Invoice line allowance, expressed as text.						
Business rule: BR-42		Invoice line allowances				
Business rule: BR-CO-7		Invoice line allowances				
Business rule: BR-CO-23		Invoice line allowances				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
SpecifiedTradeAllowanceCharge <Charge>	INVOICE LINE CHARGES					
Data type: ram:TradeAllowanceChargeType						
Usage note: All charges and taxes are assumed to be liable to the same VAT rate as the Invoice line.						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-28						
Use: A group of business terms providing information about charges and taxes other than VAT applicable to the individual Invoice line.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
ChargeIndicator	Indicator for charge					
Data type: udt:IndicatorType						
Occurrence: 1 .. 1						
EN16931-ID: BG-28-0						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
Indicator	Indicator for charge, value					
Data type: xs:boolean						
Usage note: Charge => true						
Occurrence: 1 .. 1						
EN16931-ID: BG-28-1						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
CalculationPercent	Invoice line charge percentage					
Data type: udt:PercentType						
Occurrence: 0 .. 1						
EN16931-ID: BT-143						
Use: The percentage that may be used, in conjunction with the Invoice line charge base amount, to calculate the Invoice line charge amount.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X		X	X
BasisAmount	Invoice line charge base amount					
Data type: udt:AmountType						
Occurrence: 0 .. 1						
EN16931-ID: BT-142						
Use: The base amount that may be used, in conjunction with the Invoice line charge percentage, to calculate the Invoice line charge amount.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X		X
ActualAmount	Invoice line charge amount					
Data type: udt:AmountType						
Occurrence: 1 .. 1						
EN16931-ID: BT-141						
Use: The amount of a charge, without VAT.						
Business rule: BR-43		Invoice line charges				

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:		X		X	X
ReasonCode <Invoice line charge reason code>					Invoice line charge reason code
Data type: qdt:AllowanceChargeReasonCodeType					
Usage note: Use entries of the UNTDID 7161 code list [6]. The Invoice line charge reason code and the Invoice line charge reason shall indicate the same charge reason.					
Occurrence: 0 .. 1					
EN16931-ID: BT-145					
Use: The reason for the Invoice line charge, expressed as a code.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	X
ReasonCode <Invoice line-level non-VAT tax type code>					Invoice line-level non-VAT tax code
Data type: qdt:AllowanceChargeReasonCodeType					
Usage note: Use entries of the UNTDID 5153 code list [6]. The line-level non-VAT tax code and the line-level charge or tax reason shall indicate the same tax type. Either BT-193 or BT-145 is to be used, not both.					
Occurrence: 0 .. 1					
EN16931-ID: BT-193					
Use: The type of non-VAT tax charged, expressed as a code.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X
listID					Invoice line-level non-VAT tax code list identifier
Data type: xs:token					
Usage note: Value = 5153					
EN16931-ID: BT-193-1					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X
Reason					Invoice line charge reason
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-144					
Use: The reason for the Invoice line charge, expressed as text.					
Business rule: BR-44 Invoice line charges					
Business rule: BR-CO-8 Invoice line charges					
Business rule: BR-CO-24 Invoice line charges					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:			X	X	X
SpecifiedTradeSettlementLineMonetarySummation					Detailed information about item totals
Data type: ram:TradeSettlementLineMonetarySummationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-131-00					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:			X	X	X
LineTotalAmount					Invoice line net amount
Data type: udt:AmountType					
Usage note: The amount is "net" without VAT, i.e. inclusive of line level allowances and charges as well as other relevant taxes.					
Occurrence: 0 .. 1					
EN16931-ID: BT-131					
Use: The total amount of the Invoice line.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-FXEXT-CO-10	CIUS Factur-X / ZUGFeRD Extended
Business rule: BR-FXEXT-CO-13	CIUS Factur-X / ZUGFeRD Extended
Business rule: BR-FXEXT-AE-08	
Business rule: BR-FXEXT-E-08	
Business rule: BR-FXEXT-G-08	
Business rule: BR-FXEXT-IC-08	
Business rule: BR-FXEXT-AF-08	
Business rule: BR-FXEXT-AG-08	
Business rule: BR-FXEXT-O-08	
Business rule: BR-FXEXT-S-08	
Business rule: BR-FXEXT-Z-08	
Business rule: BR-FXEXT-08	
Business rule: BR-FXEXT-BR-24	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X X X
ChargeTotalAmount	Total amount of line item charges
Data type: udt:AmountType	
Occurrence: 0 .. 1	
EN16931-ID: BT-X-327	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
AllowanceTotalAmount	Total amount of line item allowances
Data type: udt:AmountType	
Occurrence: 0 .. 1	
EN16931-ID: BT-X-328	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
TaxTotalAmount <VAT Total Amount>	Total amount of line item taxes
Data type: udt:AmountType	
Occurrence: 0 .. 1	
EN16931-ID: BT-X-329	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
currencyID	Invoice currency code
Data type: xs:token	
EN16931-ID: BT-X-329-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
TaxTotalAmount <VAT Total Amount in Accounting Currency>	Total amount of line item taxes in accounting currency
Data type: udt:AmountType	
Occurrence: 0 .. 1	
EN16931-ID: BT-X-590	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X
currencyID	Invoice currency code
Data type: xs:token	
EN16931-ID: BT-X-590-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

GrandTotalAmount	Total line item gross amount
Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-330	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TotalAllowanceChargeAmount	Total amount of allowances / charges
Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-98	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
InvoiceReferencedDocument	PRECEDING INVOICE REFERENCE
Data type: ram:ReferencedDocumentType Usage note: To be used in case: - a preceding invoice is corrected - preceding partial invoices are referred to from a final invoice - preceding pre-payment invoices are referred to from a final invoice Occurrence: 0 .. 1 EN16931-ID: BG-X-48 Use: A group of business terms providing information on one or more preceding Invoices.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
IssuerAssignedID	Preceding Invoice reference
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-331 Use: The identification of an Invoice that was previously sent by the Seller.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineID	Referenced position
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-540	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Preceding invoice type code
Data type: qdt:DocumentCodeType Usage note: Can be used in case of final invoice after prepaid invoice, in order to reference the previous prepaid invoices. Codelist UNCL 1001 restricted like BT-3. Occurrence: 0 .. 1 EN16931-ID: BT-X-332	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
FormattedIssueDateTime	Preceding Invoice issue date
Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-333-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DateTimeString	Preceding Invoice issue date, value
Data type: extension (xs:string) Usage note: The Preceding Invoice issue date shall be provided in case the Preceding Invoice identifier is not unique. Occurrence: 1 .. 1 EN16931-ID: BT-X-333 Use: The date when the Preceding Invoice was issued.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
format	Date, format
Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-333-0	
Code	Code name
102	CCYYMMDD
205	CCYYMMDDHHMMZHHMM

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	
AdditionalReferencedDocument					Object identifier at the invoice item level
Data type: ram:ReferencedDocumentType					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-128-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
Diverging cardinality:				0..1	0..n
IssuerAssignedID					Invoice line object identifier
Data type: udt:IDType					
Usage note: It may be a subscription number, telephone number, meter point etc., as applicable.					
Occurrence: 1 .. 1					
EN16931-ID: BT-128					
Use: An identifier for an object on which the invoice line is based, given by the Seller.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
TypeCode					Object identifier type code (fix value)
Data type: qdt:DocumentCodeType					
Occurrence: 1 .. 1					
EN16931-ID: BT-128-0					
	Code	Code name			
	50	Validated priced tender			
	130	Invoicing data sheet			
	916	Related document			
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
ReferenceTypeCode					Invoice line object identifier
Data type: qdt:ReferenceCodeType					
Usage note: TypeCode = "130" invoice data sheet					
Synonyme: Invoice line object identifier, type					
Occurrence: 0 .. 1					
EN16931-ID: BT-128-1					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
ReceivableSpecifiedTradeAccountingAccount					Detailed information on the accounting reference
Data type: ram:TradeAccountingAccountType					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-133-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
Diverging cardinality:				0..1	0..n
ID					Invoice line Buyer accounting reference
Data type: udt:IDType					
Usage note: If required, this reference shall be provided by the Buyer to the Seller prior to the issuing of the Invoice.					
Occurrence: 1 .. 1					
EN16931-ID: BT-133					
Use: A textual value that specifies where to book the relevant data into the Buyer's financial accounts.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
TypeCode					Accounting reference (Code)
Data type: qdt:AccountingAccountTypeCodeType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-99					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
ApplicableHeaderTradeAgreement					Grouping of contract information
Data type: ram:HeaderTradeAgreementType					
Occurrence: 1 .. 1					
EN16931-ID: BT-10-00					
Use: Grouping of contract information					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	BuyerReference	Buyer reference				
	Data type: udt:TextType Usage note: The identifier is defined by the Buyer (e.g. contact ID, department, office id, project code), but provided by the Seller in the Invoice. Occurrence: 0 .. 1 EN16931-ID: BT-10 Use: An identifier assigned by the Buyer used for internal routing purposes.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	SellerTradeParty	SELLER				
	Data type: ram:TradePartyType Occurrence: 1 .. 1 EN16931-ID: BG-4 Use: A group of business terms providing information about the Seller.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	ID	Seller identifier, value				
	Data type: udt:IDType Usage note: For many systems, the Seller identifier is a key piece of information. Multiple Seller identifiers may be assigned or specified. They may be differentiated by using various identification schemes. If no scheme is specified, it should be known by Buyer and Seller, e.g. a previously exchanged Buyer assigned identifier of the Seller. Occurrence: 0 .. unbounded EN16931-ID: BT-29 Use: An identification of the Seller. Business rule: BR-CO-26 Seller					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	GlobalID	Seller global identifier				
	Data type: udt:IDType Usage note: The seller's global ID is a unique identifier assigned to a seller by a global registration body. Occurrence: 0 .. unbounded EN16931-ID: BT-29-0 Use: The identification scheme identifier of the seller is a specific identifier given to the seller by a global registration authority.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	schemeID	Seller identifier identification scheme identifier				
	Data type: xs:token Usage note: The identification scheme identifier shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. Occurrence: required EN16931-ID: BT-29-1 Use: Scheme identifier					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	Name	Seller name				
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-27 Use: The full formal name by which the Seller is registered in the national registry of legal entities or as a Taxable person or otherwise trades as a person or persons. Business rule: BR-6 Seller					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	RoleCode	Seller Role (code)				
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-543 Use: A code qualifying the role of the party					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Description	Seller additional legal information
	Data type: udt:TextType Usage note: Such as share capital. Occurrence: 0 .. 1 EN16931-ID: BT-33 Use: Additional legal information relevant for the Seller.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X	
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-30-00	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X X	
	ID	Seller legal registration identifier
	Data type: udt:IDType Usage note: If no identification scheme is specified, it must be known by Buyer and Seller. Occurrence: 0 .. 1 EN16931-ID: BT-30 Use: An identifier issued by an official registrar that identifies the Seller as a legal entity or person.	
	Business rule: BR-CO-26 Seller Business rule: BR-S-2 Standard rated VAT	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. EN16931-ID: BT-30-1 Use: The identification scheme identifier of the Seller legal registration identifier.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X X	
	TradingBusinessName	Seller trading name
	Data type: udt:TextType Usage note: This may be used if different from the Seller name. Occurrence: 0 .. 1 EN16931-ID: BT-28 Use: A name by which the Seller is known, other than Seller name (also known as Business name).	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X	
	PostalTradeAddress	SELLER LEGAL ADDRESS
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-14 Use: Legal address of the seller in case the seller address is different	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-100 Use: The identifier for an addressable group of properties according to the relevant postal service.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-101 Use: The main address line in an address.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-102 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-103 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-104 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-105 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-106 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	SELLER CONTACT
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-6 Use: A group of business terms providing contact information about the Seller.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X
PersonName	Seller contact point
Data type: udt:TextType Usage note: Such as person name, contact identification, department or office identification. Occurrence: 0 .. 1 EN16931-ID: BT-41 Use: A contact point for a legal entity or person.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X
DepartmentName	Department name
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-41-0 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-317 Use: The code specifying the type of trade contact	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	
TelephoneUniversalCommunication					Detailed information about the seller phone number
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-42-00					
Used in:				X	X
CompleteNumber					Seller contact telephone number
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-42					
Use: A phone number for the contact point.					
Used in:				X	X
FaxUniversalCommunication					Detailed information about the seller fax number
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-107-00					
Used in:					X
CompleteNumber					Seller contact fax number
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-107					
Use: A fax number for the contact point.					
Used in:					X
EmailURIUniversalCommunication					Detailed information about the seller email address
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-43-00					
Used in:				X	X
URIID					Seller contact email address
Data type: udt:IDType					
Occurrence: 1 .. 1					
EN16931-ID: BT-43					
Use: An e-mail address for the contact point.					
Used in:				X	X
PostalTradeAddress					SELLER POSTAL ADDRESS
Data type: ram:TradeAddressType					
Usage note: Sufficient components of the address are to be filled in order to comply to legal requirements.					
Occurrence: 1 .. 1					
EN16931-ID: BG-5					
Use: A group of business terms providing information about the address of the Seller.					
Business rule: BR-8					
Used in:	X	X	X	X	X
PostcodeCode					Seller post code
Data type: udt:CodeType					
Usage note: Such as a ZIP code or a post code.					
Occurrence: 0 .. 1					
EN16931-ID: BT-38					
Use: The identifier for an addressable group of properties according to the relevant postal service.					
Used in:	X	X	X	X	X
LineOne					Seller address line 1
Data type: udt:TextType					
Usage note: Usually the street name and number or post office box.					
Occurrence: 0 .. 1					
EN16931-ID: BT-35					
Use: The main address line in an address.					
Used in:	X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Seller address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-36 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
LineThree	Seller address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-162 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
CityName	Seller city
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-37 Use: The common name of the city, town or village, where the Seller address is located.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
CountryID	Seller country code
Data type: qdt:CountryIDType Usage note: If no tax representative is specified, this is the country where VAT is liable. The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-40 Use: A code that identifies the country.	
Business rule: BR-9 Seller	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
CountrySubDivisionName	Seller country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-39 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-34-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
URIID	Seller electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-34 Use: Identifies the Seller's electronic address to which a business document may be delivered.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
schemeID	Scheme identifier
Data type: xs:token Usage note: The scheme identifier shall be chosen from a list to be maintained by the Connecting Europe Facility. Occurrence: required EN16931-ID: BT-34-1 Use: The identification scheme identifier of the Seller electronic address	
Business rule: BR-62 Seller electronic address	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in: X X X X X	
SpecifiedTaxRegistration <BT-31 VAT Identifier>	Detailed information on tax information of the seller
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-31-00	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	X
ID	Seller VAT identifier				
Data type: udt:IDType					
Usage note: VAT number prefixed by a country code. A VAT registered Supplier shall include his VAT ID, except when he uses a tax representative.					
Occurrence: 1 .. 1					
EN16931-ID: BT-31					
Use: The Seller's VAT identifier (also known as Seller VAT identification number).					
Business rule: BR-CO-9 VAT identifiers					
Business rule: BR-CO-26 Seller					
Business rule: BR-AE-2 Reverse charge VAT					
Business rule: BR-AE-3 Reverse charge VAT					
Business rule: BR-AE-4 Reverse charge VAT					
Business rule: BR-E-2 Exempt from VAT					
Business rule: BR-E-3 Exempt from VAT					
Business rule: BR-E-4 Exempt from VAT					
Business rule: BR-G-2 VAT/IGIC/IPSI not levied due to export outside of the EU					
Business rule: BR-G-3 VAT/IGIC/IPSI not levied due to export outside of the EU					
Business rule: BR-G-4 VAT/IGIC/IPSI not levied due to export outside of the EU					
Business rule: BR-IC-2 VAT/IGIC/IPSI not levied due to intra-community supply rules					
Business rule: BR-IC-3 VAT/IGIC/IPSI not levied due to intra-community supply rules					
Business rule: BR-IC-4 VAT/IGIC/IPSI not levied due to intra-community supply rules					
Business rule: BR-IG-2 Liable for IGIC (Canary) tax					
Business rule: BR-IG-3 Liable for IGIC (Canary) tax					
Business rule: BR-IG-4 Liable for IGIC (Canary) tax					
Business rule: BR-IP-2 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-IP-3 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-IP-4 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-O-2 Sale is not subject to VAT/IGIC/IPSI					
Business rule: BR-O-3 Sale is not subject to VAT/IGIC/IPSI					
Business rule: BR-O-4 Sale is not subject to VAT/IGIC/IPSI					
Business rule: BR-S-2 Standard rated VAT					
Business rule: BR-S-3 Standard rated VAT					
Business rule: BR-S-4 Standard rated VAT					
Business rule: BR-Z-2 Zero rated VAT					
Business rule: BR-Z-3 Zero rated VAT					
Business rule: BR-Z-4 Zero rated VAT					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	X
schemeID	Tax Scheme identifier				
Data type: xs:token					
Usage note: VA = VAT ID					
Occurrence: required					
EN16931-ID: BT-31-0					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	X
SpecifiedTaxRegistration <BT-32 Local Tax Identifier>	Detailed information on tax information of the seller				
Data type: ram:TaxRegistrationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-32-00					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	X
ID	Seller tax registration identifier				
Data type: udt:IDType					
Usage note: This information may affect how the Buyer settles the payment (such as for social security fees). E.g. in some countries, if the Seller is not registered as a tax paying entity then the Buyer is required to withhold the amount of the tax and pay it on behalf of the Seller.					
Occurrence: 1 .. 1					
EN16931-ID: BT-32					
Use: The local identification (defined by the Seller's address) of the Seller for tax purposes or a reference that enables the Seller to state his registered tax status.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-AE-2	Reverse charge VAT				
Business rule: BR-AE-3	Reverse charge VAT				
Business rule: BR-AE-4	Reverse charge VAT				
Business rule: BR-E-2	Exempt from VAT				
Business rule: BR-E-3	Exempt from VAT				
Business rule: BR-E-4	Exempt from VAT				
Business rule: BR-IG-2	Liable for IGIC (Canary) tax				
Business rule: BR-IG-3	Liable for IGIC (Canary) tax				
Business rule: BR-IG-4	Liable for IGIC (Canary) tax				
Business rule: BR-IP-2	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-IP-3	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-IP-4	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-S-3	Standard rated VAT				
Business rule: BR-S-4	Standard rated VAT				
Business rule: BR-Z-2	Zero rated VAT				
Business rule: BR-Z-3	Zero rated VAT				
Business rule: BR-Z-4	Zero rated VAT				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
schemeID				Tax Scheme identifier	
Data type: xs:token					
Usage note: FC = Tax identifier (local)					
Occurrence: required					
EN16931-ID: BT-32-0					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
BuyerTradeParty				BUYER	
Data type: ram:TradePartyType					
Occurrence: 1 .. 1					
EN16931-ID: BG-7					
Use: A group of business terms providing information about the Buyer.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
ID				Buyer identifier	
Data type: udt:IDType					
Usage note: If no scheme is specified, it must be known by Buyer and Seller.					
Occurrence: 0 .. 1					
EN16931-ID: BT-46					
Use: An identifier of the Buyer.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X
GlobalID				Buyer global identifier Buyer global identifier	
Data type: udt:IDType					
Usage note: GloablID, if global identifier exists and can be stated in @schemeID, ID else The global identifier of a buyer is the specific identification given to him by a global registry organization.					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-46-0					
BT-46-0					
Use: The identification scheme identifier of the seller is a specific identifier given to the seller by a global registration authority.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X
schemeID				Scheme identifier	
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
Occurrence: required					
EN16931-ID: BT-46-1					
Use: The identification scheme identifier of the Buyer identifier.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Name	Buyer name
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-44 Use: The full name of the Buyer.	
	Business rule: BR-7 Buyer	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-544 Use: A code qualifying the role	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	Description	Buyer additional legal information
	Data type: udt:TextType Usage note: Such as share capital. Occurrence: 0 .. 1 EN16931-ID: BT-X-334 Use: Additional legal information relevant for the buyer.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-47-00 Use: An identifier issued by an official registrar that identifies the Buyer as a legal entity or person.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	ID	Buyer legal registration identifier
	Data type: udt:IDType Usage note: If no identification scheme is specified, it should be known by Buyer and Seller, e.g. the identifier that is exclusively used in the applicable legal environment. Occurrence: 0 .. 1 EN16931-ID: BT-47 Use: An identifier issued by an official registrar that identifies the Buyer as a legal entity or person.	
	Business rule: BR-AE-2 Reverse charge VAT Business rule: BR-AE-3 Reverse charge VAT Business rule: BR-AE-4 Reverse charge VAT	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-47-1 Use: The identification scheme identifier of the Buyer legal registration identifier.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	TradingBusinessName	Buyer trading name
	Data type: udt:TextType Usage note: This may be used if different from the Buyer name. Occurrence: 0 .. 1 EN16931-ID: BT-45 Use: A name by which the Buyer is known, other than Buyer name (also known as Business name).	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X	
	PostalTradeAddress	Detailed information about the business address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-15 Use: Legal address of the buyer in case the Buyer address is different	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-108 Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-109 Use: The main address line in an address.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-110 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-111 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-112 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-113 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-114 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	BUYER CONTACT
Data type: ram:TradeContactType Usage note: Contacting details can be given by the Buyer at the time of the ordering or as master data exchanged prior to ordering. It is recommended not to use contacting details for the purpose of routing the received Invoice internally by the recipient; the Buyer reference identifier should be used for this purpose. Occurrence: 0 .. unbounded EN16931-ID: BG-9 Use: A group of business terms providing contact information relevant for the Buyer.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PersonName	Buyer contact point
	Data type: udt:TextType	
	Usage note: Such as person name, contact identification, department or office identification.	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-56	
	Use: A contact point for a legal entity or person.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	DepartmentName	Department name
	Data type: udt:TextType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-56-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	TypeCode	Type of contact (code)
	Data type: qdt:ContactTypeCodeType	
	Usage note: To be chosen from the entries of UNTDID 3139	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-318	
	Use: The code specifying the type of trade contact	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	TelephoneUniversalCommunication	Detailed information about the buyer phone number
	Data type: ram:UniversalCommunicationType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-57-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	CompleteNumber	Buyer contact telephone number
	Data type: udt:TextType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-57	
	Use: A phone number for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	FaxUniversalCommunication	Detailed information about the buyer fax number
	Data type: ram:UniversalCommunicationType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-115-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	CompleteNumber	Buyer contact fax number
	Data type: udt:TextType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-X-115	
	Use: A fax number for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	EmailURIUniversalCommunication	Detailed information about the buyer email address
	Data type: ram:UniversalCommunicationType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-58-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	URIID	Buyer contact email address
	Data type: udt:IDType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-58	
	Use: An e-mail address for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PostalTradeAddress						BUYER POSTAL ADDRESS
Data type: ram:TradeAddressType						
Usage note: Sufficient components of the address are to be filled in order to comply to legal requirements.						
Occurrence: 1 .. 1						
EN16931-ID: BG-8						
Use: A group of business terms providing information about the postal address for the Buyer.						
Business rule: BR-10 Buyer						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:	X	X	X	X	X	
Diverging cardinality:		1..1	1..1	1..1	1..1	
PostcodeCode						Buyer post code
Data type: udt:CodeType						
Usage note: Such as a ZIP code or a post code.						
Occurrence: 0 .. 1						
EN16931-ID: BT-53						
Use: The identifier for an addressable group of properties according to the relevant postal service.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
LineOne						Buyer address line 1
Data type: udt:TextType						
Usage note: Usually the street name and number or post office box.						
Occurrence: 0 .. 1						
EN16931-ID: BT-50						
Use: The main address line in an address.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
LineTwo						Buyer address line 2
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-51						
Use: An additional address line in an address that can be used to give further details supplementing the main line.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
LineThree						Buyer address line 3
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-163						
Use: An additional address line in an address that can be used to give further details supplementing the main line.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
CityName						Buyer city
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-52						
Use: The common name of the city, town or village, where the Buyer's address is located.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
CountryID						Buyer country code
Data type: qdt:CountryIDType						
Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
Occurrence: 1 .. 1						
EN16931-ID: BT-55						
Use: A code that identifies the country.						
Business rule: BR-11 Buyer						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	
CountrySubDivisionName						Buyer country subdivision
Data type: udt:TextType						
Usage note: Such as a region, a county, a state, a province, etc.						
Occurrence: 0 .. 1						
EN16931-ID: BT-54						
Use: The subdivision of a country.						
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X	X	X	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	URIUniversalCommunication					Details about the electronic address	
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-49-00						
	<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>						
	Used in:	X	X	X	X		
	URIID					Buyer electronic address	
	Data type: udt:IDType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-49						
	Use: Identifies the Buyer's electronic address to which a business document should be delivered.						
		<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>					
	Used in:	X	X	X	X		
	schemeID					Scheme identifier	
	Data type: xs:token						
	Usage note: The scheme identifier shall be chosen from a list to be maintained by the Connecting Europe Facility.						
	Occurrence: required						
	EN16931-ID: BT-49-1						
	Use: The identification scheme identifier of the Buyer electronic address.						
	Business rule: BR-63	Buyer electronic address					
		<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>					
	Used in:	X	X	X	X		
	SpecifiedTaxRegistration					Detailed information on buyer tax information	
	Data type: ram:TaxRegistrationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-48-00						
	<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>						
	Used in:	X	X	X	X		
	ID					Buyer VAT identifier	
	Data type: udt:IDType						
	Usage note: VAT number prefixed by a country code based on EN ISO 3166-1 "Codes for the representation of names of countries and their subdivisions"						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-48						
	Use: The Buyer's VAT identifier (also known as Buyer VAT identification number).						
	Business rule: BR-CO-9	VAT identifiers					
	Business rule: BR-AE-2	Reverse charge VAT					
	Business rule: BR-AE-3	Reverse charge VAT					
	Business rule: BR-AE-4	Reverse charge VAT					
	Business rule: BR-IC-2	VAT/IGIC/IPSI not levied due to intra-community supply rules					
	Business rule: BR-IC-3	VAT/IGIC/IPSI not levied due to intra-community supply rules					
	Business rule: BR-IC-4	VAT/IGIC/IPSI not levied due to intra-community supply rules					
	Business rule: BR-O-2	Sale is not subject to VAT/IGIC/IPSI					
	Business rule: BR-O-3	Sale is not subject to VAT/IGIC/IPSI					
	Business rule: BR-O-4	Sale is not subject to VAT/IGIC/IPSI					
		<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>					
	Used in:	X	X	X	X		
	schemeID					Tax Scheme identifier	
	Data type: xs:token						
	Usage note: VA = VAT ID						
	Occurrence: required						
	EN16931-ID: BT-48-0						
		<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>					
	Used in:	X	X	X	X		
	SalesAgentTradeParty					Detailed information about the sales agent	
	Data type: ram:TradePartyType						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-X-49						
	Use: A group of business terms providing information about the Sales Agent						
		<i>MINIMUM</i> <i>BASIC WL</i> <i>BASIC</i> <i>EN 16931 (COMFORT)</i> <i>EXTENDED</i>					
	Used in:				X		
	ID					Sales agent identifier	
	Data type: udt:IDType						
	Usage note: A previously exchanged assigned identifier of the business partner.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-337						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
GlobalID					
Data type: udt:IDType					
Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID					
Synonyme: GLN, DUNS, BIC,ODETTE, ...					
Occurrence: 0 .. unbounded					
EN16931-ID: BT-X-338					
Used in:					X
schemeID					
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
Occurrence: required					
EN16931-ID: BT-X-338-0					
Used in:					X
Name					
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-335					
Used in:					X
RoleCode					
Data type: qdt:PartyRoleCodeType					
Usage note: To be chosen from UNTDID 3035.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-545					
Use: A code qualifying the role					
Used in:					X
SpecifiedLegalOrganization					
Data type: ram:LegalOrganizationType					
Occurrence: 0 .. 1					
EN16931-ID: BG-X-50					
Used in:					X
ID					
Data type: udt:IDType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-339					
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.					
Used in:					X
schemeID					
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency.					
EN16931-ID: BT-X-339-0					
Use: The identification scheme identifier of the Buyer legal registration identifier.					
Used in:					X
TradingBusinessName					
Data type: udt:TextType					
Usage note: This may be used if different from the party name.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-336					
Use: A name by which the party is known, other than party name (also known as business name).					
Used in:					X
PostalTradeAddress					
Data type: ram:TradeAddressType					
Occurrence: 0 .. 1					
EN16931-ID: BG-X-53					
Use: Legal address of the buyer in case the Sales Agent address is different					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			PostcodeCode						Post code
			Data type: udt:CodeType						
			Usage note: Such as a ZIP code or a post code.						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-355						
			Use: The identifier for an addressable group of properties according to the relevant postal service.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			LineOne						Address line 1
			Data type: udt:TextType						
			Usage note: Usually the street name and number or post office box.						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-356						
			Use: The main address line in an address.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			LineTwo						Address line 2
			Data type: udt:TextType						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-357						
			Use: An additional address line in an address that can be used to give further details supplementing the main line.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			LineThree						Address line 3
			Data type: udt:TextType						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-358						
			Use: An additional address line in an address that can be used to give further details supplementing the main line.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			CityName						City
			Data type: udt:TextType						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-359						
			Use: The common name of the city, town or village.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			CountryID						Country code
			Data type: qdt:CountryIDType						
			Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
			Occurrence: 1 .. 1						
			EN16931-ID: BT-X-360						
			Use: A code that identifies the country.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			CountrySubDivisionName						Country subdivision
			Data type: udt:TextType						
			Usage note: Such as a region, a county, a state, a province, etc.						
			Occurrence: 0 .. 1						
			EN16931-ID: BT-X-361						
			Use: The subdivision of a country.						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	
			DefinedTradeContact						Detailed contact information of the deviating end user
			Data type: ram:TradeContactType						
			Occurrence: 0 .. unbounded						
			EN16931-ID: BG-X-51						
				<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
			Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-342	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-343	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-347	
Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TelephoneUniversalCommunication	Contact telephone number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-344-00	
Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact telephone number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-344	
Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
FaxUniversalCommunication	Contact point fax number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-345-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact point fax number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-345	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
EmailURIUniversalCommunication	Contact email address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-346-00	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Contact email address, value
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-346	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostalTradeAddress	Detailed information about the address		
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-52			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	PostcodeCode	Post code		
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-348			
	Use: The identifier for an addressable group of properties according to the relevant postal service.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineOne	Address line 1		
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-349			
	Use: The main address line in an address.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineTwo	Address line 2		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-350			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineThree	Address line 3		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-351			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CityName	City		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-352			
	Use: The common name of the city, town or village.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CountryID	Country code		
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-353			
	Use: A code that identifies the country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CountrySubDivisionName	Country subdivision		
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-354			
	Use: The subdivision of a country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	URIUniversalCommunication	Details about the electronic address		
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-341-00			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	URIID	Electronic address
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-341	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Occurrence: required EN16931-ID: BT-X-341-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedTaxRegistration	Detailed information on tax information
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-340-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-340 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-340-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	BuyerTaxRepresentativeTradeParty	Detailed information about the buyer tax representative
	Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-54	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	Identifier
	Data type: udt:IDType Usage note: A previously exchanged assigned identifier of the business partner. Occurrence: 0 .. 1 EN16931-ID: BT-X-364	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	GlobalID	Global identifier
	Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-365	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-365-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Name	Identifier Name / Company Name
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-362	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
RoleCode	Role (code)
Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-546	
Use: A code qualifying the role	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
SpecifiedLegalOrganization	Details about the organization
Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BG-X-58	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
ID	Company Registration Number
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-366	
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-366-0	
Use: The identification scheme identifier of the Buyer legal registration identifier.	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
TradingBusinessName	Trading Business Name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-363	
Use: A name by which the party is known, other than party name (also known as business name).	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-57	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-382	
Use: The identifier for an addressable group of properties according to the relevant postal service.	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-383	
Use: The main address line in an address.	
Used in:	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-384 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-385 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-386 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-387 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-388 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	Detailed contact information of the deviating end user
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-55	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-369	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-370	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-371 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	TelephoneUniversalCommunication	Contact telephone number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-372-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact telephone number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-372 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-373-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-373 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-374-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-374 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-56 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-375 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-376 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-377 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-378 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-379 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-380 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-381 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-368-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-368	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-368-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed information on tax information
Data type: ram:TaxRegistrationType Occurrence: 1 .. 1 EN16931-ID: BT-X-367-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID					VAT ID
	Data type: udt:IDType					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-X-367					
	Business rule: BR-FXEXT-03	CIUS Factur-X / ZUGFeRD Extended				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	schemeID					Tax Scheme identifier
	Data type: xs:token					
	Usage note: VA = VAT ID					
	Occurrence: required					
	EN16931-ID: BT-X-367-0					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	SellerTaxRepresentativeTradeParty					SELLER TAX REPRESENTATIVE PARTY
	Data type: ram:TradePartyType					
	Occurrence: 0 .. 1					
	EN16931-ID: BG-11					
	Use: A group of business terms providing information about the Seller's tax representative.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	ID					Identifier
	Data type: udt:IDType					
	Usage note: A previously exchanged assigned identifier of the business partner.					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-116					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	GlobalID					Global identifier
	Data type: udt:IDType					
	Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID					
	Synonyme: GLN, DUNS, BIC,ODETTE, ...					
	Occurrence: 0 .. unbounded					
	EN16931-ID: BT-X-117					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	schemeID					Scheme identifier
	Data type: xs:token					
	Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
	Occurrence: required					
	EN16931-ID: BT-X-117-1					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	Name					Seller tax representative name
	Data type: udt:TextType					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-62					
	Use: The full name of the Seller's tax representative party.					
	Business rule: BR-18	Seller tax representative				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
	RoleCode					Role (code)
	Data type: qdt:PartyRoleCodeType					
	Usage note: To be chosen from UNTDID 3035.					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-X-547					
	Use: A code qualifying the role					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	SpecifiedLegalOrganization					Details about the organization
	Data type: ram:LegalOrganizationType					
	Occurrence: 0 .. 1					
	EN16931-ID: BG-X-16					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
ID					X	Legal registration identifier
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-118 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.						
schemeID					X	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-118-0 Use: The identification scheme identifier of the Buyer legal registration identifier.						
TradingBusinessName					X	Trading name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-119 Use: A name by which the party is known, other than party name (also known as business name).						
PostalTradeAddress					X	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-59						
PostcodeCode					X	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-389 Use: The identifier for an addressable group of properties according to the relevant postal service.						
LineOne					X	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-390 Use: The main address line in an address.						
LineTwo					X	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-391 Use: An additional address line in an address that can be used to give further details supplementing the main line.						
LineThree					X	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-392 Use: An additional address line in an address that can be used to give further details supplementing the main line.						
CityName					X	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-393 Use: The common name of the city, town or village.						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CountryID						Country code
	Data type: qdt:CountryIDType						
	Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-394						
	Use: A code that identifies the country.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CountrySubDivisionName						Country subdivision
	Data type: udt:TextType						
	Usage note: Such as a region, a county, a state, a province, etc.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-395						
	Use: The subdivision of a country.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DefinedTradeContact						Detailed contact information
	Data type: ram:TradeContactType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BG-X-17						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	PersonName						Name of the contact
	Data type: udt:TextType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-120						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DepartmentName						Department name
	Data type: udt:TextType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-121						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TypeCode						Type of contact (code)
	Data type: qdt:ContactTypeCodeType						
	Usage note: To be chosen from the entries of UNTDID 3139						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-319						
	Use: The code specifying the type of trade contact						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TelephoneUniversalCommunication						Contact telephone number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-122-00						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact telephone number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-122						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FaxUniversalCommunication						Contact point fax number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-123-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	

CompleteNumber	Contact point fax number, value
Data type: udt:TextType	
Occurrence: 1 .. 1	
EN16931-ID: BT-X-123	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
EmailURIUniversalCommunication	Contact email address
Data type: ram:UniversalCommunicationType	
Occurrence: 0 .. 1	
EN16931-ID: BT-X-124-00	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Contact email address, value
Data type: udt:IDType	
Occurrence: 1 .. 1	
EN16931-ID: BT-X-124	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostalTradeAddress	SELLER TAX REPRESENTATIVE POSTAL ADDRESS
Data type: ram:TradeAddressType	
Usage note: The seller tax representative name/postal address shall be provided in the invoice, if the seller has a tax representative who is liable to pay the VAT due. Sufficient components of the address are to be filled in order to comply to legal requirements.	
Occurrence: 1 .. 1	
EN16931-ID: BG-12	
Use: A group of business terms providing information about the postal address for the tax representative party.	
Business rule: BR-19 Seller tax representative	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X X X
PostcodeCode	Tax representative post code
Data type: udt:CodeType	
Usage note: Such as a ZIP code or a post code.	
Occurrence: 0 .. 1	
EN16931-ID: BT-67	
Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X X X
LineOne	Tax representative address line 1
Data type: udt:TextType	
Usage note: Usually the street name and number or the post office box.	
Occurrence: 0 .. 1	
EN16931-ID: BT-64	
Use: The main address line in an address.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X X X
LineTwo	Tax representative address line 2
Data type: udt:TextType	
Occurrence: 0 .. 1	
EN16931-ID: BT-65	
Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X X X
LineThree	Tax representative address line 3
Data type: udt:TextType	
Occurrence: 0 .. 1	
EN16931-ID: BT-164	
Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X X X X
CityName	Tax representative city
Data type: udt:TextType	
Occurrence: 0 .. 1	
EN16931-ID: BT-66	
Use: The common name of the city, town or village, where the tax representative address is located.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
CountryID					
Tax representative country code					
Data type: qdt:CountryIDType					
Usage note: Country where VAT is liable. The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".					
Occurrence: 1 .. 1					
EN16931-ID: BT-69					
Use: A code that identifies the country.					
Business rule: BR-20 Seller tax representative					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
CountrySubDivisionName					
Tax representative country subdivision					
Data type: udt:TextType					
Usage note: Such as a region, a county, a state, a province, etc.					
Occurrence: 0 .. 1					
EN16931-ID: BT-68					
Use: The subdivision of a country.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
URIUniversalCommunication					
Details about the electronic address					
Data type: ram:UniversalCommunicationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-125-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
URIID					
Electronic address					
Data type: udt:IDType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-125					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
schemeID					
Scheme identifier					
Data type: xs:token					
Occurrence: required					
EN16931-ID: BT-X-125-0					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
SpecifiedTaxRegistration					
Detailed information on tax information					
Data type: ram:TaxRegistrationType					
Occurrence: 1 .. 1					
EN16931-ID: BT-63-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
ID					
Seller tax representative VAT identifier					
Data type: udt:IDType					
Usage note: VAT number prefixed by a country code based on EN ISO 3166-1 "Codes for the representation of names of countries and their subdivisions".					
Occurrence: 1 .. 1					
EN16931-ID: BT-63					
Use: The VAT identifier of the Seller's tax representative party.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-56	Seller tax representative
Business rule: BR-CO-9	VAT identifiers
Business rule: BR-AE-2	Reverse charge VAT
Business rule: BR-AE-3	Reverse charge VAT
Business rule: BR-AE-4	Reverse charge VAT
Business rule: BR-E-2	Exempt from VAT
Business rule: BR-E-3	Exempt from VAT
Business rule: BR-E-4	Exempt from VAT
Business rule: BR-G-2	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-3	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-4	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-IC-2	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-3	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-4	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IG-2	Liable for IGIC (Canary) tax
Business rule: BR-IG-3	Liable for IGIC (Canary) tax
Business rule: BR-IG-4	Liable for IGIC (Canary) tax
Business rule: BR-IP-2	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-3	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-4	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-O-2	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-3	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-4	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-2	Standard rated VAT
Business rule: BR-S-3	Standard rated VAT
Business rule: BR-S-4	Standard rated VAT
Business rule: BR-Z-2	Zero rated VAT
Business rule: BR-Z-3	Zero rated VAT
Business rule: BR-Z-4	Zero rated VAT
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X X X X
schemeID	Tax Scheme identifier
Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-63-0	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X X X X
ProductEndUserTradeParty	Detailed information about the deviating end user
Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-18	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X
ID	Deviating end user identifier
Data type: udt:IDType Usage note: A previously exchanged assigned identifier of the business partner. Occurrence: 0 .. 1 EN16931-ID: BT-X-126	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X
GlobalID	Deviating end user global identifier
Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonym: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-127	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-127-0	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Name	Deviating end user identifier Name / Company Name
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-128	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
RoleCode	Role (code)
Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-548	
Use: A code qualifying the role	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedLegalOrganization	Details about the organization
Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BG-X-19	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	Company Registration Number
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-129	
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-129-0	
Use: The identification scheme identifier of the Buyer legal registration identifier.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TradingBusinessName	Trading Business Name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-130	
Use: A name by which the party is known, other than party name (also known as business name).	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-60	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-396	
Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-397	
Use: The main address line in an address.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-398 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-399 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-400 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-401 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-402 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	Detailed contact information of the deviating end user
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-20	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-131	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-132	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-320 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	TelephoneUniversalCommunication	Contact telephone number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-133-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact telephone number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-133 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-134-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-134 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-135-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-135 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the address of the deviating end user
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-21 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-136 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-137 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-138 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-139 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-140 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-141 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-142 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-143-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-143	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-143-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed information on tax information of the final goods recipient Detailed information on tax information
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-144-00 BT-X-144-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID VAT ID Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-144 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X																												
	schemeID Tax Scheme identifier Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-144-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X																												
	ApplicableTradeDeliveryTerms Details of the delivery conditions Data type: ram:TradeDeliveryTermsType Occurrence: 0 .. 1 EN16931-ID: BG-X-22 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X																												
	DeliveryTypeCode Delivery condition (Code) Data type: qdt:DeliveryTermsCodeType Usage note: To be chosen from the entries in UNTDID 4053 + INCOTERMS List Occurrence: 1 .. 1 EN16931-ID: BT-X-145 Use: The code specifying the type of delivery for these trade delivery terms. <table border="1"> <thead> <tr> <th>Code</th> <th>Code name</th> </tr> </thead> <tbody> <tr><td>1</td><td>Delivery arranged by supplier</td></tr> <tr><td>2</td><td>Delivery arranged by logistic service provider</td></tr> <tr><td>CFR</td><td>Cost and Freight</td></tr> <tr><td>CIF</td><td>Cost, Insurance and Freight</td></tr> <tr><td>CIP</td><td>Carriage and Insurance Paid to (insert named place of destination)</td></tr> <tr><td>CPT</td><td>Carriage Paid To (insert named place of destination)</td></tr> <tr><td>DAP</td><td>Delivered At Place (insert named place of destination)</td></tr> <tr><td>DDP</td><td>Delivered Duty Paid (insert named place of destination)</td></tr> <tr><td>DPU</td><td>Delivered At Place Unloaded (insert named place of unloading)</td></tr> <tr><td>EXW</td><td>Ex Works (insert named place of delivery)</td></tr> <tr><td>FAS</td><td>Free Alongside Ship (insert named port of shipment)</td></tr> <tr><td>FCA</td><td>Free Carrier (insert named place of delivery)</td></tr> <tr><td>FOB</td><td>Free On Board (insert named port of shipment)</td></tr> </tbody> </table> <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	Code	Code name	1	Delivery arranged by supplier	2	Delivery arranged by logistic service provider	CFR	Cost and Freight	CIF	Cost, Insurance and Freight	CIP	Carriage and Insurance Paid to (insert named place of destination)	CPT	Carriage Paid To (insert named place of destination)	DAP	Delivered At Place (insert named place of destination)	DDP	Delivered Duty Paid (insert named place of destination)	DPU	Delivered At Place Unloaded (insert named place of unloading)	EXW	Ex Works (insert named place of delivery)	FAS	Free Alongside Ship (insert named port of shipment)	FCA	Free Carrier (insert named place of delivery)	FOB	Free On Board (insert named port of shipment)
Code	Code name																												
1	Delivery arranged by supplier																												
2	Delivery arranged by logistic service provider																												
CFR	Cost and Freight																												
CIF	Cost, Insurance and Freight																												
CIP	Carriage and Insurance Paid to (insert named place of destination)																												
CPT	Carriage Paid To (insert named place of destination)																												
DAP	Delivered At Place (insert named place of destination)																												
DDP	Delivered Duty Paid (insert named place of destination)																												
DPU	Delivered At Place Unloaded (insert named place of unloading)																												
EXW	Ex Works (insert named place of delivery)																												
FAS	Free Alongside Ship (insert named port of shipment)																												
FCA	Free Carrier (insert named place of delivery)																												
FOB	Free On Board (insert named port of shipment)																												
	RelevantTradeLocation Delivery terms location Data type: ram:TradeLocationType Occurrence: 0 .. 1 EN16931-ID: BG-X-88 Use: A group of information elements containing information about the relevant location of the delivery terms. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>																												
	CountryID Country code of location for the delivery terms Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 0 .. 1 EN16931-ID: BT-X-563 Use: Country code of location for the delivery terms <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X																												
	Name Name of the relevant location for the delivery terms Data type: udt:TextType Usage note: Such as port, place of delivery Occurrence: 0 .. 1 EN16931-ID: BT-X-564 Use: Name of the relevant location for the delivery terms																												

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:				X		
SellerOrderReferencedDocument						Details about the associated order confirmation
Data type: ram:ReferencedDocumentType						
Occurrence: 0 .. 1						
EN16931-ID: BT-14-00						
Used in:				X	X	
IssuerAssignedID						Sales order reference
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-14						
Use: An identifier of a referenced sales order, issued by the Seller.						
Used in:				X	X	
FormattedIssueDateTime						Details about the sales order confirmation date
Data type: qdt:FormattedDateTimeType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-146-00						
Used in:					X	
DateTimeString						Order confirmation date, value
Data type: extension (xs:string)						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-146						
Used in:					X	
format						Date, format
Data type: qdt:FormattedDateTimeFormatContentType						
Usage note: Only value "102"						
Occurrence: required						
EN16931-ID: BT-X-146-0						
	Code	Code name				
	102	CCYYMMDD				
	205	CCYYMMDDHHMMZHHMM				
Used in:					X	
BuyerOrderReferencedDocument						Details of the associated order
Data type: ram:ReferencedDocumentType						
Occurrence: 0 .. 1						
EN16931-ID: BT-13-00						
Used in:	X	X	X	X	X	
IssuerAssignedID						Purchase order reference
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-13						
Use: An identifier of a referenced purchase order, issued by the Buyer.						
Used in:	X	X	X	X	X	
FormattedIssueDateTime						Order Date
Data type: qdt:FormattedDateTimeType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-147-00						
Used in:					X	
DateTimeString						Order Date, value
Data type: extension (xs:string)						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-147						
Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-147-0				
	Code	Code name			
	102	CCYYMMDD			
	205	CCYYMMDDHHMMZHHMM			
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
QuotationReferencedDocument	Details on referenced quotation				
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BG-X-61				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
IssuerAssignedID	Quotation number				
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-403				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
FormattedIssueDateTime	Document date				
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-404-00				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
DateTimeString	Document date, value				
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-404				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: UNTDID 2379 : Value = 102 :CCYYMMDD Value = 203 :CCYYMMDDHHMM Occurrence: required EN16931-ID: BT-X-404-0				
	Code	Code name			
	102	CCYYMMDD			
	205	CCYYMMDDHHMMZHHMM			
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:				X
ContractReferencedDocument	Details of the associated contract				
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BT-12-00				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X
IssuerAssignedID	Contract reference				
	Data type: udt:IDType Usage note: The contract identifier should be unique in the context of the specific trading relationship and for a defined time period. Occurrence: 1 .. 1 EN16931-ID: BT-12 Use: The identification of a contract.				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X
ReferenceTypeCode	Type of contract (code)				
	Data type: qdt:ReferenceCodeType Usage note: Use codes from UNTDID 1153 Occurrence: 0 .. 1 EN16931-ID: BT-X-405				

	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X				
FormattedIssueDateTime						Contract Date
Data type:	qdt:FormattedDateTimeType					
Occurrence:	0 .. 1					
EN16931-ID:	BT-X-148-00					
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X				
DateTimeString						Contract date, value
Data type:	extension (xs:string)					
Occurrence:	1 .. 1					
EN16931-ID:	BT-X-148					
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X				
format						Date, format
Data type:	qdt:FormattedDateTimeFormatContentType					
Usage note:	Only value "102"					
Occurrence:	required					
EN16931-ID:	BT-X-148-0					
	Code	Code name				
	102	CCYYMMDD				
	205	CCYYMMDDHHMMZHHMM				
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X				
AdditionalReferencedDocument documents<Additional supporting documents>						ADDITIONAL SUPPORTING DOCUMENTS
Data type:	ram:ReferencedDocumentType					
Usage note:	The additional supporting documents can be used for both referencing a document number which is expected to be known by the receiver, an external document (referenced by a URL) or as an embedded document (such as a time report in pdf). The option to link to an external document will be needed, for example in the case of large attachments and/or when sensitive information, e.g. person-related services, has to be separated from the Invoice itself.					
Occurrence:	0 .. unbounded					
EN16931-ID:	BG-24					
Use:	A group of business terms providing information about additional supporting documents substantiating the claims made in the Invoice.					
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X		X		
IssuerAssignedID						Supporting document reference
Data type:	udt:IDType					
Occurrence:	1 .. 1					
EN16931-ID:	BT-122					
Use:	An identifier of the supporting document.					
Business rule:	BR-52 Additional supporting documents					
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X		X		
URIID						External document location
Data type:	udt:IDType					
Usage note:	A means of locating the resource including its primary access mechanism, e.g. http:// or ftp://. External document location shall be used if the Buyer requires additional information to support the Invoice. External documents do not form part of the invoice. Risks can be involved when accessing external documents.					
Occurrence:	0 .. 1					
EN16931-ID:	BT-124					
Use:	The URL (Uniform Resource Locator) that identifies where the external document is located.					
	<i>MINIMUM</i>	BASIC WL	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:		X		X		
TypeCode						Referenced document type
Data type:	qdt:DocumentCodeType					
Usage note:	The code 916 "Additional supporting documents" shall be used to refer to the identification of additional supporting documents (BT-122).					
Occurrence:	1 .. 1					
EN16931-ID:	BT-122-0					
	Code	Code name				
	916	Related document				

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
Name					Supporting document description
Data type: udt:TextType					
Usage note: Such as: timesheet, usage report etc.					
Occurrence: 0 .. 1					
EN16931-ID: BT-123					
Use: A description of the supporting document.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
AttachmentBinaryObject					Attached document
Data type: udt:BinaryObjectType					
Usage note: Attached document is used when documentation shall be stored with the Invoice for future reference or audit purposes.					
Occurrence: 0 .. 1					
EN16931-ID: BT-125					
Use: An attached document embedded as binary object or sent together with the invoice.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
mimeCode					Attached document Mime code
Data type: xs:token					
Usage note: Allowed mime codes:					
- application/pdf					
- image/png					
- image/jpeg					
- text/csv					
- application/vnd.openxmlformats-officedocument.spreadsheetml.sheet					
- application/vnd.oasis.opendocument.spreadsheet					
Occurrence: required					
EN16931-ID: BT-125-1					
Use: The mime code of the attached document.					
	Code	Code name			
	application/json	json			
	application/pdf	pdf			
	application/vnd.oasis.opendocument.spreadsheet	vnd.oasis.opendocument.spreadsheet			
	application/vnd.openxmlformats-officedocument.spreadsheetml.sheet	vnd.openxmlformats-officedocument.spreadsheetml.sheet			
	application/xml	xml			
	image/jpeg				
	image/png				
	text/csv				
	text/xml				
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
filename					Attached document Filename
Data type: xs:string					
Occurrence: required					
EN16931-ID: BT-125-2					
Use: The file name of the attached document					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
FormattedIssueDateTime					Document date
Data type: qdt:FormattedDateTimeType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-149-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
DateTimeString					Document date, value
Data type: extension (xs:string)					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-149					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-149-0				
	Code	Code name			
	102	CCYYMMDD			
	205	CCYYMMDDHHMMZHHMM			
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:					X
AdditionalReferencedDocument <BT-17-Tender or lot reference>					Details on tender or lot reference
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. unbounded EN16931-ID: BT-17-00				
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X	X
IssuerAssignedID					Tender or lot reference
	Data type: udt:IDType Usage note: In some countries a reference to the call for tender that has led to the contract shall be provided. Occurrence: 1 .. 1 EN16931-ID: BT-17				
	Use: The identification of the call for tender or lot the invoice relates to.				
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X	X
TypeCode					Referenced document type
	Data type: qdt:DocumentCodeType Usage note: The code 50 "Price/sales catalogue response" shall be used to refer to the tendering or batch. (BT-17) Occurrence: 1 .. 1 EN16931-ID: BT-17-0				
	Code	Code name			
	50	Validated priced tender			
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X	X
FormattedIssueDateTime					Document date
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-556-00				
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:					X
DateTimeString					Document date, value
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-556				
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:					X
format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-556-0				
	Code	Code name			
	102	CCYYMMDD			
	205	CCYYMMDDHHMMZHHMM			
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:					X
AdditionalReferencedDocument <BT-18-Invoiced object identifier>					Details on invoiced object identifier
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. unbounded EN16931-ID: BT-18-00				
	MINIMUM	BASIC	WL	BASIC	EN 16931 (COMFORT) EXTENDED
Used in:				X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	IssuerAssignedID	Invoiced object identifier
	Data type: udt:IDType Usage note: It may be a subscription number, telephone number, meter point, vehicle, person etc., as applicable. Occurrence: 1 .. 1 EN16931-ID: BT-18 Use: An identifier for an object on which the invoice is based, given by the Seller.	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X	
	TypeCode	Referenced document type
	Data type: qdt:DocumentCodeType Usage note: The code 130 "invoice data" shall be used to refer to the identifier of an object given by the seller (BT-18). Occurrence: 1 .. 1 EN16931-ID: BT-18-0	
	<i>Code Code name</i> 130 Invoicing data sheet <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	ReferenceTypeCode	Scheme identifier
	Data type: qdt:ReferenceCodeType Usage note: If it may be not clear for the receiver what scheme is used for the identifier, a optional scheme identifier should be used that shall be chosen from the UNTDID 1153 code list [6] entries. Occurrence: 0 .. 1 EN16931-ID: BT-18-1 Use: The identification scheme identifier of the Invoiced object identifier.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X	
	FormattedIssueDateTime	Document date
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-557-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	DateTimeString	Document date, value
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-557	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	format	Date, format
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-557-0	
	<i>Code Code name</i> 102 CCYYMMDD 205 CCYYMMDDHHMMZHHMM <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	BuyerAgentTradeParty	Detailed information about the buyer agent
	Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-62	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	ID	Identifier
	Data type: udt:IDType Usage note: A previously exchanged assigned identifier of the business partner. Occurrence: 0 .. 1 EN16931-ID: BT-X-408	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

GlobalID	Global identifier
Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-409	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-409-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
Name	Name / Company Name
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-406	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
RoleCode	Role (code)
Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-549 Use: A code qualifying the role	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedLegalOrganization	Details about the organization
Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BG-X-63	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	Company Registration Number
Data type: udt:IDType Usage note: If the identification scheme is used, it must be selected from the entries in the list published by the ISO/IEC 6523 Maintenance Agency. Occurrence: 0 .. 1 EN16931-ID: BT-X-410 Use: The identification scheme identifier of the Buyer Agent legal registration identifier.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-410-0 Use: The identification scheme identifier of the Buyer Agent legal registration identifier.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TradingBusinessName	Trading Business Name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-407 Use: A name by which the party is known, other than party name (also known as business name).	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-66	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:					X	
PostcodeCode						Post code
Data type: udt:CodeType						
Usage note: Such as a ZIP code or a post code.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-426						
Use: The identifier for an addressable group of properties according to the relevant postal service.						
Used in:					X	
LineOne						Address line 1
Data type: udt:TextType						
Usage note: Usually the street name and number or post office box.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-427						
Use: The main address line in an address.						
Used in:					X	
LineTwo						Address line 2
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-428						
Use: An additional address line in an address that can be used to give further details supplementing the main line.						
Used in:					X	
LineThree						Address line 3
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-429						
Use: An additional address line in an address that can be used to give further details supplementing the main line.						
Used in:					X	
CityName						City
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-430						
Use: The common name of the city, town or village.						
Used in:					X	
CountryID						Country code
Data type: qdt:CountryIDType						
Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-431						
Use: A code that identifies the country.						
Used in:					X	
CountrySubDivisionName						Country subdivision
Data type: udt:TextType						
Usage note: Such as a region, a county, a state, a province, etc.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-432						
Use: The subdivision of a country.						
Used in:					X	
DefinedTradeContact						Detailed contact information of the deviating buyer agent
Data type: ram:TradeContactType						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-X-64						
Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-413	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-414	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-415	
Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TelephoneUniversalCommunication	Contact telephone number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-416-00	
Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact telephone number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-416	
Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
FaxUniversalCommunication	Contact point fax number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-417-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact point fax number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-417	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
EmailURIUniversalCommunication	Contact email address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-418-00	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Contact email address, value
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-418	
Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostalTradeAddress	Detailed information about the address		
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-65			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	PostcodeCode	Post code		
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-419			
	Use: The identifier for an addressable group of properties according to the relevant postal service.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineOne	Address line 1		
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-420			
	Use: The main address line in an address.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineTwo	Address line 2		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-421			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	LineThree	Address line 3		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-422			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CityName	City		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-423			
	Use: The common name of the city, town or village.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CountryID	Country code		
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-424			
	Use: A code that identifies the country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	CountrySubDivisionName	Country subdivision		
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-425			
	Use: The subdivision of a country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X
	URIUniversalCommunication	Details about the electronic address		
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-412-00			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:			X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	URIID	Electronic address
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-412	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Occurrence: required EN16931-ID: BT-X-412-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedTaxRegistration	Detailed information on tax information
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-411-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-411 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-411-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedProcuringProject	Details about a project reference
	Data type: ram:ProcuringProjectType Occurrence: 0 .. 1 EN16931-ID: BT-11-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	ID	Project reference
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-11 Use: The identification of the project the invoice refers to.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	Name	Project name
	Data type: udt:TextType Usage note: Default = "Project reference" Occurrence: 1 .. 1 EN16931-ID: BT-11-0 Use: The identification of the project the invoice refers to	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X X
	UltimateCustomerOrderReferencedDocument	Details on referenced customer order
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. unbounded EN16931-ID: BG-X-23	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	IssuerAssignedID	Ultimate Customer Order number of the final customer
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-150	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FormattedIssueDateTime						Document date
	Data type: qdt:FormattedDateTimeType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-151-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DateTimeString						Document date, value
	Data type: extension (xs:string)						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-151						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	format						Date, format
	Data type: qdt:FormattedDateTimeFormatContentType						
	Usage note: Only value "102"						
	Occurrence: required						
	EN16931-ID: BT-X-151-0						
		Code	Code name				
		102	CCYYMMDD				
		205	CCYYMMDDHHMMZHHMM				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	ApplicableHeaderTradeDelivery						Grouping of delivery details
	Data type: ram:HeaderTradeDeliveryType						
	Occurrence: 1 .. 1						
	EN16931-ID: BG-13-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:	X	X	X	X	X	
	RelatedSupplyChainConsignment						Related SupplyChain Consignment
	Data type: ram:SupplyChainConsignmentType						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-X-24						
	Use: A consignment, at header level, related to this trade delivery.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	SpecifiedLogisticsTransportMovement						Specified Logistics Transport Movement
	Data type: ram:LogisticsTransportMovementType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BT-X-152-00						
	Use: The code specifying the mode, such as air, sea, rail, road or inland waterway, for this logistics transport movement.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	ModeCode						Delivery method (Code)
	Data type: qdt:TransportModeCodeType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-152						
	Use: A logistics transport movement specified for this supply chain consignment.						
		Code	Code name				
		0	Transport mode not specified				
		1	Maritime transport				
		2	Rail transport				
		3	Road transport				
		4	Air transport				
		5	Mail				
		6	Multimodal transpo				
		7	Fixed transport installation				
		8	Inland water transport				
		9	Transport mode not applicable				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ShipToTradeParty					DELIVERY INFORMATION
	Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-13 Use: A group of business terms providing information about where and when the goods and services invoiced are delivered.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	
	ID					Deliver to location identifier
	Data type: udt:IDType Usage note: If no scheme is specified, it should be known by Buyer and Seller, e.g. a previously exchanged Buyer or Seller assigned identifier. Occurrence: 0 .. 1 EN16931-ID: BT-71 Use: An identifier for the location at which the goods and services are delivered.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	
	GlobalID					Deliver to location global identifier
	Data type: udt:IDType Occurrence: 0 .. unbounded EN16931-ID: BT-71-0 Use: The identification scheme identifier of the Deliver to location identifier.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	
	schemeID					Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-71-1 Use: The identification scheme identifier of the Deliver to location identifier.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	
	Name					Deliver to party name
	Data type: udt:TextType Usage note: Shall be used if the Deliver to party is different from the Buyer. Occurrence: 0 .. 1 EN16931-ID: BT-70 Use: The name of the party to which the goods and services are delivered.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	
	RoleCode					Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035, for instance: DL: Factor DS: Distributor MOP: Market operator Occurrence: 0 .. 1 EN16931-ID: BT-X-550 Use: A code qualifying the role					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	SpecifiedLegalOrganization					Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BG-X-25 Use: A code qualifying the role					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
	ID					Legal registration identifier
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-153 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-153-0 Use: The identification scheme identifier of the Buyer legal registration identifier.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TradingBusinessName	Trading name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-154 Use: A name by which the party is known, other than party name (also known as business name).	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-67	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-433 Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-434 Use: The main address line in an address.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-435 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-436 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-437 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-438 Use: A code that identifies the country.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CountrySubDivisionName						Country subdivision
	Data type: udt:TextType						
	Usage note: Such as a region, a county, a state, a province, etc.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-439						
	Use: The subdivision of a country.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DefinedTradeContact						Detailed contact information
	Data type: ram:TradeContactType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BG-X-26						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	PersonName						Name of the contact
	Data type: udt:TextType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-155						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DepartmentName						Department name
	Data type: udt:TextType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-156						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TypeCode						Type of contact (code)
	Data type: qdt:ContactTypeCodeType						
	Usage note: To be chosen from the entries of UNTDID 3139						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-321						
	Use: The code specifying the type of trade contact						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	TelephoneUniversalCommunication						Contact telephone number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-157-00						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact telephone number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-157						
	Use: A phone number for the contact point.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	FaxUniversalCommunication						Contact point fax number
	Data type: ram:UniversalCommunicationType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-158-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	CompleteNumber						Contact point fax number, value
	Data type: udt:TextType						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-158						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-159-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-159 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	DELIVER TO ADDRESS
	Data type: ram:TradeAddressType Usage note: In the case of pick-up, the deliver to address is the pick-up address. Sufficient components of the address are to be filled to comply with legal requirements. Occurrence: 0 .. 1 EN16931-ID: BG-15 Use: A group of business terms providing information about the address to which goods and services invoiced were or are delivered. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	PostcodeCode	Deliver to post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-78 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	LineOne	Deliver to address line 1
	Data type: udt:TextType Usage note: Usually the street name and number. Occurrence: 0 .. 1 EN16931-ID: BT-75 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	LineTwo	Deliver to address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-76 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	LineThree	Deliver to address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-165 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	
	CityName	Deliver to city
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-77 Use: The common name of the city, town or village, where the deliver to address is located. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	CountryID	Deliver to country code
	Data type: qdt:CountryIDType	
	Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-80	
	Use: A code that identifies the country.	
	Business rule: BR-57	Deliver to address
	Business rule: BR-IC-12	VAT/IGIC/IPSI not levied due to intra-community supply rules
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X X X X
	CountrySubDivisionName	Deliver to country subdivision
	Data type: udt:TextType	
	Usage note: Such as a region, a county, a state, a province, etc.	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-79	
	Use: The subdivision of a country.	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X X X X
	URIUniversalCommunication	Details about the electronic address
	Data type: ram:UniversalCommunicationType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-160-00	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	URIID	Electronic address
	Data type: udt:IDType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-X-160	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token	
	Occurrence: required	
	EN16931-ID: BT-X-160-0	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	SpecifiedTaxRegistration	Detailed information on tax information of the goods recipient
	Data type: ram:TaxRegistrationType	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-161-00	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	ID	VAT identifier
	Data type: udt:IDType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-X-161	
	Business rule: BR-FXEXT-03	CIUS Factur-X / ZUGFeRD Extended
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	schemeID	Tax Scheme identifier
	Data type: xs:token	
	Usage note: VA = VAT ID	
	Occurrence: required	
	EN16931-ID: BT-X-161-0	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X
	UltimateShipToTradeParty	Detailed information about the final recipient
	Data type: ram:TradePartyType	
	Occurrence: 0 .. 1	
	EN16931-ID: BG-X-27	
	<i>MINIMUM</i>	<i>BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

ID	Data type: udt:IDType	Final recipient identifier
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-162	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
GlobalID	Data type: udt:IDType	Final recipient global identifier
	Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID	
	Synonyme: GLN, DUNS, BIC,ODETTE, ...	
Occurrence: 0 .. unbounded		
EN16931-ID: BT-X-163		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
schemeID	Data type: xs:token	Scheme identifier
	Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.	
	Occurrence: required	
EN16931-ID: BT-X-163-0		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
Name	Data type: udt:TextType	Final Recipient Name / Company Name
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-164	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
RoleCode	Data type: qdt:PartyRoleCodeType	Role (code)
	Usage note: To be chosen from UNTDID 3035.	
	Occurrence: 0 .. 1	
EN16931-ID: BT-X-551		
Use: A code qualifying the role		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
SpecifiedLegalOrganization	Data type: ram:LegalOrganizationType	Details about the organization
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-165-00	
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
ID	Data type: udt:IDType	Company Registration Number
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-165	
Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
schemeID	Data type: xs:token	Scheme identifier
	Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency.	
	EN16931-ID: BT-X-165-0	
Use: The identification scheme identifier of the Buyer legal registration identifier.		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	
TradingBusinessName	Data type: udt:TextType	Trading Business Name
	Usage note: This may be used if different from the party name.	
	Occurrence: 0 .. 1	
EN16931-ID: BT-X-166		
Use: A name by which the party is known, other than party name (also known as business name).		
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED		
Used in:	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostalTradeAddress	Detailed information about the business address		
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-68			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	PostcodeCode	Post code		
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-440			
	Use: The identifier for an addressable group of properties according to the relevant postal service.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineOne	Address line 1		
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-441			
	Use: The main address line in an address.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineTwo	Address line 2		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-442			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineThree	Address line 3		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-443			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CityName	City		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-444			
	Use: The common name of the city, town or village.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CountryID	Country code		
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-445			
	Use: A code that identifies the country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CountrySubDivisionName	Country subdivision		
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-446			
	Use: The subdivision of a country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	DefinedTradeContact	Detailed contact information		
	Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-28			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-167	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-168	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-322 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TelephoneUniversalCommunication	Contact telephone number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-169-00 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact telephone number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-169 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
FaxUniversalCommunication	Contact point fax number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-170-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact point fax number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-170 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
EmailURIUniversalCommunication	Contact email address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-171-00 Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Contact email address, value
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-171 Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostalTradeAddress	Detailed information about the address of the final recipient
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-29 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-172 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-173 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-174 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-175 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CityName	City
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-176 Use: The common name of the city, town or village. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-177 Use: A code that identifies the country. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-178 Use: The subdivision of a country. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIUniversalCommunication	Details about the electronic address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-179-00	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
URIID						Electronic address
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-179						
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Occurrence: required						
EN16931-ID: BT-X-179-0						
Used in:					X	
SpecifiedTaxRegistration						Detailed information on tax information
Data type: ram:TaxRegistrationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-180-00						
Used in:					X	
ID						VAT ID
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-180						
Business rule: BR-FXEXT-03						
						CIUS Factur-X / ZUGFeRD Extended
Used in:					X	
schemeID						Tax Scheme identifier
Data type: xs:token						
Usage note: VA = VAT ID						
Occurrence: required						
EN16931-ID: BT-X-180-0						
Used in:					X	
ShipFromTradeParty						Identification of the deviating sender
Data type: ram:TradePartyType						
Occurrence: 0 .. 1						
EN16931-ID: BG-X-30						
Used in:					X	
ID						Deviating sender identifier
Data type: udt:IDType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-181						
Used in:					X	
GlobalID						Deviating sender global identifier
Data type: udt:IDType						
Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID						
Synonyme: GLN, DUNS, BIC,ODETTE, ...						
Occurrence: 0 .. unbounded						
EN16931-ID: BT-X-182						
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.						
Occurrence: required						
EN16931-ID: BT-X-182-0						
Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Name	Deviating sender name / company name
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-183 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-552 Use: A code qualifying the role <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-184-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	ID	Company Registration Number
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-184 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-184-0 Use: The identification scheme identifier of the Buyer legal registration identifier. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	TradingBusinessName	Trading Business Name
	Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-185 Use: A name by which the party is known, other than party name (also known as business name). <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the business address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-69 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-447 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-448 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-449 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-450 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-451 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-452 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-453 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	Detailed contact information
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-31	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-186	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-187	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-323 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	TelephoneUniversalCommunication	Contact telephone number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-188-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact telephone number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-188 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-189-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-189 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-190-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-190 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the address of the deviating sender
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-32 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-191 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-192 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-193 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-194 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-195 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-196 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-197 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-198-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-198	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-198-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed information on tax information
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-199-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

ID	Data type: udt:IDType	VAT ID				
	Occurrence: 1 .. 1					
	EN16931-ID: BT-X-199					
	Business rule: BR-FXEXT-03	CIUS Factur-X / ZUGFeRD Extended				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
schemeID	Data type: xs:token	Tax Scheme identifier				
	Usage note: VA = VAT ID					
	Occurrence: required					
	EN16931-ID: BT-X-199-0					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:					X
ActualDeliverySupplyChainEvent		Detailed information about the actual Delivery				
	Data type: ram:SupplyChainEventType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-72-000					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
OccurrenceDateTime		Actual delivery date, Content				
	Data type: udt:DateTimeType					
	Usage note: In Germany, the date of delivery and performance is a mandatory information on invoices. This can also be indicated at item level, but must in any case be indicated here.					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-72-00					
	Use: The date on which the delivery is made.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
DateTimeString		Actual delivery date				
	Data type: extension (xs:string)					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-72					
	Use: The date on which the supply of goods or services was made or completed.					
	Business rule: BR-IC-11	VAT/IGIC/IPSI not levied due to intra-community supply rules				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
format		Date, format				
	Data type: xs:string					
	Usage note: Only value "102"					
	Occurrence: required					
	EN16931-ID: BT-72-0					
		Code	Code name			
		102	CCYYMMDD			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
DespatchAdviceReferencedDocument		Detailed information on the corresponding despatch advice				
	Data type: ram:ReferencedDocumentType					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-16-00					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X
IssuerAssignedID		Despatch advice reference				
	Data type: udt:IDType					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-16					
	Use: An identifier of a referenced despatch advice.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:	X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	FormattedIssueDateTime	Despatch advice date					
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-200-00						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X						
	DateTimeString	Despatch advice date, value					
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-200						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X						
	format	Date, format					
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-200-0						
	<table><tr><th>Code</th><th>Code name</th></tr><tr><td>102</td><td>CCYYMMDD</td></tr><tr><td>205</td><td>CCYYMMDDHHMMZHHMM</td></tr></table> <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X		Code	Code name	102	CCYYMMDD	205
Code	Code name						
102	CCYYMMDD						
205	CCYYMMDDHHMMZHHMM						
	ReceivingAdviceReferencedDocument	Detailed information about the associated goods receipt					
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BT-15-00						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X						
	IssuerAssignedID	Receiving advice reference					
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-15 Use: An identifier of a referenced receiving advice.						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X						
	FormattedIssueDateTime	Goods receipt date					
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-201-00						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X						
	DateTimeString	Goods receipt date, value					
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-201						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X						
	format	Date, format					
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-201-0						
	<table><tr><th>Code</th><th>Code name</th></tr><tr><td>102</td><td>CCYYMMDD</td></tr><tr><td>205</td><td>CCYYMMDDHHMMZHHMM</td></tr></table> <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X		Code	Code name	102	CCYYMMDD	205
Code	Code name						
102	CCYYMMDD						
205	CCYYMMDDHHMMZHHMM						
	DeliveryNoteReferencedDocument	Detailed information about the corresponding delivery note					
	Data type: ram:ReferencedDocumentType Occurrence: 0 .. 1 EN16931-ID: BT-X-202-00						
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	IssuerAssignedID	Delivery note reference
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-202	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	FormattedIssueDateTime	Delivery note date
	Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-203-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	DateTimeString	Delivery note date, value
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-203	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	format	Date, format
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-203-0	
	<i>Code Code name</i>	
	102 CCYYMMDD 205 CCYYMMDDHHMMZHHMM	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	ApplicableHeaderTradeSettlement	DIRECT DEBIT
	Data type: ram:HeaderTradeSettlementType Usage note: This group may be used to give prior notice in the invoice that payment will be made through a SEPA or other direct debit initiated by the Seller, in accordance with the rules of the SEPA or other direct debit scheme. Occurrence: 1 .. 1 EN16931-ID: BG-19 Use: A group of business terms to specify a direct debit.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	CreditorReferenceID	Bank assigned creditor identifier
	Data type: udt:IDType Usage note: Used in order to pre-notify the Buyer of a SEPA direct debit. Occurrence: 0 .. 1 EN16931-ID: BT-90 Use: Unique banking reference identifier of the Payee or Seller assigned by the Payee or Seller bank.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PaymentReference Data type: udt:TextType Usage note: Used for creditor's critical reconciliation information. This information element helps the Seller to assign an incoming payment to the relevant payment process. When specifying the textual value, which is commonly the invoice number of the invoice being paid, but may be another seller reference, the buyer should indicate this reference in his payment order when executing the payment. In a payment transaction this reference is transferred back to the Seller as Remittance Information. In order to allow for automatic processing of cross-border SEPA payments, only Latin characters should be used in this field, with a maximum of 140 characters. Referencesection 1.4 of the SEPA credit transfer and SEPA direct debit scheme implementation guides [13] and [14] for details of the allowed characters. Other rules may apply for SEPA payments within national borders. If remittance information is structured according to the ISO 11649:2009 standard [16] for Structured RF Creditor Reference, it shall be mapped to the Structured Remittance Information Creditor Reference field in SEPA payments messages. If remittance information is structured according to the EACT standard for automated reconciliation [17], it shall be mapped to the Unstructured Remittance Information field in SEPA payments messages." If remittance information is to be mapped to the End To End Identification field or to the Structured Remittance Information Creditor Reference field in SEPA payments messages, then in addition to the Latin character set restriction, the content shall not start or end with a '/' and the content shall not contain '/'/'s. See reference [15]. Occurrence: 0 .. 1 EN16931-ID: BT-83 Use: A textual value used to establish a link between the payment and the Invoice, issued by the Seller.	Remittance information
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X
TaxCurrencyCode Data type: qdt:CurrencyCodeType Usage note: Shall be used in combination with the Total VAT amount in accounting currency (BT-111) when the VAT accounting currency code differs from the Invoice currency code. The lists of valid currencies are registered with the ISO 4217 Maintenance Agency "Codes for the representation of currencies and funds". Please refer to Article 230 of the Council Directive 2006/112/EC [2] for more information. Occurrence: 0 .. 1 EN16931-ID: BT-6 Use: The currency used for VAT accounting and reporting purposes as accepted or required in the country of the Seller.	VAT accounting currency code
Business rule: BR-53 Document totals Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X
InvoiceCurrencyCode Data type: qdt:CurrencyCodeType Usage note: Only one currency shall be used in the Invoice, except for the Total VAT amount in accounting currency (BT-111) in accordance with article 230 of Directive 2006/112/EC on VAT. The lists of valid currencies are registered with the ISO 4217 Maintenance Agency "Codes for the representation of currencies and funds". Occurrence: 1 .. 1 EN16931-ID: BT-5 Use: The currency in which all Invoice amounts are given, except for the Total VAT amount in accounting currency.	Invoice currency code
Business rule: BR-5 Invoice Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X X X X X
InvoiceIssuerReference Data type: udt:TextType Usage note: Given seller reference number for routing purposes after bilateral agreement Occurrence: 0 .. 1 EN16931-ID: BT-X-204	Seller reference number
Used in:	X
InvoicerTradeParty Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-33	Deviating invoicing party
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID	Deviating invoicer identifier
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-205 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	GlobalID	Deviating invoicer global identifier
	Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-206 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-206-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	Name	Name
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-207 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-553 Use: A code qualifying the role <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-208-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	ID	Company Registration Number
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-208 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-208-0 Use: The identification scheme identifier of the Buyer legal registration identifier. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	TradingBusinessName	Trading Business Name
	Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-209 Use: A name by which the party is known, other than party name (also known as business name). <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PostalTradeAddress		Detailed information about the business address		
Data type: ram:TradeAddressType				
Occurrence: 0 .. 1				
EN16931-ID: BG-X-70				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
PostcodeCode		Post code		
Data type: udt:CodeType				
Usage note: Such as a ZIP code or a post code.				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-454				
Use: The identifier for an addressable group of properties according to the relevant postal service.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
LineOne		Address line 1		
Data type: udt:TextType				
Usage note: Usually the street name and number or post office box.				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-455				
Use: The main address line in an address.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
LineTwo		Address line 2		
Data type: udt:TextType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-456				
Use: An additional address line in an address that can be used to give further details supplementing the main line.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
LineThree		Address line 3		
Data type: udt:TextType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-457				
Use: An additional address line in an address that can be used to give further details supplementing the main line.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
CityName		City		
Data type: udt:TextType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-458				
Use: The common name of the city, town or village.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
CountryID		Country code		
Data type: qdt:CountryIDType				
Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".				
Occurrence: 1 .. 1				
EN16931-ID: BT-X-459				
Use: A code that identifies the country.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
CountrySubDivisionName		Country subdivision		
Data type: udt:TextType				
Usage note: Such as a region, a county, a state, a province, etc.				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-460				
Use: The subdivision of a country.				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	
DefinedTradeContact		Detailed contact information		
Data type: ram:TradeContactType				
Occurrence: 0 .. unbounded				
EN16931-ID: BG-X-34				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
		<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:			X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-210	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-211	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-324 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TelephoneUniversalCommunication	Contact telephone number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-212-00 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact telephone number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-212 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
FaxUniversalCommunication	Contact point fax number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-213-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CompleteNumber	Contact point fax number, value
Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-213 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
EmailURIUniversalCommunication	Contact email address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-214-00 Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Contact email address, value
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-214 Use: An e-mail address for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PostalTradeAddress	Detailed information about the address		
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-35			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	PostcodeCode	Post code		
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-215			
	Use: The identifier for an addressable group of properties according to the relevant postal service.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineOne	Address line 1		
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-216			
	Use: The main address line in an address.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineTwo	Address line 2		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-217			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	LineThree	Address line 3		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-218			
	Use: An additional address line in an address that can be used to give further details supplementing the main line.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CityName	City		
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-219			
	Use: The common name of the city, town or village.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CountryID	Country code		
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-220			
	Use: A code that identifies the country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	CountrySubDivisionName	Country subdivision		
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-221			
	Use: The subdivision of a country.			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X
	URIUniversalCommunication	Details about the electronic address		
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-222-00			
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>
	Used in:			<i>EN 16931 (COMFORT)</i>
				<i>EXTENDED</i>
				X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	URIID	Electronic address
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-222	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Occurrence: required EN16931-ID: BT-X-222-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	SpecifiedTaxRegistration	Detailed information on tax information
	Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-223-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-223 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-223-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	InvoiceeTradeParty	Detailed information about the deviating invoice recipient
	Data type: ram:TradePartyType Occurrence: 0 .. 1 EN16931-ID: BG-X-36	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	ID	Deviating invoice recipient identifier
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-224	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	GlobalID	Deviating invoice recipient global identifier
	Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-225	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-225-0	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Name	Deviating invoice recipient name / company name
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-226 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-554 Use: A code qualifying the role <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-227-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	ID	Company Registration Number
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-227 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-227-0 Use: The identification scheme identifier of the Buyer legal registration identifier. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	TradingBusinessName	Trading Business Name
	Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-228 Use: A name by which the party is known, other than party name (also known as business name). <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the business address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-71 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-461 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-462 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-463 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-464 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-465 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-466 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-467 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	Detailed contact information
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-37	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-229	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-230	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-325 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	TelephoneUniversalCommunication	Contact telephone number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-231-00 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact telephone number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-231 Use: A phone number for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-232-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-232 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-233-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-233 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostalTradeAddress	Detailed information about the address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-38 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-234 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-235 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-236 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-237 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-238 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-239 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-240 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-241-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-241	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-241-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed information on tax information
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-242-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ID		VAT ID
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-242 Business rule: BR-FXEXT-03 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X	
	schemeID		Tax Scheme identifier
	Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-242-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X	
	PayeeTradeParty		PAYEE
	Data type: ram:TradePartyType Usage note: The role of Payee may be fulfilled by another party then the Seller, e.g. a factoring service. Occurrence: 0 .. 1 EN16931-ID: BG-10 Use: A group of business terms providing information about the Payee, i.e. the role that receives the payment. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X X X X	
	ID		Payee identifier
	Data type: udt:IDType Usage note: If no scheme is specified, it should be known by Buyer and Seller, e.g. a previously exchanged Buyer or Seller assigned identifier. Occurrence: 0 .. 1 EN16931-ID: BT-60 Use: An identifier for the Payee. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X X X X	
	GlobalID		Payee global identifier
	Data type: udt:IDType Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-60-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X X X X	
	schemeID		Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-60-1 Use: The identification scheme identifier of the Payee identifier. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X X X X	
	Name		Payee name
	Data type: udt:TextType Usage note: Shall be used when the Payee is different from the Seller (but may also be the Seller name). Occurrence: 1 .. 1 EN16931-ID: BT-59 Use: The name of the Payee. Business rule: BR-17 Payee <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X X X X	
	RoleCode		Payee role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035, for instance: DL: Factor Occurrence: 0 .. 1 EN16931-ID: BT-X-468 Use: A code qualifying the role of the payee <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>		
	Used in:	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

SpecifiedLegalOrganization					Details about the organization
Data type: ram:LegalOrganizationType					
Occurrence: 0 .. 1					
EN16931-ID: BT-61-00					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
ID					Payee legal registration identifier
Data type: udt:IDType					
Usage note: If no scheme is specified, it should be known by Buyer and Seller, e.g. the identifier that is exclusively used in the applicable legal environment.					
Occurrence: 0 .. 1					
EN16931-ID: BT-61					
Use: An identifier issued by an official registrar that identifies the Payee as a legal entity or person.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
schemeID					Scheme identifier
Data type: xs:token					
Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency.					
EN16931-ID: BT-61-1					
Use: The identification scheme identifier of the Payee legal registration identifier.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
TradingBusinessName					Trading name
Data type: udt:TextType					
Usage note: This may be used if different from the party name.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-243					
Use: A name by which the party is known, other than party name (also known as business name).					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	
PostalTradeAddress					Detailed information about the business address
Data type: ram:TradeAddressType					
Occurrence: 0 .. 1					
EN16931-ID: BG-X-72					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	
PostcodeCode					Post code
Data type: udt:CodeType					
Usage note: Such as a ZIP code or a post code.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-469					
Use: The identifier for an addressable group of properties according to the relevant postal service.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	
LineOne					Address line 1
Data type: udt:TextType					
Usage note: Usually the street name and number or post office box.					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-470					
Use: The main address line in an address.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	
LineTwo					Address line 2
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-471					
Use: An additional address line in an address that can be used to give further details supplementing the main line.					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:				X	
LineThree					Address line 3
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-472					
Use: An additional address line in an address that can be used to give further details supplementing the main line.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
Used in:					X	
CityName						City
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-473						
Use: The common name of the city, town or village.						
Used in:					X	
CountryID						Country code
Data type: qdt:CountryIDType						
Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions".						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-474						
Use: A code that identifies the country.						
Used in:					X	
CountrySubDivisionName						Country subdivision
Data type: udt:TextType						
Usage note: Such as a region, a county, a state, a province, etc.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-475						
Use: The subdivision of a country.						
Used in:					X	
DefinedTradeContact						Detailed contact information
Data type: ram:TradeContactType						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-X-39						
Used in:					X	
PersonName						Name of the contact
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-244						
Used in:					X	
DepartmentName						Department name
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-245						
Used in:					X	
TypeCode						Type of contact (code)
Data type: qdt:ContactTypeCodeType						
Usage note: To be chosen from the entries of UNTDID 3139						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-326						
Use: The code specifying the type of trade contact						
Used in:					X	
TelephoneUniversalCommunication						Contact telephone number
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-246-00						
Use: A phone number for the contact point.						
Used in:					X	
CompleteNumber						Contact telephone number, value
Data type: udt:TextType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-246						
Use: A phone number for the contact point.						
Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-247-00	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-247	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-248-00 Use: An e-mail address for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-248 Use: An e-mail address for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	PostalTradeAddress	Detailed information about the payee postal address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-40	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-249 Use: The identifier for an addressable group of properties according to the relevant postal service.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-250 Use: The main address line in an address.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-251 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-252 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-253 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-254 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-255 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-256-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-256	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-256-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed tax information
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-257-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	VAT identifier
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-257 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Tax Scheme identifier
Data type: xs:token Usage note: VA = VAT ID Occurrence: required EN16931-ID: BT-X-257-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	PayerTradeParty	Detailed information about the deviating invoice payer
	Data type: ram:TradePartyType Usage note: The role of Payer may be fulfilled by another party than the Buyer, e.g. a third Party like a mother company Occurrence: 0 .. 1 EN16931-ID: BG-X-73 Use: A group of business terms providing information about the Payer, i.e. the role that makes the payment.	
	Used in:	X
	ID	Deviating invoice payer identifier
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-478	
	Used in:	X
	GlobalID	Deviating invoice payer global identifier
	Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-479	
	Used in:	X
	schemeID	Payer identifier Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-479-0	
	Used in:	X
	Name	Name/company name of the deviating invoice payer
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-476	
	Used in:	X
	RoleCode	Role (code)
	Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-483 Use: A code qualifying the role	
	Used in:	X
	SpecifiedLegalOrganization	Details about the organization
	Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-480-00	
	Used in:	X
	ID	Company Registration Number
	Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-480 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.	
	Used in:	X
	schemeID	Scheme identifier
	Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-480-0 Use: The identification scheme identifier of the Payer legal registration identifier.	
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

TradingBusinessName	Trading Business Name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-477 Use: A name by which the party is known, other than party name (also known as business name).	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-76 Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-497 Use: The identifier for an addressable group of properties according to the relevant postal service.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-498 Use: The main address line in an address.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-499 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-500 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-501 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-502 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-503 Use: The subdivision of a country.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
DefinedTradeContact						Detailed contact information
Data type: ram:TradeContactType						
Occurrence: 0 .. unbounded						
EN16931-ID: BG-X-74						
Used in:					X	
PersonName						Name of the contact
Data type: udt:TextType						
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-484						
Used in:					X	
DepartmentName						Department name
Data type: udt:TextType						
Usage note: If a contact person is indicated, either the name or the department is to be transmitted.						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-485						
Used in:					X	
TypeCode						Type of contact (code)
Data type: qdt:ContactTypeCodeType						
Usage note: To be chosen from the entries of UNTDID 3139						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-486						
Use: The code specifying the type of trade contact						
Used in:					X	
TelephoneUniversalCommunication						Contact telephone number
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-487-00						
Use: A phone number for the contact point.						
Used in:					X	
CompleteNumber						Contact telephone number, value
Data type: udt:TextType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-487						
Use: A phone number for the contact point.						
Used in:					X	
FaxUniversalCommunication						Contact point fax number
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-488-00						
Used in:					X	
CompleteNumber						Contact point fax number, value
Data type: udt:TextType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-488						
Used in:					X	
EmailURIUniversalCommunication						Contact email address
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-489-00						
Use: An e-mail address for the contact point.						
Used in:					X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-489 Use: An e-mail address for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	PostalTradeAddress	Detailed information about the address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-75	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-490 Use: The identifier for an addressable group of properties according to the relevant postal service.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-491 Use: The main address line in an address.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-492 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	LineThree	Address line 3
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-493 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	CityName	City
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-494 Use: The common name of the city, town or village.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	CountryID	Country code
	Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-495 Use: A code that identifies the country.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	CountrySubDivisionName	Country subdivision
	Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-496 Use: The subdivision of a country.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:					X	
URIUniversalCommunication						Details about the electronic address
Data type: ram:UniversalCommunicationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-482-00						
Used in:					X	
URIID						Payer Electronic address
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-482						
Used in:					X	
schemeID						Scheme identifier
Data type: xs:token						
Occurrence: required						
EN16931-ID: BT-X-482-0						
Used in:					X	
SpecifiedTaxRegistration						Detailed information on tax information
Data type: ram:TaxRegistrationType						
Occurrence: 0 .. 1						
EN16931-ID: BT-X-481-00						
Used in:					X	
ID						VAT ID
Data type: udt:IDType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-481						
Business rule: BR-FXEXT-03						
CIUS Factur-X / ZUGFeRD Extended						
Used in:					X	
schemeID						Tax Scheme identifier
Data type: xs:token						
Usage note: VA = VAT ID						
Occurrence: required						
EN16931-ID: BT-X-481-0						
Used in:					X	
TaxApplicableTradeCurrencyExchange						Specification of the invoice currency, local currency and exchange rate
Data type: ram:TradeCurrencyExchangeType						
Occurrence: 0 .. 1						
EN16931-ID: BG-X-41						
Used in:					X	
SourceCurrencyCode						Invoice currency
Data type: qdt:CurrencyCodeType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-258						
Used in:					X	
TargetCurrencyCode						Local currency
Data type: qdt:CurrencyCodeType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-259						
Used in:					X	
ConversionRate						Exchange rate
Data type: udt:RateType						
Occurrence: 1 .. 1						
EN16931-ID: BT-X-260						

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	ConversionRateDateTime						Exchange rate date
	Data type: udt:DateTimeType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-X-261-00						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	DateTimeString						Exchange rate date, value
	Data type: extension (xs:string)						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-X-261						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	format						Date, format
	Data type: xs:string						
	Usage note: Only value "102"						
	Occurrence: required						
	EN16931-ID: BT-X-261-0						
		Code	Code name				
		102	CCYYMMDD				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:					X	
	SpecifiedTradeSettlementPaymentMeans						PAYMENT INSTRUCTIONS
	Data type: ram:TradeSettlementPaymentMeansType						
	Occurrence: 0 .. unbounded						
	EN16931-ID: BG-16						
	Use: A group of business terms providing information about the payment.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:	X	X	X	X	X	
	TypeCode						Payment means type code
	Data type: qdt:PaymentMeansCodeType						
	Usage note: Entries from the UNTDID 4461 code list [6] shall be used. Distinction should be made between SEPA and non-SEPA payments, and between credit payments, direct debits, card payments and other instruments.						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-81						
	Use: The means, expressed as code, for how a payment is expected to be or has been settled.						
	Business rule: BR-49						Payment instructions
	Business rule: BR-61						Payment instructions
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:	X	X	X	X	X	
	Information						Payment means text
	Data type: udt:TextType						
	Usage note: Such as cash, credit transfer, direct debit, credit card, etc.						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-82						
	Use: The means, expressed as text, for how a payment is expected to be or has been settled.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:				X	X	
	ApplicableTradeSettlementFinancialCard						PAYMENT CARD INFORMATION
	Data type: ram:TradeSettlementFinancialCardType						
	Usage note: Only used if the Buyer has opted to pay by using a payment card such as a credit or debit card.						
	Occurrence: 0 .. 1						
	EN16931-ID: BG-18						
	Use: A group of business terms providing information about card used for payment contemporaneous with invoice issuance.						
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	Used in:				X	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

ID	Data type: udt:IDType	Payment card primary account number				
	Usage note: In accordance with card payments security standards an invoice should never include a full card primary account number. At the moment PCI Security Standards Council has defined following: The first 6 digits and last 4 digits are the maximum number of digits to be shown.					
	Occurrence: 1 .. 1					
	EN16931-ID: BT-87					
Use: The Primary Account Number (PAN) of the card used for payment.						
Business rule: BR-51		Card information				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X		X
CardholderName	Data type: udt:TextType	Payment card holder name				
	Occurrence: 0 .. 1					
	EN16931-ID: BT-88					
	Use: The name of the payment card holder.					
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X		X
PayerPartyDebtorFinancialAccount		Buyer bank information				
Data type: ram:DebtorFinancialAccountType						
Occurrence: 0 .. 1						
EN16931-ID: BT-91-00						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X	X	X	X
IBANID	Data type: udt:IDType	Debited account identifier				
	Occurrence: 1 .. 1					
	EN16931-ID: BT-91					
	Use: The account to be debited by the direct debit.					
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X	X	X	X
AccountName		Debited account name				
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-216						
Use: The name of the payment account, at a payment service provider, from which payment should be made.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X	
PayeePartyCreditorFinancialAccount		CREDIT TRANSFER				
Data type: ram:CreditorFinancialAccountType						
Occurrence: 0 .. 1						
EN16931-ID: BG-17						
Use: A group of business terms to specify credit transfer payments.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X	X	X	X
IBANID	Data type: udt:IDType	Payment account identifier				
	Usage note: Such as IBAN (in case of SEPA payment) or a national account number.					
	Occurrence: 0 .. 1					
	EN16931-ID: BT-84					
Use: A unique identifier of the financial payment account, at a payment service provider, to which payment should be made.						
Business rule: BR-50		Account information				
Business rule: BR-61		Payment instructions				
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:			X	X	X	X
AccountName		Payment account name				
Data type: udt:TextType						
Occurrence: 0 .. 1						
EN16931-ID: BT-85						
Use: The name of the payment account, at a payment service provider, to which payment should be made.						
		MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X		X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

ProprietaryID	National account number (not SEPA)				
Data type: udt:IDType					
Usage note: Use IBANID when appropriate, otherwise use ProprietaryID					
Occurrence: 0 .. 1					
EN16931-ID: BT-84-0					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X X X X					
PayerSpecifiedDebtorFinancialInstitution	Buyer bank information				
Data type: ram:DebtorFinancialInstitutionType					
Occurrence: 0 .. 1					
EN16931-ID: BT-215-00					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X X					
BICID	Debited account payment service provider identifier				
Data type: udt:IDType					
Usage note: Such as a BIC or a national clearing code where required. No Identification Scheme to be used.					
Occurrence: 0 .. 1					
EN16931-ID: BT-215					
Use: An identifier for the payment service provider where a payment account is located.					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X					
PayeeSpecifiedCreditorFinancialInstitution	Seller bank information				
Data type: ram:CreditorFinancialInstitutionType					
Occurrence: 0 .. 1					
EN16931-ID: BT-86-00					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X X					
BICID	Payment service provider identifier				
Data type: udt:IDType					
Usage note: Such as a BIC or a national clearing code where required. No identification scheme to be used.					
Occurrence: 1 .. 1					
EN16931-ID: BT-86					
Use: An identifier for the payment service provider where a payment account is located.					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X X					
ApplicableTradeTax	VAT BREAKDOWN				
Data type: ram:TradeTaxType					
Occurrence: 1 .. unbounded					
EN16931-ID: BG-23					
Use: A group of business terms providing information about VAT breakdown by different categories, rates and exemption reasons					
Business rule: BR-CO-18 VAT breakdown					
Business rule: BR-O-11 Sale is not subject to VAT/IGIC/IPSI					
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>					
Used in: X X X X					
CalculatedAmount	VAT category tax amount				
Data type: udt:AmountType					
Usage note: Calculated by multiplying the VAT category taxable amount with the VAT category rate for the relevant VAT category.					
Occurrence: 1 .. 1					
EN16931-ID: BT-117					
Use: The total VAT amount for a given VAT category.					
Business rule: BR-46 VAT breakdown					
Business rule: BR-CO-14 Document totals					
Business rule: BR-CO-17 VAT breakdown					
Business rule: BR-AE-9 Reverse charge VAT					
Business rule: BR-E-9 Exempt from VAT					
Business rule: BR-G-9 VAT/IGIC/IPSI not levied due to export outside of the EU					
Business rule: BR-IC-9 VAT/IGIC/IPSI not levied due to intra-community supply rules					
Business rule: BR-IG-9 Liable for IGIC (Canary) tax					
Business rule: BR-IP-9 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-O-9 Sale is not subject to VAT/IGIC/IPSI					
Business rule: BR-FXEXT-S-09b					
Business rule: BR-Z-9 Zero rated VAT					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	
TypeCode			Type of tax (code)		
Data type: qdt:TaxTypeCodeType					
Usage note: The VAT category code and the VAT category rate shall be consistent. For more information on the recommended codes, please refer to subclause 6.3.3.2 - Specification of VAT category codes.					
Occurrence: 1 .. 1					
EN16931-ID: BT-118-0					
Use: Coded identification of a VAT category.					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	
ExemptionReason			VAT exemption reason text		
Data type: udt:TextType					
Usage note: Articles 226 items 11 to 15 Directive 2006/112/EC [2].					
Occurrence: 0 .. 1					
EN16931-ID: BT-120					
Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged					
Business rule: BR-AE-10 Reverse charge VAT					
Business rule: BR-E-10 Exempt from VAT					
Business rule: BR-G-10 VAT/IGIC/IPSI not levied due to export outside of the EU					
Business rule: BR-IC-10 VAT/IGIC/IPSI not levied due to intra-community supply rules					
Business rule: BR-IG-10 Liable for IGIC (Canary) tax					
Business rule: BR-IP-10 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-O-10 Sale is not subject to VAT/IGIC/IPSI					
Business rule: BR-S-10 Standard rated VAT					
Business rule: BR-Z-10 Zero rated VAT					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	
BasisAmount			VAT category taxable amount		
Data type: udt:AmountType					
Usage note: The sum of Invoice line net amount minus allowances plus charges on document level which are subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).					
Occurrence: 1 .. 1					
EN16931-ID: BT-116					
Use: Sum of all taxable amounts subject to a specific VAT category code and VAT category rate (if the VAT category rate is applicable).					
Business rule: BR-45 VAT breakdown					
Business rule: BR-CO-17 VAT breakdown					
Business rule: BR-FXEXT-AE-08					
Business rule: BR-FXEXT-E-08					
Business rule: BR-FXEXT-G-08					
Business rule: BR-FXEXT-IC-08					
Business rule: BR-FXEXT-AF-08					
Business rule: BR-IG-9 Liable for IGIC (Canary) tax					
Business rule: BR-FXEXT-AG-08					
Business rule: BR-IP-9 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-FXEXT-O-08					
Business rule: BR-FXEXT-S-08					
Business rule: BR-FXEXT-S-09b					
Business rule: BR-FXEXT-Z-08					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in:	X	X	X	X	
LineTotalBasisAmount			Line Total Basis Amount		
Data type: udt:AmountType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-262					
Use: A monetary value used as the line total basis on which this trade related tax, levy or duty is calculated					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X
AllowanceChargeBasisAmount					Total amount of charges / allowances on document level
Data type: udt:AmountType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-263					
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X
CategoryCode					VAT category code
Data type: qdt:TaxCategoryCodeType					
Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets):					
- Standard rate (Liable for VAT in a standard way)					
- Zero rated goods (Liable for VAT with a percentage rate of zero)					
- Exempt from tax (VAT/IGIC/IPSI)					
- VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply)					
- VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules)					
- Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU)					
- Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI)					
- Canary Islands General Indirect Tax (Liable for IGIC tax)					
- Liable for IPSI (Ceuta/Melilla tax)					
Occurrence: 1 .. 1					
EN16931-ID: BT-118					
Use: Coded identification of a VAT category.					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-47	VAT breakdown
Business rule: BR-AE-1	Reverse charge VAT
Business rule: BR-FXEXT-AE-08	
Business rule: BR-AE-9	Reverse charge VAT
Business rule: BR-AE-10	Reverse charge VAT
Business rule: BR-E-1	Exempt from VAT
Business rule: BR-FXEXT-E-08	
Business rule: BR-E-9	Exempt from VAT
Business rule: BR-E-10	Exempt from VAT
Business rule: BR-G-1	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-FXEXT-G-08	
Business rule: BR-G-9	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-10	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-IC-1	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-FXEXT-IC-08	
Business rule: BR-IC-9	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-10	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-11	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-12	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IG-1	Liable for IGIC (Canary) tax
Business rule: BR-FXEXT-AF-08	
Business rule: BR-IG-9	Liable for IGIC (Canary) tax
Business rule: BR-IG-10	Liable for IGIC (Canary) tax
Business rule: BR-IP-1	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-FXEXT-AG-08	
Business rule: BR-IP-9	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-10	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-O-1	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-FXEXT-O-08	
Business rule: BR-O-9	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-10	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-11	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-12	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-13	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-14	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-1	Standard rated VAT
Business rule: BR-FXEXT-S-80	
Business rule: BR-S-10	Standard rated VAT
Business rule: BR-Z-1	Zero rated VAT
Business rule: BR-FXEXT-Z-08	
Business rule: BR-Z-9	Zero rated VAT
Business rule: BR-Z-10	Zero rated VAT

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED

Used in: X X X X

ExemptionReasonCode

VAT exemption reason code

Data type: udt:CodeType

Usage note: Code list issued and maintained by the Connecting Europe Facility.

Occurrence: 0 .. 1

EN16931-ID: BT-121

Use: A coded statement of the reason for why the amount is exempted from VAT.

Business rule: BR-AE-10	Reverse charge VAT
Business rule: BR-E-10	Exempt from VAT
Business rule: BR-G-10	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-IC-10	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IG-10	Liable for IGIC (Canary) tax
Business rule: BR-IP-10	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-O-10	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-10	Standard rated VAT
Business rule: BR-Z-10	Zero rated VAT

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
TaxPointDate					
Data type: udt:DateType					
Usage note: This does not apply in Germany. Use date of delivery instead.					
Occurrence: 0 .. 1					
EN16931-ID: BT-7-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
DateString					
Data type: extension (xs:string)					
Usage note: The tax point is usually the date goods were supplied or services completed (the 'basic tax point'). There are some variations. Please refer to Article 226 (7) of the Council Directive 2006/112/EC [2] for more information. This element is required if the Value added tax point date is different from the Invoice issue date. Both Buyer and Seller should use the Tax Point Date when provided by the Seller. The use of BT-7 and BT-8 is mutually exclusive.					
Occurrence: 1 .. 1					
EN16931-ID: BT-7					
Use: The date when the VAT becomes accountable for the Seller and for the Buyer in so far as that date can be determined and differs from the date of issue of the invoice, according to the VAT directive.					
Business rule: BR-CO-3 Invoice					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
format					
Data type: xs:string					
Usage note: Only value "102"					
Occurrence: required					
EN16931-ID: BT-7-0					
			Code	Code name	
			102	CCYYMMDD	
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X	X
DueDateTypeCode					
Data type: qdt:TimeReferenceCodeType					
Usage note: The code shall distinguish between the following entries of UNTDID 2005 [6]:					
- Invoice document issue date					
- Delivery date, actual					
- Payment date. The Value added tax point date code is used if the Value added tax point date is not known when the invoice is issued. The use of BT-8 and BT-7 is mutually exclusive.					
Occurrence: 0 .. 1					
EN16931-ID: BT-8					
Use: The code of the date when the VAT becomes accountable for the Seller and for the Buyer.					
			Code	Code name	
			5	Date of invoice	
			29	Date of delivery of goods to establishments/domicile/site	
			72	Payment date	
Business rule: BR-CO-3 Invoice					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
RateApplicablePercent					
Data type: udt:PercentType					
Usage note: The VAT category code and the VAT category rate shall be consistent.					
Occurrence: 0 .. 1					
EN16931-ID: BT-119					
Use: The VAT rate, represented as percentage that applies for the relevant VAT category.					
Business rule: BR-48 VAT breakdown					
Business rule: BR-CO-17 VAT breakdown					
Business rule: BR-IG-8 Liable for IGIC (Canary) tax					
Business rule: BR-IG-9 Liable for IGIC (Canary) tax					
Business rule: BR-IP-8 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-IP-9 Liable for IPSI (Ceuta/Melilla) tax					
Business rule: BR-FXEXT-S-08					
Business rule: BR-FXEXT-S-09					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	X
BillingSpecifiedPeriod					
Data type: ram:SpecifiedPeriodType					
Usage note: Used to indicate when the period covered by the invoice starts and when it ends. Also called delivery period.					
Occurrence: 0 .. 1					
EN16931-ID: BG-14					
Use: A group of business terms providing information on the invoice period.					
Business rule: BR-CO-19					
Delivery or invoice period					
Used in:	X	X	X	X	X
Description					
Data type: udt:TextType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-264					
Used in:	X	X	X	X	X
StartDateTime					
Data type: udt:DateTimeType					
Occurrence: 0 .. 1					
EN16931-ID: BT-73-00					
Used in:	X	X	X	X	X
DateTimeString					
Data type: extension (xs:string)					
Usage note: The initial date of delivery of goods or services.					
Occurrence: 1 .. 1					
EN16931-ID: BT-73					
Use: The date when the Invoice period starts.					
Business rule: BR-29					
Invoicing period					
Business rule: BR-30					
Invoice line period					
Business rule: BR-CO-19					
Delivery or invoice period					
Business rule: BR-IC-11					
VAT/IGIC/IPSI not levied due to intra-community supply rules					
Used in:	X	X	X	X	X
format					
Data type: xs:string					
Usage note: Only value "102"					
Occurrence: required					
EN16931-ID: BT-73-0					
Code					
102					
Code name					
CCYYMMDD					
Used in:	X	X	X	X	X
EndDateTime					
Data type: udt:DateTimeType					
Occurrence: 0 .. 1					
EN16931-ID: BT-74-00					
Used in:	X	X	X	X	X
DateTimeString					
Data type: extension (xs:string)					
Usage note: The date on which the delivery of goods or services was completed.					
Occurrence: 1 .. 1					
EN16931-ID: BT-74					
Use: The date when the Invoice period ends.					
Business rule: BR-29					
Invoicing period					
Business rule: BR-30					
Invoice line period					
Business rule: BR-CO-19					
Delivery or invoice period					
Business rule: BR-IC-11					
VAT/IGIC/IPSI not levied due to intra-community supply rules					
Used in:	X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

format	Date, format				
	Data type: xs:string Usage note: Only value "102" Occurrence: required EN16931-ID: BT-74-0				
	Code	Code name			
	102	CCYYMMDD			
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
SpecifiedTradeAllowanceCharge <Document Level Allowances>	DOCUMENT LEVEL ALLOWANCES				
	Data type: ram:TradeAllowanceChargeType Usage note: Deductions, such as withheld tax may also be specified in this group. Occurrence: 0 .. unbounded EN16931-ID: BG-20 Use: A group of business terms providing information about allowances applicable to the Invoice as a whole.				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
ChargeIndicator	Indicator for allowance				
	Data type: udt:IndicatorType Occurrence: 1 .. 1 EN16931-ID: BG-20-0				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
Indicator	Indicator for allowance, value				
	Data type: xs:boolean Usage note: Allowance => false Occurrence: 1 .. 1 EN16931-ID: BG-20-1				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
SequenceNumeric	Calculation sequence				
	Data type: udt:NumericType Occurrence: 0 .. 1 EN16931-ID: BT-X-265				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
CalculationPercent	Document level allowance percentage				
	Data type: udt:PercentType Occurrence: 0 .. 1 EN16931-ID: BT-94 Use: The percentage that may be used, in conjunction with the document level allowance base amount, to calculate the document level allowance amount.				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
BasisAmount	Document level allowance base amount				
	Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-93 Use: The base amount that may be used, in conjunction with the document level allowance percentage, to calculate the document level allowance amount.				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:	X	X	X	X	
BasisQuantity	Allowance / charge base quantity				
	Data type: udt:QuantityType Occurrence: 0 .. 1 EN16931-ID: BT-X-266				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X
unitCode	Unit code				
	Data type: xs:token EN16931-ID: BT-X-267				
	<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ActualAmount Data type: udt:AmountType Occurrence: 1 .. 1 EN16931-ID: BT-92 Use: The amount of an allowance, without VAT. Business rule: BR-31 Document level allowances Business rule: BR-FXEXT- CO-11 CIUS Factur-X / ZUGFeRD Extended Business rule: BR-FXEXT- AE-08 Business rule: BR-FXEXT- E-08 Business rule: BR- FXEXT-G-08 Business rule: BR-FXEXT- IC-08 Business rule: BR-FXEXT- AF-08 Business rule: BR-FXEXT- AG-08 Business rule: BR- FXEXT-O-08 Business rule: BR-FXEXT- S-08 Business rule: BR-FXEXT- Z-08 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended CO-13 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Document level allowance amount
	ReasonCode Data type: qdt:AllowanceChargeReasonCodeType Usage note: Use entries of the UNTDID 5189 code list [6]. The Document level allowance reason code and the Document level allowance reason shall indicate the same allowance reason. Occurrence: 0 .. 1 EN16931-ID: BT-98 Use: The reason for the document level allowance, expressed as a code. Business rule: BR-33 Document level allowances Business rule: BR-CO-5 Document level allowances Business rule: BR-CO-21 Document level allowances <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Document level allowance reason code
	Reason Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-97 Use: The reason for the document level allowance, expressed as text. Business rule: BR-33 Document level allowances Business rule: BR-CO-5 Document level allowances Business rule: BR-CO-21 Document level allowances <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Document level allowance reason
	CategoryTradeTax Data type: ram:TradeTaxType Usage note: Value = VAT Occurrence: 1 .. 1 EN16931-ID: BT-95-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	VAT type code for document level allowances
	TypeCode Data type: qdt:TaxTypeCodeType Usage note: Fixed value = "VAT" Occurrence: 1 .. 1 EN16931-ID: BT-95-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Type of tax (code)

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ExemptionReason	Document level allowance exemption reason text
	Data type: udt:TextType Usage note: Articles 226 items 11 to 15 Directive 2006/112/EC [2]. Occurrence: 0 .. 1 EN16931-ID: BT-173 Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	
	Used in: <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	X
	CategoryCode	Document level allowance VAT category code
	Data type: qdt:TaxCategoryCodeType Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets): - Standard rate (Liable for VAT in a standard way) - Zero rated goods (Liable for VAT with a percentage rate of zero) - Exempt from tax (VAT/IGIC/IPSI) - VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply) - VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules) - Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU) - Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI) - Canary Islands General Indirect Tax (Liable for IGIC tax) - Liable for IPSI (Ceuta/Melilla tax) Occurrence: 1 .. 1 EN16931-ID: BT-95 Use: A coded identification of what VAT category applies to the document level allowance.	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-32	Document level allowances
Business rule: BR-AE-1	Reverse charge VAT
Business rule: BR-AE-3	Reverse charge VAT
Business rule: BR-AE-6	Reverse charge VAT
Business rule: BR-FXEXT-AE-08	
Business rule: BR-E-1	Exempt from VAT
Business rule: BR-E-3	Exempt from VAT
Business rule: BR-E-6	Exempt from VAT
Business rule: BR-FXEXT-E-08	
Business rule: BR-G-1	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-3	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-6	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-FXEXT-G-08	
Business rule: BR-IC-1	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-3	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-6	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-FXEXT-IC-08	
Business rule: BR-IG-1	Liable for IGIC (Canary) tax
Business rule: BR-IG-3	Liable for IGIC (Canary) tax
Business rule: BR-IG-6	Liable for IGIC (Canary) tax
Business rule: BR-FXEXT-AF-08	
Business rule: BR-IP-1	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-3	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-6	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-FXEXT-AG-08	
Business rule: BR-O-1	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-3	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-6	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-FXEXT-O-08	
Business rule: BR-O-13	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-1	Standard rated VAT
Business rule: BR-S-3	Standard rated VAT
Business rule: BR-S-6	Standard rated VAT
Business rule: BR-FXEXT-S-08	
Business rule: BR-Z-1	Zero rated VAT
Business rule: BR-Z-3	Zero rated VAT
Business rule: BR-Z-6	Zero rated VAT

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:		X	X	X	X

ExemptionReasonCode

Document level allowance VAT exemption reason and specification code

Data type: udt:CodeType

Usage note: VATEX (VAT exemption reason and specification) code list. The VATEX list is to be maintained by a body to be appointed by CEN/TC434.

Occurrence: 0 .. 1

EN16931-ID: BT-174

Use: A coded statement of the reason for why the amount is exempted from VAT.

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X

RateApplicablePercent

Document level allowance VAT rate

Data type: udt:PercentType

Occurrence: 0 .. 1

EN16931-ID: BT-96

Use: The VAT rate, represented as percentage that applies to the document level allowance.

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-AE-6	Reverse charge VAT				
Business rule: BR-E-6	Exempt from VAT				
Business rule: BR-G-6	VAT/IGIC/IPSI not levied due to export outside of the EU				
Business rule: BR-IC-6	VAT/IGIC/IPSI not levied due to intra-community supply rules				
Business rule: BR-IG-6	Liable for IGIC (Canary) tax				
Business rule: BR-IG-8	Liable for IGIC (Canary) tax				
Business rule: BR-IP-6	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-IP-8	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-O-6	Sale is not subject to VAT/IGIC/IPSI				
Business rule: BR-S-6	Standard rated VAT				
Business rule: BR-FXEXT-S-08					
Business rule: BR-Z-6	Zero rated VAT				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
SpecifiedTradeAllowanceCharge <Document Level Charges>					DOCUMENT LEVEL CHARGES
Data type: ram:TradeAllowanceChargeType					
Occurrence: 0 .. unbounded					
EN16931-ID: BG-21					
Use: A group of business terms providing information about charges and taxes other than VAT, applicable to the Invoice as a whole.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
ChargeIndicator					Indicator for charge
Data type: udt:IndicatorType					
Occurrence: 1 .. 1					
EN16931-ID: BG-21-0					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
Indicator					Indicator for charge, value
Data type: xs:boolean					
Usage note: Charge => true					
Occurrence: 1 .. 1					
EN16931-ID: BG-21-1					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
SequenceNumeric					Calculation sequence
Data type: udt:NumericType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-268					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X
CalculationPercent					Document level charge percentage
Data type: udt:PercentType					
Occurrence: 0 .. 1					
EN16931-ID: BT-101					
Use: The percentage that may be used, in conjunction with the document level charge base amount, to calculate the document level charge amount.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
BasisAmount					Document level charge base amount
Data type: udt:AmountType					
Occurrence: 0 .. 1					
EN16931-ID: BT-100					
Use: The base amount that may be used, in conjunction with the document level charge percentage, to calculate the document level charge amount.					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
BasisQuantity					Allowance / charge base quantity
Data type: udt:QuantityType					
Occurrence: 0 .. 1					
EN16931-ID: BT-X-269					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	unitCode	Price base quantity, unit
	Data type: xs:token EN16931-ID: BT-X-270	
	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
	Used in: X	
	ActualAmount	Document level charge amount
	Data type: udt:AmountType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-99	
	Use: The amount of a charge, without VAT.	
	Business rule: BR-36 Document level charges	
	Business rule: BR-FXEXT- CO-12 CIUS Factur-X / ZUGFeRD Extended	
	Business rule: BR-FXEXT- AE-08	
	Business rule: BR-FXEXT- E-08	
	Business rule: BR- FXEXT-G-08	
	Business rule: BR-FXEXT- IC-08	
	Business rule: BR-FXEXT- AF-08	
	Business rule: BR-FXEXT- AG-08	
	Business rule: BR- FXEXT-O-08	
	Business rule: BR-FXEXT- S-08	
	Business rule: BR-FXEXT- Z-08	
	Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended	
	CO-13	
	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
	Used in: X X X X	
	ReasonCode <Document level charge reason code>	Document level charge reason code
	Data type: qdt:AllowanceChargeReasonCodeType	
	Usage note: Use entries of the UNTDID 7161 code list [6]. The Document level charge reason code and the Document level charge reason shall indicate the same charge reason.	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-105	
	Use: The reason for the document level charge, expressed as a code.	
	Business rule: BR-38 Document level charges	
	Business rule: BR-CO-6 Document level allowances	
	Business rule: BR-CO-22 Document level charge	
	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
	Used in: X	
	listID	Document level non-VAT tax code list identifier
	Data type: xs:token	
	Usage note: Value = 5153	
	EN16931-ID: BT-177-1	
	MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED	
	Used in: X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Reason Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-104 Use: The reason for the document level charge, expressed as text. Business rule: BR-38 Document level charges Business rule: BR-CO-6 Document level allowances Business rule: BR-CO-22 Document level charge <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Document level charge reason
	CategoryTradeTax Data type: ram:TradeTaxType Occurrence: 1 .. 1 EN16931-ID: BT-102-00 Use: A finite sequence of characters. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Detailed information on tax information
	TypeCode Data type: qdt:TaxTypeCodeType Usage note: Fixed value = "VAT" Occurrence: 1 .. 1 EN16931-ID: BT-102-0 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X X X X	Type of tax (code)
	ExemptionReason Data type: udt:TextType Usage note: Articles 226 items 11 to 15 Directive 2006/112/EC [2]. Occurrence: 0 .. 1 EN16931-ID: BT-175 Use: The reason, expressed as text, for exemption from this trade related tax <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in: X	VAT Exemption Reason for document level charges
	CategoryCode Data type: qdt:TaxCategoryCodeType Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets): - Standard rate (Liable for VAT in a standard way) - Zero rated goods (Liable for VAT with a percentage rate of zero) - Exempt from tax (VAT/IGIC/IPSI) - VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply) - VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules) - Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU) - Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI) - Canary Islands General Indirect Tax (Liable for IGIC tax) - Liable for IPSI (Ceuta/Melilla tax) Occurrence: 1 .. 1 EN16931-ID: BT-102 Use: A coded identification of what VAT category applies to the document level charge.	Document level charge VAT category code

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-37	Document level charges
Business rule: BR-AE-1	Reverse charge VAT
Business rule: BR-AE-4	Reverse charge VAT
Business rule: BR-AE-7	Reverse charge VAT
Business rule: BR-FXEXT-AE-08	
Business rule: BR-E-1	Exempt from VAT
Business rule: BR-E-4	Exempt from VAT
Business rule: BR-E-7	Exempt from VAT
Business rule: BR-FXEXT-E-08	
Business rule: BR-G-1	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-4	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-G-7	VAT/IGIC/IPSI not levied due to export outside of the EU
Business rule: BR-FXEXT-G-08	
Business rule: BR-IC-1	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-4	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-IC-7	VAT/IGIC/IPSI not levied due to intra-community supply rules
Business rule: BR-FXEXT-IC-08	
Business rule: BR-IG-1	Liable for IGIC (Canary) tax
Business rule: BR-IG-4	Liable for IGIC (Canary) tax
Business rule: BR-IG-7	Liable for IGIC (Canary) tax
Business rule: BR-FXEXT-AF-08	
Business rule: BR-IP-1	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-IP-4	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-FXEXT-AG-08	
Business rule: BR-IP-8	Liable for IPSI (Ceuta/Melilla) tax
Business rule: BR-O-1	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-4	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-O-7	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-FXEXT-O-08	
Business rule: BR-O-14	Sale is not subject to VAT/IGIC/IPSI
Business rule: BR-S-1	Standard rated VAT
Business rule: BR-S-4	Standard rated VAT
Business rule: BR-S-7	Standard rated VAT
Business rule: BR-FXEXT-S-08	
Business rule: BR-Z-1	Zero rated VAT
Business rule: BR-Z-4	Zero rated VAT
Business rule: BR-Z-7	Zero rated VAT

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED

Used in: X X X X

ExemptionReasonCode

VAT Exemption Reason Code for document level charges

Data type: udt:CodeType

Usage note: VATEX (VAT exemption reason and specification) code list. The VATEX list is to be maintained by a body to be appointed by CEN/TC434.

Occurrence: 0 .. 1

EN16931-ID: BT-176

Use: The reason, expressed as code, for exemption from this trade related tax

MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED

Used in: X

RateApplicablePercent

Document level charge VAT rate

Data type: udt:PercentType

Occurrence: 0 .. 1

EN16931-ID: BT-103

Use: The VAT rate, represented as percentage that applies to the document level charge.

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

Business rule: BR-AE-7	Reverse charge VAT				
Business rule: BR-E-7	Exempt from VAT				
Business rule: BR-G-7	VAT/IGIC/IPSI not levied due to export outside of the EU				
Business rule: BR-IC-7	VAT/IGIC/IPSI not levied due to intra-community supply rules				
Business rule: BR-IG-7	Liable for IGIC (Canary) tax				
Business rule: BR-IG-8	Liable for IGIC (Canary) tax				
Business rule: BR-IP-7	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-IP-8	Liable for IPSI (Ceuta/Melilla) tax				
Business rule: BR-O-7	Sale is not subject to VAT/IGIC/IPSI				
Business rule: BR-S-7	Standard rated VAT				
Business rule: BR-FXEXT-S-08					
Business rule: BR-Z-7	Zero rated VAT				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:		X	X	X	X
SpecifiedLogisticsServiceCharge					
Data type: ram:LogisticsServiceChargeType					
Synonyme: Transport and packaging costs					
Occurrence: 0 .. unbounded					
EN16931-ID: BG-X-42					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X
Description					
Data type: udt:TextType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-271					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X
AppliedAmount					
Data type: udt:AmountType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-272					
Business rule: BR-FXEXT-CO-12	CIUS Factur-X / ZUGFeRD Extended				
Business rule: BR-FXEXT-S-08					
Business rule: BR-FXEXT-S-09					
Business rule: BR-FXEXT-AE-08					
Business rule: BR-FXEXT-IC-08					
Business rule: BR-FXEXT-G-08					
Business rule: BR-FXEXT-O-08					
Business rule: BR-FXEXT-E-08					
Business rule: BR-FXEXT-AG-08					
Business rule: BR-FXEXT-AF-08					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X
AppliedTradeTax					
Data type: ram:TradeTaxType					
Occurrence: 1 .. unbounded					
EN16931-ID: BT-X-273-00					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X
TypeCode					
Data type: qdt:TaxTypeCodeType					
Occurrence: 1 .. 1					
EN16931-ID: BT-X-273-0					
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	ExemptionReason Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-591 Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged	VAT exemption reason text
	Used in:	X
	CategoryCode Data type: qdt:TaxCategoryCodeType Occurrence: 1 .. 1 EN16931-ID: BT-X-273 Use: Coded identification of a VAT category.	VAT category code
	Business rule: BR-FXEXT-S-08	
	Business rule: BR-FXEXT-S-09	
	Business rule: BR-FXEXT-AE-08	
	Business rule: BR-FXEXT-IC-08	
	Business rule: BR-FXEXT-G-08	
	Business rule: BR-FXEXT-O-08	
	Business rule: BR-FXEXT-E-08	
	Business rule: BR-FXEXT-AG-08	
	Business rule: BR-FXEXT-AF-08	
	Used in:	X
	ExemptionReasonCode Data type: udt:CodeType Usage note: Code list issued and maintained by the Connecting Europe Facility. Occurrence: 0 .. 1 EN16931-ID: BT-X-592 Use: A coded statement of the reason for why the amount is exempted from VAT.	VAT exemption reason code
	Used in:	X
	RateApplicablePercent Data type: udt:PercentType Occurrence: 1 .. 1 EN16931-ID: BT-X-274 Business rule: BR-FXEXT-S-08 Business rule: BR-FXEXT-S-09	VAT category rate
	Used in:	X
	SpecifiedTradePaymentTerms Data type: ram:TradePaymentTermsType Occurrence: 0 .. unbounded EN16931-ID: BT-20-00	Detailed information about payment terms
	Used in:	X
	Description Data type: udt:TextType Usage note: This element may contain multiple lines and multiple terms. Occurrence: 0 .. 1 EN16931-ID: BT-20 Use: A textual description of the payment terms that apply to the amount due for payment (Including description of possible penalties).	Payment terms
	Business rule: BR-CO-25 Invoice	
	Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	DueDateDateTime	Due date												
	Data type: udt:DateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-9-00													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td>X</td><td>X</td><td>X</td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:		X	X	X	X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:		X	X	X	X									
	DateTimeString	Payment due date												
	Data type: extension (xs:string) Usage note: The payment due date reflects the due date of the net payment. For partial payments it states the first net due date. The corresponding description of more complex payment terms can be stated in BT-20 Payment terms. Occurrence: 1 .. 1 EN16931-ID: BT-9 Use: The date when the payment is due.													
	Business rule: BR-CO-25 Invoice													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td>X</td><td>X</td><td>X</td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:		X	X	X	X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:		X	X	X	X									
format		Date, format												
	Data type: xs:string Usage note: Only value "102" Occurrence: required EN16931-ID: BT-9-0													
	<table><tr><td></td><td>Code</td><td>Code name</td></tr><tr><td></td><td>102</td><td>CCYYMMDD</td></tr></table>			Code	Code name		102	CCYYMMDD						
	Code	Code name												
	102	CCYYMMDD												
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td>X</td><td>X</td><td>X</td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:		X	X	X	X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:		X	X	X	X									
	DirectDebitMandateID	Mandate reference identifier												
	Data type: udt:IDType Usage note: Used in order to pre-notify the Buyer of a SEPA direct debit. Occurrence: 0 .. 1 EN16931-ID: BT-89 Use: Unique identifier assigned by the Payee for referencing the direct debit mandate.													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td>X</td><td>X</td><td>X</td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:		X	X	X	X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:		X	X	X	X									
	PartialPaymentAmount	Partial payment amount												
	Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-275													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td></td><td></td><td></td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:					X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:					X									
	ApplicableTradePaymentPenaltyTerms	Detailed information about penalties												
	Data type: ram:TradePaymentPenaltyTermsType Occurrence: 0 .. 1 EN16931-ID: BG-X-43													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td></td><td></td><td></td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:					X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:					X									
	BasisDateTime	Maturity Reference Date												
	Data type: udt:DateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-276-00													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td></td><td></td><td></td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:					X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:					X									
	DateTimeString	Maturity Reference Date, value												
	Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-276													
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td></td><td></td><td></td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:					X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:					X									
format		Date, format												
	Data type: xs:string Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-276-0													
	<table><tr><td></td><td>Code</td><td>Code name</td></tr><tr><td></td><td>102</td><td>CCYYMMDD</td></tr></table>			Code	Code name		102	CCYYMMDD						
	Code	Code name												
	102	CCYYMMDD												
	<table><tr><td></td><td>MINIMUM</td><td>BASIC WL</td><td>BASIC</td><td>EN 16931 (COMFORT)</td><td>EXTENDED</td></tr><tr><td>Used in:</td><td></td><td></td><td></td><td></td><td>X</td></tr></table>			MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	Used in:					X
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED									
Used in:					X									

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	BasisPeriodMeasure Data type: udt:MeasureType Occurrence: 0 .. 1 EN16931-ID: BT-X-277 Use: The period for the due date, e.g. as a number of days (15 days)						Due date period basis
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	unitCode Data type: xs:token Occurrence: required EN16931-ID: BT-X-278						Maturity Period, Unit code
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	BasisAmount Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-279						Payment penalty base amount
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	CalculationPercent Data type: udt:PercentType Occurrence: 0 .. 1 EN16931-ID: BT-X-280						Payment penalty percentage
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	ActualPenaltyAmount Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-281						Payment penalty amount
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	ApplicableTradePaymentDiscountTerms Data type: ram:TradePaymentDiscountTermsType Occurrence: 0 .. 1 EN16931-ID: BG-X-44						Detailed information about payment discounts
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	BasisDateTime Data type: udt:DateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-282-00						Maturity Reference Date
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	DateTimeString Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-282						Maturity Reference Date, value
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	
	format Data type: xs:string Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-282-0						Date, format
		<i>Code</i>	<i>Code name</i>				
		102	CCYYMMDD				
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
	BasisPeriodMeasure Data type: udt:MeasureType Occurrence: 0 .. 1 EN16931-ID: BT-X-283 Use: The period for the due date, e.g. as a number of days (15 days)						Due date period basis
		<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>	
		Used in:				X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

unitCode	Maturity Period, Unit code
Data type: xs:token EN16931-ID: BT-X-284	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
BasisAmount	Payment discount base amount
Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-285	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CalculationPercent	Payment discount percentage
Data type: udt:PercentType Occurrence: 0 .. 1 EN16931-ID: BT-X-286	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ActualDiscountAmount	Payment discount amount
Data type: udt:AmountType Occurrence: 0 .. 1 EN16931-ID: BT-X-287	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PayeeTradeParty	Deviating payee per payment
Data type: ram:TradePartyType Usage note: The role of beneficiary may be filled by a party other than the seller, e.g. a factoring service. THIS GROUP IS ONLY USED WHEN THERE ARE MULTIPLE BENEFICIARIES (e.g. withholding tax or split payment). Occurrence: 0 .. 1 EN16931-ID: BG-X-77 Use: Group of business terms providing information about the payee, i.e. the role that receives the payment, IN CASE OF MULTIPLE PAYEES	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	Deviating invoice payee identifier
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-506	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
GlobalID	Deviating invoice payer global identifier
Data type: udt:IDType Usage note: GlobalID, if a global identifier exists and can be determined in the @schemeID, otherwise use ID Synonyme: GLN, DUNS, BIC,ODETTE, ... Occurrence: 0 .. unbounded EN16931-ID: BT-X-507	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Payee scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO/IEC 6523 maintenance agency. Occurrence: required EN16931-ID: BT-X-507-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
Name	Name/company name of Payee
Data type: udt:TextType Usage note: Shall be used when the Payee is different from the Seller. The Payee name may however be the same as the Seller name. Occurrence: 1 .. 1 EN16931-ID: BT-X-504 Use: The name of the Payee.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

RoleCode	Role (code)
Data type: qdt:PartyRoleCodeType Usage note: To be chosen from UNTDID 3035. Occurrence: 0 .. 1 EN16931-ID: BT-X-511 Use: A code qualifying the role	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
SpecifiedLegalOrganization	Details about the organization
Data type: ram:LegalOrganizationType Occurrence: 0 .. 1 EN16931-ID: BT-X-508-00	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
ID	Company Registration Number
Data type: udt:IDType Occurrence: 0 .. 1 EN16931-ID: BT-X-508 Use: An identifier issued by an official registrar that identifies the party as a legal entity or person.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
schemeID	Scheme identifier
Data type: xs:token Usage note: If used, the identification scheme shall be chosen from the entries of the list published by the ISO 6523 maintenance agency. EN16931-ID: BT-X-508-0 Use: The identification scheme identifier of the Payee legal registration identifier.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
TradingBusinessName	Trading Business Name
Data type: udt:TextType Usage note: This may be used if different from the party name. Occurrence: 0 .. 1 EN16931-ID: BT-X-505 Use: A name by which the party is known, other than party name (also known as business name).	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
PostalTradeAddress	Detailed information about the business address
Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-80	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
PostcodeCode	Post code
Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-525 Use: The identifier for an addressable group of properties according to the relevant postal service.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
LineOne	Address line 1
Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-526 Use: The main address line in an address.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X
LineTwo	Address line 2
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-527 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-528 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-529 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-530 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-531 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DefinedTradeContact	Detailed contact information
Data type: ram:TradeContactType Occurrence: 0 .. unbounded EN16931-ID: BG-X-78	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
PersonName	Name of the contact
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-512	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
DepartmentName	Department name
Data type: udt:TextType Usage note: If a contact person is indicated, either the name or the department is to be transmitted. Occurrence: 0 .. 1 EN16931-ID: BT-X-513	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TypeCode	Type of contact (code)
Data type: qdt:ContactTypeCodeType Usage note: To be chosen from the entries of UNTDID 3139 Occurrence: 0 .. 1 EN16931-ID: BT-X-514 Use: The code specifying the type of trade contact	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
TelephoneUniversalCommunication	Contact telephone number
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-515-00 Use: A phone number for the contact point.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	CompleteNumber	Contact telephone number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-515 Use: A phone number for the contact point.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	FaxUniversalCommunication	Contact point fax number
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-516-00 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	CompleteNumber	Contact point fax number, value
	Data type: udt:TextType Occurrence: 1 .. 1 EN16931-ID: BT-X-516 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	EmailURIUniversalCommunication	Contact email address
	Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-517-00 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	URIID	Contact email address, value
	Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-517 Use: An e-mail address for the contact point. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	PostalTradeAddress	Detailed information about the address
	Data type: ram:TradeAddressType Occurrence: 0 .. 1 EN16931-ID: BG-X-79 <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	PostcodeCode	Post code
	Data type: udt:CodeType Usage note: Such as a ZIP code or a post code. Occurrence: 0 .. 1 EN16931-ID: BT-X-518 Use: The identifier for an addressable group of properties according to the relevant postal service. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	LineOne	Address line 1
	Data type: udt:TextType Usage note: Usually the street name and number or post office box. Occurrence: 0 .. 1 EN16931-ID: BT-X-519 Use: The main address line in an address. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X
	LineTwo	Address line 2
	Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-520 Use: An additional address line in an address that can be used to give further details supplementing the main line. <i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

LineThree	Address line 3
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-521 Use: An additional address line in an address that can be used to give further details supplementing the main line.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CityName	City
Data type: udt:TextType Occurrence: 0 .. 1 EN16931-ID: BT-X-522 Use: The common name of the city, town or village.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountryID	Country code
Data type: qdt:CountryIDType Usage note: The lists of valid countries are registered with the ISO 3166-1 Maintenance agency, "Codes for the representation of names of countries and their subdivisions". Occurrence: 1 .. 1 EN16931-ID: BT-X-523 Use: A code that identifies the country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
CountrySubDivisionName	Country subdivision
Data type: udt:TextType Usage note: Such as a region, a county, a state, a province, etc. Occurrence: 0 .. 1 EN16931-ID: BT-X-524 Use: The subdivision of a country.	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIUniversalCommunication	Details about the electronic address
Data type: ram:UniversalCommunicationType Occurrence: 0 .. 1 EN16931-ID: BT-X-510-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
URIID	Electronic address
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-510	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
schemeID	Scheme identifier
Data type: xs:token Occurrence: required EN16931-ID: BT-X-510-0	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
SpecifiedTaxRegistration	Detailed information on tax information
Data type: ram:TaxRegistrationType Occurrence: 0 .. 1 EN16931-ID: BT-X-509-00	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X
ID	VAT ID
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-509 Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended 03	
<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
Used in:	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

schemeID		Tax Scheme identifier			
Data type: xs:token					
Usage note: VA = VAT ID					
Occurrence: required					
EN16931-ID: BT-X-509-0					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in: X					
SpecifiedTradeSettlementHeaderMonetarySummation					DOCUMENT TOTALS
Data type: ram:TradeSettlementHeaderMonetarySummationType					
Occurrence: 1 .. 1					
EN16931-ID: BG-22					
Use: A group of business terms providing the monetary totals for the Invoice.					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in: X X X X X					
LineTotalAmount					Sum of Invoice line net amount
Data type: udt:AmountType					
Occurrence: 1 .. 1					
EN16931-ID: BT-106					
Use: Sum of all Invoice line net amounts in the Invoice.					
Business rule: BR-12 Document totals					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-10					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in: X X X X					
Diverging cardinality: 1..1 1..1 1..1 1..1					
ChargeTotalAmount					Sum of charges on document level
Data type: udt:AmountType					
Usage note: Charges on line level are included in the Invoice line net amount which is summed up into the Sum of Invoice line net amount.					
Occurrence: 0 .. 1					
EN16931-ID: BT-108					
Use: Sum of all charges on document level in the Invoice.					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-12					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-13					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in: X X X X					
AllowanceTotalAmount					Sum of allowances on document level
Data type: udt:AmountType					
Usage note: Allowances on line level are included in the Invoice line net amount which is summed up into the Sum of Invoice line net amount.					
Occurrence: 0 .. 1					
EN16931-ID: BT-107					
Use: Sum of all allowances on document level in the Invoice.					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-11					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-13					
MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED					
Used in: X X X X					
TaxBasisTotalAmount					Invoice total amount without VAT
Data type: udt:AmountType					
Usage note: The Invoice total amount without VAT is the Sum of Invoice line net amount minus Sum of allowances on document level plus Sum of charges on document level.					
Occurrence: 1 .. 1					
EN16931-ID: BT-109					
Use: The total amount of the Invoice without VAT.					
Business rule: BR-13 Document totals					
Business rule: BR-FXEXT- CIUS Factur-X / ZUGFeRD Extended					
CO-13					
Business rule: BR-FXEXT- CO-15					

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:	X	X	X	X	X	
TaxTotalAmount <VAT total amount>						Invoice total VAT amount
Data type: udt:AmountType						
Usage note: The Invoice total VAT amount is the sum of all VAT category tax amounts.						
Occurrence: 0 .. 1						
EN16931-ID: BT-110						
Use: The total VAT amount for the Invoice.						
Business rule: BR-CO-14 Document totals						
Business rule: BR-FXEXT-CO-15						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:	X	X	X	X	X	
currencyID						Invoice currency code
Data type: xs:token						
EN16931-ID: BT-110-0						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:	X	X	X	X	X	
TaxTotalAmount <VAT total amount in VAT accounting currency>						Invoice total VAT amount in accounting currency
Data type: udt:AmountType						
Usage note: To be used when the VAT accounting currency (BT-6) differs from the Invoice currency code (BT-5) in accordance with article 230 of Directive 2006/112 / EC on VAT. The VAT amount in accounting currency is not used in the calculation of the Invoice totals.						
Occurrence: 0 .. 1						
EN16931-ID: BT-111						
Use: The VAT total amount expressed in the accounting currency accepted or required in the country of the Seller.						
Business rule: BR-53 Document totals						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:		X	X	X	X	
currencyID						VAT accounting currency code
Data type: xs:token						
EN16931-ID: BT-111-0						
BT-111-0						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:		X	X	X	X	
RoundingAmount						Rounding amount
Data type: udt:AmountType						
Occurrence: 0 .. 1						
EN16931-ID: BT-114						
Use: The amount to be added to the invoice total to round the amount to be paid.						
Business rule: BR-CO-16 Document totals						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:				X	X	
GrandTotalAmount						Invoice total amount with VAT
Data type: udt:AmountType						
Usage note: The Invoice total amount with VAT is the Invoice total amount without VAT plus the Invoice total VAT amount.						
Occurrence: 1 .. 1						
EN16931-ID: BT-112						
Use: The total amount of the Invoice with VAT.						
Business rule: BR-14 Document totals						
Business rule: BR-FXEXT-CO-15						
Business rule: BR-CO-16 Document totals						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:	X	X	X	X	X	
TotalPrepaidAmount						Paid amount
Data type: udt:AmountType						
Usage note: This amount is subtracted from the invoice total amount with VAT to calculate the amount due for payment.						
Occurrence: 0 .. 1						
EN16931-ID: BT-113						
Use: The sum of amounts which have been paid in advance.						
Business rule: BR-CO-16 Document totals						
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED	
Used in:		X	X	X	X	

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	DuePayableAmount	Amount due for payment
	Data type: udt:AmountType	
	Usage note: This amount is the Invoice total amount with VAT minus the paid amount that has been paid in advance. The amount is zero in case of a fully paid Invoice. The amount may be negative; in that case the Seller owes the amount to the Buyer.	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-115	
	Use: The outstanding amount that is requested to be paid.	
	Business rule: BR-15 Document totals	
	Business rule: BR-CO-16 Document totals	
	Business rule: BR-CO-25 Invoice	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	SpecifiedFinancialAdjustment	Third party payments
	Data type: ram:FinancialAdjustmentType	
	Occurrence: 0 .. unbounded	
	EN16931-ID: BG-34	
	Use: A group of information items containing information about third-party debt.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	Reason	Third party payment description
	Data type: udt:TextType	
	Usage note: This information element serves to clearly distinguish several information elements "THIRD PARTY PAYMENT" (BG-DEX-09) to be clearly distinguished.	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-180	
	Use: A clear description of the third-party claim within the invoice.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	ActualAmount	Third party payment amount
	Data type: udt:AmountType	
	Usage note: Amounts from third-party claims are gross amounts. There is no breakdown of VAT.	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-179	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X	
	InvoiceReferencedDocument	PRECEDING INVOICE REFERENCE
	Data type: ram:ReferencedDocumentType	
	Usage note: To be used in case:	
	- a preceding invoice is corrected	
	- preceding partial invoices are referred to from a final invoice	
	- preceding pre-payment invoices are referred to from a final invoice	
	Occurrence: 0 .. unbounded	
	EN16931-ID: BG-3	
	Use: A group of business terms providing information on one or more preceding Invoices.	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X X	
	IssuerAssignedID	Preceding Invoice reference
	Data type: udt:IDType	
	Occurrence: 1 .. 1	
	EN16931-ID: BT-25	
	Use: The identification of an Invoice that was previously sent by the Seller.	
	Business rule: BR-55 Preceding invoice reference	
	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i>	
	Used in: X X X X	
	TypeCode	Preceding invoice type code
	Data type: qdt:DocumentCodeType	
	Usage note: The same rules apply as for BT-3	
	Occurrence: 0 .. 1	
	EN16931-ID: BT-X-555	
	Code	Code name
	71	Request for payment
	80	Debit note related to goods or services
	81	Credit note related to goods or services
	82	Metered services invoice
	83	Credit note related to financial adjustments

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

	Code	Code name					
	84	Debit note related to financial adjustments					
	102	Tax notification					
	130	Invoicing data sheet					
	202	Direct payment valuation					
	203	Provisional payment valuation					
	204	Payment valuation					
	211	Interim application for payment					
	218	Final payment request based on completion of work					
	219	Payment request for completed units					
	261	Self billed credit note					
	262	Consolidated credit note - goods and services					
	295	Price variation invoice					
	296	Credit note for price variation					
	308	Delcredere credit note					
	325	Proforma invoice					
	326	Partial invoice					
	331	Commercial invoice which includes a packing list					
	380	Commercial invoice					
	381	Credit note					
	382	Commission note					
	383	Debit note					
	384	Corrected invoice					
	385	Consolidated invoice					
	386	Prepayment invoice					
	387	Hire invoice					
	388	Tax invoice					
	389	Self-billed invoice					
	390	Delcredere invoice					
	393	Factored invoice					
	394	Lease invoice					
	395	Consignment invoice					
	396	Factored credit note					
	420	Optical Character Reading (OCR) payment credit note					
	456	Debit advice					
	457	Reversal of debit					
	458	Reversal of credit					
	527	Self billed debit note					
	532	Forwarder's credit note					
	553	Forwarder's invoice discrepancy report					
	575	Insurer's invoice					
	623	Forwarder's invoice					
	633	Port charges documents					
	751	Invoice information for accounting purposes					
	780	Freight invoice					
	817	Claim notification					
	870	Consular invoice					
	875	Partial construction invoice					
	876	Partial final construction invoice					
	877	Final construction invoice					
	935	Customs invoice					
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:						X
	FormattedIssueDateTime						Preceding Invoice Reference
	Data type: qdt:FormattedDateTimeType						
	Occurrence: 0 .. 1						
	EN16931-ID: BT-26-00						
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:		X	X	X	X	X
	DateTimeString						Preceding Invoice issue date
	Data type: extension (xs:string)						
	Usage note: The Preceding Invoice issue date shall be provided in case the Preceding Invoice identifier is not unique.						
	Occurrence: 1 .. 1						
	EN16931-ID: BT-26						
	Use: The date when the Preceding Invoice was issued.						
			<i>MINIMUM</i>	<i>BASIC WL</i>	<i>BASIC</i>	<i>EN 16931 (COMFORT)</i>	<i>EXTENDED</i>
	Used in:		X	X	X	X	X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

format	Date, format				
	Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-26-0				
	Code	Code name			
	102	CCYYMMDD			
	205	CCYYMMDDHHMMZHHMM			
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	
ReceivableSpecifiedTradeAccountingAccount	Detailed information about the accounting reference				
Data type: ram:TradeAccountingAccountType Occurrence: 0 .. unbounded EN16931-ID: BT-19-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	
Diverging cardinality:		0..1	0..1		
ID	Buyer accounting reference				
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-19 Use: A textual value that specifies where to book the relevant data into the Buyer's financial accounts.					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:	X	X	X	X	
TypeCode	Accounting reference type (Code)				
Data type: qdt:AccountingAccountTypeCodeType Occurrence: 0 .. 1 EN16931-ID: BT-X-290					
	Code	Code name			
	1	Financial			
	2	Subsidiary			
	3	Budget			
	4	Cost Accounting			
	5	Receivable			
	6	Payable			
	7	Job Cost Accounting			
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
SpecifiedAdvancePayment	Included tax for advanced payment				
Data type: ram:AdvancePaymentType Occurrence: 0 .. unbounded EN16931-ID: BG-X-45					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
PaidAmount	Advanced payment, value				
Data type: udt:AmountType Occurrence: 1 .. 1 EN16931-ID: BT-X-291					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
FormattedReceivedDateTime	Date of advanced payment				
Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-292-00					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X
DateTimeString	Date of advanced payment, value				
Data type: extension (xs:string) Occurrence: 1 .. 1 EN16931-ID: BT-X-292					
	MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:					X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

format	Date, format			
Data type: qdt:FormattedDateTimeFormatContentType				
Usage note: Only value "102"				
Occurrence: required				
EN16931-ID: BT-X-292-0				
Code	Code name			
102	CCYYMMDD			
205	CCYYMMDDHHMMZHHMM			
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
IncludedTradeTax	Tax information on advanced payments			
Data type: ram:TradeTaxType				
Occurrence: 1 .. unbounded				
EN16931-ID: BG-X-46				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
CalculatedAmount	Included tax			
Data type: udt:AmountType				
Occurrence: 1 .. 1				
EN16931-ID: BT-X-293				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
TypeCode	Type of tax (code)			
Data type: qdt:TaxTypeCodeType				
Usage note: Fixed value = "VAT"				
Occurrence: 1 .. 1				
EN16931-ID: BT-X-294				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
ExemptionReason	VAT exemption reason text			
Data type: udt:TextType				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-295				
Use: A textual statement of the reason why the amount is exempted from VAT or why no VAT is being charged				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
CategoryCode	VAT category code			
Data type: qdt:TaxCategoryCodeType				
Usage note: The following entries of UNTDID 5305 [6] are used (further clarification between brackets):				
- Standard rate (Liable for VAT in a standard way)				
- Zero rated goods (Liable for VAT with a percentage rate of zero)				
- Exempt from tax (VAT/IGIC/IPSI)				
- VAT Reverse Charge (Reverse charge VAT/IGIC/IPSI rules apply)				
- VAT exempt for intra community supply of goods (VAT/IGIC/IPSI not levied due to Intra-community supply rules)				
- Free export item, tax not charged (VAT/IGIC/IPSI not levied due to export outside of the EU)				
- Services outside scope of tax (Sale is not subject to VAT/IGIC/IPSI)				
- Canary Islands General Indirect Tax (Liable for IGIC tax)				
- Liable for IPSI (Ceuta/Melilla tax)				
Occurrence: 1 .. 1				
EN16931-ID: BT-X-296				
Use: Coded identification of a VAT category.				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X
ExemptionReasonCode	VAT exemption reason code			
Data type: udt:CodeType				
Usage note: Code list issued and maintained by the Connecting Europe Facility.				
Occurrence: 0 .. 1				
EN16931-ID: BT-X-297				
Use: A coded statement of the reason for why the amount is exempted from VAT.				
MINIMUM	BASIC WL	BASIC	EN 16931 (COMFORT)	EXTENDED
Used in:				X

Explanations on the use of the CII scheme in accordance with CEN/TS16931-3-3 (EXTENDED profile)

RateApplicablePercent	VAT category rate						
Data type: udt:PercentType Usage note: The VAT category code and the VAT category rate shall be consistent. Occurrence: 0 .. 1 EN16931-ID: BT-X-298 Use: The VAT rate, represented as percentage that applies for the relevant VAT category.							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
InvoiceSpecifiedReferencedDocument	PRECEDING INVOICE REFERENCE FOR ADVANCE PAYMENT						
Data type: ram:ReferencedDocumentType Usage note: To be used in case: - preceding partial invoices are referred to from a final invoice - preceding pre-payment invoices are referred to from a final invoice Occurrence: 0 .. 1 EN16931-ID: BG-X-85 Use: A group of business terms providing information on the advance payment related preceding invoice. The individual invoice shall be stated so that combined payments need to be split per invoice.							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
IssuerAssignedID	Preceding Invoice reference						
Data type: udt:IDType Occurrence: 1 .. 1 EN16931-ID: BT-X-558 Use: The identification of an Invoice that was previously sent by the Seller.							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
TypeCode	Preceding invoice type code						
Data type: qdt:DocumentCodeType Usage note: The same rules apply as for BT-3 Occurrence: 0 .. 1 EN16931-ID: BT-X-559							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
FormattedIssueDateTime	Preceding Invoice Reference						
Data type: qdt:FormattedDateTimeType Occurrence: 0 .. 1 EN16931-ID: BT-X-560-00							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
DateTimeString	Preceding Invoice issue date						
Data type: extension (xs:string) Usage note: The Preceding Invoice issue date shall be provided in case the Preceding Invoice identifier is not unique. Occurrence: 1 .. 1 EN16931-ID: BT-X-560 Use: The date when the Preceding Invoice was issued.							
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						
format	Date, format						
Data type: qdt:FormattedDateTimeFormatContentType Usage note: Only value "102" Occurrence: required EN16931-ID: BT-X-560-0							
<table> <thead> <tr> <th>Code</th><th>Code name</th></tr> </thead> <tbody> <tr> <td>102</td><td>CCYYMMDD</td></tr> <tr> <td>205</td><td>CCYYMMDDHHMMZHHMM</td></tr> </tbody> </table>		Code	Code name	102	CCYYMMDD	205	CCYYMMDDHHMMZHHMM
Code	Code name						
102	CCYYMMDD						
205	CCYYMMDDHHMMZHHMM						
Used in:	<i>MINIMUM BASIC WL BASIC EN 16931 (COMFORT) EXTENDED</i> X						

List of Business Rules

No.	Context
BR-1 An Invoice shall have a Specification identifier (BT-24).	Process control
BR-2 An Invoice shall have an Invoice number (BT-1).	Invoice
BR-3 An Invoice shall have an Invoice issue date (BT-2).	Invoice
BR-4 An Invoice shall have an Invoice type code (BT-3).	Invoice
BR-5 An Invoice shall have an Invoice currency code (BT-5).	Invoice
BR-6 An Invoice shall contain the Seller name (BT-27).	Seller
BR-7 An Invoice shall contain the Buyer name (BT-44).	Buyer
BR-8 An Invoice shall contain the Seller postal address (BG-5).	Seller
BR-9 The Seller postal address (BG-5) shall contain a Seller country code (BT-40).	Seller
BR-10 An Invoice shall contain the Buyer postal address (BG-8).	Buyer
BR-11 The Buyer postal address shall contain a Buyer country code (BT-55).	Buyer
BR-12 An Invoice shall have the Sum of Invoice line net amount (BT-106).	Document totals
BR-13 An Invoice shall have the Invoice total amount without VAT (BT-109).	Document totals
BR-14 An Invoice shall have the Invoice total amount with VAT (BT-112).	Document totals
BR-15 An Invoice shall have the Amount due for payment (BT-115).	Document totals
BR-16 An Invoice shall have at least one Invoice line (BG-25).	Invoice
BR-17 The Payee name (BT-59) shall be provided in the Invoice, if the Payee (BG-10) is different from the Seller (BG-4).	Payee
BR-18 The Seller tax representative name (BT-62) shall be provided in the Invoice, if the Seller (BG-4) has a Seller tax representative party (BG-11).	Seller tax representative
BR-19 The Seller tax representative postal address (BG-12) shall be provided in the Invoice, if the Seller (BG-4) has a Seller tax representative party (BG-11).	Seller tax representative
BR-20 The Seller tax representative postal address (BG-12) shall contain a Tax representative country code (BT-69), if the Seller (BG-4) has a Seller tax representative party (BG-11).	Seller tax representative
BR-21 Each Invoice line (BG-25) shall have an Invoice line identifier (BT-126).	Invoice line
BR-22 Each Invoice line (BG-25) shall have an Invoiced quantity (BT-129).	Invoice line
BR-23 An Invoice line (BG-25) shall have an Invoiced quantity unit of measure code (BT-130).	Invoice line
BR-24 Each Invoice line (BG-25) shall have an Invoice line net amount (BT-131).	Invoice line
BR-25 Each Invoice line (BG-25) shall contain the Item name (BT-153).	Item information
BR-26 Each Invoice line (BG-25) shall contain the Item net price (BT-146).	Price details
BR-27 The Item net price (BT-146) shall NOT be negative.	Item net price
BR-28 The Item gross price (BT-148) shall NOT be negative.	Price details
BR-29	Invoicing period

List of Business Rules

No.	Context
	If both Invoicing period start date (BT-73) and Invoicing period end date (BT-74) are given then the Invoicing period end date (BT-74) shall be later or equal to the Invoicing period start date (BT-73).
BR-30	Invoice line period If both Invoice line period start date (BT-134) and Invoice line period end date (BT-135) are given then the Invoice line period end date (BT-135) shall be later or equal to the Invoice line period start date (BT-134).
BR-31	Document level allowances Each Document level allowance (BG-20) shall have a Document level allowance amount (BT-92).
BR-32	Document level allowances Each Document level allowance (BG-20) shall have a Document level allowance VAT category code (BT-95).
BR-33	Document level allowances Each Document level allowance (BG-20) shall have a Document level allowance reason (BT-97) or a Document level allowance reason code (BT-98).
BR-36	Document level charges Each Document level charge (BG-21) shall have a Document level charge amount (BT-99).
BR-37	Document level charges Each Document level charge (BG-21) shall have a Document level charge VAT category code (BT-102).
BR-38	Document level charges Each Document level charge (BG-21) shall have a Document level charge reason (BT-104) or a Document level charge reason code (BT-105).
BR-41	Invoice line allowances Each Invoice line allowance (BG-27) shall have an Invoice line allowance amount (BT-136).
BR-42	Invoice line allowances Each Invoice line allowance (BG-27) shall have an Invoice line allowance reason (BT-139) or an Invoice line allowance reason code (BT-140).
BR-43	Invoice line charges Each Invoice line charge (BG-28) shall have an Invoice line charge amount (BT-141).
BR-44	Invoice line charges Each Invoice line charge (BG-28) shall have an Invoice line charge reason (BT-144) or an Invoice line charge reason code (BT-145).
BR-45	VAT breakdown Each VAT breakdown (BG-23) shall have a VAT category taxable amount (BT-116).
BR-46	VAT breakdown Each VAT breakdown (BG-23) shall have a VAT category tax amount (BT-117).
BR-47	VAT breakdown Each VAT breakdown (BG-23) shall be defined through a VAT category code (BT-118).
BR-48	VAT breakdown Each VAT breakdown (BG-23) shall have a VAT category rate (BT-119), except if the Invoice is not subject to VAT.
BR-49	Payment instructions A Payment instruction (BG-16) shall specify the Payment means type code (BT-81).
BR-50	Account information A Payment account identifier (BT-84) shall be present if Credit transfer (BG-16) information is provided in the Invoice.
BR-51	Card information The last 4 to 6 digits of the Payment card primary account number (BT-87) shall be present if Payment card information (BG-18) is provided in the Invoice.
BR-52	Additional supporting documents Each Additional supporting document (BG-24) shall contain a Supporting document reference (BT-122).
BR-53	Document totals If the VAT accounting currency code (BT-6) is present, then the Invoice total VAT amount in accounting currency (BT-111) shall be provided.
BR-54	Item attributes Each Item attribute (BG-32) shall contain an Item attribute name (BT-160) and an Item attribute value (BT-161).
BR-55	Preceding invoice reference Each Preceding Invoice reference (BG-3) shall contain a Preceding Invoice reference (BT-25).
BR-56	Seller tax representative Each Seller tax representative party (BG-11) shall have a Seller tax representative VAT identifier (BT-63).
BR-57	Deliver to address Each Deliver to address (BG-15) shall contain a Deliver to country code (BT-80).
BR-61	Payment instructions If the Payment means type code (BT-81) means SEPA credit transfer, Local credit transfer or Non-SEPA international credit transfer, the Payment account identifier (BT-84) shall be present.
BR-62	Seller electronic address The Seller electronic address (BT-34) shall have a Scheme identifier.
BR-63	Buyer electronic address The Buyer electronic address (BT-49) shall have a Scheme identifier.
BR-64	Item standard identifier

List of Business Rules

No.	Context
The Item standard identifier (BT-157) shall have a Scheme identifier	
BR-65	Item classification identifier
The Item classification identifier (BT-158) shall have a Scheme identifier	

List of Business Rules

No.	Context
BR-CO-3	Invoice
Value added tax point date (BT-7) and Value added tax point date code (BT-8) are mutually exclusive.	
BR-CO-4	Invoice line
Each Invoice line (BG-25) shall be categorized with an Invoiced item VAT category code (BT-151).	
BR-CO-5	Document level allowances
Document level allowance reason code (BT-98) and Document level allowance reason (BT-97) shall indicate the same type of allowance.	
BR-CO-6	Document level allowances
Document level charge reason code (BT-105) and Document level charge reason (BT-104) shall indicate the same type of charge.	
BR-CO-7	Invoice line allowances
Invoice line allowance reason code (BT-140) and Invoice line allowance reason (BT-139) shall indicate the same type of allowance reason.	
BR-CO-8	Invoice line charges
Invoice line charge reason code (BT-145) and Invoice line charge reason (BT-144) shall indicate the same type of charge reason.	
BR-CO-9	VAT identifiers
The Seller VAT identifier (BT-31), the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48) shall have a prefix in accordance with ISO code ISO 3166-1 alpha-2 by which the country of issue may be identified. Nevertheless, Greece may use the prefix 'EL'.	
BR-CO-10	Document totals
Sum of Invoice line net amount (BT-106) = Σ Invoice line net amount (BT-131).	
BR-CO-11	Document totals
Sum of allowances on document level (BT-107) = Σ Document level allowance amount (BT-92).	
BR-CO-12	Document totals
Sum of charges on document level (BT-108) = Σ Document level charge amount (BT-99).	
BR-CO-13	Document totals
Invoice total amount without VAT (BT-109) = Σ Invoice line net amount (BT-131) - Sum of allowances on document level (BT-107) + Sum of charges on document level (BT-108).	
BR-CO-14	Document totals
Invoice total VAT amount (BT-110) = Σ VAT category tax amount (BT-117).	
BR-CO-15	Document totals
Invoice total amount with VAT (BT-112) = Invoice total amount without VAT (BT-109) + Invoice total VAT amount (BT-110).	
BR-CO-16	Document totals
Amount due for payment (BT-115) = Invoice total amount with VAT (BT-112) - Paid amount (BT-113) + Rounding amount (BT-114).	
BR-CO-17	VAT breakdown
VAT category tax amount (BT-117) = VAT category taxable amount (BT-116) x (VAT category rate (BT-119) / 100), rounded to two decimals.	
BR-CO-18	VAT breakdown
An Invoice shall at least have one VAT breakdown group (BG-23).	
BR-CO-19	Delivery or invoice period
If Invoicing period (BG-14) is used, the Invoicing period start date (BT-73) or the Invoicing period end date (BT-74) shall be filled, or both.	
BR-CO-20	Invoice line period
If Invoice line period (BG-26) is used, the Invoice line period start date (BT-134) or the Invoice line period end date (BT-135) shall be filled, or both.	
BR-CO-21	Document level allowances
Each Document level allowance (BG-20) shall contain a Document level allowance reason (BT-97) or a Document level allowance reason code (BT-98), or both.	
BR-CO-22	Document level charge
Each Document level charge (BG-21) shall contain a Document level charge reason (BT-104) or a Document level charge reason code (BT-105), or both.	
BR-CO-23	Invoice line allowances
Each Invoice line allowance (BG-27) shall contain an Invoice line allowance reason (BT-139) or an Invoice line allowance reason code (BT-140), or both.	
BR-CO-24	Invoice line charges
Each Invoice line charge (BG-28) shall contain an Invoice line charge reason (BT-144) or an Invoice line charge reason code (BT-145), or both.	
BR-CO-25	Invoice
In case the Amount due for payment (BT-115) is positive, either the Payment due date (BT-9) or the Payment terms (BT-20) shall be present.	
BR-CO-26	Seller
In order for the buyer to automatically identify a supplier, the Seller identifier (BT-29), the Seller legal registration identifier (BT-30) and/or the Seller VAT identifier (BT-31) shall be present.	

List of Business Rules

No.	Context
BR-AE-1	Reverse charge VAT
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Reverse charge" shall contain in the VAT breakdown (BG-23) exactly one VAT category code (BT-118) equal with "VAT reverse charge".	
BR-AE-2	Reverse charge VAT
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Reverse charge" shall contain the Seller VAT Identifier (BT-31), the Seller Tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48) and/or the Buyer legal registration identifier (BT-47).	
BR-AE-3	Reverse charge VAT
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Reverse charge" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48) and/or the Buyer legal registration identifier (BT-47).	
BR-AE-4	Reverse charge VAT
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Reverse charge" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48) and/or the Buyer legal registration identifier (BT-47).	
BR-AE-5	Reverse charge VAT
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Reverse charge" the Invoiced item VAT rate (BT-152) shall be 0 (zero).	
BR-AE-6	Reverse charge VAT
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Reverse charge" the Document level allowance VAT rate (BT-96) shall be 0 (zero).	
BR-AE-7	Reverse charge VAT
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Reverse charge" the Document level charge VAT rate (BT-103) shall be 0 (zero).	
BR-AE-8	Reverse charge VAT
In a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Reverse charge" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amounts (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Reverse charge".	
BR-AE-9	Reverse charge VAT
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Reverse charge" shall be 0 (zero).	
BR-AE-10	Reverse charge VAT
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "Reverse charge" shall have a VAT exemption reason code (BT-121), meaning "Reverse charge" or the VAT exemption reason text (BT-120) "Reverse charge" (or the equivalent standard text in another language).	

List of Business Rules

No.	Context
BR-E-1	Exempt from VAT
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Exempt from VAT" shall contain exactly one VAT breakdown (BG-23) with the VAT category code (BT-118) equal to "Exempt from VAT".	
BR-E-2	Exempt from VAT
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Exempt from VAT" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-E-3	Exempt from VAT
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Exempt from VAT" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-E-4	Exempt from VAT
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Exempt from VAT" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-E-5	Exempt from VAT
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Exempt from VAT", the Invoiced item VAT rate (BT-152) shall be 0 (zero).	
BR-E-6	Exempt from VAT
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Exempt from VAT", the Document level allowance VAT rate (BT-96) shall be 0 (zero).	
BR-E-7	Exempt from VAT
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Exempt from VAT", the Document level charge VAT rate (BT-103) shall be 0 (zero).	
BR-E-8	Exempt from VAT
In a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Exempt from VAT" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amounts (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Exempt from VAT".	
BR-E-9	Exempt from VAT
The VAT category tax amount (BT-117) In a VAT breakdown (BG-23) where the VAT category code (BT-118) equals "Exempt from VAT" shall equal 0 (zero).	
BR-E-10	Exempt from VAT
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "Exempt from VAT" shall have a VAT exemption reason code (BT-121) or a VAT exemption reason text (BT-120).	

List of Business Rules

No.	Context
BR-G-1	VAT/IGIC/IPSI not levied due to export outside of the EU
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Export outside the EU" shall contain in the VAT breakdown (BG-23) exactly one VAT category code (BT-118) equal with "Export outside the EU".	
BR-G-2	VAT/IGIC/IPSI not levied due to export outside of the EU
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Export outside the EU" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63).	
BR-G-3	VAT/IGIC/IPSI not levied due to export outside of the EU
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Export outside the EU" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63).	
BR-G-4	VAT/IGIC/IPSI not levied due to export outside of the EU
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Export outside the EU" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63).	
BR-G-5	VAT/IGIC/IPSI not levied due to export outside of the EU
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Export outside the EU" the Invoiced item VAT rate (BT-152) shall be 0 (zero).	
BR-G-6	VAT/IGIC/IPSI not levied due to export outside of the EU
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Export outside the EU" the Document level allowance VAT rate (BT-96) shall be 0 (zero).	
BR-G-7	VAT/IGIC/IPSI not levied due to export outside of the EU
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Export outside the EU" the Document level charge VAT rate (BT-103) shall be 0 (zero).	
BR-G-8	VAT/IGIC/IPSI not levied due to export outside of the EU
In a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Export outside the EU" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amounts (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Export outside the EU".	
BR-G-9	VAT/IGIC/IPSI not levied due to export outside of the EU
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Export outside the EU" shall be 0 (zero).	
BR-G-10	VAT/IGIC/IPSI not levied due to export outside of the EU
A VAT Breakdown (BG-23) with the VAT Category code (BT-118) "Export outside the EU" shall have a VAT exemption reason code (BT-121), meaning "Export outside the EU" or the VAT exemption reason text (BT-120) "Export outside the EU" (or the equivalent standard text in another language).	

List of Business Rules

No.	Context
BR-IC-1	VAT/IGIC/IPSI not levied due to intra-community supply rules
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Intra-community supply" shall contain in the VAT breakdown (BG-23) exactly one VAT category code (BT-118) equal with "Intra-community supply".	
BR-IC-2	VAT/IGIC/IPSI not levied due to intra-community supply rules
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Intra-community supply" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48).	
BR-IC-3	VAT/IGIC/IPSI not levied due to intra-community supply rules
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Intra-community supply" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48).	
BR-IC-4	VAT/IGIC/IPSI not levied due to intra-community supply rules
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Intra-community supply" shall contain the Seller VAT Identifier (BT-31) or the Seller tax representative VAT identifier (BT-63) and the Buyer VAT identifier (BT-48).	
BR-IC-5	VAT/IGIC/IPSI not levied due to intra-community supply rules
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Intracommunity supply" the Invoiced item VAT rate (BT-152) shall be 0 (zero).	
BR-IC-6	VAT/IGIC/IPSI not levied due to intra-community supply rules
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Intra-community supply" the Document level allowance VAT rate (BT-96) shall be 0 (zero).	
BR-IC-7	VAT/IGIC/IPSI not levied due to intra-community supply rules
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Intra-community supply" the Document level charge VAT rate (BT-103) shall be 0 (zero).	
BR-IC-8	VAT/IGIC/IPSI not levied due to intra-community supply rules
In a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Intra-community supply" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amounts (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Intra-community supply".	
BR-IC-9	VAT/IGIC/IPSI not levied due to intra-community supply rules
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Intra-community supply" shall be 0 (zero).	
BR-IC-10	VAT/IGIC/IPSI not levied due to intra-community supply rules
A VAT Breakdown (BG-23) with the VAT Category code (BT-118) "Intra-community supply" shall have a VAT exemption reason code (BT-121), meaning "Intra-community supply" or the VAT exemption reason text (BT-120) "Intra-community supply" (or the equivalent standard text in another language).	
BR-IC-11	VAT/IGIC/IPSI not levied due to intra-community supply rules
In an Invoice with a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Intra-community supply" the Actual delivery date (BT-72) or the Invoicing period (BG-14) shall not be blank.	
BR-IC-12	VAT/IGIC/IPSI not levied due to intra-community supply rules
In an Invoice with a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Intra-community supply" the Deliver to country code (BT-80) shall not be blank.	

List of Business Rules

No.	Context
BR-IG-1	Liable for IGIC (Canary) tax
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "IGIC" shall contain in the VAT breakdown (BG-23) at least one VAT category code (BT-118) equal with "IGIC".	
BR-IG-2	Liable for IGIC (Canary) tax
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "IGIC" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IG-3	Liable for IGIC (Canary) tax
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "IGIC" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IG-4	Liable for IGIC (Canary) tax
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "IGIC" shall contain the Seller VAT Identifier (BT-31), the Seller Tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IG-5	Liable for IGIC (Canary) tax
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "IGIC" the invoiced item VAT rate (BT-152) shall be 0 (zero) or greater than zero.	
BR-IG-6	Liable for IGIC (Canary) tax
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "IGIC" the Document level allowance VAT rate (BT-96) shall be 0 (zero) or greater than zero.	
BR-IG-7	Liable for IGIC (Canary) tax
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "IGIC" the Document level charge VAT rate (BT-103) shall be 0 (zero) or greater than zero.	
BR-IG-8	Liable for IGIC (Canary) tax
For each different value of VAT category rate (BT-119) where the VAT category code (BT-118) is "IGIC", the VAT category taxable amount (BT-116) in a VAT breakdown (BG-23) shall equal the sum of Invoice line net amounts (BT-131) plus the sum of document level charge amounts (BT-99) minus the sum of document level allowance amounts (BT-92) where the VAT category code (BT-151, BT-102, BT-95) is "IGIC" and the VAT rate (BT-152, BT-103, BT-96) equals the VAT category rate (BT-119).	
BR-IG-9	Liable for IGIC (Canary) tax
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where VAT category code (BT-118) is "IGIC" shall equal the VAT category taxable amount (BT-116) multiplied by the VAT category rate (BT-119).	
BR-IG-10	Liable for IGIC (Canary) tax
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "IGIC" shall not have a VAT exemption reason code (BT-121) or VAT exemption reason text (BT-120).	

List of Business Rules

No.	Context
BR-IP-1	Liabie for IPSI (Ceuta/Meliilla) tax
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "IPSI" shall contain in the VAT breakdown (BG-23) at least one VAT category code (BT-118) equal with "IPSI".	
BR-IP-2	Liabie for IPSI (Ceuta/Meliilla) tax
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "IPSI" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IP-3	Liabie for IPSI (Ceuta/Meliilla) tax
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "IPSI" shall contain the Seller VAT Identifier (BT-31), the Seller Tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IP-4	Liabie for IPSI (Ceuta/Meliilla) tax
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "IPSI" shall contain the Seller VAT Identifier (BT-31), the Seller Tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-IP-5	Liabie for IPSI (Ceuta/Meliilla) tax
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "IPSI" the Invoiced item VAT rate (BT-152) shall be 0 (zero) or greater than zero.	
BR-IP-6	Liabie for IPSI (Ceuta/Meliilla) tax
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "IPSI" the Document level allowance VAT rate (BT-96) shall be 0 (zero) or greater than zero.	
BR-IP-7	Liabie for IPSI (Ceuta/Meliilla) tax
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "IPSI" the Document level charge VAT rate (BT-103) shall be 0 (zero) or greater than zero.	
BR-IP-8	Liabie for IPSI (Ceuta/Meliilla) tax
For each different value of VAT category rate (BT-119) where the VAT category code (BT-118) is "IPSI", the VAT category taxable amount (BT-116) in a VAT breakdown (BG-23) shall equal the sum of Invoice line net amounts (BT-131) plus the sum of document level charge amounts (BT-99) minus the sum of document level allowance amounts (BT-92) where the VAT category code (BT-151, BT-102, BT-95) is "IPSI" and the VAT rate (BT-152, BT-103, BT-96) equals the VAT category rate (BT-119).	
BR-IP-9	Liabie for IPSI (Ceuta/Meliilla) tax
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where VAT category code (BT-118) is "IPSI" shall equal the VAT category taxable amount (BT-116) multiplied by the VAT category rate (BT-119).	
BR-IP-10	Liabie for IPSI (Ceuta/Meliilla) tax
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "IPSI" shall not have a VAT exemption reason code (BT-121) or VAT exemption reason text (BT-120).	

List of Business Rules

No.	Context
BR-O-1	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Not subject to VAT" shall contain exactly one VAT breakdown group (BG-23) with the VAT category code (BT-118) equal to "Not subject to VAT".	
BR-O-2	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Not subject to VAT" shall not contain the Seller VAT identifier (BT-31), the Seller tax representative VAT identifier (BT-63) or the Buyer VAT identifier (BT-46).	
BR-O-3	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Not subject to VAT" shall not contain the Seller VAT identifier (BT-31), the Seller tax representative VAT identifier (BT-63) or the Buyer VAT identifier (BT-46).	
BR-O-4	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Not subject to VAT" shall not contain the Seller VAT identifier (BT-31), the Seller tax representative VAT identifier (BT-63) or the Buyer VAT identifier (BT-46).	
BR-O-5	Sale is not subject to VAT/IGIC/IPSI
An Invoice line (BG-25) where the VAT category code (BT-151) is "Not subject to VAT" shall not contain an Invoiced item VAT rate (BT-152).	
BR-O-6	Sale is not subject to VAT/IGIC/IPSI
A Document level allowance (BG-20) where VAT category code (BT-95) is "Not subject to VAT" shall not contain a Document level allowance VAT rate (BT-96).	
BR-O-7	Sale is not subject to VAT/IGIC/IPSI
A Document level charge (BG-21) where the VAT category code (BT-102) is "Not subject to VAT" shall not contain a Document level charge VAT rate (BT-103).	
BR-O-8	Sale is not subject to VAT/IGIC/IPSI
In a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Not subject to VAT" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amounts (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Not subject to VAT".	
BR-O-9	Sale is not subject to VAT/IGIC/IPSI
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where the VAT category code (BT-118) is "Not subject to VAT" shall be 0 (zero).	
BR-O-10	Sale is not subject to VAT/IGIC/IPSI
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "Not subject to VAT" shall have a VAT exemption reason code (BT-121), meaning "Not subject to VAT" or a VAT exemption reason text (BT-120) "Not subject to VAT" (or the equivalent standard text in another language).	
BR-O-11	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a VAT breakdown group (BG-23) with a VAT category code (BT-118) "Not subject to VAT" shall not contain other VAT breakdown groups (BG-23).	
BR-O-12	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a VAT breakdown group (BG-23) with a VAT category code (BT-118) "Not subject to VAT" shall not contain an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is not "Not subject to VAT".	
BR-O-13	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a VAT breakdown group (BG-23) with a VAT category code (BT-118) "Not subject to VAT" shall not contain Document level allowances (BG-20) where Document level allowance VAT category code (BT-95) is not "Not subject to VAT".	
BR-O-14	Sale is not subject to VAT/IGIC/IPSI
An Invoice that contains a VAT breakdown group (BG-23) with a VAT category code (BT-118) "Not subject to VAT" shall not contain Document level charges (BG-21) where Document level charge VAT category code (BT-102) is not "Not subject to VAT".	

List of Business Rules

No.	Context
BR-S-1	Standard rated VAT
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Standard rated" shall contain in the VAT breakdown (BG-23) at least one VAT category code (BT-118) equal with "Standard rated".	
BR-S-2	Standard rated VAT
An Invoice that contains an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Standard rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-S-3	Standard rated VAT
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Standard rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-S-4	Standard rated VAT
An Invoice that contains a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Standard rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-S-5	Standard rated VAT
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Standard rated" the Invoiced item VAT rate (BT-152) shall be greater than zero.	
BR-S-6	Standard rated VAT
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Standard rated" the Document level allowance VAT rate (BT-96) shall be greater than zero.	
BR-S-7	Standard rated VAT
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Standard rated" the Document level charge VAT rate (BT-103) shall be greater than zero.	
BR-S-8	Standard rated VAT
For each different value of VAT category rate (BT-119) where the VAT category code (BT-118) is "Standard rated", the VAT category taxable amount (BT-116) in a VAT breakdown (BG-23) shall equal the sum of Invoice line net amounts (BT-131) plus the sum of document level charge amounts (BT-99) minus the sum of document level allowance amounts (BT-92) where the VAT category code (BT-151, BT-102, BT-95) is "Standard rated" and the VAT rate (BT-152, BT-103, BT-96) equals the VAT category rate (BT-119).	
BR-S-9	Standard rated VAT
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where VAT category code (BT-118) is "Standard rated" shall equal the VAT category taxable amount (BT-116) multiplied by the VAT category rate (BT-119).	
BR-S-10	Standard rated VAT
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "Standard rate" shall not have a VAT exemption reason code (BT-121) or VAT exemption reason text (BT-120).	

List of Business Rules

No.	Context
BR-Z-1	Zero rated VAT
An Invoice that contains an Invoice line (BG-25), a Document level allowance (BG-20) or a Document level charge (BG-21) where the VAT category code (BT-151, BT-95 or BT-102) is "Zero rated" shall contain in the VAT breakdown (BG-23) exactly one VAT category code (BT-118) equal with "Zero rated".	
BR-Z-2	Zero rated VAT
An Invoice that contains an Invoice line where the Invoiced item VAT category code (BT-151) is "Zero rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-Z-3	Zero rated VAT
An Invoice that contains a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Zero rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-Z-4	Zero rated VAT
An Invoice that contains a Document level charge where the Document level charge VAT category code (BT-102) is "Zero rated" shall contain the Seller VAT Identifier (BT-31), the Seller tax registration identifier (BT-32) and/or the Seller tax representative VAT identifier (BT-63).	
BR-Z-5	Zero rated VAT
In an Invoice line (BG-25) where the Invoiced item VAT category code (BT-151) is "Zero rated" the Invoiced item VAT rate (BT-152) shall be 0 (zero).	
BR-Z-6	Zero rated VAT
In a Document level allowance (BG-20) where the Document level allowance VAT category code (BT-95) is "Zero rated" the Document level allowance VAT rate (BT-96) shall be 0 (zero).	
BR-Z-7	Zero rated VAT
In a Document level charge (BG-21) where the Document level charge VAT category code (BT-102) is "Zero rated" the Document level charge VAT rate (BT-103) shall be 0 (zero).	
BR-Z-8	Zero rated VAT
In a VAT breakdown (BG-23) where VAT category code (BT-118) is "Zero rated" the VAT category taxable amount (BT-116) shall equal the sum of Invoice line net amount (BT-131) minus the sum of Document level allowance amounts (BT-92) plus the sum of Document level charge amounts (BT-99) where the VAT category codes (BT-151, BT-95, BT-102) are "Zero rated".	
BR-Z-9	Zero rated VAT
The VAT category tax amount (BT-117) in a VAT breakdown (BG-23) where VAT category code (BT-118) is "Zero rated" shall equal 0 (zero).	
BR-Z-10	Zero rated VAT
A VAT Breakdown (BG-23) with VAT Category code (BT-118) "Zero rated" shall not have a VAT exemption reason code (BT-121) or VAT exemption reason text (BT-120).	

List of Business Rules

No.	Context
BR-FXEXT-01	CIUS Factur-X / ZUGFeRD Extended
Extended Profile: If the Invoice Free Text Qualification Code (BT-21) is specified, either the coded invoice free text (BT-X-5) or the invoice free text (BT-22) must be specified, or both. If both BT-X-5 and BT-22 are specified, both must have the same meaning.	
BR-FXEXT-02	CIUS Factur-X / ZUGFeRD Extended
If the invoice line item free text subject code (BT-X-10) is specified, either the coded invoice line item free text (BT-X-9) or the invoice line item free text (BT-127) must be specified, or both. If both BT-X-9 and BT-127 are specified, both must have the same meaning.	
BR-FXEXT-03	CIUS Factur-X / ZUGFeRD Extended
Only a VAT registration ID may be provided for the following business partners: the line level Ship-To (BT-X-66), the line level Ultimate-Ship-To (BT-X-84), the Sales-Agent (BT-X-340), the Buyer-Tax-Representative (BT-X-367), the Product-Enduser (BT-X-144), the Buyer-Agent (BT-X-411), the document level Ship-To (BT-X-161), the document level Ultimate-Ship-To (BT-X-180), the Ship-From (BT-X-199), the Invoicer (BT-X-223), the Invoicee (BT-X-242), the document level Payee (BT-X-257), the Payer (BT-X-481), or the payment-term-specific Payee (BT-X-509).	
BR-FXEXT-04	
To ensure automated processing of the article attributes without bilateral reconciliation, only values from the code list UNTDED 6313+Factur-X-Extension should be used.	
BR-FXEXT-05	
The code for the subtype of the invoice line item (BT-X-8) must be used from the Line Status Reason code list.	
BR-FXEXT-06	
If the "ID of parent line" (BT-X-304) is used, the "Subtype of invoice item" (BT-X-8) must be specified for each item (BG-25).	
BR-FXEXT-07	
If the "Subtype of invoice item" (BT-X-8) has the value "Subtotal" (GROUP), the following information is optional: "Net price of the item" (BT-146), "Invoiced quantity" (BT-129), "Unit of measure code of the invoiced quantity" (BT-130), "VAT information at invoice item level" (BG-30).	
BR-FXEXT-08	
If the "Subtype of invoice item" (BT-X-8) has the value "Subtotal" (GROUP) and the "Net amount of invoice item" (BT-131) is specified, it must correspond to the sum of the BT-131 of the next lower levels for which the "Subtype of invoice item" (BT-X-8) has the value "Regular item (standard case)" (DETAIL) or "Subtotal" (GROUP). Consequently, all lower levels must contain a BT-131 value if BT-X-8 has the value DETAIL or GROUP.	
BR-FXEXT-09	
If the "Invoice item subtype" (BT-X-8) has the value "For information only" (INFORMATION), the following information is optional: "Net price of the item" (BT-146), "Invoiced quantity" (BT-129), "Unit of measure code of the invoiced quantity" (BT-130), "VAT information at invoice item level" (BG-30). Such an invoice item is not included in the invoice calculation.	
BR-FXEXT-10	
Information in the BG-X-1 "An included product referred to in this commercial product" is not included in the invoice calculation.	
BR-FXEXT-11	
Each "ID of parent line" (BT-X-304) must refer to an existing "ID of invoice item" (BT-126).	
BR-FXEXT-12	
[BR-FXEXT-12]-If the "Subtype of invoice line item" (EXT-FR-FE-163 / BT-X-8) has the value "GROUP" and if the "Invoice line net amount" (BT-131) is specified, all lower levels which has "Subtype of invoice line item" (EXT-FR-FE-163) equal to "GROUP" MUST contain a "Invoice line net amount" (BT-131) value.	
BR-FXEXT-BR-22	
Each invoice line item "INVOICE LINE" (BG-25) must contain the quantity of goods or services invoiced in the relevant line item as a line item "Invoiced quantity" (BT-129) if the "Subtype of invoice line item" (BT-X-8) has the value "Normal line item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-BR-23	
An Invoice line (BG-25) shall have an Invoiced quantity unit of measure code (BT-130) if the "Subtype of invoice line item" (BT-X-8) has the value "Normal line item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-BR-24	
Each Invoice line (BG-25) shall have an Invoice line net amount (BT-131) if the "Subtype of invoice line item" (BT-X-8) has the value "Normal line item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-BR-26	Price details
Each Invoice line (BG-25) shall contain the Item net price (BT-146) if the "Subtype of invoice line item" (BT-X-8) has the value "Normal line item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-BR-27	
The Item net price (BT-146) shall NOT be negative, when it is present. If the "Subtype of invoice item" (BT-X-8) has the value "Regular item (standard case)" (DETAIL) or is not specified, BT-146 shall be present and not negative. If the "Subtype of invoice item" (BT-X-8) has any other value, BT-146 may be omitted. If present, it shall not be negative.	
BR-FXEXT-BR-38	
Each Document level charge or tax (BG-21) shall contain a Document level charge or tax reason (BT-104) or a Document level charge reason code (BT-105) or Document level non-VAT tax code (BT-177), or both reason and code.	
BR-FXEXT-BR-44	
Each Invoice line charge or tax (BG-28) shall have an Invoice line charge or tax reason (BT-144), an Invoice line charge reason code (BT-145) or an Invoice line-level non-VAT tax type code (BT-193).	

List of Business Rules

No.	Context
BR-FXEXT-CO-04	Invoice line
Each Invoice line (BG-25) shall be categorized with an Invoiced item VAT category code (BT-151) if the "Subtype of invoice line item" (BT-X-8) has the value "Normal line item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-CO-10	CIUS Factur-X / ZUGFeRD Extended
Absolute Value of (Sum of Invoice line net amount (BT-106) - Σ Invoice line net amounts (BT-131)) $\leq 0,01$ * Number of line net amounts (BT-131) , but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "Regular item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-CO-11	CIUS Factur-X / ZUGFeRD Extended
Absolute Value of (Sum of allowances on document level (BT-107) - Σ Document level allowance amounts (BT-92)) $\leq 0,01$ * Number of Document level allowance amounts (BT-92).	
BR-FXEXT-CO-12	CIUS Factur-X / ZUGFeRD Extended
Absolute Value of (Sum of charges on document level (BT-108) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-X-272)) $\leq 0,01$ * (Number of Document level charge amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272)).	
BR-FXEXT-CO-13	CIUS Factur-X / ZUGFeRD Extended
Absolute Value of (Invoice total amount without VAT (BT-109) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99)) $\leq 0,01$ * (Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level charge amounts (BT-99)), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "Regular item (standard case)" (DETAIL) or is not specified.	
BR-FXEXT-CO-15	
If Invoice Total VAT amount (BT-110) ,where currency (BT-110-0) is equal to BT-5, is present, then the Absolute Value of (Invoice total amount with VAT (BT-112) - Invoice total amount without VAT (BT-109) - Invoice total VAT amount (BT-110)) $\leq 0,01$ * (Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level charges amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272)), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "Regular item (standard case)" (DETAIL) or is not specified. Else, Invoice total amount with VAT (BT-112) is equal to Invoice total amount without VAT (BT-109).	
BR-FXEXT-CO-16	
[BR-FXEXT-CO-16]-Amount due for payment (BT-115) = Invoice total amount with VAT (BT-112) -Paid amount (BT-113) + Rounding amount (BT-114) + Sum of Charge amount collected on behalf of a third party (BT-179).	
BR-FXEXT-S-08b	
[BR-FXEXT-S08b]-In a VAT breakdown (BG-23), for each different value of VAT rate (BT-119) where VAT category code (BT-118) is equal to "S" ("Standard Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-X-272)) $\leq 0,01$ * ((Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level charge amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272))), where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Standard Rated" (S), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified, or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176), and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-S-08ini	
[BR-FXEXT-S-08ini] - In a VAT breakdown (BG-23), for each different value of VAT rate (BT-119), where VAT category code (BT-118) is equal to "S" ("Standard Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-X-272)) $\leq 0,01$ * ((Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level charge amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272))), where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Standard Rated" (S), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-S-08rev	
[BR-FXEXT-S-08rev] - In a VAT breakdown (BG-23), for each different value of VAT rate (BT-119), where VAT category code (BT-118) is equal to "S" ("Standard Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-X-272)) $\leq 0,01$ * ((Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level charge amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272))), where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Standard Rated" (S), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-S-09b	
[BR-FXEXT-S-09b] - For each different value of VAT rate (BT-119) where the VAT category code (BT-118) is equal to "S" ("Standard rated"), Absolute Value of (VAT category tax amount (BT-117) - VAT category taxable amount (BT-116) multiplied by the VAT category rate (BT-119)/100) $\leq 0,01$ * ((Number of line net amounts (BT-131) + Number of Document level allowance amounts (BT-92) + Number of Document level allowance amounts (BT-99) + Number of Logistics Service fee amounts (BT-X-272))), where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Standard rated" (S), and the VAT rate (BT-152, BT-96, BT-103, BT-X-274) equals the VAT category rate (BT-119), and only for lines where the "Subtype of invoice line item" (EXT-FR-FE-163 / BT-X-8) has the value "DETAIL" or is not specified, or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	

List of Business Rules

No.	Context
BR-FXEXT-AE-08b	
[BR-FXEXT-AE-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "AE" ("Reverse charge"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Reverse charge" (AE), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-AE-08ini	
[BR-FXEXT-AE-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "AE" ("Reverse charge"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Reverse charge" (AE), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-AE-08rev	
[BR-FXEXT-AE-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "AE" ("Reverse charge"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Reverse charge" (AE), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-AF-08b	
[BR-FXEXT-AF-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "L" ("Canary Islands tax"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Canary Islands tax" (L), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-AF-08ini	
[BR-FXEXT-AF-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "L" ("Canary Islands tax"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Canary Islands tax" (L), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-AF-08rev	
[BR-FXEXT-AF-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "L" ("Canary Islands tax"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Canary Islands tax" (L), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-AG-08b	
[BR-FXEXT-AG-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "M" ("Ceuta and Mellita tax"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level allowance amounts (BT-92) - $\sum$ Document level charge amounts (BT-99) - $\sum$ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Ceuta and Mellita tax" (M), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-AG-08ini	
[BR-FXEXT-AG-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "M" ("Ceuta and Mellita tax"), Absolute Value of (VAT category taxable amount (BT-116) - $\sum$ Invoice line net amounts (BT-131) + $\sum$ Document level	

List of Business Rules

No.	Context
	allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Ceuta and Mellita tax" (M), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-AG-08rev	[BR-FXEXT-AG-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "M" ("Ceuta and Mellita tax"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Ceuta and Mellita tax" (M), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-IC-08b	[BR-FXEXT-IC-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "K" ("Intra-community supply"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Intra-community supply" (K), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.
BR-FXEXT-IC-08ini	[BR-FXEXT-IC-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "K" ("Intra-community supply"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Intra-community supply" (K), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-IC-08rev	[BR-FXEXT-IC-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "K" ("Intra-community supply"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Intra-community supply" (K), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-G-08b	[BR-FXEXT-G-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "G" ("Export outside the EU"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Export outside the EU" (G), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.
BR-FXEXT-G-08ini	[BR-FXEXT-G-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "G" ("Export outside the EU"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Export outside the EU" (G), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-G-08rev	[BR-FXEXT-G-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "G" ("Export outside the EU"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Export outside the EU" (G), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.

List of Business Rules

No.	Context
BR-FXEXT-O-08b	
[BR-FXEXT-O-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "O" ("Not subject to VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Not subject to VAT" (O), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-O-08ini	
[BR-FXEXT-O-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "O" ("Not subject to VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Not subject to VAT" (O), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-O-08rev	
[BR-FXEXT-O-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "O" ("Not subject to VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Not subject to VAT" (O) and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-E-08b	
[BR-FXEXT-E-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "E" ("Exempt from VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Exempt from VAT" (E), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-E-08ini	
[BR-FXEXT-E-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "E" ("Exempt from VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Exempt from VAT" (E), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.	
BR-FXEXT-E-08rev	
[BR-FXEXT-E-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "E" ("Exempt from VAT"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Exempt from VAT" (E), and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified	
BR-FXEXT-Z-08b	
[BR-FXEXT-Z-08b] - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "Z" ("Zero Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Zero Rated" (Z), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified or the same rule but also taking into account the exemption reasons in Text (BT-120) and Code (BT-121) in BG-23 and the exemption reasons on each line (BT-X-96 / BT-X-97), on Document level Allowances (BT-173 / BT-174) and on Document Level Charges (BT-175 / BT-176) and on Service logistic charges (BT-X-591 / BT-X-592). One of the two rules must be followed, bearing in mind that ultimately only the second one will have to be followed.	
BR-FXEXT-Z-08ini	
[BR-FXEXT-Z-08ini] - Without Exemption reason EN16931_2017 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "Z" ("Zero Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance	

List of Business Rules

No.	Context
	amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Zero Rated" (Z), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FXEXT-Z-08rev	[BR-FXEXT-Z-08rev] - With Exemption reason EN16931_2026 - In a VAT breakdown (BG-23) where VAT category code (BT-118) is equal to "Z" ("Zero Rated"), Absolute Value of (VAT category taxable amount (BT-116) - Σ Invoice line net amounts (BT-131) + Σ Document level allowance amounts (BT-92) - Σ Document level charge amounts (BT-99) - Σ Logistics Service fee amounts (BT-x-272)) $\leq 0,01 * ((\text{Number of line net amounts (BT-131)} + \text{Number of Document level allowance amounts (BT-92)} + \text{Number of Document level charge amounts (BT-99)} + \text{Number of Logistics Service fee amounts (BT-X-272)}))$, where the VAT category code (BT-151, BT-95, BT-102, BT-X-273) is "Zero Rated" (Z) and where applicable the VAT exemption reason and specification code (BT-195, BT-174 and BT-176 and BT-X-592) and the Exemption reason text (BT-194, BT-173 and BT-175 and BT-X-591) are identical with the VAT category VAT exemption reason and specification code (BT-121) and VAT exemption reason text (BT-120), but only for lines where the "Subtype of invoice item" (BT-X-8) has the value "DETAIL" or is not specified.
BR-FX-DE-04	An invoice that is not a down payment invoice (code 386) must contain either BT-72 "Actual delivery date", BG-14 "Invoicing period" or BG-26 "Invoice line period" in each invoice item to indicate the delivery/service date. If BT-72 is not specified, at least the country of delivery (BT-80) must be specified for technical reasons.

List of Business Rules

No.	Context
PEPPOL-EN16931-R008	CIUS Peppol BIS
Document MUST not contain empty elements. (still status warning)	