Analysis Results

bankparserui-main.zip

Report Date
2026-04-22 12:16:30
Report Author
dctuser
Classification Method
By severity
Product Version
10.16
Rules Version
10.127506

Confidentiality Note

This report is intended only for the person(s) or entity to which it is addressed and contains confidential and privileged information. If you are not the intended recipient, you must not view, use, copy, disclose, or otherwise disseminate this report or any part of it. Doing so is strictly prohibited, and may result in legal proceedings. If you received this in error, please notify the sender immediately and destroy any copies of this information.

1 Project Information 4

Dynamics by vulnerabilities 5

Scan History 7

2 Scan Information 67/67 2026-04-22 11:55:28 15

Scan Statistics 15

Language Statistics 16

Vulnerability List 18

Analysis Results 19

WAF Setup Instructions 26

Scan Settings 27

3 Export Settings 29

01 Project Information

Project Name

bankparserui-main.zip

UUID

0e8b2d90-628f-43f7-9c68-c481e1c8be42

Project in DerScanner

Dynamics by vulnerabilities

Vulnerabilities are divided by severity level: critical, medium, low and info.

CRITICAL LEVEL

Likely to lead to compromise confidential data and violation of the integrity of the system.

MEDIUM LEVEL

May be less likely to lead to compromising confidential data and violating the integrity of the system, or are less serious security

LOW LEVEL

Can become a potential security risk.

INFORMATION

Signal a violation of good programming practice.

First of all, pay attention to vulnerabilities of critical and medium levels.



Dynamics by rating

The app score is calculated on a scale from 0 to 5. Score is calculated based on the number of critical and medium level vulnerabilities. The impact of critical vulnerabilities is greater than that of medium level vulnerabilities, and does not take into account the amount of code. Medium level vulnerabilities are taken into account based on their frequency and total number of source code lines.



Scan History

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
67/67	2026-04-22 11:55:28	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 917	1	6	13	40	60	3.7/5.0
66/67	2026-04-22 10:31:49	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 924	1	0	15	35	51	4.0/5.0
65/67	2026-04-22 09:50:58	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 924	1	0	15	35	51	4.0/5.0
64/67	2026-04-22 08:52:01	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 862	1	0	15	35	51	4.0/5.0
63/67	2026-04-22 08:20:49	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 862	1	0	15	35	51	4.0/5.0
62/67	2026-04-22 07:37:48	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 807	1	0	15	35	51	4.0/5.0
61/67	2026-04-22 07:00:48	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	48 642	1	0	15	35	51	4.0/5.0
60/67	2026-04-22 06:28:49	completed	Config files, Python, JavaScript,	48 613	1	3	15	34	53	3.7/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
			PL/SQL, T-SQL, HTML5							
59/67	2026-04-21 11:54:15	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	47 958	0	3	15	34	52	4.7/5.0
58/67	2026-04-20 18:41:12	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	47 711	0	2	15	34	51	4.7/5.0
57/67	2026-04-20 09:45:42	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	46 504	0	2	15	34	51	4.7/5.0
56/67	2026-04-19 14:21:49	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	46 086	0	2	15	32	49	4.7/5.0
55/67	2026-04-17 04:25:58	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 421	0	2	15	31	48	4.7/5.0
54/67	2026-04-15 17:00:12	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 409	0	2	15	31	48	4.7/5.0
53/67	2026-04-15 10:52:22	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 412	0	2	15	31	48	4.7/5.0
52/67	2026-04-14 07:04:02	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 298	0	2	15	31	48	4.7/5.0
51/67	2026-04-14 06:30:20	completed	Config files, Python,	44 412	0	2	15	32	49	4.7/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
			JavaScript, PL/SQL, T-SQL, HTML5							
50/67	2026-04-14 05:48:20	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 220	0	2	15	31	48	4.7/5.0
49/67	2026-04-14 05:28:32	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 220	0	2	15	31	48	4.7/5.0
48/67	2026-04-13 17:50:19	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 072	0	2	13	31	46	4.7/5.0
47/67	2026-04-13 17:41:18	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	44 072	0	2	13	31	46	4.7/5.0
46/67	2026-04-11 11:42:13	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	43 953	0	2	13	31	46	4.7/5.0
45/67	2026-04-08 11:53:09	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	43 924	0	2	13	31	46	4.7/5.0
44/67	2026-04-08 07:09:32	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	43 819	0	2	13	31	46	4.7/5.0
43/67	2026-04-08 06:26:28	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	43 862	0	2	13	31	46	4.7/5.0
42/67	2026-04-03	completed	Config files,	43 268	0	2	13	31	46	4.7/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
	13:04:41		Python, JavaScript, PL/SQL, T-SQL, HTML5							
41/67	2026-04-03 05:58:11	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	42 953	0	2	13	30	45	4.7/5.0
40/67	2026-04-01 11:14:13	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	41 940	0	3	13	29	45	4.7/5.0
39/67	2026-03-31 13:19:09	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	41 655	0	3	13	29	45	4.7/5.0
38/67	2026-03-31 07:10:00	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	41 654	0	3	13	29	45	4.7/5.0
37/67	2026-03-30 11:59:36	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	40 709	0	3	13	25	41	4.7/5.0
36/67	2026-03-28 14:43:50	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	40 080	0	3	13	25	41	4.7/5.0
35/67	2026-03-28 13:41:19	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	39 137	0	3	13	25	41	4.7/5.0
34/67	2026-03-28 12:34:29	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 912	0	3	13	25	41	4.7/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
33/67	2026-03-25 05:05:46	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 782	0	3	13	24	40	4.7/5.0
32/67	2026-03-21 14:31:25	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 720	0	3	13	24	40	4.7/5.0
31/67	2026-03-12 11:12:38	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 218	0	0	12	21	33	5.0/5.0
30/67	2026-03-12 10:16:10	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 186	0	0	12	21	33	5.0/5.0
29/67	2026-03-12 10:14:53	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 141	0	0	12	21	33	5.0/5.0
28/67	2026-03-11 12:40:09	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
27/67	2026-03-11 10:19:38	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
26/67	2026-03-09 17:47:33	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
25/67	2026-03-05 08:09:46	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 143	0	0	12	21	33	5.0/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
24/67	2026-03-05 07:02:46	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
23/67	2026-03-05 06:37:46	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
22/67	2026-03-05 06:35:46	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 142	0	0	12	21	33	5.0/5.0
21/67	2026-03-05 06:21:31	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 144	0	0	12	21	33	5.0/5.0
20/67	2026-03-05 02:51:25	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 144	0	0	12	21	33	5.0/5.0
19/67	2026-03-03 12:14:40	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 143	0	0	11	21	32	5.0/5.0
18/67	2026-03-03 12:13:39	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 140	0	0	11	21	32	5.0/5.0
17/67	2026-03-03 11:18:09	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 140	0	0	11	21	32	5.0/5.0
16/67	2026-03-03 09:07:39	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 102	0	0	10	21	31	5.0/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
15/67	2026-03-03 06:25:48	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 103	0	0	10	21	31	5.0/5.0
14/67	2026-03-03 05:46:48	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 281	2	9	11	28	50	3.2/5.0
13/67	2026-03-02 12:51:06	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 283	2	10	11	28	51	3.2/5.0
12/67	2026-03-02 11:35:36	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 251	2	10	11	28	51	3.2/5.0
11/67	2026-02-25 13:46:21	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 132	2	7	11	28	48	3.3/5.0
10/67	2026-02-25 13:05:52	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 123	2	6	10	28	46	3.3/5.0
9/67	2026-02-25 13:04:50	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	38 124	2	6	10	28	46	3.3/5.0
8/67	2026-02-25 05:21:23	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 084	2	4	9	21	36	3.3/5.0
7/67	2026-02-24 09:13:59	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 059	1	0	9	21	31	4.0/5.0

	Date and Time	Status	Languages	Lines of Code	Number of Vulnerabilities					Score
					Critical	Medium	Low	Info	Total	
6/67	2026-02-24 07:04:28	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 052	1	0	9	21	31	4.0/5.0
5/67	2026-02-20 08:38:02	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 054	1	0	9	21	31	4.0/5.0
4/67	2026-02-20 07:23:41	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 017	2	29	9	21	61	3.1/5.0
3/67	2026-02-19 15:14:00	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	37 025	1	29	9	21	60	3.5/5.0
2/67	2026-02-19 11:50:29	completed	Config files, Python, JavaScript, PL/SQL, T-SQL, HTML5	36 782	0	28	9	21	58	4.4/5.0
1/67	2026-02-19 11:04:46	completed	Config files	4	0	0	0	0	0	5.0/5.0

02

Scan Information

67/67 2026-04-22 11:55:28
10.127506

Scan Statistics

Status
completed

Score
3.7/5.0

Duration
0:07:38

Lines of Code
48 917

Vulnerabilities

1	6	13	40	60
Critical	Medium	Low	Info	Total

Language	Status	Duration	Lines of Code	Number of Vulnerabilities				
				Critical	Medium	Low	Info	Total
Config files	completed	0:00:02	28 845	0	0	3	0	3
Python	completed	0:07:27	18 695	1	6	8	40	55
JavaScript	completed	0:00:04	693	0	0	2	0	2
PL/SQL	completed	0:00:01	300	0	0	0	0	0
T-SQL	completed	0:00:01	299	0	0	0	0	0
HTML5	completed	0:00:00	85	0	0	0	0	0

Language Statistics



Diagram of identified vulnerabilities



Vulnerable Dependencies

Vulnerability List

Vulnerabilities are displayed accordingly to export settings: **7 selected**

Actual: **7 of 60**

Critical vulnerabilities		**1**
Hardcoded password	Python	1
● src/api/mssql_source.py:232		Not processed
Medium-level vulnerabilities		**6**
Information leak	Python	6
● src/ui/upload_app.py:2760		Not processed
● src/ui/upload_app.py:2769		Not processed
● src/ui/upload_app.py:2785		Not processed
● src/ui/upload_app.py:2814		Not processed
● src/ui/upload_app.py:2896#2898		Not processed
● src/ui/upload_app.py:2910#2913		Not processed
Low-level vulnerabilities		**0**
Info-level vulnerabilities		**0**

* Rejected vulnerabilities are not taken into account

Analysis Results

Hardcoded password (Python)

Description

Password is hardcoded. This may lead to an application data compromise.
Eliminating security risks related to hardcoded passwords is extremely difficult. These passwords are at least accessible to every developer of the application. Moreover, after the application is installed, removing password from its code is possible only via an update. Constant strings are easily extracted from the compiled application by decompilers. Therefore, an attacker does not necessarily need to have an access to the source code to know the parameters of the special account. If these parameters become known to an attacker, system administrators will be forced either to neglect the safety, or to restrict the access to the application.

Example

In the following example, a password is hardcoded:
password = "hardcoded"

Recommendations

- Store not passwords but values of cryptographically secure hash function from the password. Use specialized hash functions designed for this purpose (bcrypt, PBKDF2, scrypt). Use salt obtained from cryptographically secure pseudorandom number generator to resist attacks which use rainbow tables.
- If the hardcoded password is used for the initial authorization, provide the special authentication mode for this purpose in which the user is required to provide his/her own unique password.
- Store authentication information in an encrypted form in a separate configuration file or in a database. Secure the encryption key. If encryption is not possible, limit the access to the repository as much as possible.

Links

1. Use of hard-coded password

2. CWE-259: Use of Hard-coded Password
3. OWASP Top 10 2013-A5-Security Misconfiguration
4. OWASP Top 10 2013-A6-Sensitive Data Exposure
5. Handling passwords used for auth in source code - stackoverflow.com
6. How to securely hash passwords? - security.stackexchange.com
7. OWASP Top 10 2017 A2-Broken Authentication
8. OWASP Top 10 2017-A3-Sensitive Data Exposure
9. CWE-798: Use of Hard-coded Credentials
10. CWE CATEGORY: OWASP Top Ten 2017 Category A2 - Broken Authentication
11. CWE CATEGORY: OWASP Top Ten 2017 Category A6 - Security Misconfiguration

Vulnerability Entries

src/api/mssql_source.py:232

Level Critical

Status Not processed

```
229 # из connection string. Значение (сам пароль) приходит из Vault и в коде
230 # никогда не хранится. Переменная намеренно названа нейтрально, чтобы
231 # SAST-линтеры (DerScanner и пр.) не считали это hardcoded credential.

232 _ALIAS_SECRET_KEYS = {"pwd", "password"}

233 _ALIAS_TRUST_CERT = {"trustservercertificate"}
234 _ALIAS_ENCRYPT = {"encrypt"}
235 _ALIAS_TIMEOUT = {"connecttimeout", "connectiontimeout", "timeout"}
```

Information leak (Python)

Description

System configuration information leak is possible. This can help an attacker to create a plan of an attack. Debug information and error messages can be written to the log, displayed to the console, or sent to the user depending on the system settings. In some cases, an attacker can make a conclusion about the system vulnerabilities from the error message. For example, a database error can indicate insecurity against SQL injection attacks. Information about the version of the operating system, server applications and system configurations can also be of value to the attacker.

Example

In the following example, the application turns on debug mode:
from django.conf import settings
settings.configure(DEBUG=True)

Recommendations

- Exclude detailed information about the system and its configuration from the error messages.

Links

1. OWASP Top 10 2013-A5-Security Misconfiguration
2. CWE-497: Exposure of System Data to an Unauthorized Control Sphere
3. OWASP Top 10 2017-A3-Sensitive Data Exposure
4. OWASP Top 10 2017-A6-Security Misconfiguration
5. CWE CATEGORY: OWASP Top Ten 2017 Category A5 - Broken Access Control
6. CWE CATEGORY: OWASP Top Ten 2017 Category A6 - Security Misconfiguration
7. CWE-200: Exposure of Sensitive Information to an Unauthorized Actor
8. CWE-209: Generation of Error Message Containing Sensitive Information
9. CWE-489

Vulnerability Entries

src/ui/upload_app.py:2760

Level Medium

Status Not processed

```
2757 try:
2758     from src.api import mssql_source  # type: ignore
2759 except Exception as exc:
2760     logger.exception("MSSQL source module failed to load: %s", exc)
2761     st.error("База временно недоступна. Попробуйте позже или обратитесь к администратору.")
2762     return
2763
```

src/ui/upload_app.py:2769

Level Medium

Status Not processed

```
2766 # пользователю показываем одно короткое сообщение.
2767 if not mssql_source.is_enabled():
2768     try:
2769         logger.warning("MSSQL source disabled: %s", mssql_source.describe_missing_config())
2770     except Exception:
2771         logger.warning("MSSQL source disabled (no config)")
2772     st.warning("База временно недоступна. Попробуйте позже или обратитесь к
администратору.")
```

src/ui/upload_app.py:2785

Level Medium

Status Not processed

```
2782 try:
2783     mssql_source.health_check()
2784 except Exception as exc:
2785     logger.exception("MSSQL health_check failed: %s", exc)
2786     st.error("Не удалось подключиться к базе. Попробуйте позже.")
2787 else:
2788     st.success("Подключение к базе установлено.")
```

src/ui/upload_app.py:2814

Level Medium

Status Not processed

```
2811 try:
2812     result = mssql_source.list_statements(page=page, page_size=page_size, q=q)
2813 except Exception as exc:
2814     logger.exception("MSSQL list_statements failed: %s", exc)
2815     st.error(
2816         "Не удалось получить список выписок. "
2817         "Перезагрузите страницу и попробуйте ещё раз."
```

src/ui/upload_app.py:2896#2898

Level Medium

Status Not processed

```
2893 try:
2894     name, pdf_bytes = mssql_source.fetch_pdf(item_id)
2895 except Exception as exc:
2896     logger.exception(
2897         "MSSQL fetch_pdf failed for id=%s: %s", item_id, exc
2898     )
2899     errors.append(
2900         f"{display_name}: не удалось загрузить файл из базы."
2901     )
```

Trace

get

src/ui/upload_app.py:2380

```
2377 if stmnt is None:
2378     continue
2379
2380 pdf_name = getattr(stmnt, "pdf_name", row.get("statement_name", f"statement_{idx + 1}"))
```

```
2381 bank_name = format_bank_name(getattr(stmnt, "bank", "Неизвестно"))
2382 tx_ip_df = getattr(stmnt, "enriched_df", None)
2383
```

exception

src/ui/upload_app.py:2896#2898

```
2893 try:
2894     name, pdf_bytes = mssql_source.fetch_pdf(item_id)
2895 except Exception as exc:
2896     logger.exception(
2897         "MSSQL fetch_pdf failed for id=%s: %s", item_id, exc
2898     )
2899     errors.append(
2900         f"{display_name}: не удалось загрузить файл из базы."
2901     )
```

src/ui/upload_app.py:2910#2913

Level Medium

Status Not processed

```
2907 # сюда дошло без %PDF- — значит в базе файл в неизвестном
2908 # формате. Техническое превью не показываем пользователю.
2909 if not pdf_bytes.startswith(b"%PDF-"):
2910     logger.warning(
2911         "MSSQL: non-PDF payload for id=%s name=%r (first bytes: %r)",
2912         item_id, display_name, pdf_bytes[:16],
2913     )
2914     errors.append(
2915         f"{display_name}: файл в базе имеет "
2916         "неподдерживаемый формат."
```

Trace

get

src/ui/upload_app.py:2380

```
2377 if stmnt is None:
2378     continue
2379
2380 pdf_name = getattr(stmnt, "pdf_name", row.get("statement_name", f"statement_{idx + 1}"))
2381 bank_name = format_bank_name(getattr(stmnt, "bank", "Неизвестно"))
2382 tx_ip_df = getattr(stmnt, "enriched_df", None)
2383
```

warning

src/ui/upload_app.py:2910#2913

```
2907 # сюда дошло без %PDF- — значит в базе файл в неизвестном
2908 # формате. Техническое превью не показываем пользователю.
2909 if not pdf_bytes.startswith(b"%PDF-"):
2910     logger.warning(
2911         "MSSQL: non-PDF payload for id=%s name=%r (first bytes: %r)",
2912         item_id, display_name, pdf_bytes[:16],
2913     )
2914     errors.append(
2915         f"{display_name}: файл в базе имеет "
2916         "неподдерживаемый формат."
```

WAF Setup Instructions

Information leak

Description

System configuration information leak is possible. This can help an attacker to create a plan of an attack. Debug information and error messages can be written to the log, displayed to the console, or sent to the user depending on the system settings. In some cases, an attacker can make a conclusion about the system vulnerabilities from the error message. For example, a database error can indicate insecurity against SQL injection attacks. Information about the version of the operating system, server applications and system configurations can also be of value to the attacker.

Vulnerability Entries

1. src/ui/upload_app.py:2760
2. src/ui/upload_app.py:2769
3. src/ui/upload_app.py:2785
4. src/ui/upload_app.py:2814
5. src/ui/upload_app.py:2896#2898
6. src/ui/upload_app.py:2910#2913

Scan Settings

67/67 2026-04-22 11:55:28

Select files for Analysis

**/*

Branch in Repository

master

Languages

- [ ] ABAP
- [ ] Apex
- [x] C#
- [ ] C/C++
- [ ] COBOL
- [x] Config files
- [x] Dart
- [x] Go
- [ ] Groovy
- [x] HTML5
- [x] Java, Scala, Kotlin
- [x] JavaScript, TypeScript
- [ ] LotusScript
- [ ] Objective-C
- [ ] Delphi, Pascal
- [x] PHP
- [x] PL/SQL, T-SQL
- [x] Python
- [ ] Perl
- [x] Ruby
- [x] Rust
- [x] Solidity
- [x] Swift
- [ ] TSX
- [ ] VB.NET, VBA, VBScript, VB6
- [ ] Vyper
- [ ] 1C

Java/Scala/Kotlin Specific Settings

- (●) Prebuilt project with .class files
- ( ) Source code (will be built by DerScanner)
- ( ) Source code (no build needed, only for Java)
- ( ) Source code (build with own tools)

JavaScript Specific Settings

- [ ] Analyze standard libraries

General Analysis Settings

- [ ] Analyze libraries and nested archives
- [ ] Use extra rules
- [ ] Incremental analysis
- [x] Preprocessing

Source Code Charset	UTF-8
Filename Charset	UTF-8

Rule Sets —

03 Export Settings

Project Information

Project Statistics

- [x] Dynamics by rating
- [x] Dynamics by vulnerabilities

Scan History

- ( ) Do not export scan history
- (•) Export entire scan history
- ( ) Export the latest scans ...

Vulnerability Classification

By severity

Scan Information

- [x] Detected vulnerabilities chart
- [x] Vulnerable Dependencies
- [x] Statistics on languages
- [ ] Analyzed files statistics
- [x] Error information
- [x] Scan settings
- [x] Version Properties

Vulnerability Filter

Severity

- [x] Critical
- [x] Medium
- [ ] Low
- [ ] Info

Vulnerable Dependencies

- [x] In standard libraries

- [x] In .class files that cannot be decompiled
- [x] Vulnerabilities without WAF configuration guide

Languages

- [x] ABAP
- [x] Android
- [x] Apex
- [x] C#
- [x] C/C++
- [x] COBOL
- [x] Config files
- [x] Dart
- [x] Delphi
- [x] Go
- [x] Groovy
- [x] HTML5
- [x] Java
- [x] JavaScript
- [x] Kotlin
- [x] LotusScript
- [x] Objective-C
- [x] Pascal
- [x] PHP
- [x] PL/SQL
- [x] Python
- [x] Perl
- [x] Ruby
- [x] Rust
- [x] Scala
- [x] Solidity
- [x] Swift
- [x] T-SQL
- [x] TSX
- [x] TypeScript
- [x] VB.NET
- [x] VBA
- [x] VBScript
- [x] Visual Basic 6
- [x] Vyper
- [x] 1C

Vulnerability List

Vulnerability Statuses

- [x] Not processed
- [x] Confirmed
- [ ] Rejected

List of Vulnerability Entries

- ( ) Do not export
- (•) Export all entries
- ( ) Export no more than entries ...

Analysis Results

Vulnerability Statuses

- [x] Not processed

- [x] Confirmed
- [ ] Rejected

Vulnerability Entries

- ( ) Do not export
- (•) Export all entries
- ( ) Export no more than entries ...

Source Code

- ( ) Do not export source code
- ( ) Export entire vulnerable source code file
- (•) Export context in the number of lines of code 3

Trace

- ( ) Do not export trace items
- ( ) Export all items
- (•) Export only the first and last items

Additional information

- [x] Vulnerability comment
- [x] Vulnerability actions

WAF Setup Instructions

Guide for Vulnerability Statuses

- [x] Not processed
- [x] Confirmed
- [ ] Rejected

Guide for WAF

- [x] Imperva SecureSphere
- [x] ModSecurity
- [x] F5

General Report Settings

- [x] Table of contents
- [x] Report export settings
- [x] Display vulnerability statuses
- [x] Display results correlation tags