# Solid State Physics: Homework #1

Due on March 11, 2025 at  $3{:}10\mathrm{pm}$ 

 $Professor\ Tianxing\ Ma$ 

郑晓旸

### Problem 1

Give an appropriate positive constant c such that  $f(n) \leq c \cdot g(n)$  for all n > 1.

1. 
$$f(n) = n^2 + n + 1$$
,  $g(n) = 2n^3$ 

2. 
$$f(n) = n\sqrt{n} + n^2$$
,  $g(n) = n^2$ 

3. 
$$f(n) = n^2 - n + 1$$
,  $g(n) = n^2/2$ 

#### Solution

We solve each solution algebraically to determine a possible constant c.

#### Part One

$$n^{2} + n + 1 =$$

$$\leq n^{2} + n^{2} + n^{2}$$

$$= 3n^{2}$$

$$\leq c \cdot 2n^{3}$$

Thus a valid c could be when c = 2.

#### Part Two

$$n^{2} + n\sqrt{n} =$$

$$= n^{2} + n^{3/2}$$

$$\leq n^{2} + n^{4/2}$$

$$= n^{2} + n^{2}$$

$$= 2n^{2}$$

$$\leq c \cdot n^{2}$$

Thus a valid c is c = 2.

#### Part Three

$$n^{2} - n + 1 =$$

$$\leq n^{2}$$

$$\leq c \cdot n^{2}/2$$

Thus a valid c is c = 2.

## Problem 2

计算体心立方堆积、面心立方堆积和密堆积的钢球体积/总体积比值。 **Solution** ti'xing