

siteco



Types,
data sheets,
configuration -
everything at
a glance:

Lunis



Lunis

The Downlight, Reimagined.

The Downlight, Reimagined.

Lunis combines unrivaled efficiency with timeless elegance and unlimited flexibility – for light that inspires.

Lunis – Quantum leap downlight.



Flexible

A wide range of installation options for flexible interior design – ideal for refurbishment and new projects.

Innovative

Glare-free, uniform light with CRI 90 and various lens optics – the right solution for every application.

Efficient

Maximum energy efficiency of up to 174 lm/W – for reduced operating costs and a short amortization period.

Modular


Sustainable, modular product concept made in Germany – for simple and individual customizing options.

Up to


174
lm/W

Endless configuration options.


Mounting options.




Sizes.



Beam angle.




Light colors.



Design Colors.

Reflector colors.



Front ring colors.



* Installation only

Modular product concept. Full flexibility.

Our downlight system offers maximum modularity and flexibility:


Can be used as a pendant, surface-mounted or recessed luminaire.

A wide range of lenses, optics, reflectors and front rings in numerous colors enable individual solutions - perfectly matched to any design and lighting concept.


A quantum leap for your flexibility.




100 % Modular product concepts



Pendant



Surface-mounted




Recessed



Reflectors



Opal cover



Lenses





Front rings


Innovative lighting technology. Outstanding illumination.

Our premium lighting technology offers brilliant, uniform illumination with high efficiency. Thoughtfully engineered components enable versatile applications and precise light distribution. Ideal for a wide range of requirements – from functional to atmospheric.


100 % Glare-free lighting

100 % Flexibility in the application





Replaceable, highly efficient light source for easy updates.



Perfectly matched lenses for flexibly selectable beam angles.



Reflector tailored to the system.

Up to
174
lm/W




Highly efficient. Save immediately.

Thanks to innovative lighting technology, the Lunis achieves a peak value of 174 lm/W and is therefore highly efficient. This means: minimum operating costs and amortization in record time.

Even when refurbishing first-generation LED luminaires to new LED technology, the switch pays off immediately.

A quantum leap for your investment.



Only
2,7
 Years
 amortization period

Sustainability. Consistently implemented .

- Production in Germany
- Short distances and therefore fast availability
- Interchangeability of all components
- Few and recyclable components
- Plastic-free packaging

A quantum leap for your sustainability.



100 % In-house
development

100 % Customizability
and interchangeability



The right retrofit
ring for every size
– **fast refurbishment
with less material
required.**

SITECO offers:

**Sustainable
refurbishment**

Lunis 21 at a glance.



Lunis 21

Technical data

Luminous flux: up to 4,500 lm
Power: up to 28 W
Luminous efficacy: up to 174 lm/W
Service life: 100,000 h (L80)
Light colors: 930, 940, Tunable White, special colors

Valid for all Lunis 21 variants:

Mounting types

Recessed, Surface-mounted, Pendant

Sizes

Surface-mounted, pendant: Ø 150 mm, Ø 200 mm
Recessed: Ø 68 mm, Ø 100 mm, Ø 150 mm, Ø 200 mm

Optics

Lens: Spot, Medium, Wide distribution, Oval, Asymmetrical
Opal: Extremely wide distribution

Reflector

Colors: White, black, high-gloss aluminum, matt aluminum


Drivers

On/Off Multilumen, DALI Multilumen, DT8

Protection class

IP54 on the room side
Prepared for higher protection ratings on the ceiling side

Contact us to find out more about
the quantum leap downlight.



Contact.

Siteco GmbH

Georg-Simon-Ohm-Str. 50
83301 Traunreut, Germany
Tel. +49 8669 330
sales-int@siteco.com

siteco.com