



QS – Git & GitHub.pdf


ATIVIDADE 01






1.



2.



3.



ATIVIDADE 02

1. GIT: configurações iniciais

```
MINGW64:/c/Users/lara8
grow, mark and tweak your common history
backfill    Download missing objects in a partial clone
branch      List, create, or delete branches
commit      Record changes to the repository
history     EXPERIMENTAL: Rewrite history
merge       Join two or more development histories together
rebase      Reapply commits on top of another base tip
reset       Set 'HEAD' or the index to a known state
switch      Switch branches
tag         Create, list, delete or verify tags

collaborate (see also: git help workflows)
fetch       Download objects and refs from another repository
pull        Fetch from and integrate with another repository or a local branch
push        Update remote refs along with associated objects

'git help -a' and 'git help -g' list available subcommands and some
concept guides. See 'git help <command>' or 'git help <concept>'
to read about a specific subcommand or concept.
See 'git help git' for an overview of the system.

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git --version
git version 2.55.0.windows.5

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ |
```

2. GIT CONFIG

```
MINGW64:/c/Users/lara8

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ --system
bash: --system: command not found

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git --system
unknown option: --system
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
          [--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
          [--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
          <command> [<args>]

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git --global
unknown option: --global
usage: git [-v | --version] [-h | --help] [-C <path>] [-c <name>=<value>]
          [--exec-path[=<path>]] [--html-path] [--man-path] [--info-path]
          [-p | --paginate | -P | --no-pager] [--no-replace-objects] [--no-lazy-fetch]
          [--no-optional-locks] [--no-advice] [--bare] [--git-dir=<path>]
          [--work-tree=<path>] [--namespace=<name>] [--config-env=<name>=<envvar>]
          <command> [<args>]

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ |
```

3. Definir nome, e-mail e editor de texto padrão do usuário.

```
MINGW64:/c/Users/lara8
--bool-or-int      value is --bool or --int
--bool-or-str      value is --bool or string
--path             value is a path (file or directory name)
--expiry-date      value is an expiry date

ther
--[no-]default <value>
                    with --get, use default value when missing entry
--[no-]comment <value>
                    human-readable comment string (# will be prepended as needed)
--[no-]fixed-value  use string equality when comparing values to value pattern
--[no-]includes     respect include directives on lookup

ara8@LAPTOP-ROGTOPMD MINGW64 ~
^C

ara8@LAPTOP-ROGTOPMD MINGW64 ~
git config --global user.name "Lara Cristyna"

ara8@LAPTOP-ROGTOPMD MINGW64 ~
git config --global user.email "lara877800@gmail.com"

ara8@LAPTOP-ROGTOPMD MINGW64 ~
git config --global core.editor notepad
```

4. Exibir as configurações fornecidas.

```
MINGW64:/c/Users/lara8
$ git config --global user.email "lara877800@gmail.com"

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config --global core.editor notepad

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config --global core.editor "code"
error: key does not contain a section: core

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config user name
fatal: not in a git directory

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config user.name
Lara Cristyna

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config user.email
lara877800@gmail.com

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config core.editor
notepad

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ |
```




```
MINGW64:/c/Users/lara8
lara877800@gmail.com

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config core.editor
notepad

lara8@LAPTOP-ROGTOPMD MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
user.name=Lara Cristyna
user.email=lara877800@gmail.com
core.editor=notepad


lara8@LAPTOP-ROGTOPMD MINGW64 ~
$
```

ATIVIDADE 03




- 1.
2. O livro não tinha o link para ler, e quando pesquisei sobre ainda não achei algum que fosse gratuito. Somente para comprar.


PARTE 2 DO PDF ATIVIDADE 01



1.




2.



3.

ATIVIDADE 02



1.

<https://github.com/LaraCristy/aula-git-github.git>

2.

```
Prompt de Comando
Microsoft Windows [versão 10.0.26200.8894]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\lara8>git clone https://github.com/LaraCristy/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.



C:\Users\lara8>
```

3.



```
Prompt de Comando
Microsoft Windows [versão 10.0.26200.8894]
(c) Microsoft Corporation. Todos os direitos reservados.

C:\Users\lara8>git clone https://github.com/LaraCristy/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

C:\Users\lara8>cd aula-git-github
C:\Users\lara8\aula-git-github>
```

ATIVIDADE 03



New Java Class

Java Class

⚠ This package name is discouraged. By convention, package names usually start with a lowercase letter

Source folder:

Package:

☐ Enclosing type:

Name:

Modifiers: ☒ public ☐ package ☐ private ☐ protected
☐ abstract ☐ final ☐ static
☒ none ☐ sealed ☐ non-sealed ☐ final

Superclass:

Interfaces:

Which method stubs would you like to create?

☒ public static void main(String[] args)

☐ Constructors from superclass

☒ Inherited abstract methods

Do you want to add comments? (Configure templates and default value [here](#))

☐ Generate comments

3.

```

Prompt de Comando
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Teste/

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\lara8\aula-git-github>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .gitignore

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    Teste/

no changes added to commit (use "git add" and/or "git commit -a")

C:\Users\lara8\aula-git-github>
  
```

4.

```
C:\Users\lara8\aula-git-github>git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .gitignore
        new file:   Teste/.classpath
        new file:   Teste/.gitignore
        new file:   Teste/.project
        new file:   Teste/.settings/org.eclipse.core.resources.prefs
        new file:   Teste/.settings/org.eclipse.jdt.core.prefs
        new file:   Teste/src/Teste/Teste.java
        new file:   Teste/src/module-info.java

C:\Users\lara8\aula-git-github>
```

5.

```
Prompt de Comando

C:\Users\lara8\aula-git-github>git status
On branch main
Your branch is up to date with 'origin/main'.


Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .gitignore
        new file:   Teste/.classpath
        new file:   Teste/.gitignore
        new file:   Teste/.project
        new file:   Teste/.settings/org.eclipse.core.resources.prefs
        new file:   Teste/.settings/org.eclipse.jdt.core.prefs
        new file:   Teste/src/Teste/Teste.java
        new file:   Teste/src/module-info.java

C:\Users\lara8\aula-git-github>git commit -m "Primeiro commit do projeto
:classe Java Teste vazia."
[main 8d514d6] Primeiro commit do projeto:classe Java Teste vazia.
 8 files changed, 60 insertions(+)
 create mode 100644 Teste/.classpath
 create mode 100644 Teste/.gitignore
 create mode 100644 Teste/.project
 create mode 100644 Teste/.settings/org.eclipse.core.resources.prefs
 create mode 100644 Teste/.settings/org.eclipse.jdt.core.prefs
 create mode 100644 Teste/src/Teste/Teste.java
 create mode 100644 Teste/src/module-info.java

C:\Users\lara8\aula-git-github>
```

6.


20:47
28/08/2026

7.  MINGW64:/c/Users/lara8/aula/aula-git-github

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git config --global --unset credential.username

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git config --global credential.useHttpPath true

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/LaraCristy/aula-git-github.git
   b9aba19..4e71452  main -> main
```

8.  MINGW64:/c/Users/lara8/aula/aula-git-github


```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git config --global --unset credential.username

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git config --global credential.useHttpPath true

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git push
info: please complete authentication in your browser...
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 319 bytes | 319.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/LaraCristy/aula-git-github.git
   b9aba19..4e71452  main -> main

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

9.  MINGW64:/c/Users/lara8/aula/aula-git-github

```
total 1
-rw-r--r-- 1 lara8 197609 25 Aug 28 21:27 README.md
-rw-r--r-- 1 lara8 197609 0 Aug 28 21:37 test.java
-rw-r--r-- 1 lara8 197609 0 Aug 28 21:28 teste_aula.txt

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git push
Everything up-to-date

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git add .

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   test.java

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git commit -m"Primeiro commit do projeto:classe Java Teste vazia."
[main 1fcfe27] Primeiro commit do projeto:classe Java Teste vazia.
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 test.java


lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git push
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 267 bytes | 267.00 KiB/s, done.
Total 2 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/LaraCristy/aula-git-github.git
   4e71452..1fcfe27  main -> main

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ |
```


ATIVIDADE 4



1.

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1001 bytes | 91.00 KiB/s, done.
From https://github.com/LaraCristy/aula-git-github
   1fcfe27..461714c  main       -> origin/main

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ |
```

2.

```
1 package Teste;
2
3 public class Teste {
4
5     public static void main(String[] args) {
6         // TODO Auto-generated method stub
7
8     }
9
10 }
11
```

3.

4.


```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```

5.

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git pull
Updating 1fcfe27..b8b8979
Fast-forward
 test.java | 7 ++++++
 1 file changed, 7 insertions(+)
```

6.



7.

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```


ATIVIDADE 05

1.




2.

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1018 bytes | 46.00 KiB/s, done.
From https://github.com/LaraCristy/aula-git-github
   6e04608..c965581  main       -> origin/main
Updating 6e04608..c965581
Fast-forward
 test.java | 10 +++++-----
 1 file changed, 5 insertions(+), 5 deletions(-)
```

3. The screenshot shows the Eclipse IDE interface. The title bar reads "aula-git-github - C:\Users\lara8\aula\aula-git-github\test.java - Eclipse IDE". The menu bar includes File, Edit, Source, Refactor, Navigate, Search, Project, Run, Window, and Help. The toolbar contains various icons for file operations and development. The "Teste.java" editor is open, showing the following code:

```
1 package teste;
2 public class Teste {
3     public static void main(String[] args) {
4         int num1 = 3, num2 = 5, soma;
5         soma = num1 + num2;
6         System.out.println(soma);
7     }
8 }
9
```

4. The screenshot shows a terminal window with the following output:

```
lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ Git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

lara8@LAPTOP-ROGTOPMD MINGW64 ~/aula/aula-git-github (main)
$ |
```

The terminal window is part of a desktop environment. The taskbar at the bottom shows icons for a red application, a blue application, a green application, a white application, and a purple application. The system tray on the right shows the time as 16:01 and the date as 30/08/2026.