

Thomas B. Ramsden

& Co. (Bradford) Limited

Wendy

Peter Pan

Robin

Twilleys of Stamford

erika knight

Free Pattern



3Ply

81-107cm (32-42ins)

Crochet Motif and Shell Vest

in Twilleys *of* Stamford Goldfingering

Leaflet No. 9037

MATERIALS AND MEASUREMENTS

To Fit Chest	81 32	86 34	91 36	97 38	102 40	107 42	cm in
Actual Measurement	86 33¾	90 35½	94 37	102 40	106 41¾	110 43¾	cm in
Length to Underarm	43 17	43 17	43 17	43 17	43 17	43 17	cm in
Twilleys Goldfingering (Photographed in Shade 63 Peacock Blue)	6	7	7	8	8	9	50g balls

2.50mm (UK 12 - USA C2) crochet hook.

IMPORTANT

Unless the yarn specified is used, we cannot accept any responsibility for the finished work. It is advisable to purchase, at one time, the number of balls sufficient for your requirements.

Yarn quantities are approximate as they are based on average requirements.

Please note that the limitations of the printing process mean that the actual colour will not always precisely match the colours in the photograph.

TENSION

30 sts and 16 rows to 10 cm (4 ins) measured over shell pattern using 2.50mm hook. Basic Motif measures 7 cm (2¾ins) in diameter.

TENSION CHECK

It is essential to check your tension before beginning by making a swatch at least 15 cm square. If there are MORE stitches or rows to 10 cm (4 in) than stated, your crochet is tight and you should try again using a larger size hook. If there are LESS stitches or rows to 10 cm (4 in) than stated, your crochet is loose and you should try again using a smaller size hook.

ABBREVIATIONS

beg - beginning; **ch** - chain; **cm** - centimetres; **dc** - double crochet; **dec** - decreas(e)(ing); **fol** - following; **in** -

inch(es); **mm** - millimetres; **rem** - remaining; **rep** - repeat; **rs** - right side; **sp(s)** - space(s); **ss** - slip stitch; **st(s)** - stitch(es); **tr** - treble; **tr2tog** - [yoh and insert as indicated, yoh and draw loop through, yoh and draw through 2 loops] twice, yoh and draw through all 3 loops; **tr3tog** - [yoh and insert as indicated, yoh and draw loop through, yoh and draw through 2 loops] 3 times, yoh and draw through all 4 loops; **tr4tog** - [yoh and insert as indicated, yoh and draw loop through, yoh and draw through 2 loops] 4 times, yoh and draw through all 5 loops; **ws** - wrong side; **yoh** - yarn over hook.

NOTES

Instructions in square brackets [] should be repeated the number of times given after the brackets. Use either metric (cm) or imperial (in) measurements throughout.

BASIC FULL MOTIF

Using 2.50mm hook, make 3 ch and join with a ss to form a ring.

round 1: (rs) 3 ch (counts as first tr), 11 tr into ring, ss to top of 3 ch at beg of round.

round 2: 5 ch (counts as first tr and 2 ch), miss st at base of 5 ch, [1 tr into next tr, 2 ch] 11 times, ss to 3rd of 5 ch at beg of round.

round 3: 3 ch (counts as first tr), 3 tr into first ch sp, [1 tr into next tr, 3 tr into next ch sp] 11 times, ss to top of 3 ch at beg of round.

round 4: 3 ch (does NOT count as st), miss tr at base of 3 ch, tr3tog over next 3 tr, [5 ch, tr4tog over next 4 tr] 11 times, 5 ch, ss to top of tr3tog at beg of round.

Fasten off.

Basic Full Motif is a circle - around outer edge there are 12 petals and 12 5-ch sps. Join Motifs whilst working round 4 by replacing appropriate (5 ch) with (2 ch, ss to appropriate ch sp of adjacent Motif, 2 ch).

BASIC PART MOTIF

Work as given for Basic Full Motif to end of round 1. 12 sts.

row 2: (rs) 5 ch (counts as first tr and 2 ch), miss st at base of 5 ch, [1 tr into next tr, 2 ch] 7 times, 1 tr into next tr, turn. 8 ch sps.

row 3: 3 ch (counts as first tr), 3 tr into first ch sp, [1 tr into next tr, 3 tr into next ch sp] 7 times, 1 tr into 3rd of 5 ch at beg of row. 33 sts.

row 4: 5 ch (counts as 1 tr and 2 ch), miss, tr4tog over tr at base of 3 ch and next 3 tr, [5 ch, tr4tog over next 4 tr] 7 times, 5 ch, ss to top of 3 ch at beg of row.

Fasten off.

Basic Part Motif has 8 petals around outer edge, with a 5-ch sp between each petal and 5 ch at each end of row. Join Part Motifs to Full Motifs whilst working row 4 by replacing (5 ch) between 3rd and 4th, 4th and 5th, and 5th and 6th petals with (2 ch, ss to appropriate ch sp of adjacent Motif, 2 ch).

BACK

Using 2.50mm hook, make 104 (110, 116, 128, 134, 140) ch.

foundation row: (rs) 1 dc into 2nd ch from hook, *miss 2 ch, 5 tr into next ch, miss 2 ch, 1 dc into next ch, rep from * to end, turn. 103 (109, 115, 127, 133, 139) sts, 17 (18, 19, 21, 22, 23) patt reps.

Cont in shell patt as follows:-

row 1: 3 ch (counts as first tr), 2 tr into dc at base of 3 ch, *miss 2 tr, 1 dc into next tr, miss 2 tr**, 5 tr into next dc, rep from * to end, ending last rep at **, 3 tr into last dc, turn.

row 2: 1 ch (does NOT count as st), 1 dc into tr at end of previous row, *miss 2 tr, 5 tr into next dc, miss 2 tr, 1 dc into next tr, rep from * to end, working dc at end of last rep into top of 3 ch at beg of previous row, turn.

These 2 rows form shell patt.

Cont in shell patt until Back measures approx 19 cm, 7½ ins, ending with a rs row.

Shape armholes

Place markers at both ends of last row.

next row: (ws) ss across first dc and next 2 tr and into next tr, 1 ch (does NOT count as st), 1 dc into same place as last ss - 3 sts, ½ patt rep decreased, patt until dc has been worked into centre tr of last group of 5 tr and turn, leaving rem (2 tr and 1 dc) unworked - 3 sts, ½ patt rep decreased. 97 (103, 109, 121, 127, 133) sts, 16 (17, 18, 20, 21, 22) patt reps.

Work 2 rows.**

Rep last 3 rows 2 (2, 3, 4, 5, 5) times more, then first 2 of these rows again, ending with a ws row. 79 (85, 85, 91, 91, 97) sts, 13 (14, 14, 15, 15, 16) patt reps.

Next row: (rs) 1 ch (does NOT count as st), 1 dc into tr at end of previous row, [miss 2 tr, 5 tr into next dc, miss 2 tr, 1 dc into next tr] 3 times and turn, leaving rem sts unworked. 19 sts, 3 patt reps.

Dec ½ patt rep at each end of next and foll 3rd row. 7 sts, 1 patt rep.

Fasten off.

Return to last complete row worked, miss centre 41 (47, 47, 53, 53, 59) sts, 7 (8, 8, 9, 9, 10) patt reps, rejoin yarn to next st (this is centre tr of one group of 5 tr), 1 ch, 1 dc into place where yarn was rejoined, patt to end, turn. 19 sts, 3 patt reps.

Dec ½ patt rep at each end of next and foll 3rd row. 7 sts, 1 patt rep.

Fasten off.

FRONT

Work as given for Back to start of armhole shaping.

Shape armholes

Place markers at both ends of last row.

Working all decreases as set by Back, dec 3 sts, ½ patt rep at each end of next and 1 (1, 2, 3, 4, 4) foll 3rd rows. 91 (97, 97, 103, 103, 109) sts, 15 (16, 16, 17, 17, 18) patt reps.

Work 1 row.

Divide for neck

Next row: 1 ch (does NOT count as st), 1 dc into tr at end of previous row, [miss 2 tr, 5 tr into next dc, miss 2 tr, 1 dc into next tr] 6 times and turn, leaving rem sts unworked. 37 sts, 6 patt reps.

Dec ½ patt rep at each end of next and 4 foll 3rd rows. 7 sts, 1 patt rep.

Fasten off.

Return to last complete row worked, miss centre 17 (23, 23, 29, 29, 35) sts, 3 (4, 4, 5, 5, 6) patt reps, rejoin yarn to next st (this is centre tr of one group of 5 tr), 1 ch, 1 dc into place where yarn was rejoined, patt to end, turn. 37 sts, 6 patt reps.

Dec ½ patt rep at each end of next and 4 foll 3rd rows. 7 sts, 1 patt rep.

Fasten off.

SIDE PANELS (Make 2)

Make and join 2 Basic Full Motifs to form a strip, joining Motifs at 3 adjacent ch sps.

Attach a Basic Part Motif to one end of this strip (to form underarm section) leaving 31/2 ch sps free along each side of full Motif either side of the joined sps.

Attach Side Panels

Place markers along left row-end edge of Back as follows:- there is already a marker at underarm point. Add second marker at base (foundation ch edge) of edge, and then a further 2 markers to divide edge into 3 equal sections - 4 markers in total. Now place 2 evenly spaced markers within each of these 3 sections - 10 markers in total.

With rs facing and using 2.50mm hook, attach yarn with a ss at underarm marker along left side edge of Back and proceed as follows:- 5 ch, 1 ss into ch sp before first petal of Basic Part Motif, [5 ch, 1 ss into next Back marker, 5 ch, 1 ss into next ch sp of Basic Part Motif] twice, *5 ch, 1 ss into next Back marker,

5 ch, 1 ss into first free ch sp of next Basic Full Motif, [5 ch, 1 ss into next Back marker, 5 ch, 1 ss into next ch sp of Basic Full Motif] twice, rep from * once more, 5 ch, 1 ss into last Back marker.

Fasten off.

Attach other Side Panel to other side edge of Back in same way, then attach Side Panels to Front.

MOTIF BORDER

First band

Make and join 13 (13, 14, 15, 16, 16) Basic Full Motifs to form a loop, joining Motifs at 2 adjacent ch sps and leaving 4 ch sps free along sides of Motifs between joined sps.

Second band

Make and join a further 13 (13, 14, 15, 16, 16) Basic Full Motifs to form a loop, joining these Motifs to each other in same way as for Motifs of First Band but also joining them to Motifs of First band as follows:- These Motifs "sit" halfway along Motifs of previous band, with centres of Motifs of one band level with joined edges of other band. After joined points of Motifs of Second band, next 4 ch sps of this Motif are joined to the 2 ch sps before a joined point of one Motif of First band and the first 2 ch sps of the next Motif of First Band after joined point.

Third band

Work as for Second band.

Upper Edging

With rs facing and using 2.50mm hook, attach yarn to upper edge of Motif Border in a ch sp directly after a joined point and proceed as follows:- 1 ch (does NOT count as st), 1 dc into same ch sp, *[5 ch, 1 dc into next ch sp of same Motif] 3 times, 5 ch, tr2tog working first "leg" into same ch sp as last dc and second "leg" into first free ch sp of next Motif, 5 ch, 1 dc into same ch sp as used for second leg of tr2tog just worked, rep from * to end, replacing dc at end of last rep with ss to first dc. 65 (65, 70, 75, 80, 80) ch sps.

next round: (rs) ss into first ch sp, 3 ch (counts as first tr), 3 tr into same ch sp, *1 ch, 4 tr into next ch sp, rep from * to end, 1 ch, ss to top of 3 ch at beg of round.

Fasten off.

TO MAKE UP

Sew top of last round of Upper Edging of Motif Border to lower edge of joined

Front, Back and Side Panels.

Hem Edging

With rs facing and using 2.50mm hook, attach yarn to lower edge of Motif Border in a ch sp directly after a joined point and proceed as follows:- 1 ch (does NOT count as st), 1 dc into same ch sp, *[5 ch, 1 dc into next ch sp of same Motif] 3 times, 5 ch, tr2tog working first "leg" into same ch sp as last dc and second "leg" into first free ch sp of next Motif, 5 ch, 1 dc into same ch sp as used for second leg of tr2tog just worked, rep from * to end, replacing dc at end of last rep with ss to first dc. 65 (65, 70, 75, 80, 80) ch sps.

next round: (rs) 1 ch (does NOT count as st), 1 dc into first dc, *4 dc into next ch sp, 1 dc into next dc (or tr2tog), rep from * to end, replacing dc at end of last rep with ss to first dc.

next round: 1 ch (does NOT count as st), 1 dc into first dc, *miss 2 dc, 5 tr into next dc, miss 2 dc, 1 dc into next dc, rep from * to end, replacing dc at end of last rep with ss to first dc.
Fasten off.

Armhole Edging and Shoulder Straps

With rs facing and 2.50mm hook, rejoin yarn to armhole edge along top of right Side Panel, 1 ch (does NOT count as st), work 1 row of dc evenly up back armhole edge to tr at centre of last "shell" of patt, make a ch 20 cm, 7¾ ins, long, then starting at centre tr of last "shell" of Front work in dc evenly down right front armhole edge, ending with ss to first dc.

next round: 1 ch (does NOT count as st), 1 dc into each dc or ch to end, ensuring number of dc worked is divisible by 5, ss to first dc.

next round: 1 ch (does NOT count as st), 1 dc into first dc, *miss 2 dc, 5 tr into next dc, miss 2 dc, 1 dc into next dc, rep from * to end, replacing dc at end of last rep with ss to first dc.
Fasten off.

Work Edging and Shoulder Strap around left armhole edge in same way.

Neck Edging and Shoulder Straps

With rs facing and 2.50mm hook, rejoin yarn to upper edge of Back, 1 ch (does NOT count as st), work 1 round of dc

evenly around entire neck edge, working into each ch along base of shoulder strap and ending with ss to first dc.

next round: 1 ch (does NOT count as st), 1 dc into each dc to end, ensuring number of dc worked is divisible by 5, ss to first dc.

next round: 1 ch (does NOT count as st), 1 dc into first dc, *miss 2 dc, 5 tr into next dc, miss 2 dc, 1 dc into next dc, rep from * to end, replacing dc at end of last rep with ss to first dc.
Fasten off.

Tie

Using 2.50mm hook, make a ch approx 150 cm, 59 ins, long.

row 1: 1 dc into 2nd ch from hook, 1 dc into each ch to end.
Fasten off.

Thread Tie through holes of last row of Upper Edge of Motif Border and tie ends in a bow.

Free for personal use only.

Thomas B. Ramsden & Co Ltd, Guiseley, Yorks LS20 9PD

Visit www.tbramsden.co.uk and subscribe to Wool 'n' Threads for more free patterns.