


Git y GitHub

Capturas en orden de cómo se van pidiendo en el ejercicio.

Fundamentos de Git I



```
MINGW64:/c/Users/Laramash12

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ git --version
git version 2.46.2.windows.1

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ |

MINGW64:/c/Users/Laramash12

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ git config --global user.name "Andres"

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ git config --global user.email "jimenezmaxx@gmail.com"

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ git config --global core.editor "code"

Laramash12@DESKTOP-ANDRES MINGW64 ~
$ git config --global --list
user.name=Andres
user.email=jimenezmaxx@gmail.com
core.editor=code

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    peliculas.txt

nothing added to commit but untracked files present (use "git add" to track)

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ |

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:    comidas.txt
    modified:   peliculas.txt

no changes added to commit (use "git add" and/or "git commit -a")

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ |
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ git status
On branch master
Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    modified:   peliculas.txt

Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:   comidas.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ |
```

```
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:   comidas.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    datos.bak
    output/

no changes added to commit (use "git add" and/or "git commit -a")
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add/rm <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    deleted:   comidas.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

no changes added to commit (use "git add" and/or "git commit -a")
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ git log --oneline
d61f27e (HEAD -> master) Añadir .gitignore para excluir archivos .bak y la carpeta output
195a299 Eliminar comidas.txt y modificar peliculas.txt
89e84df Añadir peliculas.txt y comidas.txt
94d65fc Añadir dos libros más a libros.txt
ed66b62 Primer commit: Añadir libros.txt con tres títulos

Laramash12@DESKTOP-ANDRES MINGW64 ~/S1R1 (master)
$ |
```

Fundamentos de Git II

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (test)
$ git log --graph --all
* commit a9b4a9b11424c7a149ce9a0028c3654bc9801064 (HEAD -> test)
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:10:24 2024 +0200
|
| Añadir actrices.txt con tres actrices
|
* commit 4fb47091e83d0f4772f4da709c9bffc957ceb604 (master)
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:09:45 2024 +0200
|
| Añadir actores.txt con tres actores
|
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (test)
$ |
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (master)
$ git merge test

Updating 4fb4709..a9b4a9b
Fast-forward
 actrices.txt | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 actrices.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (master)
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (test2)
$ git log --graph --all
* commit a5fa042af88a5f67bbb3aba38c982d73bbb5fc5c (HEAD -> test2)
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:13:11 2024 +0200
|
| Añadir una actriz más a actrices.txt en test2
|
* commit a699961c601a57a966c761414d88d5db8f125fcc (master)
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:12:49 2024 +0200
|
| Añadir una actriz más a actrices.txt en master
|
* commit a9b4a9b11424c7a149ce9a0028c3654bc9801064 (test)
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:10:24 2024 +0200
|
| Añadir actrices.txt con tres actrices
|
* commit 4fb47091e83d0f4772f4da709c9bffc957ceb604
| Author: Andres <jimenezmaxx@gmail.com>
| Date: Sun Oct 13 18:09:45 2024 +0200
|
| Añadir actores.txt con tres actores
|
```

```

a Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (master|MERGING)
el $ git status
On branch master
You have unmerged paths.
  (fix conflicts and run "git commit")
  (use "git merge --abort" to abort the merge)

Unmerged paths:
  (use "git add <file>..." to mark resolution)
    both modified:   actrices.txt

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore
    s

no changes added to commit (use "git add" and/or "git commit -a")

Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (master|MERGING)
$ |

```

```

Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R1 (master)
$ git log --graph --all
*   commit c24144a76620b907a76ddaeb0cc0e33831587689 (HEAD -> master)
| \
|  | Merge: a699961 a5fa042
|  | Author: Andres <jimenezmaxx@gmail.com>
|  | Date:   Sun Oct 13 18:23:49 2024 +0200
|  |
|  |     Resolver conflicto en actrices.txt
|  |
|  | *   commit a5fa042af88a5f67bbb3aba38c982d73bbb5fc5c (test2)
|  | |   Author: Andres <jimenezmaxx@gmail.com>
|  | |   Date:   Sun Oct 13 18:13:11 2024 +0200
|  | |   Añadir una actriz más a actrices.txt en test2
|  | |
|  | | *   commit a699961c601a57a966c761414d88d5db8f125fcc
|  | | |   Author: Andres <jimenezmaxx@gmail.com>
|  | | |   Date:   Sun Oct 13 18:12:49 2024 +0200
|  | | |   Añadir una actriz más a actrices.txt en master
|  | | |
|  | | | *   commit a9b4a9b11424c7a149ce9a0028c3654bc9801064 (test)
|  | | | |   Author: Andres <jimenezmaxx@gmail.com>
|  | | | |   Date:   Sun Oct 13 18:10:24 2024 +0200
|  | | | |   Añadir actrices.txt con tres actrices
|  | | | |
|  | | | | *   commit 4fb47091e83d0f4772f4da709c9bffc957ceb604
|  | | | | |   Author: Andres <jimenezmaxx@gmail.com>
|  | | | | |   Date:   Sun Oct 13 18:09:45 2024 +0200
|  | | | | |   Añadir actores.txt con tres actores

```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~  
$ git clone S2R2-remoto S2R2  
Cloning into 'S2R2'...  
warning: You appear to have cloned an empty repository.  
done.
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~  
$ |
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (master)  
$ git push origin master  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Delta compression using up to 12 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To C:/Users/Laramash12/S2R2-remoto  
* [new branch]      master -> master  
  
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (master)  
$ |
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (version1)  
$ git push origin version1  
  
Enumerating objects: 5, done.  
Counting objects: 100% (5/5), done.  
Delta compression using up to 12 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (3/3), 359 bytes | 359.00 KiB/s, done.  
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
  
To C:/Users/Laramash12/S2R2-remoto  
* [new branch]      version1 -> version1
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R3 (master)  
$ git checkout version1  
Switched to a new branch 'version1'  
branch 'version1' set up to track 'origin/version1'.  
  
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R3 (version1)  
$ cat directores.txt  
Steven Spielberg  
Martin Scorsese  
Quentin Tarantino  
Martin Scorsese  
Quentin Tarantino  
Christopher Nolan  
James Cameron
```

B

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R3 (master)
$ git merge version1
Updating 5d3b472..082c20e
Fast-forward
 directoros.txt | 4 ++++
 1 file changed, 4 insertions(+)

Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R3 (master)
$ git push origin master
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To C:/Users/Laramash12/S2R2-remoto
 5d3b472..082c20e  master -> master
```

1-

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (version1)
$ git fetch origin
From C:/Users/Laramash12/S2R2-remoto
 5d3b472..082c20e  master    -> origin/master
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (version1)
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (version1)
$ git checkout master
Switched to branch 'master'
Your branch is behind 'origin/master' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)
```

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (master)
$ git pull origin master
From C:/Users/Laramash12/S2R2-remoto
 * branch          master      -> FETCH_HEAD
Updating 5d3b472..082c20e
Fast-forward
 directoros.txt | 4 ++++
 1 file changed, 4 insertions(+)

Laramash12@DESKTOP-ANDRES MINGW64 ~/S2R2 (master)
```

GitHub

```
Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git add peliculas.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git commit -m "Añadir 3 peliculas closes #2"
>
[master 56e7ea2] Añadir 3 peliculas closes #2
1 file changed, 3 insertions(+)

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git add libros.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git commit -m "Añadir 3 libros closes #1"
"
[master 3b10505] Añadir 3 libros closes #1
1 file changed, 3 insertions(+)

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git add discos.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git commit -m "Añadir 3 discos closes #3"
"
[master d74075c] Añadir 3 discos closes #3
1 file changed, 3 insertions(+)

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 3 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git add libros.txt peliculas.txt discos.txt

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git status
On branch master
Your branch is ahead of 'origin/master' by 3 commits.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 12 threads
Compressing objects: 100% (9/9), done.
Writing objects: 100% (9/9), 1.09 KiB | 1.09 MiB/s, done.
Total 9 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
To https://github.com/Laramash/sesion3-practica.git
  98adab6..d74075c  master -> master

Laramash12@DESKTOP-ANDRES MINGW64 ~/sesion3-practica (master)
```