

CSCI441 Software Engineering

“WasteLesss”

Group: Team C

Pavel Martinez

Brandon Tilley

Larisa Smith

Janelle Holcomb

Feb. 23, 2025

https://github.com/Larisa24fhsu/GroupC_CSCI441_SoftwareEngineeringProject.git

t

Breakdown of Individual Contributions:

All team members contributed equally throughout the course of this project. Please see the Responsibility Matrix below for a more detailed breakdown of the tasks required in the report.

Responsibility Matrix:

You can see the full matrix using the following link [Raci Matrix.xlsx](#)

Key				
R	Responsible: The person or people who complete the task			
A	Accountable: The person who has the final say on the task			
C	Consulted: The person who provides advice or expertise on the task			
I	Informed: The person who is kept up to date on the task's progress			

RACI Matrix				
Item	Larisa Smith	Pavel Martinez	Brandon Tilley	Janelle Holcomb
Report 1 Part 1				
Customer Problem Statement of Requirements				
Problem Statement	I	C	A/R	C
Decomposition Explanation	I	A/R	C	I
Glossary of Terms	A/R	A/R	A/R	A/R
Goals, Requirements, and Analysis				
Business Goals	C	I	C	A/R
Enumerated Functional Requirements	A/R	I	I	I
Enumerated Non-Functional Requirements	C	A/R	I	I
User Interface Requirements	I	I	A/R	C
Goals, Requirements, and Analysis				
Stakeholder Identification	A/R	A/R	A/R	A/R
Actors and Goals	C	A/R	C	C
Use Cases - Description	C	I	A/R	C
Use Case Diagrams	I	I	C	A/R
Traceability Matrix	I	A/R	C	I
Fully-Dressed Description	A/R	C	I	I
System Sequence Diagrams	A/R	C	I	I
User Interface Specification	I	I	A/R	C
Preliminary Design	C	I	A/R	A/R
User Effort Estimation	A/R	I	C	I
System Architecture and System Design				
Identifying Subsystems	C	I	C	A/R
Architecture Styles	C	C	A/R	I
Mapping Subsystem to Hardware	A/R	C	I	C
Connectors and Network Protocols	A/R	A/R	A/R	A/R
Global Control Flow	I	A/R	C	C
Hardware Requirements	A/R	C	C	I
Project Management				
Teamwork Delegation	A/R	A/R	A/R	A/R
Meeting Overview	A/R	I	I	I
Proof-reading and Editing	A/R	I	I	C
Project Plan	A/R	I	I	I

Table of Contents

Customer Problem Statement of Requirements	3
Problem Statement	3
Decomposition into Sub-Problems	5
Glossary of Terms	7
Goals, Requirements, and Analysis	8
Business Goals	8
Enumerated Functional Requirements	8
Enumerated Non-Functional Requirements	9
User Interface Requirements	11
Functional Requirement Specification and Use Cases	12
Stakeholders	12
Actors and Goals	13
Use Cases	14
Casual Description	14
Use Case Diagram	16
System Components	16
Traceability Matrix	17
Fully Dressed Descriptions	18
System Sequence Diagrams	23
User Interface Specification	26
Preliminary Design	29
User Effort Estimation	33
System Architecture and System Design	34
Identifying Subsystems	34
Architecture Styles	36
Connectors and Network Protocols	37
Global Control Flow	38
Execution orderliness	38
Time dependency	39
Hardware Requirements	39
Project Management	42
Plan of Work	42
Product Ownership:	43
References	44

Customer Problem Statement of Requirements

Problem Statement

Poor inventory management can result in profit loss for companies. These profit losses can be in the form of inventory carrying costs or inventory write-offs. Profit losses can vary by industry and business size, however it can comprise of 20% to 30% of the total inventory value and increase the longer an item is stored. The current industry has different methods of tracking inventory like barcode scanners, RFID Tags, QR codes, or even manual tracking. With many different business sizes, the current methods of tracking inventory do not address the specific needs of these businesses.

Businesses are struggling to manage inventory effectively, leading to increased costs, wasted products, and missing sales opportunities. Many companies face challenges like overstocking, running out of popular items, and dealing with perishable goods that expire before they can be sold. Without a real-time system to track inventory movement and provide alerts, businesses are forced to rely on *outdated* or *manual* methods, which can lead to mistakes and financial loss.

What is inventory Management?

Inventory management is the practice of overseeing and controlling the movement of goods and materials within an organization. It includes tracking stock levels, managing product ordering and storage, and ensuring the right quantities are available at the right time to meet customer demand. The primary goal of inventory management is to enhance operational efficiency, reduce costs, and prevent issues like overstocking or stockouts. Effective inventory management enables businesses to strike a balance between having sufficient products to meet demand and minimizing the costs of holding excess stock.

Grocery Store Manager:

As a grocery store manager, the difficulties I face are managing perishable inventory, ensuring proper stock levels, and pushing old products. It is always a challenge when dealing with perishable goods because our customers expect a certain quality out of our products. Sometimes if a customer sees a product has abnormalities, they are less likely to buy it. This causes the item to spoil and be thrown away. I would like an easy way to deal with products that are close to expiration date but can still profit the company even if it is not monetary. With popular items that sell frequently we sometimes discourage customers who cannot find the item and our employees are not able to communicate with the customer when we get more inventory to satisfy the customer. Sometimes during the holiday season, we buy seasonal items, but it can be tricky because we don't know if the item will be popular. Sometimes we are left over with excessive seasonal inventory, and we do not know what to do with it, since we do not have the

capacity to store the product for a whole year. These are problems as a grocery store manager that I would like to solve.

Grocery store employees:

As a grocery store employee, I face dissatisfied customers because of lack of inventory information. There are times when a customer will see a product online, then come to the store to buy it but they cannot find it on the shelf. When they ask me for help, I check the locations it could be and then check the back to see if it has been misplaced. When I cannot find the specific product, the customer gets incredibly upset for wasting their time. When I am walking through the store sometimes, I will notice a product that has been on the shelf for several weeks, long enough for it to collect dust. Other times I find myself opening duplicate orders of products because of miscommunication and now we are stuck with extra products that we cannot put on the shelves because there is not enough space.

Restaurant Owner:

As a restaurant owner, keeping track of my inventory is very hard. Unlike a grocery store, I don't just sell items, I use ingredients to make meals, and if I run out of something, I can't serve certain dishes. There have been times when I ran out of key ingredients during a dinner rush, and I had no way of knowing ahead of time. On the flip side, I also have food that spoils before I can use it, and that's just money wasted. I need a system that helps me track what's being used and what's about to expire. It would also be helpful if it could remind me when to reorder things, so I don't run out unexpectedly. My staff is too busy to manually check everything all the time, so I need something that makes the process easier and helps me cut down on waste.

Warehouse Manager:

As a warehouse manager, I make sure all the products are where they need to be and get shipped out on time. The problem is that without a good system, things get lost, and we don't always know what's close to expiring until it's too late. Sometimes we have too much of one thing and not enough of another, and that slows everything down. When we accidentally send out something that's about to expire, we end up with upset customers and wasted money. It would help if we had a way to track what is going in and out in real-time and get alerts before things expire. That way, we could rotate stock better and make sure nothing goes to waste.

Bank Manager:

As a bank manager, I need to make sure we have enough office supplies, including paper, pens, envelopes, and printer ink, to keep operations running smoothly. Running out of essential supplies slows down daily tasks and frustrates employees. Right now, we track inventory manually, and sometimes we don't realize we're low on something until it's already gone.

Another challenge is budgeting for office supplies. Without a clear system, we might over-order some items while running out of others. If we had a system that could track supply

levels, send alerts when stock is low, and help with ordering the right amounts, it would save time and reduce waste.

In addition to office supplies, we also provide items for customer service, like coffee, coffee filters, cups, and stirrers. We offer suckers, mints, and other small treats for customers, but sometimes we run out unexpectedly, which can be disappointing for regular visitors. It would be helpful to have a way to track these items alongside our office supplies so we can reorder them before they run out. A system that keeps everything organized in one place and automates reordering would make supply management much easier!

Developed Problem Statement:

Customers are experiencing difficulty making decisions on how to resolve inventory carrying cost, inventory obsolescence, and perishable inventory. Other customers are experiencing difficulties in tracking the amount of time inventory has been put away, that includes perishable and non-perishables. Customers with unique needs have difficulty with inventory that has specific time interval values since they cannot set a unique time interval to alert them of aged or lost inventory, leading to a breakdown in communicating accurate information to the correct department. This is leading to customers having significant waste from overstocking, expired products, poor demand forecasting, extensive carry overflow and loss of product. This is resulting in loss of profits and missed opportunities within the business.

To improve inventory efficiency, reduce waste, reduce profit loss and improve decision making the system will provide real time tracking and notification with alternative methods of inventory handling. To improve customer specific needs the system will set item profiles to record specific information for their industry. By offering better insights and alternative inventory management solutions, businesses can make informed decisions, reduce unnecessary costs, and keep both customers and employees satisfied. This would allow employees to be able to locate items faster, while customers would have a smoother shopping experience. With smarter inventory management, businesses can reduce costs, improve efficiency, and create a more reliable system for both the employees and the customers.

Decomposition into Sub-Problems

Customers want to be able to:

- Set item profiles to:
 - Identify whether items are perishable or non-perishable.
 - Set unique time interval values for shelf-life of perishable items.
 - Set unique time interval alerts for aged and lost inventory.
 - Set margins to decide how much inventory needs to be ordered.
 - Set how much space is dedicated for unique items.
 - Decide what departments should receive specific alerts.
- Time stamp inventory when it was received to:
 - Track the amount of time inventory has been put-away.

- Track the shelf-life of perishable inventory.
 - Track the variance in time between received to put-away, or shipped, to identify lost inventory.
- Search for inventory currently available in-stock.
- View in-transit inventory with estimated time of arrival.


Glossary of Terms

Term	Definition
Active module	The physical space where broken down cases of items are held.
Aged inventory	Inventory received and put-away but has not shipped for a measurable amount of time.
Allocated	A status that creates a task for items that are put-away to distribute those items to customers.
API - Application Programming Interface	A type of software that allows different computer programs or computers to communicate with each other.
Application Layer	Essentially acting as the bridge between the user and the underlying network infrastructure.
Automated Notifications	Alerts generated by the system to inform users when inventory levels are low, items are about to expire, or restocking is needed.
Business divisions	A distinct part of a company that may operate as its own legal entity or under the same name
Carrying Costs	The expenses of storing and maintaining inventory, including warehousing, insurance, and depreciation.
Central Processing Unit (CPU)	Primary component of a computer that acts as its “control center.”
Client Modules	A software component that allows a client to interact with a server.
Client-side Component	Allows you to create an interactive user interface that is pre-rendered on the server and can use client-side JavaScript to execute in the browser
Current Stock	Inventory that is currently available to use or ship
Customer	A person or organization that buys goods.
Customer Profile Portal	A secure online space where customers can access their account information and interact with a company.
Customer Service Supplies	Non-essential but customer-facing inventory like coffee, cups, mints, and other items that enhance the customer experience.
Data Access Layer	A layer of a computer program which provides simplified access to data stored in persistent storage of some kind, such as an entity-relational database.
Distribution center	A place where a business receives, stores, and ships inventory.
Event Driven System	A software design that uses events to trigger actions between applications and devices.
Floor space	The physical space where distribution center operations are conducted.
Get Request	An HTTP method used to fetch information from an API.
HTTPS - Hypertext Transfer Protocol Secure	An extension of the Hypertext Transfer Protocol. It uses encryption for secure communication over a computer network and is widely used on the Internet.
Inventory	A list of items that are sold to customers.
Inventory Management	The process of tracking, ordering, and maintaining stock levels to ensure necessary supplies are available while minimizing waste and overstock.
Inventory Obsolescence	The state of stock is becoming outdated, unsellable, or no longer needed, leading to financial losses if not managed properly.
Inventory Write-offs	The loss of inventory due to damage, expiration, or obsolescence, requiring it to be removed from records.
JDBC - Java Database Connectivity	An application programming interface for the Java programming language which defines how a client may access a database.
JSON - JavaScript Object Notation	Text-based format for storing and exchanging data.
Lost inventory	Items that were received but did not ship and were not put-away in a dedicated physical location.

Term	Definition
Manual Tracking	Traditional, non-automated methods of inventory management, often involving spreadsheets, handwritten logs, or physical checks.
Modem	A networking device that is used to connect devices connected in the network to the internet.
Non-perishable inventory	Inventory that does not expire after any amount of time.
Orders	Requests made by customers for specific inventory.
Overstock	The act of adding items to inventory that are already available in abundance.
Perishable inventory	Inventory that becomes no longer sellable after a certain amount of time.
Pixel	A minute area of illumination on a display screen, one of many from which an image is composed.
Presentation Layer	Topmost layer of an application, responsible for how data is displayed to the user through the user interface (UI), including elements like graphical design, input fields, and visual formatting.
Put-away	Items that have been received and are now physically in a dedicated location either in reserve racking or the active module.
Random Access Memory (RAM)	Short-term memory bank in a computer.
Real-Time Tracking	A system feature that provides live updates on inventory levels, movement, and availability to improve decision-making.
Received	Items transitioning from in-transit to the distribution center to arrived at distribution center.
Reserve racking	The physical space where full cases of items are held in inventory.
REST API	an application programming interface (API) that uses the Representational State Transfer (REST) architectural style.
Retail units	The items that make up the inventory
Router	A networking device that forwards data packets between computer networks.
Server Side Components	Components that run on a server, rather than on the client's browser.
Shipped	Sending items to customers.
SQL - Structured Query Language	Domain-specific language used to manage data, especially in a relational database management system.
Stock Rotation	A practice of organizing inventory so that older products are used or sold first to prevent expiration or obsolescence.
Sub-packages	Any package directly nested within another package.
Subsystem	A self contained system within a larger system.
Supply Budgeting	The process of planning and managing expenses related to purchasing necessary supplies while avoiding overspending.
System-wide Setting	Configuration option that applies to the entire system, affecting all users and components within it, rather than just a specific user or application
UML Package Diagram	Structural diagram in the Unified Modeling Language (UML) that visually represents the organization of a system by grouping related elements like classes, interfaces, and other packages into logical units called "packages,"
Warehouse	Synonym for distribution center.
Waste	Planning carelessly or with no purpose.
Web Application	Software program that runs in a web browser and allows users to perform tasks online.

Goals, Requirements, and Analysis

Business Goals



Enumerated Functional Requirements

Identifier	Priority	Requirement	Test Case
REQ1	3	Enable customers to add product specifications tailored to their needs. Allow for importation of data files for importing inventory	User input to assign goods by category and cost Inventory data sheet import for customizable options
REQ2	4	Customizable aging criteria for the customer to all for properly identify different product types and age criteria based on their value to the customer to optimize total stock ABC Analysis (Jenkins, 2024)	System to allow user to add products into specific grouping based on ABC analysis - "A" Products, "B" Products and "C" Products Grouping
REQ3	1	Provide alert notifications for aging products based on product age criteria and timeline parameters, customizable to specific member distributions	System to send email or notification to specific distribution after a product sits for a certain time period
REQ4	3	Implement batch tracking (inventory categorization by batch numbers) methodologies for better management of expiration dates of perishable inventory	Categorize similar product groups by batch numbers Ability to query, view, and print reports based on batch information.
REQ5	2	User friendly and intuitive interface for easy navigation and customer usability, ability to identify problems directly in system	"Quick Pick" customizable queries for quick access to specific reports or visual dashboards
REQ6	3	Linkage of inventory with customer sales data or ERP software to accurately track incoming and outgoing material using the First-in-First-out method (Šimek, 2022)	After an "active ship" is made the system will remove inventory from "current stock" and send notification to key identified members
REQ7	4	Prioritize the sale of older or aging inventory through discounts or promotional strategies	Send notification to sales systems via email or linkage to sales ERP system to discount potential items based on age of item
REQ8	2	Provide detailed reports on aging stock by age brackets (30, 60, 90 days)	Ability to print full reports based on age of stock
REQ9	1	Provide real-time access to stock levels and age across various locations	Userface properly accepts queries to review total stock levels

Enumerated Non-Functional Requirements

Identifier	Priority	Requirement	Test Case
Functionality			
NF REQ10	4	The system must provide an interface that allows the user to customize the type of inventory stored and specify the acceptable length of time for holding the inventory.	Test the system with the insertion of different types of variable inventory.
NF REQ11	4	The system must have a security protocol to manage specific content that the user can access to ensure sensitive information is protected.	Test the system by having unauthorized user access sensitive information.
NF REQ12	3	The system should have seamless Integration with other business systems to minimize errors that are caused by data syncing issues.	Test the system by integrating the inventory system with current business systems.

NF REQ13	3	The system should allow for the creation of new user accounts with specific privileges.	Test the system by creating multiple user accounts.
NF REQ14	3	The system should allow for the user to add different suppliers.	Test the system by adding multiple suppliers to the system.
NF REQ15	2	The system could have the ability to compare different supplier inventory rates.	Test the system by having the system retrieve different suppliers and compare their prices.
Useability			
NF REQ16	4	The system must include a step-by-step process for installing software and setup.	Test the system with an inexperienced user and how the installation process goes without input from a technician.
NF REQ17	3	The system should be able to accommodate different sizes of businesses, sizes of inventory, and types of inventories.	Test the system by increasingly adding more inventory to see if usability deteriorates.
NF REQ18	3	The system should have a feedback mechanism for users to report issues or provide suggestions for improvement.	Test the system with feedback from the user to ensure that the feedback is going to the write technician.
NF REQ19	2	The system could have syncing capabilities across different networks of computers to be accessed anywhere within the company.	Test the system with new inventory information on one specific computer, then access the inventory list on a different computer to ensure that the inventory is updated correctly.
NF REQ 20	2	The system could offer different avenues the inventory could be re-marketed or distributed.	Test the system by seeing if the system can pull data from the web of vendors who would fit the criteria of the inventory.
Reliability			
NF REQ 21	3	The system should create multiple backups of inventory in case of system failure.	Test the system by introducing fatal crashes and see if the backup reports are still available.
NF REQ 22	4	The system must ensure that the inventory records match the physical stock by cross-referencing historical data, business supplier data, and current data to alert discrepancies.	Test the system with periodic manual checks of inventory to ensure that the system has accurate data.
Performance			
NF REQ 23	2	The system could support a high number of concurrent users, especially in large organizations without experiencing degradation in performance.	Test the system by having multiple users access inventory within the same time period to determine acceptable loss in performance without the system deteriorating.
NF REQ 24	2	The system could have a large number of inventory transactions experiencing degradation in performance.	Test the system by increasingly adding large number of inventory transactions to the systems to determine acceptable loss in performance without the system deteriorating
NF REQ 25	3	The user should not have to wait long periods of time for the software to initialize and be ready to use.	Test the system by ensuring the system does not take more than five seconds to boot up.
NF REQ 26	4	The system must be able to update inventory immediately to allow for real time tracking.	Test the system by assuring that when inventory is added to the system the system updates inventory instantly.
Supportability			
NF REQ 27	3	The system software should be designed in a modular way, making it easier to update or replace individual components	Test the system by ensuring that each individual module can run independently.

NF REQ 28	4	The system must offer training modules, training tutorials or guides to assist employees in understanding the functionalities.	Test the system with novice users and provide them with system documentation. Then ask the user to accomplish tasks that have been stated in the documentation.
--------------	---	--	---

User Interface Requirements

1. Dashboard Overview

Purpose: Provides users with a quick overview of inventory status, order tracking, and alerts. **User Interaction:**

- Users log in and land on a dashboard displaying real-time updates.
- Widgets display key statistics such as stock levels, pending orders, and alerts.
- Users can customize filters to view only relevant data.

2. Inventory Management Interface

Purpose: Allows users to add, edit, and track inventory items.

User Interaction:

- Users can search for items using filters (SKU, category, expiration date, etc.).
- Clicking an item opens a detailed panel where users can update stock, change location, or mark items as damaged.
- Batch actions allow updating multiple items simultaneously.

3. Customizable Customer Profile

Purpose: Allows customers to track their own inventory and receive alerts.

User Interaction:

- Users can create a profile and add their own items to their inventory.
- Option to set custom alerts for stock levels, expiration dates, and usage trends.
- The system provides inventory recommendations based on past trends.

4. Order Processing & Tracking

Purpose: Manages and fulfills customer orders efficiently.

User Interaction:

- Users can create new orders by selecting products and entering quantities.
- A real-time order tracking module shows pending, shipped, and delivered orders.

- Clicking on an order displays shipping details, customer info, and fulfillment status.

5. Alerts & Notifications

Purpose: Notifies users of urgent inventory events.

User Interaction:

- Pop-up alerts notify users of low stock, shipping delays, or system issues.
- A notification center stores past alerts for reference.
- Users can customize notification settings.

6. Recommendations & Guidelines

Purpose: Helps users optimize inventory management.

User Interaction:

- A dedicated section provides recommendations based on user data.
- Example: "You have 10 items expiring soon. Consider discounting or donating."
- Users can set rules for automated recommendations.

Functional Requirement Specification and Use Cases

The requirements, specifications, and use cases are outlined below in our diagram, traceability matrix, and fully dressed description. Below we have summarized how the project influences and directly affects unique stakeholders and actors.

Stakeholders

- *Business Owners:* have interest in reducing losses and maximizing profitability from obsolete or aging stock
- *Inventory Managers:* have interest in demand forecasting and identifying stagnant products and implementing rotation strategies
- *Warehouse Staff:* have an interest in operational productivity and storage efficiency such as prioritizing space and reduce time spent handling excess inventory
- *Procurement and Supply Chain Teams:* have an interest in mitigating supply chain disruptions and ensuring proper stock levels for ingoing and outgoing materials
- *Suppliers/Vendors:* have an interest in understanding product movement and product performance metrics

- *Consumers*: have an interest in fresher products and access to essential items as well as access to clearance sales and discounted aged inventory
- *Logistic Centers*: have an interest in ensuring aged stock is prioritized for shipping to avoid obsolescence
- *Supermarkets / Grocery Stores*: have an interest in using the system-to-be to manage a wide variety of inventory that includes perishable and nonperishable.
- *Employee Stocker*: have an interest in using the system-to-be to put inventory on shelves and find inventory.
- *Accountants*: have an interest in the system-to-be because they must understand the finances being spent on inventory.
- *IT and System Administration*: Responsible for maintaining and troubleshooting.
- *Retail Store Manager*: Need to monitor stock levels and make restocking decisions.
- *Quality Assurance Teams*: Ensure products meet quality standards before being sold or shipped.
- *Marketing and Sales Teams*: Use inventory data to plan promotions and optimize sales strategies.
- *Customer Support Teams*: Handle inquiries related to product availability and stock issues.
- *Compliance Officers*: Ensure the system adheres to the regulations and safety standards.

Actors and Goals

Actor	Participating / Initiating	Role	Goal
Accountant	Participating	The accountant's role is to use the reporting features to verify inventory by tracking the movement of items.	Goal is to identify and correct invoicing issues when items have shipped.
Administrator	Initiating	The administrator's role is to manage user accounts, specify account privileges and specify who gets notified of inventory issues.	The goal is to create new user accounts, specify privileges, and specify inventory alerts.
Email Notification service	Participating	The role of the email notification service is to push out email notification to specific users.	The goal is to identify when it is appropriate to send an email and send the email to the correct user.
Employee	Initiating	The employee's role is to be able to find available inventory within the company.	The goal is to search for specific inventory and be able to locate that inventory.
ERP Software	Participating	The ERP software's role is to manage all core operations from a centralized location.	The ERP software's goal is to link inventory with sales data.
Manager	Initiating	The manager's role is to distinguish types of inventory.	The goal is to retrieve inventory information that identifies whether items are perishable or non-perishable.

Actor	Participating / Initiating	Role	Goal
Manager	Initiating	The manager's role is to identify the shelf life of inventory.	The goal is to create unique customizable time for inventory.
Manager	Initiating	The manager's role is to determine how much shelf space for inventory.	The goal is to identify how much space has been allocated to specific inventory.
Manager	Initiating	The manager's role is to decide how much inventory needs to be ordered.	The goal is to retrieve the margin information to make a decision on how much new inventory needs to be ordered.
Marketing	Initiating	The role of marketing is to decide promotional strategies such as discounts the company should take.	The goal is to be able to identify aging inventory or popular inventory to make the decisions.
Third Party software	Participating	The role of the third party software is to provide unique data information about inventory.	The goal is to integrate data information into the system to have up to date inventory specifications.
Vendor	Participating	The vendor's role is to provide information of shipped inventory date, quantity, price, and arrival time.	The goal is to return accurate information on quantity and price on purchased inventory.

Use Cases

Casual Description

Database Customization:

Description: Customers can set item profiles for specific items to generate alerts based on criteria.

Responds to Requirements: REQ1, REQ2, REQ3, NF-REQ10, NF-REQ11, NF-REQ12, NF-REQ13, NF-REQ14, RN-REQ15, NF-REQ16, NF-REQ17, NF-REQ18, NF-REQ19, NF-REQ20, NF-REQ21, NF-REQ23, NF-REQ26, NF-REQ27, NF-REQ28.

Product to Vendor/Sales Linking:

Description: Items are ordered automatically based on a threshold the customer can set in the item profile to ensure consistent flow procuring items.

Responds to Requirements: REQ4, REQ6, NF-REQ10, NF-REQ12, NF-REQ15, NF-REQ17, NF-REQ18, NF-REQ19, NF-REQ20, NF-REQ21, NF-REQ22, NF-REQ24, NF-REQ25.

Categorize Products by Age:

Description: Labels for items generated based on user specific criteria, date item was received, and current day.

Responds to Requirements: REQ1, REQ2, REQ4, REQ5, REQ6, REQ7, REQ8, REQ9,

NF-REQ10, NF-REQ12, NF-REQ17, NF-REQ18, NF-REQ19, NF-REQ20, NF-REQ21, NF-REQ27.

Alerts for Aging Items:

Description: Notification to specific groups that items are perishing or have been put-away and not shipped for specific amounts of time set by the user.

Responds to Requirements: REQ1, REQ2, REQ3, REQ4, REQ7, REQ8, NF-REQ10, NF-REQ12, NF-REQ17, NF-REQ18, NF-REQ19, NF-REQ20, NF-REQ21, NF-REQ22, NF-REQ23.

Searching through the Database:

Description: Customers are enabled to search through the database for specific items or purchase orders.

Responds to Requirements: REQ4, REQ5, REQ6, REQ9

Logging into the Database:

Description: Customers are enabled to sign into the database, protecting their data from those who should not have access.

Responds to Requirements: NF-REQ11, NF-REQ12, NF-REQ13

Demand Forecasts:

Description: Users can generate a report that shows patterns of demand. For instance how much inventory was shipped and when. Enabling the customer to plan for low demand or a need for excess stock.

Responds to Requirements: REQ6

Optimize retail prices:

Description: System identifies slow moving items and creates recommendations to the user such as discounts, bundle pricing, and competitive pricing.


Responds to Requirements: REQ2, REQ7

Average inventory cost:

Description: System provides an average cost for items over a set time period taking into account the fluctuations of price depending on season, shipping, and labor.

Responds to Requirements: REQ2, REQ6

Use Case Diagram



You can view the full WasteLesss use case diagram using the following link:

https://lucid.app/lucidchart/26f6dc7c-b493-44aa-aa5f-872fa2a4fb67/edit?viewport_loc=-2270%2C-653%2C3827%2C2165%2C0_0&invitationId=inv_8a5fd375-4b4b-4880-9456-2c1dbb5c7e57

System Components

- **Inventory**
 - Tracks all products in the warehouse.
 - Attributes: Item ID, Name, SKU, Batch Number, Category, Expiration Date, Received Date, Current Status (Received, Putaway, Allocated, Shipped).
- **Orders**
 - Keep track of orders placed for inventory allocation.
 - Attributes: Order ID, Customer ID, Order Date, Status (Pending, Shipped, Delivered), Items Ordered.
- **Shipping Carrier**
 - Manages shipping logistics for outgoing inventory.
 - Attributes: Carrier Name, Tracking Number, Estimated Delivery Date.

- **Warehouse Locations**
 - Defines storage locations within the warehouse.
 - Attributes: Location ID, Aisle, Bin Number, Storage Type (Reserve/Active).
- **Aging Inventory Tracking**
 - Focuses on identifying aging inventory and waste.
 - Attributes: Item ID, Received Date, Current Age, Aging Status (Fresh, Near Expiry, Overstocked).
- **Customers & Customer Profiles**
 - Tracks customer details and preferences.
 - Attributes: Customer ID, Name, Contact Information, Order History, Preferred Inventory Categories.
- **Vendors**
 - Maintains supplier information for inventory restocking.
 - Attributes: Vendor ID, Name, Contact Information, Supplied Products.
- **Alerts & Notifications**
 - Manages system-generated alerts for various inventory issues.
 - Attributes: Alert Type, Affected Item ID, Date Triggered, Assigned Department.
- **Company Divisions**
 - Helps categorize company departments responsible for inventory decisions.
 - Attributes: Division ID, Name (e.g., Inventory Control, Marketing, Allocation, Returns).
- **Item Pack Type**
 - Defines packaging types for better inventory tracking.
 - Attributes: Pack ID, Description
- **Net Promoter Score**
 - Tracks customer feedback on system efficiency.
 - Attributes: Score, Customer ID, Review Comments.

Traceability Matrix

Req's	PW	UC1	UC2	UC3	UC4	UC5	UC6	UC7
Req 1	3	X						
Req 2	4	X		X				X
Req 3	1				X			
Req 4	3		X					
Req 5	2					X		

Req 6	3	X	X				X	
Req 7	4				X			X
Req 8	2			X	X			
Req 9	1					X		
Max PW		4	3	2	4	2	3	4
Total PW		10	6	6	7	3	3	8

Fully Dressed Descriptions

Use Case UC-1:	Database Customization
Related Reqs:	REQ-1, NF REQ-14
Initiating Actor:	User [Inventory Manager: Name]
Actor's Goal:	Customize Inventory management system settings to fit specific business needs.
Participating Actors:	System Admin, System User
Preconditions:	User is logged into the system with administrative privileges. System is operational and connected to database
Postconditions:	Customization settings are successfully applied The system reflects the changes in relevant modules
Flow of Events for Main Success Scenario:	
→ 1.	The Inventory Manager accesses the system settings panel
← 2.	System displays available customization options for products
→ 3.	The user selects the customization option they want to modify

← 4.	The system prompts for input (category, product, perishable/nonperishable, age category, vendor name, contact, address, preferred status, age categories and thresholds.
→ 5.	The user enters customization details and submits
← 6.	The system validates the input and applies the new settings
← 7.	Confirmation message is displayed and changes are logged
Flow of Events for Extensions (Alternative Scenarios):	
← 7.	Saving Error - Error message is displayed and changes are not logged

Use Case UC-2:	Product to Vendor/Sales Linking
Related Reqs:	REQ, REQ 4, REQ 6
Initiating Actor:	User [Inventory Manager: Name]
Actor's Goal:	Associate a product with a vendor profile for procurement and sales tracking
Participating Actors:	Vendor (External Supplier), Sales Team, ERP System
Preconditions:	The product is created and exists in the inventory database The vendor details are accessible in the system User has necessary permissions to modify product-vendor relationships
Postconditions:	The product is successfully linked to a vendor and available for sales and restocking The system updates procurement and sales records accordingly
Flow of Events for Main Success Scenario:	
→ 1.	The inventory manager navigates to the product linking module
← 2.	System displays available products

→ 3.	The user selects a product to link
← 4.	The system fetches a list of available vendors
→ 5.	The user selects a vendor from the list or adds a new one
← 6.	System prompts the user to enter linking details (pricing, contract terms, lead times)
→ 7.	User submits linking request
← 8.	The system validates the input and applies the new settings
← 9.	Confirmation message is displayed and changes are logged
Flow of Events for Extensions (Alternative Scenarios):	
→ 5.	Vendor not found - If the desired vendor is not in the system, the user is prompted to add a new vendor before proceeding
→ 7.	Missing Data - If required fields are missing the system requests corrections before proceeding
← 8.	Connection Error - If the system cannot save the linking data, the system notifies the user and logs an error
← 9.	Vendor Already Linked - If the product is already linked to the vendor the system notifies the user and logs data

Use Case UC-3:	Categorize Products by Age
Related Reqs:	REQ 2, REQ 8
Initiating Actor:	System, User [Inventory Manager: Name]
Actor's Goal:	Classify products based on their age using predefined aging criteria
Participating Actors:	Inventory Database, Reporting and Analytics Module

Preconditions:	The system has predefined age categories (“new”, “aging-soon”, “expired”, “ready for resale”) Products have timestamps indicating when they were received Aging criteria and threshold are configured in the system
Postconditions:	Each product is assigned an appropriate aging category Categorization data is available for reporting, notification, and stock management decisions

Flow of Events for Main Success Scenario:

← 1.	The system runs a scheduled check on all inventory products
← 2.	The system retrieves aging criteria and categorization rules
← 3.	The system checks each product’s age based on its timestamp
← 4.	The system assigns the product to an appropriate category (“new”, “aging-soon”, “expired”, “ready for resale”)
← 5.	The system updates the product record in inventory database with the new category
← 6.	The system generates reports and updates dashboards
→ 7.	The Inventory Manager can manually review and override categorizations if needed

Flow of Events for Extensions (Alternative Scenarios):

← 4.	No Matching Category - if a product’s age does not fit into any predefined category, they system logs an error and requests manual override
← 6.	Connection Error - If the system cannot save the linking data, the system notifies the user and logs an error
→ 7.	Manual Override - Inventory Manager selects a product and manually changes its age category and system logs changes

Use Case UC-4:	Provide Alert Notifications for Aging Products
Related Reqs:	REQ 3


Initiating Actor:	System [Inventory Manager: Name]
Actor's Goal:	Ensure aging products are flagged and notifications are sent to the appropriate distribution members based on predefined criteria
Participating Actors:	User, Distribution Members, Email/Notification System, Inventory Database
Preconditions:	The product aging criteria and timeline parameters are configured in the system System has access to product inventory records, including timestamps for added products Distribution members are assigned and have up-to-date contact information
Postconditions:	Notifications are successfully sent to designated distribution members System logs the notification event Inventory record is updated with the alert status
Flow of Events for Main Success Scenario:	
← 1.	The system runs a scheduled check on inventory products
← 2.	The system retrieves the aging criteria and timeline parameters
← 3.	The system scans the inventory database to identify products that exceed the defined aging threshold
← 4.	The system generates an alert notification containing product details and the aging status
← 5.	The system sends an email or system notification to the designated distribution members
← 6.	The system logs the notification event and updates the inventory record with the alert status
→ 7.	Distribution members receive the alert and take necessary actions (markdown, disposal, restocking strategy)
Flow of Events for Extensions (Alternative Scenarios):	
← 5.	Email / Notification Failure - if an email or notification fails to send, the system retries up to three times, if it still fails, system notifies the user and logs and error

→ 7.	Product Already Flagged - If a product has already been flagged as aging and a notification was previously sent, the system sends notification to Inventory Manager
------	---


Use Case UC-5:	Searching through the Database
Related Reqs:	REQ 9
Initiating Actor:	User [User: Name]
Actor's Goal:	Using search tools to identify products within the database.
Participating Actors:	Inventory database
Preconditions:	The product is logged within the database System has access to all product variables within inventory records Employees have item or purchase order numbers they need more information on
Postconditions:	Results of the inventory search are displayed to the user
Flow of Events for Main Success Scenario:	
→ 1.	The user enters an item or purchase order number into the search tool
← 2.	The system retrieves results for the specific item or purchase order number
→ 3.	The user reviews and acts on the results from the search

System Sequence Diagrams


Inventory Customization Process




Product to Vendor/Sales Linking




Searching through the Database



Categorize Products by Age



Provide Alert Notifications for Aging Products



User Interface Specification

1. Logging In & Accessing the Dashboard

- Users enter credentials (email & password) on the login screen.
- Upon successful login, the dashboard appears, showing key inventory statistics and alerts.

2. Adding a New Inventory Item

Steps:

1. Navigate to **Inventory Management**.
2. Click "**Add New Item**".
3. Enter item details:
 - Item Name
 - SKU
 - Category
 - Quantity
 - Expiration Date (if applicable)
 - Storage Location
4. (Optional) Upload an image or scan a barcode.
5. Click "**Save**" to add the item.

Display Result:

- The new item appears in the inventory list.
- The system triggers alerts if stock levels are below the set threshold.

3. Setting Alerts for an Item

Steps:

1. Navigate to **Inventory Management**.
2. Select an item and open its details panel.
3. Click "**Set Alert**" and configure:
 - Low stock notification
 - Expiration date reminder
 - Overstock alert
4. Click "**Save**".

Display Result:

- Alerts appear in the notification center when triggered.
- Users receive notifications via email or app alerts.

4. Viewing Customer Profiles & Recommendations

Steps:

1. Navigate to **Customer Profiles**.
2. Search for a customer by name or ID.
3. View customer order history, preferences, and inventory.
4. Click "**View Recommendations**" to see inventory suggestions.

Display Result:

- A list of recommended actions appears (e.g., "Reorder stock soon").
- Users can take quick actions such as restocking or setting new alerts.

5. Placing an Order

Steps:

1. Navigate to **Order Management**.
2. Click "**New Order**".
3. Select products, enter quantities, and confirm details.
4. Choose a shipping method and finalize payment.
5. Click "**Place Order**".

Display Result:

- Order status updates in real-time.
- Users receive an order confirmation and tracking details.

6. Managing Warehouse Locations

Steps:

1. Navigate to **Warehouse Map**.
2. Search for a product.
3. View location (aisle/bin number) on the map.
4. Drag-and-drop to reassign location if needed.

Display Result:

- Updated product location is saved and reflected in inventory.

7. Reviewing Reports & Analytics

Steps:

1. Navigate to **Reports & Analytics**.
2. Select a report type (inventory trends, sales performance, etc.).
3. Customize filters for a specific date range or category.
4. Click "**Generate Report**".

Display Result:

- The system generates a visual report with charts and key metrics.
- Users can download or share the report.

Preliminary Design

The image below relates back to “Logging In & Accessing the Dashboard”:

The image shows a web browser window with the title 'Aged Inventory Database'. The address bar contains the Google logo. The page has a purple header bar with a 'Menu' icon and the text 'Log-in Screen'. In the center of the page, there is a 'Sign-in' form with two input fields: 'Username*' and 'Password*'. The background is a solid light gray.

The image below relates back to “Adding a New Item” and “Setting Alerts for an Item”:

Item profile

Purchase Order

Item Number

Perishable

Non-Perishable

Replen if <

units

Time interval alerts in days

1st

2nd

3rd

If perishable

Lost inventory

Aged inventory

Departments for alerts

Inventory Team

Operations Leadership

Marketing Team

Allocation Team

Reset

Submit

The image below relates back to “Setting Alerts for an Item” and “Viewing Customer Profiles & Recommendations”:

Department Personnel

Select department to edit

☐ Inventory Team

☐ Operations Leadership

☐ Marketing Team

☐ Allocations Team

Email to add user

Add

List of users within the department

Reset

Save

The image below relates back to “Placing an Order” and “Managing Warehouse Locations”:

Aged Inventory Database

←

→



☆

🔍

👤

Finish update

Menu

Aged and Lost Inventory Tracker

Purchase Order:*

Item Number:*

Status:*

Estimated Delivery:

Received Date:

Shipped Date:

Purchase Order	Item Number	Number of Units	Status	Perishable / Non-Perishable	Estimated Delivery	Received Date	Shipped Date
8000001	90-40-12345-89	10	In-Transit	Non-Perishable	02/20/2025		
8000002	90-40-12345-89	10	Received	Non-Perishable	02/11/2025	02/12/2025	
8000003	90-40-12345-89	25	Put-away	Non-Perishable	02/05/2025	02/06/2025	
8000004	90-40-12345-89	25	Received	Non-Perishable	02/07/2025	02/08/2025	
8000004	90-40-12345-89	15	Shipped	Non-Perishable	02/02/2025	02/03/2025	02/04/2025

The images below relate back to “Reviewing Reports & Analytics”:

Aged Inventory Database

Item Profile

Item Number:		Profile Needed:		Perishable / Non-Perishable:	
Type of Alert:		Department Alerted:			

Item Number	Perishable / Non-Perishable	Replen if < Units	Perishable 1st Alert	Perishable 2nd Alert	Perishable 3rd Alert	Lost 1st Alert	Lost 2nd Alert	Lost 3rd Alert	Aged 1st Alert	Aged 2nd Alert	Aged 3rd Alert	Departments Alerted
90-40-12345-89	Non-Perishable	20	N/A	N/A	N/A	5	10	15	10	15	20	All
90-40-23456-89	Perishable	20	5	10	15	N/A	N/A	N/A	N/A	N/A	N/A	Operations Allocations
90-40-34567-89	Null	Null	Null	Null	Null	Null	Null	Null	Null	Null	Null	Null
90-40-45678-89	Non-Perishable	15	N/A	N/A	N/A	5	10	15	Null	Null	Null	Operations Inventory
90-40-45678-89	Non-Perishable	15	N/A	N/A	N/A	Null	Null	Null	10	15	20	Allocations Marketing

[illegible]

User Effort Estimation

We evaluate user effort using the tasks of finding a product and assigning product details.

Minimum effort (best-case scenario) needed to successfully find a product:

Consists of mostly clerical data entry

[one input for product SKU = 1 input and 0 clicks]

Maximum effort (worst-case scenario) needed to successfully find a product:

Consists of mostly user navigation with some clerical data entry

[one click to select category + one click to select search criteria + one input of criteria + click for search = 3 clicks and 1 input]

Minimum effort (best-case scenario) needed to successfully assign details for new products:

Consists of mostly user navigation

[one click to copy current product + one click to save new product (will auto-save as a copy of the current product ID) = 2 clicks and 0 inputs]

Maximum effort (worst-case scenario) needed to successfully assign details for new products:

Consists of mostly user navigation with some clerical data entry

[one click to create new product + user input of criteria (minimum 1 criteria) + one click to save new product = 2 clicks and 1 input]

Maximum effort for every unsuccessful product linkage:

Consists of mostly user navigation with some clerical data entry

[one click to create new product + user input of criteria (minimum 1 criteria) + one click to save new product + error message displays for name already in use, one click to close + user update input of criteria + one click to save = 4 clicks + 2 inputs]

System Architecture and System Design

Identifying Subsystems

The system is divided into different subsystems, each handling a specific part of the inventory management process.

The **Inventory Management** subsystem keeps track of all products, including where they are stored, expiration dates, and stock levels. It helps make sure items are organized and available when needed.


The **Order Processing** subsystem handles customer orders. It updates inventory when an order is placed and keeps track of shipping details to make sure orders are processed correctly.

The **Customer & Vendor Management** subsystem stores customer profiles and vendor details. It helps manage relationships, track past orders, and make reordering easier.

The **Alerts & Notifications** subsystem sends reminders and alerts about inventory issues. It notifies users when stock is running low, when products are about to expire, or when there are updates on orders.

The **Company Administration** subsystem manages business divisions and system-wide settings. It helps different departments track inventory and ensures that the system works efficiently across all areas of the business.

Each subsystem plays a role in making sure inventory is well-managed, orders are processed smoothly, and users stay informed about important updates.



Architecture Styles

The UML package diagram shows how the system is organized. It is divided into three main layers:

The **Presentation Layer**, also known as the client-side component and functionality, is what users interact with. Within this layer are sub-packages for different client modules such as where they can check inventory updates, manage orders, and set alerts. It also has a customer profile portal, where customers can track their own inventory, set reminders, and get recommendations.

The **Application Layer**, also known as the server-side components, is where the main processes happen. Within this layer server related functionality services take place such as how inventory is tracked, orders are processed, and customer and vendor details are stored. It also handles alerts and notifications, making sure users are reminded about low

stock, expiring products, or order updates. Company administration settings are also managed here.

The **Data Access Layer** is where all data is stored and retrieved. This layer functions as the communication or networking package where communication between the client and server takes place. Elements such as the database that holds inventory, orders, and customer details. It also connects with external APIs to get real-time updates from shipping carriers and vendors.

All three layers work together combining the various components and subsystems within the architecture. When a user does something, like adding an item or placing an order, the presentation layer sends that request to the application layer, which processes it and pulls or updates data from the database. This setup keeps everything running smoothly, making the system easier to manage, update, and scale over time.

Mapping Subsystems to Hardware

Our system is designed to run on multiple computers with a distributed architecture.

Client (Web Browser) Machine: This machine accesses subsystems such as Inventory Management, Order Processing, Customer and Vendor Management, Alerts and Notifications, and Company Administration via a web-based API

Server (Web/Application Server) Machine: This machine accesses the back-end services and runs the core application that processes requests from the client machine, manages inventory data and alerts, update orders, and customer/vendor records. This oversees the integration of subsystems.

Connectors and Network Protocols

Our system runs on multiple devices and requires communication between the front end, backend, and database. To handle this, we use the following communication protocols:

- *JDBC (Java Database Connectivity):* This is used for communication between our Java backend and SQL database. It allows us to store, retrieve, and update inventory, orders, and customer data efficiently.
- *HTTP/HTTPS (REST API):* This allows the frontend (user interface) to communicate with the backend (Java application). When a user requests inventory details or places an order, the front end sends an HTTP request, and the back-end processes it and sends back the data.
- *RESTful APIs:* These APIs manage the exchange of data between different parts of the system. For example, if a user wants to check inventory, the front end sends a GET

request, the backend fetches the data from the database using SQL, and the API returns the response in JSON format.

We chose JDBC because it is a reliable way to connect Java applications to an SQL database. HTTP/HTTPS is widely used for secure communication between web applications and servers. RESTful APIs allow structured and scalable data exchange, making it easy to integrate with future features like vendor or shipping services.

This setup ensures that our system can process user requests, update inventory in real-time, and handle orders efficiently.

Global Control Flow

Execution orderliness:

The system will be an event driven system, since the system-to-be will be reliant on the user performing some action and will send an event to some other service. The events that occur will be immutable, in order for the system to ensure a permanent record of the actions taken by the user as it regards to inventory. The events that trigger the system will be dependent on the user's needs, an event is triggered, and a callback function will be performed. Triggering events would be real-time changes in stock levels, like when an item is sold or a new shipment arrives, triggering updates across the system to alert the user of inventory specifications like perishable or aged inventory.

Time dependency:

The system-to-be is a real-time event driven system that is time dependency for specific events. The system-to-be's triggering events must happen within a specific timeframe to ensure the smooth operation of the system. The software is periodic in the sense that it has regular intervals that update inventory being managed. The specific time constraints for each period can vary based on the business' needs and the type of inventory being managed. The JDBC communication between our Java backend and SQL database will be crucial to keeping an up-to-date inventory. The updating of real-time inventory must occur within seconds or milliseconds after a shipment has arrived to ensure that customers see accurate stock levels. Events that trigger alerts must also happen within seconds or milliseconds to ensure that the customer has accurate information of perishable or aged inventory. The system-to-be will also have periodic inventory checks to ensure accuracy. They can be done daily, weekly, monthly, or quarterly, depending on the customer's needs.

Hardware Requirements


- *Processor*: The system requires a Central Processing Unit (CPU) for processing instructions,
 - Recommending a dual-core or quad-core, 2.0GHz or faster processor for best performance.
- *Memory*: The system requires Random Access Memory (RAM) to allow space for short term data created from applications.
 - Recommending 4GB or higher.
- *Screen Display*: The system requires an accessible output device to display the user interface. This interface can be accessed on various devices, including computers and phones.
 - Recommending minimum 640 x 480 pixels
- *Input Devices*: The system requires a keyboard for inputs and a mouse for user clicks.
- *Internet Modem and Router*: The system requires access to internet with a minimum speed of 1 Mbps.
 - Recommending 10 Mbps or higher

The intention is to create a system allowing any internet-enabled device to access the system using a database connection system, provided the user has the necessary permissions.


Project Management

Plan of Work

We collaborate with dedicated weekly meetings. During these meetings, we review the weekly deliverables outlined in the WasteLess Gantt. You can see a preview in the below screenshot or review the entire gantt with this link [WasteLesss Gantt.xlsx](#). We divide the deliverables evenly among team members, and update the Task Assignment Tracker found at this link [Task Assignment Tracker.xlsx](#) with outstanding tasks.



Below you will see a timeline overview of the research and development portions of this project.



Product Ownership:

Janelle Holcomb: Backend development and database management:

Janelle will be available for the customer to explain any features or developments related to the backend development such as data storage and user processing requests from the client side. She will also be able to provide information relative to the database such as query functionality and product identification.

Brandon Tilley: Frontend development and User Interface/experience:

Brandon will be available for the customer to provide information and receive feedback relative to the front-end development and user experience. He will ensure that the customer has dedicated expendable resources to ensure product usability.

Pavel Martinez: Testing, debugging and documentation:

Pavel will be responsible for final proof-reading and editing. He will also be responsible for helping to develop traceability matrix test cases and queries to ensure the software

useability to meet customer requirements. He will be available for the customer to provide feedback on possible improvements to the overall functionality of the product.

Larisa Smith: Project coordination and organization:

Larisa will also be responsible for final proof-reading and editing. She will support risk analysis for the traceability matrix. She will be available during the project development to answer any customer questions regarding the project organization, due dates, budgetary questions, and project milestones.

As an overall goal, every team member should at minimum be able to implement one function and one query.

References

- Jenkins, A. (2024, December 6). ABC Analysis in Inventory Management: Benefits & best practices. Oracle NetSuite. <https://www.netsuite.com/portal/resource/articles/inventory-management/abc-inventory-analysis.shtml#:~:text=ABC%20analysis%20is%20an%20inventory,classes%20based%20on%20those%20criteria>.
- Šimek, V. (2022, May 16). Inventory aging: Recognizing and preventing it | Inventoro. Inventoro. <https://inventoro.com/inventory-aging-recognizing-and-preventing-it/>
- Ian McCue (2020, November 5) Inventory Carrying Costs: What It Is & How to Calculate It <https://www.netsuite.com/portal/resource/articles/inventory-management/inventory-carrying-costs.shtml#:~:text=Typical%20holding%20costs%2C%20another%20name,an%20item%20before%20selling%20it>.
- Dyson, J. (2019, January 7). Conjoining FURPS and MOSCOW to analyse and prioritise requirements. <https://www.linkedin.com/pulse/conjoining-furps-moscow-analyse-prioritise-jonathan-dyson>