
SIERRA DIGITAL AUDIO

Software for musicians · sierradigitalaudio.com

Integra7Control

Tone browser and part control for the Roland INTEGRA-7

VST3 instrument for Windows · VST3 and AU instrument for Mac (Apple Silicon)



User Guide · Version 1.1.0

Windows 10/11 (64-bit) · Mac: Apple Silicon (M1 or later), macOS 12 or later; not for Intel Macs

Roland and INTEGRA-7 are trademarks of Roland Corporation. Integra7Control is not affiliated with or endorsed by Roland.

Introduction

> **System requirements.** Windows: Windows 10 or 11, 64-bit. Mac: a Mac with Apple Silicon (M1 or later) and macOS 12 Monterey or later. The Mac version does not run on Intel-based Macs.

Integra7Control is a plugin that turns your DAW into a tone browser and controller for the Roland INTEGRA-7 sound module. Instead of scrolling through more than 6,000 tones on the INTEGRA-7's small display, you pick an instrument family from a grid of colourful tiles, click a tone, and the plugin sends the bank and program change to the INTEGRA-7 part you choose. It is available as a 64-bit VST3 instrument for Windows, and as a VST3 and Audio Unit (AU) instrument for the Mac.

Because it runs inside your DAW, everything is saved with your project. When you open a song, each track sends its INTEGRA-7 part the right tone again, together with any part settings you changed. Its part controls, macros and octave setting are ordinary plugin parameters, so you can automate them on the DAW's timeline.

One copy of the plugin controls one INTEGRA-7 part. Put the plugin on several tracks, set each one to a different part, and you can build and play a full 16-part arrangement from your DAW.

What you need

- Windows 10 or 11, 64-bit, or a Mac with Apple Silicon (M1 or later) running macOS 12 or later.
- A DAW that loads 64-bit VST3 instruments (or Audio Units on the Mac) and can send a plugin's MIDI output to a hardware MIDI port. Integra7Control was developed and tested with REAPER; Section 7 has setup notes for other DAWs.
- A Roland INTEGRA-7 connected by USB with Roland's INTEGRA-7 driver (Section 5), or by a MIDI interface.

What's new in version 1.1.0

- **Mac version:** Integra7Control for Mac, as a VST3 and an Audio Unit (AU) instrument, for Apple Silicon Macs (4.2).
- **New look:** Windows 11 style controls and four styles to choose from: Windows 11 light, Light gray, Steel blue and Windows 11 dark (8.22). The window is larger, so nothing is crowded.
- **Octave up and down:** shift the track's notes and the preview by up to three octaves (8.14).
- **Smooth tone changes while the project plays:** Preview on select no longer plays its phrase over your song, and previews always end cleanly (8.20).
- **Expansions marked in the sound bank list:** a * shows which expansions are in your INTEGRA-7's slots (8.7).

Integra7Control and the Integra7Control Workbench

Sierra Digital Audio also makes the free Integra7Control Workbench, a standalone Windows program for the INTEGRA-7. The two work well together: use the plugin to choose and control tones while you produce in your DAW, and the Workbench for deep Studio Set editing, the mixer, backups and loading

expansions. Close one before using the other, because both use the INTEGRA-7's MIDI port (see Troubleshooting). The Workbench is currently available for Windows only.

Trademarks. Roland and INTEGRA-7 are trademarks of Roland Corporation. VST is a registered trademark of Steinberg Media Technologies GmbH. Apple, Mac, macOS, Logic Pro, GarageBand and Audio Units are trademarks of Apple Inc. REAPER, Cubase, Studio One, Ableton Live, FL Studio, Bitwig Studio, Cakewalk and Sonar are trademarks of their respective owners. Integra7Control is an independent product of Sierra Digital Audio and is not affiliated with or endorsed by Roland Corporation or Apple Inc.

Features

Click any feature to go to its description.

Feature	What it does
8.1 The first screen	The instrument grid you see when you open the plugin, and where everything is.
8.2 The plugin window	A quick tour of every control.
8.3 Part and Studio Set channel	Choose which INTEGRA-7 part this plugin controls.
8.4 Instrument grid	17 instrument families plus Favourites, Recent and Studio Sets, each with a tone count.
8.5 Tone lists	Click to send a tone, double-click to hear it; sort by any column; narrow by category.
8.6 Search	Find tones by name or category across all 6,000+ tones.
8.7 Sound bank filter	Show only the tones of one sound bank or expansion; * marks the expansions in your slots.
8.8 Favourites and Recent	Star the tones you like; get back to the last 50 you sent.
8.9 Studio Sets	Select any of the INTEGRA-7's 64 Studio Sets.
8.10 Expansion slots	Tones from expansions that aren't loaded are shown in gray.
8.11 Bank and patch entry	Send any bank and patch, including your user tones.
8.12 Preview	Hear a tone with a short phrase, without playing your project.
8.13 Notes to part ch	The track's notes play on the plugin's part.
8.14 Octave up and down	New: shift the track's notes and the preview by up to three octaves.
8.15 Part controls	15 automatable part controls: volume, pan, sends, filter, envelope, vibrato, portamento.
8.16 Automation	Draw changes to any part control, macro or the octave on the DAW's timeline.
8.17 Macros	One knob moves up to 4 part controls, each over its own range.
8.18 Project recall, Resend and Panic	Your tone and settings come back when the project opens.
8.19 Several parts at once	One plugin per part for a full multi-part arrangement.
8.20 Changing tones while the project plays	New: smooth tone changes, with no preview over your song.
8.21 MIDI out light and status line	See at a glance whether MIDI is reaching your DAW.
8.22 Styles	New: choose one of four colour styles.

Getting started

- 4. Installing the plugin (Windows and Mac)
- 5. Connecting the INTEGRA-7
- 6. Setting up in REAPER
- 7. Setting up in other DAWs (Appendices 1-6)
- 9. Troubleshooting

4. Installing the plugin

4.1 Windows

Integra7Control for Windows is downloaded from the Sierra Digital Audio website as a zip file, **Integra7Control.vst3.zip**. Inside it is a folder named **Integra7Control.vst3**. (A VST3 plugin is a folder, even though its name ends in .vst3.)

1. **Download the plugin.** Go to sierradigitalaudio.com, open **Products → Integra7Control VST3i**, and click **Windows 11 Integra7Control VST3i**. Your browser saves Integra7Control.vst3.zip to your Downloads folder. If the browser warns that the file isn't commonly downloaded, choose **Keep**.
2. **Unblock the zip file, if necessary.** In File Explorer, right-click Integra7Control.vst3.zip and choose **Properties**. If the General tab shows a Security line saying the file came from another computer, tick **Unblock** and click **OK**. Unblocking the zip before you unzip it means the files inside aren't blocked either.
3. **Unzip it.** Right-click the zip and choose **Extract All...**, then **Extract**. The plugin folder is the Integra7Control.vst3 folder that contains a folder named Contents.
4. **Close your DAW.**
5. Copy that Integra7Control.vst3 folder to **C:\Program Files\Common Files\VST3**. Windows asks for administrator permission; click **Continue**. Every VST3 host looks in this folder.
6. Start your DAW and let it scan for new plugins. If Integra7Control doesn't appear, re-scan (in REAPER: **Options → Preferences → Plug-ins → VST → Re-scan**).
7. Look for **Integra7Control (Sierra Digital Audio)** in the DAW's instruments list. In REAPER it is listed as **VST3i: Integra7Control (Sierra Digital Audio)**.

4.2 Mac

> **Mac requirements:** a Mac with Apple Silicon (M1 or later) and macOS 12 Monterey or later. Not compatible with Intel-based Macs.

Integra7Control for Mac is downloaded as **Integra7Control_macOS.zip**. It contains the plugin in both Mac formats: **Integra7Control.vst3** (VST3) and **Integra7Control.component** (Audio Unit, AU). Install both, or only the one your DAW uses; the VST3 is recommended (see Section 7).

1. **Download the plugin.** On sierradigitalaudio.com, open **Products → Integra7Control VST3i** and click **macOS Integra7Control (VST3 and AU)**. Safari saves Integra7Control_macOS.zip to your Downloads folder.
2. **Unzip it** by double-clicking it in Finder. A folder appears containing Integra7Control.vst3 and Integra7Control.component. (On a Mac each looks like a single file, but it is a folder.)
3. **Quit your DAW.**
4. **Install the VST3.** In Finder choose **Go → Go to Folder...**, type `/Library/Audio/Plug-Ins/VST3` and press Return. Drag Integra7Control.vst3 into that folder. macOS asks for your Mac password, because this folder is shared by all users.

5. **Install the AU** the same way: **Go → Go to Folder...**, `/Library/Audio/Plug-Ins/Components`, and drag Integra7Control.component into it.
6. **Unblock the plugin.** Integra7Control is free and isn't signed with a paid Apple developer certificate, so macOS blocks it until you allow it once. Open **Terminal** (Applications → Utilities), paste this command, press Return, and type your Mac password (nothing appears while you type it):

   ```
   sudo xattr -dr com.apple.quarantine /Library/Audio/Plug-Ins/VST3/Integra7Control.vst3 \
     /Library/Audio/Plug-Ins/Components/Integra7Control.component
   ```

7. Start your DAW and re-scan plugins (in REAPER: **REAPER → Settings → Plug-ins → VST → Re-scan**). In REAPER the plugin is listed as **VST3i: Integra7Control (Sierra Digital Audio)**, and the AU as **AUi: Integra7Control (Sierra Digital Audio)**.

You unblock each new version once; after that it loads normally every time. If macOS shows a message that the plugin "can't be opened" or "is damaged", or the DAW doesn't list it, see Appendix 7 for the reason and another way to allow it. If an AU doesn't appear in your DAW straight away, log out of your Mac and back in, which refreshes the Audio Unit list.

4.3 Updating and uninstalling

- **To update,** download and unzip the new version, close the DAW, and copy the new plugin over the old one (choose **Replace**). On the Mac, run the unblock command again for the new version. Your projects, Favourites, expansion slot settings and style are kept.
- **To uninstall on Windows,** close the DAW and delete Integra7Control.vst3 from C:\Program Files\Common Files\VST3. Favourites, expansion slots and the style are stored in `%APPDATA%\Sierra Digital Audio\Integra7Control VST.settings`; delete that file too to remove everything.
- **To uninstall on the Mac,** quit the DAW and delete Integra7Control.vst3 from /Library/Audio/Plug-Ins/VST3 and Integra7Control.component from /Library/Audio/Plug-Ins/Components. The settings file is in ~/Library/Application Support/Sierra Digital Audio.

5. Connecting the INTEGRA-7

Connect the INTEGRA-7 to the computer with a USB cable, directly rather than through a hub, and install Roland's INTEGRA-7 driver. With Roland's driver the INTEGRA-7's **SYSTEM - USB Driver** setting must be **VENDER** (Roland's spelling). This is the same setting on Windows and on the Mac, so you can move the INTEGRA-7 between a PC and a Mac without changing it.


5.1 Windows

Download and install the INTEGRA-7 driver for your version of Windows from Roland's website: **roland.com** → **Support** → **INTEGRA-7** → **Updates & Drivers**, and follow Roland's instructions. The INTEGRA-7 then appears as a MIDI device named **INTEGRA-7** in your DAW.

5.2 Mac

Roland's Mac driver is a universal driver for Apple Silicon and Intel Macs.


1. In a web browser go to **roland.com** → **Support** → **INTEGRA-7** → **Updates & Drivers** and open **INTEGRA-7 Driver Ver.1.0.6 for macOS Sonoma 14.x or later** (or the latest version listed). Check Roland's **Compatibility with macOS** page lists your macOS version.



Roland's INTEGRA-7 driver page for macOS.


2. Read the software license agreement at the bottom of the page, tick **I agree**, and click **Download File**. The download is **inter7_mac14drv_m106.tgz**.
3. Double-click the file to unpack it. It unpacks into a folder named **INTEGRA7USBDriver**, which contains Roland's Readme.htm and the installer.

4. **Prepare the Mac.** Quit all applications, and disconnect all USB devices except the keyboard and mouse (eject external drives first), including the INTEGRA-7. If anything was connected, restart the Mac.
5. Double-click **INTEGRA7_USBDriver14.pkg** and follow the installer. If asked whether Installer may access your Downloads folder, click **OK**.



Roland's INTEGRA-7 driver installer.

6. When the installation is complete, click **Restart**. If asked whether to move the installer to the Trash, click **Keep**.
7. After the restart, connect the INTEGRA-7 by USB and switch it on. If macOS asks whether to allow the accessory to connect, click **Allow**. Then reconnect your other USB devices.
8. **Check the Mac sees it.** Open **Audio MIDI Setup** (Applications → Utilities) and choose **Window → Show MIDI Studio**. The **INTEGRA-7** icon should be shown in colour, not gray. If it is gray, click Rescan MIDI, or switch the INTEGRA-7 off and on again.



MIDI Studio on the Mac: the INTEGRA-7 is connected and recognized.


Roland's cautions for the Mac: connect and switch on the INTEGRA-7 before starting your DAW; quit the DAW before switching the INTEGRA-7 off or unplugging it; if the INTEGRA-7 isn't recognized after the Mac restarts or wakes from sleep, unplug and reconnect it. Disconnect the INTEGRA-7 before installing a macOS update; otherwise you will need to reinstall the driver. The driver's uninstaller is in Applications → Roland → INTEGRA-7 Driver.

6. Setting up in REAPER


These steps set up one REAPER track to control one INTEGRA-7 part. Repeat steps 2-6 for each part you want to use (see Several parts at once). The screenshots are from Windows; REAPER on the Mac works the same way (see the Mac notes at the end of this section).

Step 1 - Enable the INTEGRA-7 in REAPER

Open **Options** → **Preferences** → **Audio** → **MIDI Inputs** and set the INTEGRA-7 to **Enabled**. Then open **MIDI Outputs** and enable the INTEGRA-7 there too: the output is the one Integra7Control uses to send tone changes. Close any other program that uses the INTEGRA-7, such as the Integra7Control Workbench, first.



MIDI Inputs: the INTEGRA-7 enabled.




MIDI Outputs: the INTEGRA-7 enabled ("Enable output to this device").

Step 2 - Insert a MIDI track

Choose **Track** → **Insert new track** (Ctrl+T), or use a track that already holds the part's MIDI.

Step 3 - Add the plugin to the track

Click the track's **FX** button, type **Integra7Control** in the filter box (or click **VST3i** in the list on the left), and add **VST3i: Integra7Control (Sierra Digital Audio)**.




REAPER's Add FX window with Integra7Control under VST3i.

Step 4 - Give the track something to play

Add a MIDI item with notes for the part. Depending on its settings, REAPER may only run a track's plugins while the project plays, or while the track is armed with input monitoring on. Until REAPER runs the plugin, its **MIDI out** light is red, and any tones you choose are sent as soon as REAPER starts running it.

Step 5 - Set loop points for auditioning (optional)


Drag across the timeline over your MIDI item and turn on **Repeat** (R). The part then plays continuously while you click through tones and hear each one in context.



A MIDI item with a loop selection (bars 1-6) and Repeat on.

Step 6 - Route the track's MIDI to the INTEGRA-7

In the **Mixer** (Ctrl+M), find the track and click its **Route** button. Under **MIDI Hardware Output**, choose **INTEGRA-7** and leave the channel setting at **Send to original channels**. Integra7Control puts everything it sends, and the track's notes, on the part's channel for you.



The track's routing window: MIDI Hardware Output set to INTEGRA-7.


Tip: to browse tones without playing the project, arm the track (red record button) and turn on record monitoring. REAPER then runs the plugin all the time, and you can audition tones with the plugin's **Preview** button or REAPER's Virtual MIDI Keyboard (Alt+B).



An armed track with record monitoring on.

REAPER on the Mac

- Preferences are under **REAPER → Settings** (instead of Options → Preferences).
- The INTEGRA-7 is listed as **Roland - INTEGRA-7** under MIDI Inputs and MIDI Outputs.
- REAPER needs a working audio device to run plugins: in **Settings → Audio → Device**, choose your audio interface or the Mac's built-in output.
- In the Add FX window you can choose **VST3i: Integra7Control** or **AUi: Integra7Control**; the VST3 is recommended.



REAPER on the Mac: the INTEGRA-7 enabled under MIDI Outputs.

7. Setting up in other DAWs

Integra7Control works in any DAW that hosts 64-bit VST3 instruments (or Audio Units on the Mac), but every DAW connects a plugin's MIDI output to a hardware MIDI port in its own way. In most of them the plugin goes on one track and a second track takes the plugin's MIDI output and sends it to the INTEGRA-7.

Appendix	DAW
Appendix 1	Steinberg Cubase
Appendix 2	PreSonus Studio One
Appendix 3	Ableton Live
Appendix 4	Image-Line FL Studio
Appendix 5	Bitwig Studio
Appendix 6	Cakewalk / Sonar (Windows)

VST3 or AU on the Mac?

On the Mac, Integra7Control comes in two formats with the same features: VST3 and AU (Audio Unit, Apple's plugin format). Use the VST3 where your DAW offers it.

DAW on the Mac	VST3	AU
REAPER	Yes (recommended)	Yes
Cubase	Yes	-
Studio One	Yes	Yes
Ableton Live	Yes	Yes
Bitwig Studio	Yes	-
Logic Pro, GarageBand	-	Loads, but not yet supported (see below)


> Logic Pro and GarageBand load only Audio Units. Integra7Control loads in them, but GarageBand can't send MIDI to external hardware, and Logic Pro doesn't pass an instrument plugin's MIDI output to a hardware port, so tone changes don't reach the INTEGRA-7. Logic Pro support may be added in a later version.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. Whatever the DAW, the goal is the same: the plugin's MIDI output must reach the INTEGRA-7's MIDI output port.

8. Using Integra7Control

This section describes every part of the plugin window, starting with the first screen you see. Each heading is listed in the Features summary. The plugin looks and works the same on Windows and the Mac; the screenshots are from Windows, in the **Light gray** style (see 8.22 for the other styles).

8.1 The first screen




The first screen: the instrument grid, with the toolbar above and the part controls on the right.

When you add Integra7Control to a track and open its window, it shows the **instrument grid**. This is where you start: pick a family of instruments, then a tone, and the plugin sends it to the INTEGRA-7 part you chose. The window has five areas:

- **Title bar** (top) - the plugin name and version, a **Sierra Digital Audio** link that opens our website in your browser, a **Buy me a coffee** link if you'd like to support Integra7Control, and the **Style** drop-down (8.22).
- **Toolbar** - choose the **Part** this plugin controls, search all tones, filter by sound bank, set the octave, and send or preview a tone.
- **Instrument grid** (left) - click a tile to open that family's tone list. Click ◀ **Instruments**, or press **Backspace**, to come back to the grid.
- **Part controls and Macros** (right) - change the part's volume, pan, sends, filter, envelope and vibrato, and automate them in your DAW.
- **Status line and MIDI out light** (bottom of the window) - show the tone on the part, short messages, and whether MIDI is getting out of the plugin.

To get started, set the Part, click a tile such as **Pianos**, and click a tone. Your DAW must be running the plugin for the tone to be sent: press **Play**, or arm the track with input monitoring on (see 8.21). 8.2 describes every control in the window, and 8.4 lists the Roland categories in each tile.

8.2 The plugin window




The Integra7Control window, showing the Guitars tone list.

Area	What it does
Title bar	The plugin name, what it is for, and its version. Click **Sierra Digital Audio** to open sierradigitalaudio.com, or **Buy me a coffee** to support Integra7Control.
Style	Choose the plugin's colours. See 8.22.
Part / Studio Set ch	The INTEGRA-7 part this plugin controls, and the INTEGRA-7's Studio Set control channel. See 8.3.
Search box	Find tones by name. See 8.6.
Sound bank drop-down	Show only one sound bank or expansion. See 8.7.
Expansions...	Set which expansions are in the INTEGRA-7's slots. See 8.10.
Bank / Patch / Send	Send any bank and patch. See 8.11.
Preview, Preview on select	Hear the tone. See 8.12.
Notes to part ch	Play the track's notes on the part. See 8.13.

Octave - / +	Shift the track's notes and the preview by octaves. See 8.14.
Send on project load, Resend, Panic	See 8.18.
Instrument grid / tone list	The instrument grid, or the tone list of the tile you clicked. See 8.4 and 8.5.
Part controls	15 automatable controls for the part. See 8.15.
Macros	4 automatable macros. See 8.17.
Status line, MIDI out	The tone on the part, messages, and the MIDI activity light. See 8.21.

The window opens at 1440 x 880 and can be resized by dragging its bottom-right corner. Hover over any control to see a short tooltip.

8.3 Part and Studio Set channel




The toolbar.

- **Part (1-16)** - the INTEGRA-7 part this plugin controls. Tone changes, part controls, macros and previews are sent on this MIDI channel, and with Notes to part ch ticked the track's notes are too. The part on the INTEGRA-7 must receive on the same channel; in the INTEGRA-7's factory Studio Sets part 1 receives on channel 1, part 2 on channel 2, and so on.
- **Studio Set ch** - the INTEGRA-7's **Studio Set Control Channel** (a SYSTEM setting on the INTEGRA-7, factory default 16). Studio Set changes are sent on this channel. Change it only if you have changed it on the INTEGRA-7.

> Give each copy of the plugin its own part. If two tracks are set to the same part, the last tone sent wins, and with Send on project load both send their tone to that part when the project opens.

8.4 The instrument grid

When you open the plugin it shows the instrument grid: a tile for each instrument family, plus Favourites, Recent and Studio Sets. Each tile shows how many tones it holds. Click a tile to open its tone list; tiles with no tones (for example Favourites before you add any) are faded and can't be clicked.



The instrument grid, with Favourites empty and faded.

Each family groups one or more of Roland's tone categories:


Tile	Roland categories in it
Pianos	Ac Piano
Electric Pianos	E Piano
Organs & Accordions	Organ, Accordion/Harmonica
Keys & Mallets	Other Keyboards, Bell/Mallet
Guitars	Ac Guitar, E Guitar, Dist Guitar
Basses	Ac Bass, E Bass
Strings	Strings, Ensemble Strings
Plucked & World	Plucked/Stroke
Brass	Brass
Sax & Woodwinds	Sax, Flute, Recorder, Wind
Voices & Choirs	Vox/Choir
Synth Leads	Synth Lead
Synth Pads	Synth Pad/Strings, Synth Bellpad
Synth Keys & Brass	Synth PolyKey, Synth Brass, Synth Seq/Pop, Pulsating

Synth Bass	Synth Bass
Drums & Percussion	Drum, Percussion, Beat&Groove, Phrase
FX & Hits	FX, Sound FX, Hit

The plugin remembers which tile was open, and the project saves it.

8.5 Tone lists

Clicking a tile replaces the grid with that family's tones. Above the list are the ◀ **Instruments** button (or press Backspace) to go back to the grid, the family name and tone count, and a drop-down that narrows the list to one of the family's Roland categories.




The Guitars list, with the category drop-down open.

Column	Meaning
PDF #	The tone's number in Roland's *INTEGRA-7 Sound List* PDF. Roland numbers each sound bank separately, so two tones from different banks can share a number (for example SN Acoustic #239 and PCM Synth #239).
Bank	Bank Select MSB:LSB, e.g. 89:64.
Patch	Patch number 1-128 within the bank.
Name / Category	The tone's name and Roland category.
Needs	The expansion the tone needs, e.g. SRX-02. Blank for built-in tones.

★	Click the star to add or remove the tone from Favourites. Clicking a star doesn't send or preview the tone.

- **Click a tone** to send it to the part. The **up/down arrow keys** move through the list and send each tone as you go, which is a quick way to audition while the part plays.
- **Double-click** a tone, or press **Enter**, to hear its preview phrase (see Preview).
- An **orange bar** at the left marks the tone currently on the part.
- **Click a column heading** to sort by that column; click again to reverse the order.




UprightPiano selected and sent; the status line confirms the tone, bank and patch.

8.6 Search

Type in the search box at the top. From the instrument grid, the search covers every tone; inside a family, it searches just that family. Type several words to find tones that match all of them, for example *warm pad*. The search matches tone names, short names, categories and bank numbers.


To clear the search, delete the text or press **Esc** in the box. Clearing it also leaves the family: you go back to the instrument grid, or, if a sound bank is chosen (8.7), to the list of all that bank's tones.



Searching for "sax" inside the Sax & Woodwinds family.


8.7 Sound bank filter

The sound bank drop-down shows only the tones of one sound bank or expansion, such as *SuperNATURAL Synth Tones* or *SRX-06 Complete Orchestra*. The number after each bank is how many tones it has. A ***** in front of an expansion means it is in one of your INTEGRA-7's four slots (8.10). Choose **All sound banks** to see everything again.



The sound bank drop-down: the * marks the expansions in the slots.


With a bank chosen, the tile counts in the instrument grid show only that bank's tones, and tiles with none are faded. This is a quick way to see what an expansion offers. If you choose a bank while a family's list is open, the list changes to **every tone in that bank**, across all families (for example "SuperNATURAL Acoustic Tones (256)"). Click **◀ Instruments** to go back to the grid, or choose **All sound banks** to see everything again.



ExSN1 Ethnic chosen: only four families have ExSN1 tones.


8.8 Favourites and Recent

Click the ★ in a tone list to add a tone to **Favourites**; click it again to remove it. Clicking a star only changes the favourite: it doesn't send the tone or start a preview. Favourites are shared by every copy of the plugin and every project, so your favourite tones are always one click away. In the Favourites list, the status line reminds you that clicking a gold star removes the tone.



The Favourites list.


Recent lists the last 50 tones this plugin sent, newest first. Recent is saved with the project, so each track keeps its own history.



The Recent list, here narrowed to SuperNATURAL Acoustic tones with the sound bank filter.

8.9 Studio Sets

The **Studio Sets** tile lists the INTEGRA-7's 64 Studio Sets. Clicking one selects it on the INTEGRA-7 (sent on the Studio Set channel). Sets 1-16 are Roland's factory sets; 17-24 are, by default, the user sets the Integra7Control Workbench sets up (User1-User8).



The Studio Sets list.


> Selecting a Studio Set replaces all 16 parts on the INTEGRA-7. Studio Sets are not sent again when the project opens; each plugin re-sends only its own part's tone.

8.10 Expansion slots

The INTEGRA-7 holds four expansions at a time (SRX boards, ExSN and ExPCM) in virtual slots A-D. Click **Expansions...** and choose the expansion in each slot to match your INTEGRA-7. The INTEGRA-7 doesn't report which expansions are loaded, so this setting only tells the plugin; it doesn't load anything. Load expansions with the INTEGRA-7's front panel or the Integra7Control Workbench. The setting is shared by all projects, and is stored on each computer separately, so set it once on each computer you use.


If no slot is set yet, a help window opens beside the Expansion Slots window with the front-panel steps to see what is loaded: press **[MENU]**, choose **EXPANSION** and press **[ENTER]** (or hold **[SHIFT]** and press **[MENU]**). The screen shows the expansion in each Virtual Slot, A to D.

If no slot is set yet, a **Finding your expansion slots** window opens beside the Expansion Slots window. It explains that the INTEGRA-7 can't report which expansions are loaded, and how to see them on its front panel: press **[MENU]**, select **EXPANSION** and press **[ENTER]** (or hold **[SHIFT]** and press **[MENU]**). Both windows can stay open while you set the slots.




The Expansion Slots window.

Tones from expansions that aren't in a slot are shown in **gray**. Hovering over one shows which expansion it needs; clicking it doesn't send it, and the status line says which expansion it needs.



SRX-02 tones in gray: SRX-02 isn't in any slot. The tooltip says what the tone needs.



Clicking a gray tone: the status line explains what it needs.

8.11 Bank and patch entry (user tones)

The **Bank** and **Patch** boxes send any bank and patch directly. Use them for your own **user tones**, which aren't in the tone lists. Set the bank MSB and LSB and the patch with the - / + buttons or by typing, then click **Send**. The boxes also show the bank and patch of the last tone you clicked.



The Bank and Patch boxes.

User bank	MSB : LSB	Patches
SuperNATURAL Acoustic	89 : 0-1	1-128 in each LSB (256)
SuperNATURAL Synth	95 : 0-3	1-128 in each LSB (512)
SuperNATURAL Drum Kits	88 : 0	1-64
PCM Synth	87 : 0-1	1-128 in each LSB (256)
PCM Drum Kits	86 : 0	1-32

8.12 Preview

Click **Preview** to play a short phrase on the part: a scale for most tones, or a drum pattern for drum kits. While it plays the button reads **Stop**. You can also double-click a tone, or press Enter, to preview it. Tick **Preview on select** to hear the phrase every time you choose a tone.



A preview playing: the button reads Stop.

New in 1.1.0: Preview on select only plays the phrase while the project is **stopped**. While the project plays, choosing a tone just sends it, so the phrase doesn't play over your song; the status line says that the preview is paused. Clicking **Preview** always plays it. A preview always ends cleanly: **Stop** and **Panic** end it at once (and send All Notes Off on the part), and so do stopping the transport and bypassing or removing the plugin.


Note: muting the plugin's track doesn't stop a preview. The DAW mutes the track's audio, but the plugin keeps sending MIDI to the INTEGRA-7. To stop a preview, click **Stop** or **Panic**.

The preview starts a moment after the tone is sent, to give the INTEGRA-7 time to load it. Like everything the plugin sends, it only plays while the DAW is running the plugin (see 8.21).

8.13 Notes to part ch

With **Notes to part ch** ticked (the default), the notes on the plugin's track - from MIDI items and from a keyboard - are moved to the plugin's **Part** channel. A track whose plugin is set to Part 2 therefore plays part 2, whatever channel its notes were recorded on.


Untick it only if you want notes to keep their own channels. If notes then arrive on a different channel from the part, the option turns **orange** and the status line warns that they are playing a different part.



REAPER's Virtual MIDI Keyboard (Alt+B) on MIDI channel 1: with Notes to part ch ticked, it plays the plugin's part.

8.14 Octave up and down

New in 1.1.0. The **Octave** control in the toolbar, **[-] 0 [+]**, moves the track's notes and the preview phrase up or down by whole octaves before they reach the INTEGRA-7.




The toolbar with Octave set to +1.

- Click **+** or **-** to shift by one octave (12 semitones), from **-3** to **+3**. **0** plays the notes as they are.
- It shifts every note that passes through the plugin: notes from MIDI items, from your keyboard and from the preview. Tone changes, part controls and Studio Sets aren't affected.
- If you change the octave while a note is held, the note still ends correctly: each note is released in the octave it started in, so no notes are left sounding.
- The octave is saved with the project, and it is a plugin parameter, so it can be automated (see 8.16), for example to drop a bass line an octave for one section.

Use it to play a part in a different range without changing the MIDI, for example to play a bass line written in the middle of the keyboard an octave lower.

8.15 Part controls

The Part controls panel sends Control Change messages to the part. Each knob is a plugin parameter, so it can be automated. Double-click a knob to reset it; **Reset** sets every control back to its default and sends it.




The Part controls panel.

Control	CC	Notes
Volume	7	Part level, 0-127.
Pan	10	-64 (left) to +63 (right), 0 = centre.
Expression	11	Expression, 0-127.
Reverb Send / Chorus Send	91 / 93	Send to the Studio Set's reverb and chorus.
Cutoff, Resonance	74, 71	Offsets from the tone's own setting; 0 = no change.
Attack, Decay, Release	73, 75, 72	Envelope offsets; 0 = no change.
Vibrato Rate, Depth, Delay	76, 77, 78	Vibrato offsets; 0 = no change.
Porta Time / Portamento	5 / 65	Portamento time and on/off.


Only controls you have changed are sent again when the project opens, so controls you never touched don't override the Studio Set's mix. How much an offset changes the sound depends on the tone.

8.16 Automation

Every part control, macro and the octave appear in the DAW's automation list. In REAPER, click the track's envelope button to open the **Envelopes** window, where Integra7Control's parameters are listed under the plugin; tick **Visible** for the ones you want. (You can also move a knob in the plugin, then click **Param** in the FX window and show the envelope for the last touched parameter.) Draw points on the envelope lane; when the project plays, the knob follows and the INTEGRA-7 part changes with it.



REAPER's Envelopes window, with Integra7Control's parameters (Cutoff selected).



A Cutoff envelope on the piano track and a Volume envelope on the bass track.

8.17 Macros


A macro is **one knob that moves several part controls together**, each over its own range. Instead of turning Cutoff and Resonance one after the other, you turn one "Brighten" knob and both move at once. Macros are handy for live playing and for automation: one envelope lane can do the work of several.

Each macro has up to four rows. In each row you choose a part control and two values: **From** is sent when the macro knob is at 0%, and **To** is sent at 100%. In between, the value moves smoothly from one to the other. Set To lower than From to move a control the opposite way.

> **About 64:** Cutoff, Resonance, Attack, Decay, Release and the Vibrato controls are *offsets* from the tone's own setting, and 64 means "no change". A From value of 64 therefore leaves the tone as Roland designed it when the macro is at 0%.

Example: a "Brighten" macro


1. Click **Edit macros...** at the bottom of the Macros panel.
2. Click **Load example into Macro 1**, or set it up by hand: type **Brighten** in Macro 1's name box; in its first row choose **Cutoff (CC 74)**, From **64**, To **110**; in its second row choose **Resonance (CC 71)**, From **64**, To **90**.
3. Close the window. The first macro knob in the Macros panel is now labelled **Brighten**.
4. Play a pad or a synth tone and turn the Brighten knob: at 0% the tone sounds as usual, and as you turn it up the filter opens and the sound gets brighter and more resonant.
5. To make it happen on the timeline, automate **Macro 1** in your DAW (8.16), for example a slow rise over the last bars of a verse.



The Macros window with the Brighten example in Macro 1.

More ideas: a **Swell** macro with Expression From 40 To 127 for fade-ins; a **Space** macro with Reverb Send From 20 To 90 and Chorus Send From 0 To 60; or a **Soften** macro with Attack From 64 To 100 and Cutoff From 64 To 40.

A macro sends its controls directly; the part control knobs themselves don't move. Macros are saved with the project.




The Macros panel: Macro 1 named Brighten.

8.18 Project recall, Resend and Panic

- **Send on project load** (ticked by default) - when the project opens, the plugin sends the part's tone again, followed by the part controls and macros you have changed. Every track's part is back the way you left it.
- **Resend** - sends the tone and changed controls again now. Use it after switching the INTEGRA-7 on, or after changing the part on the INTEGRA-7's front panel.
- **Panic** - sends All Notes Off to the part and stops a preview.

8.19 Several parts at once

Put Integra7Control on one track for each part you want to use, and set each plugin to a different **Part**. Each plugin has its own tone, part controls, macros, octave and Recent list, and controls only its own part.



Two tracks: piano on Part 1 and bass on Part 2, each with its own plugin window.

Route every track's MIDI Hardware Output to the INTEGRA-7 (Section 6, step 6), and leave **Notes to part ch** ticked so each track's notes play its own part.

8.20 Changing tones while the project plays

> **New in 1.1.0.** You can click through tones while the song plays and hear each one take over smoothly.

- A tone is sent the moment you click it (or move to it with the arrow keys). The next notes the track plays use the new tone.

- While the project plays, **Preview on select** doesn't start its phrase, so only your song's notes are heard. (In version 1.0.0 the preview phrase played over the song, which sounded like a burst of extra notes; untick Preview on select if you use 1.0.0.)
- Stopping a preview with **Stop** or **Panic**, or bypassing or removing the plugin while a preview plays, always ends its notes, so nothing is left sounding on the INTEGRA-7.

Tip: loop a few bars (Section 6, step 5), open a tone list and use the arrow keys to audition one tone after another in the context of your song.

8.21 MIDI out light and status line

The **status line** at the bottom shows the part and the tone on it, how many tones the list shows, and short messages, which clear themselves after a few seconds.

The **MIDI out** light at the bottom right shows whether MIDI is getting out of the plugin:

Light	Meaning
Bright green flash	The plugin has just sent MIDI to the DAW.
Dark green	The DAW is running the plugin; nothing to send right now.
Red	The DAW isn't running the plugin, so nothing can be sent yet. Some DAWs, depending on their settings, only run a plugin while the project plays or while its track is armed with input monitoring on: press **Play**, or arm the track and turn on monitoring. Tones you choose meanwhile are sent as soon as the DAW runs the plugin.




Dark green



Red


8.22 Styles

New in 1.1.0. Choose the plugin's colours with the **Style** drop-down at the right of the title bar.




The Style drop-down.


There are four styles: **Windows 11 light**, **Light gray**, **Steel blue** and **Windows 11 dark**. They change only the colours; every control works the same in each. The style is shared by every copy of the plugin and every project, like Favourites, and open plugin windows change together. New installations start with Windows 11 light.



Windows 11 light



Steel blue



Windows 11 dark

The three small pictures were taken on a test computer, so their font differs slightly from Windows.

9. Troubleshooting

The MIDI out light is red, and nothing changes on the INTEGRA-7

- The DAW isn't running the plugin. Depending on their settings, REAPER and other DAWs may only run a track's plugins while the project plays, or while the track is armed with input monitoring on. Press **Play**, or arm the track and turn on monitoring. The light turns green and the tones you chose are sent at once.
- Check that the DAW's audio device is running (in REAPER, the audio device is shown at the right of the menu bar; on the Mac choose it in REAPER → Settings → Audio → Device).



The red MIDI out light, with the waiting message in the status line.

The MIDI out light flashes green, but the INTEGRA-7 doesn't change

- The DAW's MIDI output to the INTEGRA-7 must be enabled (in REAPER: MIDI Outputs, with nothing in the Status column).
- The track must be routed to the INTEGRA-7: in REAPER, the track's **Route** window, **MIDI Hardware Output: INTEGRA-7**. Enabling the INTEGRA-7 in the preferences isn't enough on its own.
- Only one program at a time may be able to use the INTEGRA-7's USB MIDI port. Close the Integra7Control Workbench and any other MIDI program, then restart the DAW.
- On the INTEGRA-7, the part must receive on the plugin's Part channel, and **Receive Program Change** and **Receive Bank Select** must be on, both in the SYSTEM MIDI settings and for the part.
- Test the route without the plugin: arm the track, turn on monitoring and play REAPER's Virtual MIDI Keyboard. If no notes reach the INTEGRA-7, the problem is in the DAW's routing or the driver.

Two tracks play the same part, or the notes play the wrong part

- Tick **Notes to part ch** on each track's plugin, and give each plugin its own Part.

Changing tones while the song plays sounds like a burst of extra notes

- This is the preview phrase playing over the song in version 1.0.0. Update to 1.1.0 (see 8.20), or untick Preview on select while the project plays.

A preview keeps playing after muting the track

- Muting a track doesn't stop the MIDI the plugin sends. Click **Stop** or **Panic**.

The wrong patch loads (right number, wrong bank)

- Update to 1.1.0, which sends the bank and program change messages in a fixed order.
- Check the DAW sends the plugin's MIDI on the plugin's Part channel, and that it doesn't send its own program changes to the INTEGRA-7 (in Studio One, see Appendix 2).

A tone can't be selected (it is gray)

- It belongs to an expansion that isn't in one of the 4 slots. Click **Expansions...** and set the slots to match your INTEGRA-7 (8.10).

A sound bank shows fewer tones than its count

- A family's list is open, so the list shows only that family's tones from the bank (the title above the list says so). Click ◀ **Instruments** to see the bank's tones in every family (8.7).

A tone is sent but the part is silent or sounds wrong

- If the tone needs an expansion, that expansion must actually be loaded on the INTEGRA-7.
- Check the part's level, that the part isn't muted on the INTEGRA-7, and the Octave setting.

Clicking a Studio Set does nothing

- The plugin's Studio Set ch must match the INTEGRA-7's Studio Set Control Channel (factory default 16).

The tones are wrong when a project opens

- Make sure Send on project load is ticked, and that the INTEGRA-7 was on before the project opened. If you switched it on afterwards, click **Resend** on each track.

Integra7Control doesn't appear in the DAW

- Windows: check the Integra7Control.vst3 folder is in C:\Program Files\Common Files\VST3, then re-scan plugins (REAPER: Clear cache and re-scan). It is listed as a VST3 instrument (VST3i), 64-bit only.
- Mac: check the plugins are in /Library/Audio/Plug-Ins/VST3 and /Library/Audio/Plug-Ins/Components, run the unblock command (4.2), and re-scan. For a missing AU, log out and back in. The Mac version needs an Apple Silicon Mac.

Mac: "Integra7Control can't be opened" or "is damaged"

- macOS is blocking the unsigned plugin. It isn't damaged. Run the unblock command in 4.2, or see Appendix 7. Never click Move to Trash.

Mac: the INTEGRA-7 isn't in MIDI Studio, or is gray

- Install Roland's Mac driver (5.2) and check the INTEGRA-7's USB Driver setting is VENDER.
- Unplug and reconnect the INTEGRA-7, or switch it off and on after the Mac has started.
- After a macOS update with the INTEGRA-7 connected, reinstall Roland's driver.

Appendix 1 - Steinberg Cubase

Cubase can use the MIDI output of a VST3 plugin as the input of a MIDI track, and send that track to a hardware MIDI port.

1. Make sure the INTEGRA-7's MIDI output port is active in **Studio** → **Studio Setup** → **MIDI Port Setup**.
2. Add an **Instrument track** and choose **Integra7Control (Sierra Digital Audio)**. Put the part's MIDI events on this track.
3. Add a **MIDI track**. In the Inspector, set its **Input Routing** to **Integra7Control - MIDI Out** and its **Output Routing** to the INTEGRA-7 port, with the channel set to **Any**.
4. Turn on **Monitor** on the MIDI track so it passes the plugin's MIDI through.
5. Play the project, or arm the Integra7Control track, and click a tone.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 2 - PreSonus Studio One

Studio One sends a plugin's MIDI output to a hardware instrument through a second instrument track.

1. In **Studio One → Options → External Devices**, add a **New Instrument** named INTEGRA-7 and set **Send To** to the INTEGRA-7's MIDI output port. Turn off any program change sending in the device's settings, so Studio One doesn't send its own patch changes.
2. Create an **Instrument track** with Integra7Control on it. Put the part's notes on this track. Set this track's input to your keyboard (not All Inputs), to avoid a MIDI loop.
3. Create a second Instrument track. Set its instrument (output) to the INTEGRA-7 external instrument, and its MIDI input to **Integra7Control**. Make sure the plugin's MIDI channel is kept (set the External Instrument and this track to pass all channels, or both to the plugin's Part channel).
4. Turn on **Monitor** on the second track, then play the project or arm the first track.

If tone changes arrive on the wrong part, check the channel settings in step 3. If notes keep repeating, check step 2.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 3 - Ableton Live

Live passes a plugin's MIDI output to another MIDI track, which then sends it to the INTEGRA-7.

1. In **Preferences → Link, Tempo & MIDI**, switch **Track** on for the INTEGRA-7 MIDI output port.
2. Load Integra7Control on a MIDI track (track A). Put the part's MIDI clips on this track.
3. Create a second MIDI track (track B). Set **MIDI From** to track A, and the channel chooser below it to **Integra7Control**.
4. Set track B's **Monitor** to **In**.
5. Set track B's **MIDI To** to the INTEGRA-7 port and its channel to the same number as the plugin's Part.

Live merges MIDI channels when it routes MIDI from track to track, which is why track B's MIDI To channel must match the plugin's Part. Use one pair of tracks for each part.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 4 - Image-Line FL Studio

FL Studio sends a plugin's MIDI output to a hardware port by matching port numbers.

1. Open **Options** → **MIDI Settings**. In the Output list select the INTEGRA-7 and give it a **Port** number, for example 1.
2. Add Integra7Control to the **Channel Rack** as a generator (instrument).
3. Open the plugin wrapper's settings (the gear icon at the top of the plugin window), and in the MIDI section set the **Output port** to the same number as in step 1.
4. Put the part's notes in the Integra7Control channel's piano roll, and play.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 5 - Bitwig Studio

Bitwig sends notes to hardware with its HW Instrument device.

1. Add Integra7Control to an Instrument track (track A). Put the part's notes on this track.
2. On a second Instrument track (track B), add a **Note Receiver** device with its source set to track A, after Integra7Control.
3. After it on track B, add a **HW Instrument** device. Set its MIDI output to the INTEGRA-7 port and its channel option to **Same Ch.** so the part channel set in the plugin is kept.
4. Play the project, then click a tone and check that the INTEGRA-7 changes.

Bitwig's hardware devices are designed mainly for notes. If the notes play but tone changes don't reach the INTEGRA-7, Bitwig isn't passing the plugin's program changes through this route.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 6 - Cakewalk / Sonar (Windows)

Cakewalk and Sonar make a plugin's MIDI output available as the input of a MIDI track once MIDI output is enabled for the plugin.

1. In **Preferences** → **MIDI** → **Devices**, enable the INTEGRA-7 as an output.
2. Insert Integra7Control as a soft synth. In the plugin's properties or VST menu, turn on **Enable MIDI Output**.
3. Insert a MIDI track. Set its Input to **Integra7Control** and its Output to the INTEGRA-7, and turn on **Input Echo**.
4. Put the part's notes on the Integra7Control track, and play.

These steps are based on the DAW's documentation and published routing guides; Integra7Control was tested in REAPER. Menu names can differ between versions. If the plugin's MIDI out light flashes green but the INTEGRA-7 doesn't respond, the DAW isn't yet passing the plugin's MIDI output to the INTEGRA-7 port.

■ Back to Section 7, Setting up in other DAWs

Appendix 7 - Mac: allowing the unsigned plugin

Integra7Control is free, and isn't signed with a paid Apple developer certificate. When you download it, macOS marks the file as coming from the internet, and its security check, Gatekeeper, blocks it until you say you trust it. This is the Mac equivalent of the Unblock step on Windows. It is needed once for each new version; after that the plugin loads normally.

Without it, the DAW may skip the plugin, or macOS may show a message such as *"Integra7Control.vst3" Not Opened* or *"Integra7Control.vst3" is damaged and can't be opened*. The plugin isn't damaged; this is how macOS describes unsigned files from the internet. Click **Done** or **Cancel**, never **Move to Trash**.

Method A - Terminal (recommended)

After copying the plugins into place (4.2, steps 4-5), open Terminal and run:

```
sudo xattr -dr com.apple.quarantine /Library/Audio/Plug-Ins/VST3/Integra7Control.vst3 \
  /Library/Audio/Plug-Ins/Components/Integra7Control.component
```

Type your Mac password when asked. The command removes the "downloaded from the internet" mark from the plugins and changes nothing else on the Mac. Then start the DAW and re-scan plugins.

Method B - System Settings

1. Start the DAW and let it try to load the plugin. When the warning appears, click **Done**.
2. Open **System Settings** → **Privacy & Security** and scroll down to **Security**. If there is a message that Integra7Control was blocked, click **Open Anyway** and enter your password.
3. Quit and restart the DAW, re-scan, and add the plugin again.

If the Open Anyway button doesn't appear, which happens with some plugins and DAWs, use Method A.

Appendix 8 - Version history

Version	Changes
1.1.0	Mac version: VST3 and AU instrument for Apple Silicon Macs (macOS 12 or later). New look: Windows 11 style controls, four styles (Windows 11 light, Light gray, Steel blue, Windows 11 dark) chosen in the title bar, and a larger window. Octave up and down control (-3 to +3 octaves), saved with the project and automatable. Smooth tone changes while playing: Preview on select doesn't play over the song while the project plays. Previews always end cleanly when stopped, when the transport stops, or when the plugin is bypassed or removed; Stop, and stopping the transport, also send All Notes Off on the part. Tone changes are sent in a fixed order (Bank MSB, Bank LSB, Program Change) so no DAW can reorder them and load the wrong patch. The sound bank drop-down marks the expansions in your slots with a *. Clicking a favourite star no longer sends or previews the tone; the Favourites list shows how to remove a favourite. Clearing the search box goes back to the instrument grid; choosing a sound bank inside a family lists every tone in the bank. The Macros window explains macros and can load a "Brighten" example; Sierra Digital Audio in the title bar links to the website. When no expansion slot is set, a help window shows how to find the loaded expansions on the INTEGRA-7. Studio One setup notes improved (Appendix 2).
1.0.0	First release: 64-bit VST3 instrument for Windows.