


Infectious disease situation report

For public health officials · Switzerland and Liechtenstein

Situation at a glance



6 of 16 monitored surveillance indicators are above their usual level for the time of year. Record-high indicators: **Influenza, EHEC, Campylobacter**.

Each indicator is compared with its comparison window: the same week or month in previous years. Latest data: week 39, 2026 for the 4 weekly series; August 2026 for 6 monthly series (EHEC, Campylobacter, Hepatitis A, Shigellosis, Hepatitis E, Lyme disease); May 2026 for 5 monthly series (Gonorrhoea, Hepatitis B, HIV, Chlamydia, Hepatitis C); 2025 for AIDS (yearly).

Indicator	Level	Latest	Period	Usual (median)	Compared with usual
Influenza	▲▲ Record high	53	week 39, 2026	10	about 5 times the usual level
EHEC	▲▲ Record high	261	August 2026	156	about 65% above the usual level
Campylobacter	▲▲ Record high	1,392	August 2026	1,035	about 35% above the usual level
Hepatitis A	▲ Above normal	10	August 2026	7	about 45% above the usual level
Shigellosis	▲ Above normal	27	August 2026	20	about 35% above the usual level

Indicator	Level	Latest	Period	Usual (median)	Compared with usual
Acute respiratory infection (GP visits)	▲ Above normal	8,244	week 39, 2026	6,830	about 20% above the usual level
Hepatitis E	● Normal	8	August 2026	8	close to the usual level
Gonorrhoea	● Normal	504	May 2026	504	close to the usual level
Hepatitis B	● Normal	112	May 2026	112	close to the usual level
HIV	● Normal	29	May 2026	30	close to the usual level
Flu-like illness (GP visits)	● Normal	2,418	week 39, 2026	2,780	about 15% below the usual level
Lyme disease	● Normal	1,130	August 2026	1,564	about 30% below the usual level
Chlamydia	▼ Low	1,007	May 2026	1,072	close to the usual level
Hepatitis C	▼ Low	71	May 2026	84	about 15% below the usual level
AIDS	▼ Low	32	2025	41	about 20% below the usual level
COVID-19	▼ Low	98	week 39, 2026	1,060	about 90% below the usual level

Colour guide: **Record high** latest value is the highest for this period in the comparison window. **Above normal** at least 20% and at least 3 cases above the comparison-window median. **Normal / low** not currently above the usual level.


Indicators above the usual level

The **coloured line** is the reported series: **red** for record-high status and **yellow** for above-normal status. The dashed blue line is the median and the grey band the minimum to maximum of the **comparison window**: the same week or month in previous years (5 or 10 years; FOPH’s own windows also include the current value).

Influenza **▲▲ Record high**

53 cases were reported in week 39, 2026, about 5 times the usual level for this time of year (median 10, range 0 to 53). Calendar year to date: 15,354 (-37% on the same period last year). Counts are small, so the level can change on a few cases.

Influenza




EHEC

▲▲ Record high

261 cases were reported in August 2026, about 65% above the usual level for this time of year (median 156, range 108 to 261). Calendar year to date: 1,237 (+28% on the same period last year).

EHEC





Campylobacter

▲▲ Record high

1,392 cases were reported in August 2026, about 35% above the usual level for this time of year (median 1,035, range 875 to 1,392). Calendar year to date: 6,871 (+24% on the same period last year).


Campylobacter






Hepatitis A ▲ Above normal

10 cases were reported in August 2026, about 45% above the usual level for this time of year (median 7, range 2 to 13). Calendar year to date: 52 (-2% on the same period last year). Counts are small, so the level can change on a few cases.



Shigellosis ▲ Above normal


27 cases were reported in August 2026, about 35% above the usual level for this time of year (median 20, range 0 to 39). Calendar year to date: 161 (+13% on the same period last year). Counts are small, so the level can change on a few cases.



0
Sep 2022 Jun 2023 Mar 2024 Dec 2024 Sep 2025 Jun 2026

Acute respiratory infection (GP visits) ▲ Above normal


8,244 GP consultations are estimated in week 39, 2026, about 20% above the usual level for this time of year (median 6,830, range 4,504 to 12,484). Calendar year to date: 340,823 (-23% on the same period last year).




Where: cantons with the highest incidence

Cases per 100,000 residents. Cantons with fewer than 5 cases are left out because their rates are unstable. Canton figures are published for the last full year for most infections, and weekly for influenza and COVID-19.


Influenza: top cantons, weeks 36-39, 2026




EHEC: top cantons, 2025




Campylobacter: top cantons, 2025



Hepatitis A: top cantons, 2025



Shigellosis: top cantons, 2025



Burden this year compared with last year

Cumulative total from January to the latest period, against the same span one year earlier.

Indicator	Category	Calendar year to date	Same period last year	Change	Data up to
Hepatitis E	Food-borne	80	53	+51%	August 2026
EHEC	Food-borne	1,237	968	+28%	August 2026
Campylobacter	Food-borne	6,871	5,545	+24%	August 2026
Shigellosis	Food-borne	161	142	+13%	August 2026
Hepatitis B	Sexually / blood transmitted	568	516	+10%	May 2026
Chlamydia	Sexually / blood transmitted	5,446	5,169	+5%	May 2026
Gonorrhoea	Sexually / blood transmitted	2,732	2,690	+2%	May 2026
Hepatitis A	Food-borne	52	53	-2%	August 2026



Indicator	Category	Calendar year to date	Same period last year	Change	Data up to
HIV	Sexually / blood transmitted	146	167	-13%	May 2026
Hepatitis C	Sexually / blood transmitted	342	400	-14%	May 2026
Acute respiratory infection (GP visits)	Respiratory	340,823	444,923	-23%	week 39, 2026
Lyme disease	Tick-borne	6,778	10,207	-34%	August 2026
Influenza	Respiratory	15,354	24,246	-37%	week 39, 2026
Flu-like illness (GP visits)	Respiratory	140,551	244,887	-43%	week 39, 2026
COVID-19	Respiratory	3,069	6,434	-52%	week 39, 2026

Respiratory season watch

Weekly respiratory indicators at the start of the season. The recent change compares the last 4 weeks with the 4 weeks before.

Indicator	Level	Latest week	Per 100,000	Change, last 4 weeks
Influenza	▲▲ Record high	53	0.6	+30%
Acute respiratory infection (GP visits)	▲ Above normal	8,244	91.1	+112%
Flu-like illness (GP visits)	● Normal	2,418	26.7	+100%
COVID-19	▼ Low	98	1.1	+130%





How to read this report

- **Source.** Federal Office of Public Health (FOPH) surveillance data, cleaned and merged by the project pipeline into [results/harmonised.csv](#).
- **Colour coding.** Red indicates the report's existing [high](#) / record-high category, yellow the existing [elevated](#) / above-normal category, and green normal or low categories. The colours are visual cues; they do not introduce a new clinical risk classification.
- **Reported cases are not all infections.** They depend on who gets tested and reported. COVID-19 case counts in particular under-estimate infections.
- **GP figures are estimates** extrapolated from the Sentinella network of practices.
- **Comparison window.** The same week or month in previous years: FOPH's published 5- or 10-year minimum, median and maximum where available (these include the current value), otherwise the previous 5 years of the series. "Usual" in this report means the median of that window.
- **The COVID-19 comparison window includes pandemic years**, so "low" there is relative to an exceptional period.
- **Sexually transmitted infections lag by several months** in publication.
- **No statistical testing is applied.** Levels are descriptive comparisons with the comparison window.

Provenance

Item	Value
Source	Federal Office of Public Health (FOPH) surveillance exports: one data.csv and metadata.json per dataset

Item	Value
Source publication dates	2026-09-02 to 2026-09-30
Data retrieved	2026-10-03T16:17+02:00 to 2026-10-03T16:25+02:00 (file timestamps of the downloaded raw exports)
Report parameters	Audience: public health officials Age: all Sex: all Geography: CHFL (Switzerland + Liechtenstein) where published, otherwise CH Period: latest available per indicator
Datasets ingested	20 (17 duplicate raw files skipped)
Cleaned input	results/harmonised.csv , 120,746,409 bytes, produced by scripts/health_pipeline/harmonise.py
Input checksum (SHA-256)	8cd4b20798b9605284f32038ebfb0d700c879f678f54aef943ecb813c4a40865
Raw data snapshot	f1484622df74831453d66fb36cfc9fab002bd0695385195143930328d4f74653 (74 files)
Quality checks	347 PASS, 21 SKIP, 2 WARN
Code version (git commit)	bb5902747ab930f5e05f90e353489fc2ba411850 plus uncommitted changes
Tools	Python 3.12.7, pandas 2.2.3, plotly 5.24.1, Quarto 1.10.18
Report generated (UTC)	2026-10-04T09:34:07+00:00

The full machine-readable record, including the checksum of every raw file and of the report code, is included below and can be saved as a file: [download provenance_public_health.json](#).

- Datasets behind this report
- Full provenance record (JSON)