

Infectious disease surveillance: data report

For researchers · Switzerland and Liechtenstein

► Show code

► Show code

Data at a glance

► Show code

ROWS IN CLEANED TABLE

376,588

DATASETS INGESTED

20

QUALITY CHECKS PASSED

347

SURVEILLANCE INDICATORS MONITORED

16

All figures come from one cleaned table, `results/harmonised.csv`, produced by the pipeline's `harmonise.py` from the raw FOPH exports. Each row is one value for one dataset, measure, period, place and subgroup.

Data coverage

► Show code

Topic	Source	Rows	From	Latest period	Period types	Geographic levels	Missing in harmonised value field
acute respiratory infection	sentinella reporting system	5,229	2020	2026-W39	month, week, year	country, sentinella region	7%
aids	mandatory reporting system	13	2013	2025	year	CHFL	0%

Topic	Source	Rows	From	Latest period	Period types	Geographic levels	Missing in harmonised value field
campylobacteriosis	mandatory reporting system	755	2013	2026-M08	month, year	CHFL, canton, country	3%
chlamydiosis	mandatory reporting system	783	2013	2026-M05	month, year	CHFL, country, grossregion	0%
covid19	mandatory reporting system	13,501	2020	2026-W39	iso week, month, year	CHFL, canton, country	0%
covid19	swiss pathogen surveillance platform	198	2024	2026-M03	month	CHFL	0%
ehec	mandatory reporting system	771	2013	2026-M08	month, year	CHFL, canton, country	3%
gonorrhea	mandatory reporting system	777	2013	2026-M05	month, year	CHFL, country, grossregion	0%
hepatitis a	mandatory reporting system	745	2013	2026-M08	month, year	CHFL, canton, country	3%
hepatitis b	mandatory reporting system	829	2013	2026-M05	month, year	CHFL, country, grossregion	0%
hepatitis c	mandatory reporting system	829	2013	2026-M05	month, year	CHFL, country, grossregion	0%
hepatitis e	mandatory reporting system	536	2018	2026-M08	month, year	CHFL, canton, country	4%
hiv	mandatory reporting system	777	2013	2026-M05	month, year	CHFL, country, grossregion	0%

Topic	Source	Rows	From	Latest period	Period types	Geographic levels	Missing in harmonised value field
influenza	mandatory reporting system	31,028	2012	2026-W39	iso week, month, year	CHFL, canton, country	0%
influenza-like illness	sentinella reporting system	12,366	2012	2026-W39	month, week, year	country, sentinella region	18%
lyme borreliosis	sentinella reporting system	522	2013	2026-M08	month, year	country	0%
respiratory pathogens	national reference center for influenza	5,008	2020	2026-W39	week	country	0%
shigellosis	mandatory reporting system	745	2013	2026-M08	month, year	CHFL, canton, country	3%
wastewater sequencing	swiss federal institute of technology	226,596	2022	2026-09-28	date	wastewater treatment plant	100%
wastewater viral load	swiss federal institute of aquatic science and technology	74,580	2022	2026-09-28	date	wastewater treatment plant	53%

Missing values sit in breakdown rows and in wastewater days without a sample, not in the national disease series used below.

Quality checks

The pipeline's `checks.py` blocks the build on any failure. SKIP means a check did not apply to that dataset, not that it passed.

► Show code

Check	PASS	SKIP
cantons sum to national	50	15
finite values	20	0
no duplicate rows	20	0
no negative counts	20	0
periods parseable	20	0
value present	18	0
values numeric	20	0
year equals sum of months	179	6

Warnings: 2. Warnings do not block the build; they are listed separately here.

Dataset	Check	Detail
wastewater sequencing	value present	100.0% missing; report selection requires complete values
wastewater viral load	value present	52.7% missing; report selection requires complete values

Both warnings concern wastewater data that is not analysed in this report. Wastewater sequencing stores its figures as percentages in a separate column, so its **value** column is empty by design; wastewater viral load has no measurement on days without a sample.

Of 37 raw files, **20** were used, **17** were byte-identical duplicates and skipped, and **0** were quarantined.

Methods

- **National series.** All ages, both sexes, no sub-type split. Switzerland plus Liechtenstein (CHFL) where published, otherwise Switzerland (CH); the Sentinella series are CH only. The mandatory-reporting COVID-19 case series counts laboratory-confirmed (positive-test) cases. Sentinella consultation, genomic and wastewater data are separate surveillance streams.
- **Period.** The finest published: weekly for respiratory series, monthly for most others, yearly for AIDS.
- **Comparison window.** Minimum, median and maximum of the same week or month in previous years. FOPH's 5- or 10-year values are used where published; their window includes the current value. Otherwise the window is the previous 5 years of the series, requiring at least 3. It is a comparison window, not a purely historical baseline, because FOPH's values include the current period.
- **Level.** Record high: latest value at or above the comparison-window maximum. Above normal: at least 20% and at least 3 cases above the comparison-window median. Low: at or below the comparison-window

minimum. Otherwise normal.

- **Recent change.** Weekly series: last 4 weeks against the previous 4. Monthly and yearly series: against the same period one year earlier.
- **Year to date.** Sum from the first period of the current year to the latest, against the same span of the previous year.
- **Incidence.** FOPH's published rate per 100,000, not recomputed.

Current status of every series

► Show code

Series	Period	Value	Per 100k	Median (min-max)	Ratio	Level	Recent change	YTD change
Influenza	2026-W39	53	0.58	10 (0-53)	5.30	▲▲ Record high	+30%	-37%
EHEC	2026-M08	261	2.87	156 (108-261)	1.67	▲▲ Record high	+50%	+28%
Campylobacter	2026-M08	1,392	15.31	1,035 (875-1,392)	1.34	▲▲ Record high	+11%	+24%
Hepatitis A	2026-M08	10	0.11	7 (2-13)	1.43	▲ Above normal	+0%	-2%
Shigellosis	2026-M08	27	0.30	20 (0-39)	1.35	▲ Above normal	+42%	+13%
Acute respiratory infection (GP visits)	2026-W39	8,244	91.08	6,830 (4,504-12,484)	1.21	▲ Above normal	+112%	-23%
Hepatitis E	2026-M08	8	0.09	8 (5-10)	1.00	● Normal	+60%	+51%
Gonorrhoea	2026-M05	504	5.54	504 (484-620)	1.00	● Normal	-19%	+2%
Hepatitis B	2026-M05	112	1.23	112 (102-115)	1.00	● Normal	-3%	+10%
HIV	2026-M05	29	0.32	30 (28-36)	0.97	● Normal	-9%	-13%

Series	Period	Value	Per 100k	Median (min-max)	Ratio	Level	Recent change	YTD change
Flu-like illness (GP visits)	2026-W39	2,418	26.72	2,780 (2,112-4,483)	0.87	● Normal	+100%	-43%
Lyme disease	2026-M08	1,130	12.48	1,564 (994-3,044)	0.72	● Normal	-51%	-34%
Chlamydia	2026-M05	1,007	11.08	1,072 (1,007-1,255)	0.94	▼ Low	-4%	+5%
Hepatitis C	2026-M05	71	0.78	84 (71-108)	0.85	▼ Low	-12%	-14%
AIDS	2025	32	0.35	41 (40-47)	0.78	▼ Low	-32%	-
COVID-19	2026-W39	98	1.08	1,060 (371-23,757)	0.09	▼ Low	+130%	-52%

Ratio is the latest value divided by the comparison-window median.

Colour guide: **Record high** latest value is the highest for this period in the comparison window. **Above normal** at least 20% and at least 3 cases above the comparison-window median. **Normal / low** not currently above the usual level.

Definition of each series:

► Show code


Series	Geography	Measure	Frequency	Comparison window	Recent change basis
Influenza	CHFL	cases	week	10-year range (FOPH)	last 4 weeks vs previous 4
EHEC	CHFL	cases	month	10-year range (FOPH)	vs same period last year
Campylobacter	CHFL	cases	month	10-year range (FOPH)	vs same period last year
Hepatitis A	CHFL	cases	month	10-year range (FOPH)	vs same period last year

Series	Geography	Measure	Frequency	Comparison window	Recent change basis
Shigellosis	CHFL	cases	month	10-year range (FOPH)	vs same period last year
Acute respiratory infection (GP visits)	CH	consultations	week	5-year range (computed)	last 4 weeks vs previous 4
Hepatitis E	CHFL	cases	month	5-year range (FOPH)	vs same period last year
Gonorrhoea	CHFL	cases	month	5-year range (FOPH)	vs same period last year
Hepatitis B	CHFL	cases	month	5-year range (FOPH)	vs same period last year
HIV	CHFL	cases	month	5-year range (FOPH)	vs same period last year
Flu-like illness (GP visits)	CH	consultations	week	5-year range (computed)	last 4 weeks vs previous 4
Lyme disease	CH	cases	month	10-year range (FOPH)	vs same period last year
Chlamydia	CHFL	cases	month	5-year range (FOPH)	vs same period last year
Hepatitis C	CHFL	cases	month	5-year range (FOPH)	vs same period last year
AIDS	CHFL	cases	year	5-year range (computed)	vs same period last year
COVID-19	CHFL	cases	week	5-year range (computed)	last 4 weeks vs previous 4

Long-term trends

Annual reported case or consultation rate per 100,000, from the first published year to the last full year. Each panel has its own vertical scale, because levels differ by orders of magnitude between infections.

► Show code




Recent series against the comparison window


Latest two years of weekly data, or four years of monthly data. The **coloured line** is the reported series: **red** for record-high status, **yellow** for above-normal and **green** for normal or low. The dashed blue line is the median and the grey band the minimum to maximum of the **comparison window**: the same week or month in previous years (5 or 10 years; FOPH's own windows also include the current value). Where the band lies far above the series (COVID-19, whose window includes pandemic years), the axis follows the series and the band is cut off at the top.

► Show code


Influenza ▲▲ Record high




EHEC ▲▲ Record high




Campylobacter ▲▲ Record high







Hepatitis A ▲ Above normal




Shigellosis ▲ Above normal




Acute respiratory infection (GP visits) ▲ Above normal






Hepatitis E

● Normal



Gonorrhoea


● Normal



Hepatitis B


● Normal






HIV

● Normal




Flu-like illness (GP visits)


● Normal




Lyme disease

● Normal







Chlamydia ▼ Low




Hepatitis C ▼ Low




AIDS ▼ Low






COVID-19 ▼ Low




Seasonality


Monthly cases by year for the infections with the strongest seasonal pattern. Darker means more cases.

► Show code







Campylobacter




EHEC



Lyme disease
















Age distribution

Reported case or consultation rate per 100,000 by age group. Age bands differ between disease families. For the food-borne infections FOPH publishes only a long-term mean by age, which is what is shown; the basis is given under each panel title.

► Show code

Per 100,000





Regional incidence

Cases per 100,000 by canton for the infections with canton-level data: the last full year, or the last 4 weeks for the weekly series. Blank cells have fewer than 5 cases.

► Show code

Canton	Influenza (weeks 36-39, 2026)	COVID-19 (weeks 36-39, 2026)	Campylobacter (2025)	EHEC (2025)	Shigellosis (2025)	Hepatitis A (2025)	Hepatitis E (2025)
Aargau	0.9	1.2	74.9	11.0	1.9	1.5	1.2
Appenzell A.Rh.			63.5				
Appenzell I.Rh.			59.8				
Basel-Landschaft	3.0	3.0	119.1	19.2			
Basel-Stadt	3.0	4.0	87.4	15.4	2.5		
Bern	2.4	2.0	95.0	17.1	1.9	1.6	0.6

Canton	Influenza (weeks 36-39, 2026)	COVID-19 (weeks 36-39, 2026)	Campylobacter (2025)	EHEC (2025)	Shigellosis (2025)	Hepatitis A (2025)	Hepatitis E (2025)
Fribourg			109.9	16.4	4.6		
Geneva	1.7	5.3	126.0	21.3	7.3		
Glarus			103.8	16.5			
Graubünden			84.4	17.0			
Jura		6.1	151.0	21.4			
Lucerne	2.5	1.1	76.3	11.0	2.5	1.1	
Neuchâtel		8.9	94.7	10.0	5.0		
Nidwalden			79.4				
Obwalden			98.3	20.2			
Schaffhausen			75.6	10.2			
Schwyz		3.0	92.9	19.5	3.5		
Solothurn		2.8	98.3	12.4			
St. Gallen			66.3	7.6			1.9
Thurgau			68.8	6.3			
Ticino	2.5	5.3	119.8	26.8	2.2	2.5	
Uri			52.2	15.7			
Valais	2.4	10.0	136.6	21.8	2.7		
Vaud	2.1	3.7	121.6	22.9	4.3	0.7	1.8
Zug		4.5	86.7	17.2			
Zurich	1.4	1.7	85.1	14.8	2.3	0.5	1.0

Limitations

- Mandatory reports reflect testing and reporting behaviour, not true incidence.

- Sentinella figures are extrapolations from a sample of GP practices.
- No significance testing or modelling is applied; small counts can change level on a handful of cases.
- The computed 5-year comparison window for COVID-19 spans pandemic years and is not a normal reference.
- Canton and age figures refer to a different period than the national latest value.
- Colours are visual cues for the levels defined under Methods; they are not a clinical risk classification.
- Lab positivity, wastewater and variant data are in the cleaned table but are not analysed in this report.

Provenance

► Show code

Item	Value
Source	Federal Office of Public Health (FOPH) surveillance exports: one data.csv and metadata.json per dataset
Source publication dates	2026-09-02 to 2026-09-30
Data retrieved	2026-10-03T16:17+02:00 to 2026-10-03T16:25+02:00 (file timestamps of the downloaded raw exports)
Report parameters	Audience: researcher Age: all (age groups only in the Age distribution section) Sex: all Geography: CHFL where available; CH for Sentinella (cantons only in the Regional incidence section) Frequency: finest available
Datasets ingested	20 (17 duplicate raw files skipped)
Cleaned input	<code>results/harmonised.csv</code> , 120,746,409 bytes, produced by <code>scripts/health_pipeline/harmonise.py</code>
Input checksum (SHA-256)	<code>8cd4b20798b9605284f32038ebfb0d700c879f678f54aef943ecb813c4a40865</code>
Raw data snapshot	<code>f1484622df74831453d66fb36fc9fab002bd0695385195143930328d4f74653</code> (74 files)
Quality checks	347 PASS, 21 SKIP, 2 WARN
Code version (git commit)	<code>bb5902747ab930f5e05f90e353489fc2ba411850</code> plus uncommitted changes
Tools	Python 3.12.7, pandas 2.2.3, plotly 5.24.1, Quarto 1.10.18
Report generated (UTC)	2026-10-04T09:33:08+00:00

The full machine-readable record, including the checksum of every raw file and of the report code, is included below and can be saved as a file: [download provenance_researcher.json](#).

- ▶ [Datasets behind this report](#)
- ▶ [Full provenance record \(JSON\)](#)