

Deep Learning Summer Course - Exercise 3

Summer 2023 Thursday 10-8-2023

To do these exercises, you will use Python with 3 and the following packages:

- NumPy. This is often a good package to use, in order to create various data transformation / generate data.
- Pandas. With this package you can import your data into a data frame similar to how it's done in R.
- <u>Matplotlib</u>. This package allows you to graph your data and data transformations.
- <u>PyTorch</u>. This package is a versatile deep learning framework that facilitates building and training of neural networks.
- <u>Seaborn</u>. This package is built on top of Matplotlib, providing a high-level interface for creating informative and aesthetically appealing statistical graphics in Python.

You are not strictly forced to use these packages, but it is highly recommended. Feel free to use other packages you think are necessary.

We will go through your results of this exercise on Friday 11-8-2023, so you are expected to have completed them.

Question or comments: Lucas Alexander Damberg Torp Dyssel

This exercise will extend on the model created during Exercise 1. Load the dataset by:

```
import torch
import torch.nn as nn
import torch.optim as optim
from torchvision import datasets, transforms
import seaborn as sns
import matplotlib.pyplot as plt
# Download the MNIST dataset
transform = transforms.ToTensor()
train dataset = datasets.MNIST(root='./data', train=True, download=True,
transform=transform)
test dataset = datasets.MNIST(root='./data', train=False, download=True,
transform=transform)
train loader = torch.utils.data.DataLoader(dataset=train_dataset,
batch size=64, shuffle=True)
test loader = torch.utils.data.DataLoader(dataset=test dataset,
batch size=64, shuffle=False)
```

1. Regularization:

- a. Add L1 regularization to the 2nd layer (the layer after the input layer)
- b. Add L2 regularization instead on the 2nd layer.
- c. What do you observe? (Hint: The lambda value used has a big impact on performance.)
- d. What is the purpose of adding regularization?

2. Dropout:

- a. Add a dropout layer between the first and second layer. What do you observe?
- b. What is the purpose of adding dropout?

3. Layers:

- a. Experiment with different amount of layers. What do you observe?
- b. Experiment with different depths of layers. What do you observe?

4. Momentum:

- a. Try to add momentum to the SGD optimizer.
- b. Test different values of momentum. What value do you get the highest accuracy?
- c. What happens if momentum is too high?