

# COVID-19 Correlates of Protection Analysis Report

mock Study

USG COVID-19 Response Biostatistics Team

May 19, 2021



# Contents

|          |   |           |
|----------|---|-----------|
| <b>1</b> | <b>Stochastic Interventional Vaccine Efficacy</b>               | <b>9</b>  |
| 1.1      | Figures for Stochastic Interventional CoPs for Day 57 . . . . . | 9         |
| 1.2      | Figures for Stochastic Interventional CoPs for Day 29 . . . . . | 18        |
| <b>2</b> | <b>Mediators of Vaccine Efficacy</b>                            | <b>27</b> |
| <b>3</b> | <b>Appendix</b>   | <b>29</b> |



# List of Tables

- 2.1 Table of mediation effect estimates for quantitative markers with 95% confidence intervals.  
Direct VE = VE comparing vaccine vs. placebo with marker set to distribution in placebo.  
Indirect VE = VE in vaccinated comparing observed marker vs. hypothetical marker under placebo.  
Prop. mediated = fraction of total risk reduction from vaccine attributed to antibody response. 27
- 2.2 Table of mediation effect estimates for tertile markers with 95% confidence intervals.  
Direct VE = VE comparing vaccine vs. placebo with marker set to distribution in placebo.  
Indirect VE = VE in vaccinated comparing observed marker vs. hypothetical marker under placebo.  
Prop. mediated = fraction of total risk reduction from vaccine attributed to antibody response. 27



# List of Figures

|      |  |    |
|------|--|----|
| 1.1  | Stochastic interventional risk estimates, with confidence intervals, for spike protein binding antibody at Day 57 . . . . .      | 10 |
| 1.2  | Stochastic interventional VE estimates, with confidence intervals, for spike protein binding antibody at Day 57 . . . . .        | 11 |
| 1.3  | Stochastic interventional risk estimates, with confidence intervals, for RBD binding antibody at Day 57 . . . . .                | 12 |
| 1.4  | Stochastic interventional VE estimates, with confidence intervals, for RBD binding antibody at Day 57 . . . . .                  | 13 |
| 1.5  | Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 57 . . . . . | 14 |
| 1.6  | Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 57 . . . . .   | 15 |
| 1.7  | Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 57 . . . . . | 16 |
| 1.8  | Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 57 . . . . .   | 17 |
| 1.9  | Stochastic interventional risk estimates, with confidence intervals, for spike protein binding antibody at Day 29 . . . . .      | 18 |
| 1.10 | Stochastic interventional VE estimates, with confidence intervals, for spike protein binding antibody at Day 29 . . . . .        | 19 |
| 1.11 | Stochastic interventional risk estimates, with confidence intervals, for RBD binding antibody at Day 29 . . . . .                | 20 |
| 1.12 | Stochastic interventional VE estimates, with confidence intervals, for RBD binding antibody at Day 29 . . . . .                  | 21 |
| 1.13 | Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 29 . . . . . | 22 |
| 1.14 | Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 29 . . . . .   | 23 |
| 1.15 | Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 29 . . . . . | 24 |
| 1.16 | Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 29 . . . . .   | 25 |

MOCK



## Chapter 1

# Stochastic Interventional Vaccine Efficacy

We estimate the counterfactual mean of symptomatic COVID-19 infection under posited shifts in the measured activity levels of each of 4 *candidate* mechanistic correlates of protection (mCoP) biomarkers. By shifting the *standardized* biomarker activity levels by standard unit shifts along the grid  $\{-1, -0.5, 0, 0.5, 1\}$ , we can assess the degree to which vaccines that modulate mCoP biomarker activity to these levels could mitigate symptomatic COVID-19 infection in terms of counterfactual stochastic interventional risk and vaccine efficacy (VE).

### 1.1 Figures for Stochastic Interventional CoPs for Day 57

## 1.1.1 Stoch interv. risk: spike protein binding antibody




Figure 1.1: Stochastic interventional risk estimates, with confidence intervals, for spike protein binding antibody at Day 57

## 1.1.2 Stoch. interv. VE: spike protein binding antibody




Figure 1.2: Stochastic interventional VE estimates, with confidence intervals, for spike protein binding antibody at Day 57

## 1.1.3 Stoch. interv. risk: RBD binding antibody




Figure 1.3: Stochastic interventional risk estimates, with confidence intervals, for RBD binding antibody at Day 57

## 1.1.4 Stoch. interv. VE: RBD binding antibody




Figure 1.4: Stochastic interventional VE estimates, with confidence intervals, for RBD binding antibody at Day 57

## 1.1.5 Stoch. interv. risk: pseudo-neutralizing antibody (ID50)




Figure 1.5: Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 57

## 1.1.6 Stoch. interv. VE: pseudo-neutralizing antibody (ID50)




Figure 1.6: Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 57

## 1.1.7 Stoch. interv. risk: pseudo-neutralizing antibody (ID80)




Figure 1.7: Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 57



## 1.1.8 Stoch. interv. VE: pseudo-neutralizing antibody (ID80)




Figure 1.8: Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 57

## 1.2 Figures for Stochastic Interventional CoPs for Day 29

### 1.2.1 Stoch. interv. risk: spike protein binding antibody




Figure 1.9: Stochastic interventional risk estimates, with confidence intervals, for spike protein binding antibody at Day 29

## 1.2.2 Stoch. interv. VE: spike protein binding antibody




Figure 1.10: Stochastic interventional VE estimates, with confidence intervals, for spike protein binding antibody at Day 29

## 1.2.3 Stoch. interv. risk: RBD binding antibody

Stoch. Interv. Risk of Symptomatic COVID-19 at Day 29

working MSM summary: ( $\hat{\beta}_{\text{TMLE}} = 0.0044$ ,  $p\text{-value} = 0.0935$ )




Figure 1.11: Stochastic interventional risk estimates, with confidence intervals, for RBD binding antibody at Day 29

## 1.2.4 Stoch. interv. VE: RBD binding antibody




Figure 1.12: Stochastic interventional VE estimates, with confidence intervals, for RBD binding antibody at Day 29

## 1.2.5 Stoch. interv. risk: pseudo-neutralizing antibody (ID50)




Figure 1.13: Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 29

## 1.2.6 Stoch. interv. VE: pseudo-neutralizing antibody (ID50)




Figure 1.14: Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID50) at Day 29

## 1.2.7 Stoch. interv. risk: pseudo-neutralizing antibody (ID80)




Figure 1.15: Stochastic interventional risk estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 29



## 1.2.8 Stoch. interv. VE: pseudo-neutralizing antibody (ID80)




Figure 1.16: Stochastic interventional VE estimates, with confidence intervals, for pseudo-neutralizing antibody (ID80) at Day 29

MOCK

## Chapter 2

# Mediators of Vaccine Efficacy

Table 2.1: Table of mediation effect estimates for quantitative markers with 95% confidence intervals. Direct VE = VE comparing vaccine vs. placebo with marker set to distribution in placebo. Indirect VE = VE in vaccinated comparing observed marker vs. hypothetical marker under placebo. Prop. mediated = fraction of total risk reduction from vaccine attributed to antibody response.

| Time   | Assay                        | Direct VE                         | Indirect VE           | Prop. mediated        |
|--------|------------------------------|-----------------------------------|-----------------------|-----------------------|
| Day 57 | Binding Antibody to Spike    | NA                                | NA                    | NA                    |
| Day 57 | Binding Antibody to RBD      | NA                                | NA                    | NA                    |
| Day 57 | PsV Neutralization 50% Titer | NA                                | NA                    | NA                    |
| Day 57 | PsV Neutralization 80% Titer | NA                                | NA                    | NA                    |
| Day 29 | Binding Antibody to Spike    | NA                                | NA                    | NA                    |
| Day 29 | Binding Antibody to RBD      | NA                                | NA                    | NA                    |
| Day 29 | PsV Neutralization 50% Titer | 0.441 (0.396, 0.482)              | 0.894 (0.865, 0.917)  | 0.794 (0.824, 0.765)  |
| Day 29 | PsV Neutralization 80% Titer | 0.915 <sup>a</sup> (0.713, 0.975) | 0.301 (-1.356, 0.793) | 0.127 (0.556, -0.303) |

<sup>a</sup> NA denotes insufficient overlap in antibody response between vaccinated and control participants.

Table 2.2: Table of mediation effect estimates for tertile markers with 95% confidence intervals. Direct VE = VE comparing vaccine vs. placebo with marker set to distribution in placebo. Indirect VE = VE in vaccinated comparing observed marker vs. hypothetical marker under placebo. Prop. mediated = fraction of total risk reduction from vaccine attributed to antibody response.

| Time   | Assay                        | Direct VE            | Indirect VE            | Prop. mediated         |
|--------|------------------------------|----------------------|------------------------|------------------------|
| Day 57 | Binding Antibody to Spike    | 0.914 (0.861, 0.947) | 0.302 (0.003, 0.512)   | 0.128 (0.257, -0.002)  |
| Day 57 | Binding Antibody to RBD      | 0.940 (0.898, 0.965) | 0.006 (-0.522, 0.350)  | 0.002 (0.153, -0.149)  |
| Day 57 | PsV Neutralization 50% Titer | 0.916 (0.852, 0.952) | 0.292 (-0.106, 0.547)  | 0.122 (0.284, -0.039)  |
| Day 57 | PsV Neutralization 80% Titer | 0.920 (0.873, 0.949) | 0.255 (-0.049, 0.471)  | 0.104 (0.228, -0.019)  |
| Day 29 | Binding Antibody to Spike    | 0.944 (0.894, 0.970) | -0.062 (-0.816, 0.379) | -0.021 (0.168, -0.211) |
| Day 29 | Binding Antibody to RBD      | 0.934 (0.887, 0.962) | 0.095 (-0.416, 0.421)  | 0.035 (0.194, -0.124)  |
| Day 29 | PsV Neutralization 50% Titer | 0.914 (0.856, 0.948) | 0.314 (-0.026, 0.541)  | 0.133 (0.278, -0.012)  |
| Day 29 | PsV Neutralization 80% Titer | 0.924 (0.883, 0.950) | 0.221 (-0.088, 0.442)  | 0.088 (0.207, -0.031)  |

MOCK

## Chapter 3

# Appendix

- This report was built from the [CoVPN/correlates\\_reporting](https://github.com/CoVPN/correlates_reporting) repository with commit hash 7058f0b1578fb35789aa9f13b1ca1ef231aa3730. A diff of the changes introduced by that commit may be viewed at [https://github.com/CoVPN/correlates\\_reporting/commit/7058f0b1578fb35789aa9f13b1ca1ef231aa3730](https://github.com/CoVPN/correlates_reporting/commit/7058f0b1578fb35789aa9f13b1ca1ef231aa3730)
- The sha256 hash sum of the raw input file, “COVID\_VEtrial\_practicedata\_primarystage1.csv”: 45ff85033ffbc717462d678b41bc4060a12c7bc60952e2cb72297bb5500b97b9
- The sha256 hash sum of the processed file, “practice\_data.csv”: 8de0bf2f66901eb123908b42ec8dd87cf9304412ca180aff8a