




วิธีติดตั้ง ของ Xampp



เลือก PHP(phi.ini)



พินค้นหา gd



ให้แก้ไขที่ ;extension=gd

```
extension=bz2
extension=curl
;extension=ffi
;extension=ftp
extension=fileinfo
;extension=gd
extension=gettext
;extension=gmp
;extension=intl
;extension=imap
;extension=ldap
extension=mbstring
extension=exif      ; Must be after mbstring as it depends on it
extension=mysqli
;extension=oci8_12c ; Use with Oracle Database 12c Instant Client
;extension=oci8_19 ; Use with Oracle Database 19 Instant Client
;extension=odbc
;extension=openssl
;extension=pdo_firebird
extension=pdo_mysql
;extension=pdo_oci
;extension=pdo_odbc
;extension=pdo_pgsql
extension=pdo_sqlite
;extension=pgsql
;extension=shmop
```

ลบ ; ออกจาก **extension=gd**

```
extension=bz2
extension=curl
;extension=ffi
;extension=ftp
extension=fileinfo
extension=gd
```

พินค้นหา error_reporting

```
Find and loading :  
; error_reporting  
ative informs PHP of which errors, warnings and notices
```

หา error_reporting

```
; Default Value: E_ALL & ~E_NOTICE & ~E_STRICT & ~E_DEPRECATED  
; Development Value: E_ALL  
; Production Value: E_ALL & ~E_DEPRECATED & ~E_STRICT  
; http://php.net/error-reporting  
error_reporting= E_ALL & ~E_NOTICE
```

ให้ใส่ E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR

```
; Common Values:  
; E_ALL (Show all errors, warnings and notices including coding standards.)  
; E_ALL & ~E_NOTICE (Show all errors, except for notices)  
; E_ALL & ~E_NOTICE & ~E_STRICT (Show all errors, except for notices and coding standards warnings.)  
; E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR (Show only errors and fatal errors)  
; Default Value: E_ALL  
; Development Value: E_ALL  
; Production Value: E_ALL & ~E_DEPRECATED & ~E_STRICT  
; https://php.net/error-reporting  
error_reporting= E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR
```

ใน error_reporting เพื่อปิดการแจ้งเตือน

```
; E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR (Show only errors and fatal errors)  
; Default Value: E_ALL  
; Development Value: E_ALL  
; Production Value: E_ALL & ~E_DEPRECATED & ~E_STRICT  
; https://php.net/error-reporting  
error_reporting= E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR
```

ก่อน

```
https://php.net/error-reporting  
error_reporting= E_ALL & ~E_NOTICE
```


```
<br />  
<b>Notice</b>: session_start(): Ignoring  
"ConnectSuccess": true,  
"StatusCode": 200
```

หลัง

```
; https://php.net/error-reporting  
error_reporting= E_COMPILE_ERROR|E_RECOVERABLE_ERROR|E_ERROR|E_CORE_ERROR
```

```
1  
2 "ConnectSuccess": true,  
3 "StatusCode": 200  
4
```

Config



server ใส่หมายเลข IP เครื่อง

username ของ phpMyAdmin หรือของ mysql

password ของ phpMyAdmin



```
require_once ("../Response/Response.php");
$res = new Response();

$server = "IP";
$username = "username";
$password = "Password";
$databases = "project_rbacfinal";

try {
    $pdo = new PDO ("mysql:host=$server;dbname=$databases", $username, $password);
    $pdo->setAttribute(PDO::ATTR_EMULATE_PREPARES, false);
    $pdo->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);
} catch (PDOException $e) {
    $res->ResMessage($e,500);
}

?>
```

นำไฟล์ มาใส่ใน htdocs



ไฟล์ Databases import phpMyAdmin

