```
% Auto-generated by colorThresholder app on 05-Oct-2016
% Convert RGB image to chosen color space
I = rqb2hsv(RGB);
% Define thresholds for channel 1 based on histogram settings
channel1Min = 0.200; %Conversion to openCV range channel1Min*180
channel1Max = 0.415; %Conversion to openCV range channel1Max*180
% Define thresholds for channel 2 based on histogram settings
channel2Min = 0.300; %Conversion to openCV range channel2Min*255
channel2Max = 1.000; %Conversion to openCV range channel2Max*255
% Define thresholds for channel 3 based on histogram settings
channel3Min = 0.000; %Conversion to openCV range channel3Min*255
channel3Max = 1.000; %Conversion to openCV range channel3Min*255
% Create mask based on chosen histogram thresholds
BW = (I(:,:,1) >= channel1Min) & (I(:,:,1) <= channel1Max) & ...
    (I(:,:,2) \ge  channel2Min) & (I(:,:,2) \le  channel2Max) & ...
    (I(:,:,3) >= channel3Min) & (I(:,:,3) <= channel3Max);
% Initialize output masked image based on input image.
maskedRGBImage = RGB;
% Set background pixels where BW is false to zero.
```

function [BW, maskedRGBImage] = findGreen(RGB)

maskedRGBImage(repmat(~BW,[1 1 3])) = 0;