Part	Main	Modifier	Width	Wall	Infill	Тор	Bottom	Weight (L+R)
R05.0	Х		0.38mm	1	3,00%	2		34g
R05.1		Х			6%			
R05.2		Х			12%			
R04.0	Х		0.38mm	1	3,00%	2	2	75g
R04.1		Х			6%			
R04.2		Х			12%			
R04.3		Х			12%			
R03.0	Х		0.38mm	1	3,00%	2	2	139g
R03.1		Х			6%			
R03.2		Х			12%			
R03.3		Х		2	24%	2	2	
R03.Block		Support Bloo	cker					
D02.0	.,		0.30		2.0001			164-
R02.0	X		0.38mm	1	3,00%			164g
R02.1		X			6%	1		
R02.2		Х		_	12%		_	
R02.3		X		2	12%	2		
R02.4		Х		3	36%	2	2	
R01.0	Х		0.38mm	1	3,00%			191g
R01.1		Х			6%	1		
R01.2		Х			12%			
R01.3		Х		2	24%	2		
R01.4		Х		3	36%	2	2	
R01.Block	Support Blocker		cker					
R00.0	X		0.38mm	1	3,00%			203g
R00.1	1	Х			6%			
R00.2		х			12%			
R00.3		х		2	24%		2	
R00.4		Х		100				
SLW00.0	Х		0.35mm	1	3%			Complete 24g
SLW00.1		Х			6%			
SLW01.0	Х		0.35mm	1	3%			
SLW01.0	^	Х	0.3311111	1	6%			
OLVV UI.I		^			070			
Covers	Х		0.38mm	1	20%	2	2	20g
Servo Horns	X		0.38mm	50	2070			
301 40 1101113	^		0.3011111	30				
Helling	Х		0.4mm	2	10%	4	4	