

GamblingBuddies

Generated by Doxygen 1.17.0

1 GamblingBuddies	1
2 The MIT License (MIT)	3
3 Namespace Index	5
3.1 Namespace List	5
4 Hierarchical Index	7
4.1 Class Hierarchy	7
5 Class Index	9
5.1 Class List	9
6 Namespace Documentation	11
6.1 GamblingBuddies Namespace Reference	11
6.2 GamblingBuddies.Controllers Namespace Reference	11
6.3 GamblingBuddies.Migrations Namespace Reference	11
6.4 GamblingBuddies.Models Namespace Reference	12
6.5 GamblingBuddies.Services Namespace Reference	12
6.6 GamblingBuddies.Services.PayU Namespace Reference	12
6.7 GamblingBuddies.Views Namespace Reference	13
6.8 GamblingBuddies.Views.Reports Namespace Reference	13
7 Class Documentation	15
7.1 GamblingBuddies.Controllers.AccountController Class Reference	15
7.2 GamblingBuddies.Migrations.AddPaymentMissingColumns Class Reference	15
7.2.1 Detailed Description	16
7.3 GamblingBuddies.Controllers.AdminPanelController Class Reference	16
7.4 GamblingBuddies.Controllers.ApiController Class Reference	16
7.5 GamblingBuddies.Models.AppDbContext Class Reference	17
7.6 GamblingBuddies.Migrations.AppDbContextModelSnapshot Class Reference	18
7.7 GamblingBuddies.Models.AuditLog Class Reference	18
7.8 GamblingBuddies.Migrations.CreateDatabase Class Reference	18
7.8.1 Detailed Description	19
7.9 GamblingBuddies.Views.Reports.DetailsModel Class Reference	19
7.10 GamblingBuddies.Models.Document Class Reference	19
7.11 GamblingBuddies.Models.DocumentFile Class Reference	19
7.12 GamblingBuddies.Models.Employee Class Reference	20
7.13 GamblingBuddies.Models.EmployeeAssignment Class Reference	20
7.14 GamblingBuddies.Controllers.EmployeeCreateViewModel Class Reference	21
7.15 GamblingBuddies.Controllers.EmployeeEditViewModel Class Reference	21
7.16 GamblingBuddies.Models.EmployeePositionDictionary Class Reference	22
7.17 GamblingBuddies.Controllers.EmployeesController Class Reference	22
7.18 GamblingBuddies.Controllers.EmployeesScheduleController Class Reference	23

7.19 GamblingBuddies.Models.EmployeeStatusDictionary Class Reference	23
7.20 GamblingBuddies.Models.ErrorViewModel Class Reference	24
7.21 GamblingBuddies.Migrations.FixEmployeeStatusRelation Class Reference	24
7.21.1 Detailed Description	24
7.22 GamblingBuddies.Models.Game Class Reference	25
7.23 GamblingBuddies.Models.GameCategoryDictionary Class Reference	25
7.24 GamblingBuddies.Controllers.GamesController Class Reference	25
7.25 GamblingBuddies.Models.GameSession Class Reference	26
7.26 GamblingBuddies.Models.GameTable Class Reference	26
7.27 GamblingBuddies.Models.GameTableGame Class Reference	27
7.28 GamblingBuddies.Controllers.GameTablesController Class Reference	27
7.29 GamblingBuddies.Models.GameVariant Class Reference	28
7.30 GamblingBuddies.Models.Hall Class Reference	28
7.31 GamblingBuddies.Controllers.HallsController Class Reference	28
7.32 GamblingBuddies.Models.HallTypeDictionary Class Reference	29
7.33 GamblingBuddies.Controllers.HomeController Class Reference	29
7.34 GamblingBuddies.Views.Reports.IndexModel Class Reference	29
7.35 GamblingBuddies.Migrations.Iol Class Reference	30
7.35.1 Detailed Description	30
7.36 GamblingBuddies.Models.Payment Class Reference	30
7.37 GamblingBuddies.Controllers.PaymentController Class Reference	31
7.38 GamblingBuddies.Models.PaymentMethodDictionary Class Reference	31
7.39 GamblingBuddies.Models.PaymentReport Class Reference	31
7.40 GamblingBuddies.Views.Reports.PaymentReportModel Class Reference	32
7.41 GamblingBuddies.Controllers.PaymentsController Class Reference	32
7.42 GamblingBuddies.Models.PaymentStatusDictionary Class Reference	33
7.43 GamblingBuddies.Models.PaymentTransaction Class Reference	33
7.44 GamblingBuddies.Services.PayU.PayUCreateOrderResult Class Reference	33
7.45 GamblingBuddies.Services.PayU.PayUOptions Class Reference	34
7.46 GamblingBuddies.Services.PayU.PayUService Class Reference	34
7.47 GamblingBuddies.Models.Player Class Reference	34
7.48 GamblingBuddies.Program Class Reference	35
7.49 GamblingBuddies.Models.ReportDefinition Class Reference	35
7.50 GamblingBuddies.Models.ReportExecution Class Reference	35
7.51 GamblingBuddies.Views.Reports.ReportHistoryModel Class Reference	36
7.52 GamblingBuddies.Controllers.ReportsController Class Reference	36
7.53 GamblingBuddies.Models.Reservation Class Reference	36
7.54 GamblingBuddies.Controllers.ReservationController Class Reference	37
7.55 GamblingBuddies.Controllers.ReservationsController Class Reference	37
7.56 GamblingBuddies.Models.ReservationSeat Class Reference	38
7.57 GamblingBuddies.Models.ReservationStatusDictionary Class Reference	38
7.58 GamblingBuddies.Models.Role Class Reference	39

7.59 GamblingBuddies.Models.RoleDictionary Class Reference	39
7.60 GamblingBuddies.Models.Seat Class Reference	39
7.61 GamblingBuddies.Models.SessionStatusDictionary Class Reference	40
7.62 GamblingBuddies.Models.SystemUser Class Reference	40
7.63 GamblingBuddies.Models.UserRole Class Reference	40
7.64 GamblingBuddies.Models.WorkShift Class Reference	41
Index	43

Chapter 1

GamblingBuddies

Chapter 2

The MIT License (MIT)

Copyright Jörn Zaefferer

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Chapter 3

Namespace Index

3.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

GamblingBuddies	11
GamblingBuddies.Controllers	11
GamblingBuddies.Migrations	11
GamblingBuddies.Models	12
GamblingBuddies.Services	12
GamblingBuddies.Services.PayU	12
GamblingBuddies.Views	13
GamblingBuddies.Views.Reports	13

Chapter 4

Hierarchical Index

4.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

GamblingBuddies.Models.AuditLog	18
Controller	
GamblingBuddies.Controllers.AccountController	15
GamblingBuddies.Controllers.AdminPanelController	16
GamblingBuddies.Controllers.EmployeesController	22
GamblingBuddies.Controllers.EmployeesScheduleController	23
GamblingBuddies.Controllers.GameTablesController	27
GamblingBuddies.Controllers.GamesController	25
GamblingBuddies.Controllers.HallsController	28
GamblingBuddies.Controllers.HomeController	29
GamblingBuddies.Controllers.PaymentController	31
GamblingBuddies.Controllers.PaymentsController	32
GamblingBuddies.Controllers.ReportsController	36
GamblingBuddies.Controllers.ReservationController	37
GamblingBuddies.Controllers.ReservationsController	37
ControllerBase	
GamblingBuddies.Controllers.ApiController	16
DbContext	
GamblingBuddies.Models.AppDbContext	17
GamblingBuddies.Models.Document	19
GamblingBuddies.Models.DocumentFile	19
GamblingBuddies.Models.Employee	20
GamblingBuddies.Models.EmployeeAssignment	20
GamblingBuddies.Controllers.EmployeeCreateViewModel	21
GamblingBuddies.Controllers.EmployeeEditViewModel	21
GamblingBuddies.Models.EmployeePositionDictionary	22
GamblingBuddies.Models.EmployeeStatusDictionary	23
GamblingBuddies.Models.ErrorViewModel	24
GamblingBuddies.Models.Game	25
GamblingBuddies.Models.GameCategoryDictionary	25
GamblingBuddies.Models.GameSession	26
GamblingBuddies.Models.GameTable	26
GamblingBuddies.Models.GameTableGame	27
GamblingBuddies.Models.GameVariant	28
GamblingBuddies.Models.Hall	28

GamblingBuddies.Models.HallTypeDictionary	29
Migration	
GamblingBuddies.Migrations.AddPaymentMissingColumns	15
GamblingBuddies.Migrations.CreateDatabase	18
GamblingBuddies.Migrations.FixEmployeeStatusRelation	24
GamblingBuddies.Migrations.lol	30
ModelSnapshot	
GamblingBuddies.Migrations.AppDbContextModelSnapshot	18
PageModel	
GamblingBuddies.Views.Reports.DetailsModel	19
GamblingBuddies.Views.Reports.IndexModel	29
GamblingBuddies.Views.Reports.PaymentReportModel	32
GamblingBuddies.Views.Reports.ReportHistoryModel	36
GamblingBuddies.Models.Payment	30
GamblingBuddies.Models.PaymentMethodDictionary	31
GamblingBuddies.Models.PaymentReport	31
GamblingBuddies.Models.PaymentStatusDictionary	33
GamblingBuddies.Models.PaymentTransaction	33
GamblingBuddies.Services.PayU.PayUCreateOrderResult	33
GamblingBuddies.Services.PayU.PayUOptions	34
GamblingBuddies.Services.PayU.PayUService	34
GamblingBuddies.Models.Player	34
GamblingBuddies.Program	35
GamblingBuddies.Models.ReportDefinition	35
GamblingBuddies.Models.ReportExecution	35
GamblingBuddies.Models.Reservation	36
GamblingBuddies.Models.ReservationSeat	38
GamblingBuddies.Models.ReservationStatusDictionary	38
GamblingBuddies.Models.Role	39
GamblingBuddies.Models.RoleDictionary	39
GamblingBuddies.Models.Seat	39
GamblingBuddies.Models.SessionStatusDictionary	40
GamblingBuddies.Models.SystemUser	40
GamblingBuddies.Models.UserRole	40
GamblingBuddies.Models.WorkShift	41

Chapter 5

Class Index

5.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

GamblingBuddies.Controllers.AccountController	15
GamblingBuddies.Migrations.AddPaymentMissingColumns 15	
GamblingBuddies.Controllers.AdminPanelController	16
GamblingBuddies.Controllers.ApiController	16
GamblingBuddies.Models.AppDbContext	17
GamblingBuddies.Migrations.AppDbContextModelSnapshot	18
GamblingBuddies.Models.AuditLog	18
GamblingBuddies.Migrations.CreateDatabase 18	
GamblingBuddies.Views.Reports.DetailsModel	19
GamblingBuddies.Models.Document	19
GamblingBuddies.Models.DocumentFile	19
GamblingBuddies.Models.Employee	20
GamblingBuddies.Models.EmployeeAssignment	20
GamblingBuddies.Controllers.EmployeeCreateViewModel	21
GamblingBuddies.Controllers.EmployeeEditViewModel	21
GamblingBuddies.Models.EmployeePositionDictionary	22
GamblingBuddies.Controllers.EmployeesController	22
GamblingBuddies.Controllers.EmployeesScheduleController	23
GamblingBuddies.Models.EmployeeStatusDictionary	23
GamblingBuddies.Models.ErrorViewModel	24
GamblingBuddies.Migrations.FixEmployeeStatusRelation 24	
GamblingBuddies.Models.Game	25
GamblingBuddies.Models.GameCategoryDictionary	25
GamblingBuddies.Controllers.GamesController	25
GamblingBuddies.Models.GameSession	26
GamblingBuddies.Models.GameTable	26
GamblingBuddies.Models.GameTableGame	27
GamblingBuddies.Controllers.GameTablesController	27
GamblingBuddies.Models.GameVariant	28
GamblingBuddies.Models.Hall	28
GamblingBuddies.Controllers.HallsController	28
GamblingBuddies.Models.HallTypeDictionary	29

GamblingBuddies.Controllers.HomeController	29
GamblingBuddies.Views.Reports.IndexModel	29
GamblingBuddies.Migrations.Iol	
30	
GamblingBuddies.Models.Payment	30
GamblingBuddies.Controllers.PaymentController	31
GamblingBuddies.Models.PaymentMethodDictionary	31
GamblingBuddies.Models.PaymentReport	31
GamblingBuddies.Views.Reports.PaymentReportModel	32
GamblingBuddies.Controllers.PaymentsController	32
GamblingBuddies.Models.PaymentStatusDictionary	33
GamblingBuddies.Models.PaymentTransaction	33
GamblingBuddies.Services.PayU.PayUCreateOrderResult	33
GamblingBuddies.Services.PayU.PayUOptions	34
GamblingBuddies.Services.PayU.PayUService	34
GamblingBuddies.Models.Player	34
GamblingBuddies.Program	35
GamblingBuddies.Models.ReportDefinition	35
GamblingBuddies.Models.ReportExecution	35
GamblingBuddies.Views.Reports.ReportHistoryModel	36
GamblingBuddies.Controllers.ReportsController	36
GamblingBuddies.Models.Reservation	36
GamblingBuddies.Controllers.ReservationController	37
GamblingBuddies.Controllers.ReservationsController	37
GamblingBuddies.Models.ReservationSeat	38
GamblingBuddies.Models.ReservationStatusDictionary	38
GamblingBuddies.Models.Role	39
GamblingBuddies.Models.RoleDictionary	39
GamblingBuddies.Models.Seat	39
GamblingBuddies.Models.SessionStatusDictionary	40
GamblingBuddies.Models.SystemUser	40
GamblingBuddies.Models.UserRole	40
GamblingBuddies.Models.WorkShift	41

Chapter 6

Namespace Documentation

6.1 GamblingBuddies Namespace Reference

Classes

- class [DataSeeder](#)
- class [Program](#)

6.2 GamblingBuddies.Controllers Namespace Reference

Classes

- class [AccountController](#)
- class [AdminPanelController](#)
- class [ApiController](#)
- class [EmployeeCreateViewModel](#)
- class [EmployeeEditViewModel](#)
- class [EmployeesController](#)
- class [EmployeesScheduleController](#)
- class [GamesController](#)
- class [GameTablesController](#)
- class [HallsController](#)
- class [HomeController](#)
- class [PaymentController](#)
- class [PaymentsController](#)
- class [ReportsController](#)
- class [ReservationController](#)
- class [ReservationsController](#)

6.3 GamblingBuddies.Migrations Namespace Reference

Classes

- class [AddPaymentMissingColumns](#)
- class [AppDbContextModelSnapshot](#)
- class [CreateDatabase](#)
- class [FixEmployeeStatusRelation](#)
- class [lol](#)

6.4 GamblingBuddies.Models Namespace Reference

Classes

- class [AppDbContext](#)
- class [AuditLog](#)
- class [Document](#)
- class [DocumentFile](#)
- class [Employee](#)
- class [EmployeeAssignment](#)
- class [EmployeePositionDictionary](#)
- class [EmployeeStatusDictionary](#)
- class [ErrorViewModel](#)
- class [Game](#)
- class [GameCategoryDictionary](#)
- class [GameSession](#)
- class [GameTable](#)
- class [GameTableGame](#)
- class [GameVariant](#)
- class [Hall](#)
- class [HallTypeDictionary](#)
- class [Payment](#)
- class [PaymentMethodDictionary](#)
- class [PaymentReport](#)
- class [PaymentStatusDictionary](#)
- class [PaymentTransaction](#)
- class [Player](#)
- class [ReportDefinition](#)
- class [ReportExecution](#)
- class [Reservation](#)
- class [ReservationSeat](#)
- class [ReservationStatusDictionary](#)
- class [Role](#)
- class [RoleDictionary](#)
- class [Seat](#)
- class [SessionStatusDictionary](#)
- class [SystemUser](#)
- class [UserRole](#)
- class [WorkShift](#)

6.5 GamblingBuddies.Services Namespace Reference

6.6 GamblingBuddies.Services.PayU Namespace Reference

Classes

- class [PayUCreateOrderResult](#)
- class [PayUOptions](#)
- class [PayUService](#)

6.7 GamblingBuddies.Views Namespace Reference

6.8 GamblingBuddies.Views.Reports Namespace Reference

Classes

- class [DetailsModel](#)
- class [IndexModel](#)
- class [PaymentReportModel](#)
- class [ReportHistoryModel](#)

Chapter 7

Class Documentation

7.1 GamblingBuddies.Controllers.AccountController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.AccountController:

Collaboration diagram for GamblingBuddies.Controllers.AccountController:

Public Member Functions

- IActionResult **AccessDenied** ()
- **AccountController** (AppDbContext context)
- IActionResult **Login** ()
- async Task< IActionResult > **Login** (string login, string password)
- async Task< IActionResult > **Logout** ()

The documentation for this class was generated from the following file:

- Controllers/AccountController.cs

7.2 GamblingBuddies.Migrations.AddPaymentMissingColumns Class Reference

Inheritance diagram for GamblingBuddies.Migrations.AddPaymentMissingColumns:

Collaboration diagram for GamblingBuddies.Migrations.AddPaymentMissingColumns:

Protected Member Functions

- override void **BuildTargetModel** (ModelBuilder modelBuilder)
- override void **Down** (MigrationBuilder migrationBuilder)
- override void **Up** (MigrationBuilder migrationBuilder)

7.2.1 Detailed Description

The documentation for this class was generated from the following files:

- Migrations/20260607220628_AddPaymentMissingColumns.cs
- Migrations/20260607220628_AddPaymentMissingColumns.Designer.cs

7.3 GamblingBuddies.Controllers.AdminPanelController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.AdminPanelController:

Collaboration diagram for GamblingBuddies.Controllers.AdminPanelController:

Public Member Functions

- **AdminPanelController** ([AppDbContext](#) context)
- IActionResult **GameTables** ()
- IActionResult **Index** ()

The documentation for this class was generated from the following file:

- Controllers/AdminPanelController.cs

7.4 GamblingBuddies.Controllers.ApiController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.ApiController:

Collaboration diagram for GamblingBuddies.Controllers.ApiController:

Public Member Functions

- **ApiController** ([AppDbContext](#) context)
- async Task< IActionResult > **GetGames** ()
- async Task< IActionResult > **GetGameSession** (int id)
- async Task< IActionResult > **GetGameSessions** ()
- async Task< IActionResult > **GetHalls** ()
- async Task< IActionResult > **GetPayment** (int id)
- async Task< IActionResult > **GetPayments** ()
- async Task< IActionResult > **GetPlayers** ()
- async Task< IActionResult > **GetReservation** (int id)
- async Task< IActionResult > **GetReservations** ()
- async Task< IActionResult > **GetTables** ()

The documentation for this class was generated from the following file:

- Controllers/ApiController.cs

7.5 GamblingBuddies.Models.AppDbContext Class Reference

Inheritance diagram for GamblingBuddies.Models.AppDbContext:

Collaboration diagram for GamblingBuddies.Models.AppDbContext:

Public Member Functions

- **AppDbContext** (DbContextOptions< AppDbContext > options)

Protected Member Functions

- override void **OnModelCreating** (ModelBuilder modelBuilder)

Properties

- DbSet< [AuditLog](#) > **AuditLogs** [get, set]
- DbSet< [DocumentFile](#) > **DocumentFiles** [get, set]
- DbSet< [Document](#) > **Documents** [get, set]
- DbSet< [EmployeeAssignment](#) > **EmployeeAssignments** [get, set]
- DbSet< [EmployeePositionDictionary](#) > **EmployeePositionDictionaries** [get, set]
- DbSet< [Employee](#) > **Employees** [get, set]
- DbSet< [EmployeeStatusDictionary](#) > **EmployeeStatusDictionaries** [get, set]
- DbSet< [GameCategoryDictionary](#) > **GameCategoryDictionaries** [get, set]
- DbSet< [Game](#) > **Games** [get, set]
- DbSet< [GameSession](#) > **GameSessions** [get, set]
- DbSet< [GameTableGame](#) > **GameTableGames** [get, set]
- DbSet< [GameTable](#) > **GameTables** [get, set]
- DbSet< [GameVariant](#) > **GameVariants** [get, set]
- DbSet< [Hall](#) > **Halls** [get, set]
- DbSet< [HallTypeDictionary](#) > **HallTypeDictionaries** [get, set]
- DbSet< [PaymentMethodDictionary](#) > **PaymentMethods** [get, set]
- DbSet< [PaymentReport](#) > **PaymentReports** [get, set]
- DbSet< [Payment](#) > **Payments** [get, set]
- DbSet< [PaymentStatusDictionary](#) > **PaymentStatuses** [get, set]
- DbSet< [PaymentTransaction](#) > **PaymentTransactions** [get, set]
- DbSet< [Player](#) > **Players** [get, set]
- DbSet< [ReportDefinition](#) > **ReportDefinitions** [get, set]
- DbSet< [ReportExecution](#) > **ReportExecutions** [get, set]
- DbSet< [Reservation](#) > **Reservations** [get, set]
- DbSet< [ReservationSeat](#) > **ReservationSeats** [get, set]
- DbSet< [ReservationStatusDictionary](#) > **ReservationStatusDictionaries** [get, set]
- DbSet< [RoleDictionary](#) > **RoleDictionaries** [get, set]
- DbSet< [Role](#) > **Roles** [get, set]
- DbSet< [Seat](#) > **Seats** [get, set]
- DbSet< [SessionStatusDictionary](#) > **SessionStatusDictionaries** [get, set]
- DbSet< [SystemUser](#) > **SystemUsers** [get, set]
- DbSet< [UserRole](#) > **UserRoles** [get, set]
- DbSet< [WorkShift](#) > **WorkShifts** [get, set]

The documentation for this class was generated from the following file:

- Models/AppDbContext.cs

7.6 GamblingBuddies.Migrations.AppDbContextModelSnapshot Class Reference

Inheritance diagram for GamblingBuddies.Migrations.AppDbContextModelSnapshot:

Collaboration diagram for GamblingBuddies.Migrations.AppDbContextModelSnapshot:

Protected Member Functions

- override void **BuildModel** (ModelBuilder modelBuilder)

The documentation for this class was generated from the following file:

- Migrations/AppDbContextModelSnapshot.cs

7.7 GamblingBuddies.Models.AuditLog Class Reference

Collaboration diagram for GamblingBuddies.Models.AuditLog:

Properties

- string **Action** [get, set]
- int **AuditLogId** [get, set]
- DateTime **CreatedAt** [get, set]
- string **Details** [get, set]
- int? **EntityId** [get, set]
- string **EntityName** [get, set]
- string **IpAddress** [get, set]
- SystemUser **SystemUser** [get, set]
- int? **SystemUserId** [get, set]

The documentation for this class was generated from the following file:

- Models/AuditLog.cs

7.8 GamblingBuddies.Migrations.CreateDatabase Class Reference

Inheritance diagram for GamblingBuddies.Migrations.CreateDatabase:

Collaboration diagram for GamblingBuddies.Migrations.CreateDatabase:

Protected Member Functions

- override void **BuildTargetModel** (ModelBuilder modelBuilder)
- override void **Down** (MigrationBuilder migrationBuilder)
- override void **Up** (MigrationBuilder migrationBuilder)

7.8.1 Detailed Description

The documentation for this class was generated from the following files:

- Migrations/20260527155835_CreateDatabase.cs
- Migrations/20260527155835_CreateDatabase.Designer.cs

7.9 GamblingBuddies.Views.Reports.DetailsModel Class Reference

Inheritance diagram for GamblingBuddies.Views.Reports.DetailsModel:

Collaboration diagram for GamblingBuddies.Views.Reports.DetailsModel:

Public Member Functions

- void **OnGet** ()

The documentation for this class was generated from the following file:

- Views/Reports/Details.cshtml.cs

7.10 GamblingBuddies.Models.Document Class Reference

Collaboration diagram for GamblingBuddies.Models.Document:

Properties

- DateTime **CreatedAt** [get, set]
- [SystemUser](#) **CreatedByUser** [get, set]
- int **CreatedByUserId** [get, set]
- ICollection< DocumentFile > **DocumentFile** [get, set]
- int **DocumentId** [get, set]
- string **DocumentType** [get, set]
- Reservation **Reservation** [get, set]
- int? **ReservationId** [get, set]
- string **Title** [get, set]

The documentation for this class was generated from the following file:

- Models/Document.cs

7.11 GamblingBuddies.Models.DocumentFile Class Reference

Collaboration diagram for GamblingBuddies.Models.DocumentFile:

Properties

- string **ContentType** [get, set]
- Document **Document** [get, set]
- int **DocumentFileId** [get, set]
- int **DocumentId** [get, set]
- string **FileName** [get, set]
- string **FilePath** [get, set]
- long **FileSize** [get, set]
- DateTime **UploadedAt** [get, set]

The documentation for this class was generated from the following file:

- Models/DocumentFile.cs

7.12 GamblingBuddies.Models.Employee Class Reference

Collaboration diagram for GamblingBuddies.Models.Employee:

Properties

- int **EmployeeId** [get, set]
- int **EmployeeStatusId** [get, set]
- string **FirstName** = null! [get, set]
- DateTime **HireDate** [get, set]
- string **LastName** = null! [get, set]
- string? **Phone** [get, set]
- [EmployeePositionDictionary](#) **Position** = null! [get, set]
- int **PositionId** [get, set]
- [EmployeeStatusDictionary](#) **Status** = null! [get, set]
- SystemUser? **SystemUser** [get, set]
- int? **SystemUserId** [get, set]

The documentation for this class was generated from the following file:

- Models/Employee.cs

7.13 GamblingBuddies.Models.EmployeeAssignment Class Reference

Collaboration diagram for GamblingBuddies.Models.EmployeeAssignment:

Properties

- [SystemUser](#) **AssignedByUser** [get, set]
- int **AssignedByUserId** [get, set]
- Employee **Employee** [get, set]
- int **EmployeeAssignmentId** [get, set]
- int **EmployeeId** [get, set]
- GameSession **GameSession** [get, set]
- int **GameSessionId** [get, set]
- string? **Notes** [get, set]

The documentation for this class was generated from the following file:

- Models/EmployeeAssignment.cs

7.14 GamblingBuddies.Controllers.EmployeeCreateViewModel Class Reference

Collaboration diagram for GamblingBuddies.Controllers.EmployeeCreateViewModel:

Properties

- string **Email** = "" [get, set]
- int **EmployeeStatusId** [get, set]
- string **FirstName** = "" [get, set]
- DateTime **HireDate** [get, set]
- bool **IsActive** [get, set]
- string **LastName** = "" [get, set]
- string **Login** = "" [get, set]
- string **Password** = "" [get, set]
- string? **Phone** [get, set]
- int **PositionId** [get, set]
- int **RoleDictionaryId** [get, set]

The documentation for this class was generated from the following file:

- Controllers/EmployeesController.cs

7.15 GamblingBuddies.Controllers.EmployeeEditViewModel Class Reference

Collaboration diagram for GamblingBuddies.Controllers.EmployeeEditViewModel:

Properties

- string **Email** = "" [get, set]
- int **EmployeeId** [get, set]
- int **EmployeeStatusId** [get, set]
- string **FirstName** = "" [get, set]
- DateTime **HireDate** [get, set]
- bool **IsActive** [get, set]
- string **LastName** = "" [get, set]
- string **Login** = "" [get, set]
- string? **NewPassword** [get, set]
- string? **Phone** [get, set]
- int **PositionId** [get, set]
- int **RoleDictionaryId** [get, set]
- int **SystemUserId** [get, set]

The documentation for this class was generated from the following file:

- Controllers/EmployeesController.cs

7.16 GamblingBuddies.Models.EmployeePositionDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.EmployeePositionDictionary:

Properties

- string **Description** [get, set]
- int **EmployeePositionDictionaryId** [get, set]
- ICollection< [Employee](#) > **Employees** [get, set]
- bool **IsActive** [get, set]
- string **Name** [get, set]

The documentation for this class was generated from the following file:

- Models/EmployeePositionDictionary.cs

7.17 GamblingBuddies.Controllers.EmployeesController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.EmployeesController:

Collaboration diagram for GamblingBuddies.Controllers.EmployeesController:

Public Member Functions

- IActionResult **Create** ()
- IActionResult **Create** ([EmployeeCreateViewModel](#) model)
- IActionResult **Delete** (int id)
- IActionResult **Details** (int id)
- IActionResult **Edit** ([EmployeeEditViewModel](#) model)
- IActionResult **Edit** (int id)
- **EmployeesController** ([AppDbContext](#) context)
- IActionResult **Index** ()

The documentation for this class was generated from the following file:

- Controllers/EmployeesController.cs

7.18 GamblingBuddies.Controllers.EmployeesScheduleController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.EmployeesScheduleController:

Collaboration diagram for GamblingBuddies.Controllers.EmployeesScheduleController:

Public Member Functions

- IActionResult **Assignments** ()
- IActionResult **CreateAssignment** ()
- IActionResult **CreateAssignment** ([EmployeeAssignment](#) assignment)
- IActionResult **CreateWorkShift** ()
- IActionResult **CreateWorkShift** ([WorkShift](#) workShift)
- async Task< IActionResult > **DeleteAssignment** (int id)
- async Task< IActionResult > **DeleteWorkShift** (int id)
- **EmployeesScheduleController** ([AppDbContext](#) context)
- IActionResult **WorkShifts** (bool onlyMine=false)

The documentation for this class was generated from the following file:

- Controllers/EmployeesScheduleController.cs

7.19 GamblingBuddies.Models.EmployeeStatusDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.EmployeeStatusDictionary:

Properties

- string **Description** [get, set]
- ICollection< [Employee](#) > **Employees** [get, set]
- int **EmployeeStatusDictionaryId** [get, set]
- bool **IsActive** [get, set]
- string **Name** [get, set]

The documentation for this class was generated from the following file:

- Models/EmployeeStatusDictionary.cs

7.20 GamblingBuddies.Models.ErrorViewModel Class Reference

Collaboration diagram for GamblingBuddies.Models.ErrorViewModel:

Properties

- string? **RequestId** [get, set]
- bool **ShowRequestId** [get]

The documentation for this class was generated from the following file:

- Models/ErrorViewModel.cs

7.21 GamblingBuddies.Migrations.FixEmployeeStatusRelation Class Reference

Inheritance diagram for GamblingBuddies.Migrations.FixEmployeeStatusRelation:

Collaboration diagram for GamblingBuddies.Migrations.FixEmployeeStatusRelation:

Protected Member Functions

- override void **BuildTargetModel** (ModelBuilder modelBuilder)
- override void **Down** (MigrationBuilder migrationBuilder)
- override void **Up** (MigrationBuilder migrationBuilder)

7.21.1 Detailed Description

The documentation for this class was generated from the following files:

- Migrations/20260608203449_FixEmployeeStatusRelation.cs
- Migrations/20260608203449_FixEmployeeStatusRelation.Designer.cs

7.22 GamblingBuddies.Models.Game Class Reference

Collaboration diagram for GamblingBuddies.Models.Game:

Properties

- string? **Description** [get, set]
- [GameCategoryDictionary](#) **GameCategory** [get, set]
- int **GameCategoryId** [get, set]
- int **GameId** [get, set]
- ICollection< [GameTableGame](#) > **GameTableGames** = new List<[GameTableGame](#)>() [get, set]
- ICollection< [GameVariant](#) > **GameVariants** = new List<[GameVariant](#)>() [get, set]
- bool **IsActive** [get, set]
- string **Name** = null! [get, set]

The documentation for this class was generated from the following file:

- Models/Game.cs

7.23 GamblingBuddies.Models.GameCategoryDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.GameCategoryDictionary:

Properties

- string **Description** [get, set]
- int **GameCategoryId** [get, set]
- ICollection< [Game](#) > **Games** [get, set]
- string **Name** [get, set]

The documentation for this class was generated from the following file:

- Models/GameCategoryDictionary.cs

7.24 GamblingBuddies.Controllers.GamesController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.GamesController:

Collaboration diagram for GamblingBuddies.Controllers.GamesController:

Public Member Functions

- IActionResult **Details** (int id)
- IActionResult **Edit** ([Game](#) model)
- IActionResult **Edit** (int id)
- **GamesController** ([AppDbContext](#) context)
- IActionResult **Index** ()

The documentation for this class was generated from the following file:

- Controllers/GamesController.cs

7.25 GamblingBuddies.Models.GameSession Class Reference

Collaboration diagram for GamblingBuddies.Models.GameSession:

Properties

- [SystemUser](#) **CreatedByUser** [get, set]
- int **CreatedByUserId** [get, set]
- DateTime **EndAt** [get, set]
- int **GameSessionId** [get, set]
- GameTable **GameTable** [get, set]
- int **GameTableId** [get, set]
- GameVariant **GameVariant** [get, set]
- int **GameVariantId** [get, set]
- ICollection< [Reservation](#) > **Reservations** = new List<[Reservation](#)>() [get, set]
- [SessionStatusDictionary](#) **SessionStatus** [get, set]
- int **SessionStatusId** [get, set]
- DateTime **StartAt** [get, set]

The documentation for this class was generated from the following file:

- Models/GameSession.cs

7.26 GamblingBuddies.Models.GameTable Class Reference

Collaboration diagram for GamblingBuddies.Models.GameTable:

Properties

- ICollection< [GameSession](#) > **GameSessions** = new List<[GameSession](#)>() [get, set]
- ICollection< [GameTableGame](#) > **GameTableGames** = new List<[GameTableGame](#)>() [get, set]
- int **GameTableId** [get, set]
- Hall **Hall** [get, set]
- int **HallId** [get, set]
- bool **IsActive** [get, set]
- int **MaxPlayers** [get, set]
- int **MinPlayers** [get, set]
- ICollection< [Seat](#) > **Seats** = new List<[Seat](#)>() [get, set]
- int **TableNumber** [get, set]

The documentation for this class was generated from the following file:

- Models/GameTable.cs

7.27 GamblingBuddies.Models.GameTableGame Class Reference

Collaboration diagram for GamblingBuddies.Models.GameTableGame:

Properties

- Game **Game** [get, set]
- int **GameId** [get, set]
- GameTable **GameTable** [get, set]
- int **GameTableId** [get, set]

The documentation for this class was generated from the following file:

- Models/GameTableGame.cs

7.28 GamblingBuddies.Controllers.GameTablesController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.GameTablesController:

Collaboration diagram for GamblingBuddies.Controllers.GameTablesController:

Public Member Functions

- IActionResult **Create** ()
- IActionResult **Create** ([GameTable](#) model, int[] selectedGameIds)
- IActionResult **Delete** (int id)
- IActionResult **Details** (int id)
- IActionResult **Edit** ([GameTable](#) model, int[] selectedGameIds)
- IActionResult **Edit** (int id)
- **GameTablesController** ([AppDbContext](#) context)
- IActionResult **Index** ()

The documentation for this class was generated from the following file:

- Controllers/GameTableController.cs

7.29 GamblingBuddies.Models.GameVariant Class Reference

Collaboration diagram for GamblingBuddies.Models.GameVariant:

Properties

- decimal **DefaultMaxBet** [get, set]
- decimal **DefaultMinBet** [get, set]
- Game **Game** [get, set]
- int **GameId** [get, set]
- int **GameVariantId** [get, set]
- bool **IsActive** [get, set]
- string **Name** [get, set]
- string **RulesDescription** [get, set]

The documentation for this class was generated from the following file:

- Models/GameVariant.cs

7.30 GamblingBuddies.Models.Hall Class Reference

Collaboration diagram for GamblingBuddies.Models.Hall:

Properties

- string **Description** [get, set]
- ICollection< [GameTable](#) > **GameTables** = new List<[GameTable](#)>() [get, set]
- int **HallId** [get, set]
- [HallTypeDictionary](#) **HallType** = null! [get, set]
- int **HallTypeId** [get, set]
- bool **IsActive** [get, set]
- string **Name** [get, set]

The documentation for this class was generated from the following file:

- Models/hall.cs

7.31 GamblingBuddies.Controllers.HallsController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.HallsController:

Collaboration diagram for GamblingBuddies.Controllers.HallsController:

Public Member Functions

- IActionResult **Halls** ()
- **HallsController** (AppDbContext context)

The documentation for this class was generated from the following file:

- Controllers/HallsController.cs

7.32 GamblingBuddies.Models.HallTypeDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.HallTypeDictionary:

Properties

- string **Description** [get, set]
- ICollection< [Hall](#) > **Halls** [get, set]
- int **HallTypeId** [get, set]
- string **Name** [get, set]

The documentation for this class was generated from the following file:

- Models/HallTypeDictionary.cs

7.33 GamblingBuddies.Controllers.HomeController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.HomeController:

Collaboration diagram for GamblingBuddies.Controllers.HomeController:

Public Member Functions

- IActionResult **Error** ()
- **HomeController** (ILogger< HomeController > logger)
- IActionResult **Index** ()
- IActionResult **Privacy** ()

The documentation for this class was generated from the following file:

- Controllers/HomeController.cs

7.34 GamblingBuddies.Views.Reports.IndexModel Class Reference

Inheritance diagram for GamblingBuddies.Views.Reports.IndexModel:

Collaboration diagram for GamblingBuddies.Views.Reports.IndexModel:

Public Member Functions

- void **OnGet** ()

The documentation for this class was generated from the following file:

- Views/Reports/Index.cshtml.cs

7.35 GamblingBuddies.Migrations.Iol Class Reference

Inheritance diagram for GamblingBuddies.Migrations.Iol:

Collaboration diagram for GamblingBuddies.Migrations.Iol:

Protected Member Functions

- override void **BuildTargetModel** (ModelBuilder modelBuilder)
- override void **Down** (MigrationBuilder migrationBuilder)
- override void **Up** (MigrationBuilder migrationBuilder)

7.35.1 Detailed Description

The documentation for this class was generated from the following files:

- Migrations/20260609144508_Iol.cs
- Migrations/20260609144508_Iol.Designer.cs

7.36 GamblingBuddies.Models.Payment Class Reference

Collaboration diagram for GamblingBuddies.Models.Payment:

Properties

- decimal **Amount** [get, set]
- DateTime **CreatedAt** [get, set]
- ICollection< [Document](#) > **Documents** = new List<[Document](#)>() [get, set]
- string? **ExternalOrderId** [get, set]
- DateTime? **PaidAt** [get, set]
- int **PaymentId** [get, set]
- [PaymentMethodDictionary](#) **PaymentMethod** [get, set]
- int **PaymentMethodId** [get, set]
- string? **PaymentProvider** [get, set]
- string? **PaymentProviderOrderId** [get, set]
- [PaymentStatusDictionary](#) **PaymentStatus** [get, set]
- int **PaymentStatusId** [get, set]
- ICollection< [PaymentTransaction](#) > **PaymentTransactions** = new List<[PaymentTransaction](#)>() [get, set]
- Reservation **Reservation** [get, set]
- int **ReservationId** [get, set]

The documentation for this class was generated from the following file:

- Models/Payment.cs

7.37 GamblingBuddies.Controllers.PaymentController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.PaymentController:

Collaboration diagram for GamblingBuddies.Controllers.PaymentController:

Public Member Functions

- async Task< IActionResult > **Confirm** (int reservationId)
- async Task< IActionResult > **Continue** (int reservationId)
- async Task< IActionResult > **Notify** ()
- async Task< IActionResult > **Pay** (int reservationId)
- **PaymentController** ([AppDbContext](#) context, [PayUService](#) payUService, IConfiguration configuration)
- async Task< IActionResult > **Reject** (int reservationId)

The documentation for this class was generated from the following file:

- Controllers/PaymentController.cs

7.38 GamblingBuddies.Models.PaymentMethodDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.PaymentMethodDictionary:

Properties

- string **Description** [get, set]
- string **Name** [get, set]
- int **PaymentMethodId** [get, set]

The documentation for this class was generated from the following file:

- Models/PaymentMethodDictionary.cs

7.39 GamblingBuddies.Models.PaymentReport Class Reference

Collaboration diagram for GamblingBuddies.Models.PaymentReport:

Properties

- string **Description** [get, set]
- DateTime? **EndDate** [get, set]
- string **FiltersApplied** [get, set]
- [SystemUser](#) **GeneratedByUser** [get, set]
- int **GeneratedByUserId** [get, set]
- DateTime **GeneratedDate** [get, set]
- int **PaymentReportId** [get, set]
- string? **PdfFilePath** [get, set]
- string **ReportName** [get, set]
- DateTime? **StartDate** [get, set]
- decimal **TotalAmount** [get, set]
- int **TransactionsCount** [get, set]

The documentation for this class was generated from the following file:

- Models/PaymentReport.cs

7.40 GamblingBuddies.Views.Reports.PaymentReportModel Class Reference

Inheritance diagram for GamblingBuddies.Views.Reports.PaymentReportModel:

Collaboration diagram for GamblingBuddies.Views.Reports.PaymentReportModel:

Public Member Functions

- void **OnGet** ()

The documentation for this class was generated from the following file:

- Views/Reports/PaymentReport.cshtml.cs

7.41 GamblingBuddies.Controllers.PaymentsController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.PaymentsController:

Collaboration diagram for GamblingBuddies.Controllers.PaymentsController:

Public Member Functions

- async Task< IActionResult > **Delete** (int id)
- async Task< IActionResult > **Details** (int? id)
- async Task< IActionResult > **Index** ()
- **PaymentsController** ([AppDbContext](#) context)

The documentation for this class was generated from the following file:

- Controllers/PaymentsController.cs

7.42 GamblingBuddies.Models.PaymentStatusDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.PaymentStatusDictionary:

Properties

- string **Description** [get, set]
- string **Name** [get, set]
- int **PaymentStatusId** [get, set]

The documentation for this class was generated from the following file:

- Models/PaymentStatusDictionary.cs

7.43 GamblingBuddies.Models.PaymentTransaction Class Reference

Collaboration diagram for GamblingBuddies.Models.PaymentTransaction:

Properties

- DateTime **CreatedAt** [get, set]
- string **ExternalTransactionId** = null! [get, set]
- Payment **Payment** [get, set]
- int **PaymentId** [get, set]
- int **PaymentTransactionId** [get, set]
- string **ProviderResponseCode** = null! [get, set]
- string **ProviderResponseMessage** = null! [get, set]

The documentation for this class was generated from the following file:

- Models/PaymentTransaction.cs

7.44 GamblingBuddies.Services.PayU.PayUCreateOrderResult Class Reference

Collaboration diagram for GamblingBuddies.Services.PayU.PayUCreateOrderResult:

Properties

- string? **OrderId** [get, set]
- string? **RedirectUri** [get, set]

The documentation for this class was generated from the following file:

- Services/PayUCreateOrderResult.cs

7.45 GamblingBuddies.Services.PayU.PayUOptions Class Reference

Collaboration diagram for GamblingBuddies.Services.PayU.PayUOptions:

Properties

- string **BaseUrl** = "" [get, set]
- string **ClientId** = "" [get, set]
- string **ClientSecret** = "" [get, set]
- string **MerchantPosId** = "" [get, set]

The documentation for this class was generated from the following file:

- Services/PayUOptions.cs

7.46 GamblingBuddies.Services.PayU.PayUService Class Reference

Collaboration diagram for GamblingBuddies.Services.PayU.PayUService:

Public Member Functions

- async Task< [PayUCreateOrderResult](#) > **CreateOrderAsync** ([Payment](#) payment, string continueUrl, string notifyUrl, string customerIp)
- **PayUService** (HttpClient httpClient, IOptions< [PayUOptions](#) > options)

The documentation for this class was generated from the following file:

- Services/PayUService.cs

7.47 GamblingBuddies.Models.Player Class Reference

Collaboration diagram for GamblingBuddies.Models.Player:

Properties

- DateTime **CreatedAt** [get, set]
- string **Email** [get, set]
- string **FirstName** [get, set]
- string **LastName** [get, set]
- string **Phone** [get, set]
- int **PlayerId** [get, set]

The documentation for this class was generated from the following file:

- Models/Player.cs

7.48 GamblingBuddies.Program Class Reference

Collaboration diagram for GamblingBuddies.Program:

Static Public Member Functions

- static void **Main** (string[] args)

The documentation for this class was generated from the following file:

- Program.cs

7.49 GamblingBuddies.Models.ReportDefinition Class Reference

Collaboration diagram for GamblingBuddies.Models.ReportDefinition:

Properties

- [SystemUser](#) **CreatedByUser** [get, set]
- int **CreatedByUserId** [get, set]
- string? **Description** [get, set]
- string **Name** [get, set]
- string **QueryTemplate_or_Definition** [get, set]
- int **ReportDefinitionId** [get, set]

The documentation for this class was generated from the following file:

- Models/ReportDefinition.cs

7.50 GamblingBuddies.Models.ReportExecution Class Reference

Collaboration diagram for GamblingBuddies.Models.ReportExecution:

Properties

- DateTime **GeneratedAt** [get, set]
- [SystemUser](#) **GeneratedByUser** [get, set]
- int **GeneratedByUserId** [get, set]
- string **ParametersJson** [get, set]
- ReportDefinition **ReportDefinition** [get, set]
- int **ReportDefinitionId** [get, set]
- int **ReportExecutionId** [get, set]

The documentation for this class was generated from the following file:

- Models/ReportExecution.cs

7.51 GamblingBuddies.Views.Reports.ReportHistoryModel Class Reference

Inheritance diagram for GamblingBuddies.Views.Reports.ReportHistoryModel:

Collaboration diagram for GamblingBuddies.Views.Reports.ReportHistoryModel:

Public Member Functions

- void **OnGet** ()

The documentation for this class was generated from the following file:

- Views/Reports/ReportHistory.cshtml.cs

7.52 GamblingBuddies.Controllers.ReportsController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.ReportsController:

Collaboration diagram for GamblingBuddies.Controllers.ReportsController:

Public Member Functions

- async Task< IActionResult > **Delete** (int id)
- async Task< IActionResult > **Details** (int id)
- async Task< IActionResult > **GeneratePaymentReport** (DateTime? startDate, DateTime? endDate, string? paymentMethod, string? status)
- IActionResult **Index** ()
- async Task< IActionResult > **PaymentReport** ()
- async Task< IActionResult > **ReportHistory** ()
- **ReportsController** ([AppDbContext](#) context)

The documentation for this class was generated from the following file:

- Controllers/ReportsController.cs

7.53 GamblingBuddies.Models.Reservation Class Reference

Collaboration diagram for GamblingBuddies.Models.Reservation:

Properties

- GameSession **GameSession** [get, set]
- int **GameSessionId** [get, set]
- ICollection< [Payment](#) > **Payments** = new List<[Payment](#)>() [get, set]
- Player **Player** [get, set]
- int **PlayerId** [get, set]
- int **ReservationId** [get, set]
- ICollection< [ReservationSeat](#) > **ReservationSeats** [get, set]
- [ReservationStatusDictionary](#) **ReservationStatus** [get, set]
- int **ReservationStatusId** [get, set]
- DateTime **ReservedAt** [get, set]

The documentation for this class was generated from the following file:

- Models/Reservation.cs

7.54 GamblingBuddies.Controllers.ReservationController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.ReservationController:

Collaboration diagram for GamblingBuddies.Controllers.ReservationController:

Public Member Functions

- IActionResult **CheckTableAvailability** (int gameTableId, string reservationDate, string reservationTime, int durationHours)
- IActionResult **GetGamesByHall** (int hallId)
- IActionResult **GetTablesByHallAndGame** (int hallId, int gameId)
- IActionResult **Go** ()
- IActionResult **Go** (int HallId, int gameId, int GameTableId, DateTime ReservationDate, string ReservationTime, int DurationHours, int Quantity, string PaymentOption, string PlayerFirstName, string PlayerLastName, string PlayerEmail, string? PlayerPhone)
- **ReservationController** ([AppDbContext](#) context)

The documentation for this class was generated from the following file:

- Controllers/ReservationController.cs

7.55 GamblingBuddies.Controllers.ReservationsController Class Reference

Inheritance diagram for GamblingBuddies.Controllers.ReservationsController:

Collaboration diagram for GamblingBuddies.Controllers.ReservationsController:

Public Member Functions

- `async Task< IActionResult > Delete` (int id)
- `async Task< IActionResult > Details` (int? id)
- `async Task< IActionResult > Edit` (int id, [Reservation](#) reservation)
- `async Task< IActionResult > Edit` (int? id)
- `IActionResult Index` ()
- `ReservationsController` ([AppDbContext](#) context)

The documentation for this class was generated from the following file:

- `Controllers/ReservationsController.cs`

7.56 GamblingBuddies.Models.ReservationSeat Class Reference

Collaboration diagram for GamblingBuddies.Models.ReservationSeat:

Properties

- `GameSession` **GameSession** [get, set]
- `int` **GameSessionId** [get, set]
- `Reservation` **Reservation** [get, set]
- `int` **ReservationId** [get, set]
- `int` **ReservationSeatId** [get, set]
- `Seat` **Seat** [get, set]
- `int` **SeatId** [get, set]

The documentation for this class was generated from the following file:

- `Models/ReservationSeat.cs`

7.57 GamblingBuddies.Models.ReservationStatusDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.ReservationStatusDictionary:

Properties

- `string` **Description** [get, set]
- `string` **Name** [get, set]
- `ICollection< Reservation >` **Reservations** [get, set]
- `int` **ReservationStatusId** [get, set]

The documentation for this class was generated from the following file:

- `Models/ReservationStatusDictionary.cs`

7.58 GamblingBuddies.Models.Role Class Reference

Collaboration diagram for GamblingBuddies.Models.Role:

Properties

- string **Name** [get, set]
- int **RoleId** [get, set]
- ICollection< [UserRole](#) > **UserRoles** [get, set]

The documentation for this class was generated from the following file:

- Models/Role.cs

7.59 GamblingBuddies.Models.RoleDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.RoleDictionary:

Properties

- string **Description** [get, set]
- bool **IsActive** [get, set]
- string **Name** [get, set]
- int **RoleDictionaryId** [get, set]
- ICollection< [UserRole](#) > **UserRoles** [get, set]

The documentation for this class was generated from the following file:

- Models/RoleDictionary.cs

7.60 GamblingBuddies.Models.Seat Class Reference

Collaboration diagram for GamblingBuddies.Models.Seat:

Properties

- bool **IsActive** [get, set]
- ICollection< [ReservationSeat](#) > **ReservationSeats** [get, set]
- int **SeatId** [get, set]
- int **SeatNumber** [get, set]
- [GameTable](#) **Table** [get, set]
- int **TableId** [get, set]

The documentation for this class was generated from the following file:

- Models/Seat.cs

7.61 GamblingBuddies.Models.SessionStatusDictionary Class Reference

Collaboration diagram for GamblingBuddies.Models.SessionStatusDictionary:

Properties

- string **Description** [get, set]
- ICollection< [GameSession](#) > **GameSessions** [get, set]
- string **Name** [get, set]
- int **SessionStatusId** [get, set]

The documentation for this class was generated from the following file:

- Models/SessionStatusDictionary.cs

7.62 GamblingBuddies.Models.SystemUser Class Reference

Collaboration diagram for GamblingBuddies.Models.SystemUser:

Properties

- DateTime **CreatedAt** [get, set]
- string **Email** = null! [get, set]
- bool **IsActive** [get, set]
- string **Login** = null! [get, set]
- string **PasswordHash** = null! [get, set]
- int **SystemUserId** [get, set]
- ICollection< [UserRole](#) > **UserRoles** [get, set]
- ICollection< [WorkShift](#) > **WorkShiftsCreated** = new List<[WorkShift](#)>() [get, set]

The documentation for this class was generated from the following file:

- Models/SystemUser.cs

7.63 GamblingBuddies.Models.UserRole Class Reference

Collaboration diagram for GamblingBuddies.Models.UserRole:

Properties

- RoleDictionary **RoleDictionary** [get, set]
- int **RoleDictionaryId** [get, set]
- SystemUser **SystemUser** [get, set]
- int **SystemUserId** [get, set]
- int **UserRoleId** [get, set]

The documentation for this class was generated from the following file:

- Models/UserRole.cs

7.64 GamblingBuddies.Models.WorkShift Class Reference

Collaboration diagram for GamblingBuddies.Models.WorkShift:

Properties

- [SystemUser?](#) **CreatedByUser** [get, set]
- int **CreatedByUserId** [get, set]
- Employee? **Employee** [get, set]
- int **EmployeeId** [get, set]
- DateTime **EndAt** [get, set]
- DateTime **StartAt** [get, set]
- int **WorkShiftId** [get, set]

The documentation for this class was generated from the following file:

- Models/WorkShift.cs

Index

GamblingBuddies, [1](#), [11](#)
GamblingBuddies.Controllers, [11](#)
GamblingBuddies.Controllers.AccountController, [15](#)
GamblingBuddies.Controllers.AdminPanelController, [16](#)
GamblingBuddies.Controllers.ApiController, [16](#)
GamblingBuddies.Controllers.EmployeeCreateViewModel, [21](#)
GamblingBuddies.Controllers.EmployeeEditViewModel, [21](#)
GamblingBuddies.Controllers.EmployeesController, [22](#)
GamblingBuddies.Controllers.EmployeesScheduleController, [23](#)
GamblingBuddies.Controllers.GamesController, [25](#)
GamblingBuddies.Controllers.GameTablesController, [27](#)
GamblingBuddies.Controllers.HallsController, [28](#)
GamblingBuddies.Controllers.HomeController, [29](#)
GamblingBuddies.Controllers.PaymentController, [31](#)
GamblingBuddies.Controllers.PaymentsController, [32](#)
GamblingBuddies.Controllers.ReportsController, [36](#)
GamblingBuddies.Controllers.ReservationController, [37](#)
GamblingBuddies.Controllers.ReservationsController, [37](#)
GamblingBuddies.Migrations, [11](#)
GamblingBuddies.Migrations.AddPaymentMissingColumns, [15](#)
GamblingBuddies.Migrations.AppDbContextModelSnapshot, [18](#)
GamblingBuddies.Migrations.CreateDatabase, [18](#)
GamblingBuddies.Migrations.FixEmployeeStatusRelation, [24](#)
GamblingBuddies.Migrations.Iol, [30](#)
GamblingBuddies.Models, [12](#)
GamblingBuddies.Models.AppDbContext, [17](#)
GamblingBuddies.Models.AuditLog, [18](#)
GamblingBuddies.Models.Document, [19](#)
GamblingBuddies.Models.DocumentFile, [19](#)
GamblingBuddies.Models.Employee, [20](#)
GamblingBuddies.Models.EmployeeAssignment, [20](#)
GamblingBuddies.Models.EmployeePositionDictionary, [22](#)
GamblingBuddies.Models.EmployeeStatusDictionary, [23](#)
GamblingBuddies.Models.ErrorViewModel, [24](#)
GamblingBuddies.Models.Game, [25](#)
GamblingBuddies.Models.GameCategoryDictionary, [25](#)
GamblingBuddies.Models.GameSession, [26](#)
GamblingBuddies.Models.GameTable, [26](#)
GamblingBuddies.Models.GameTableGame, [27](#)
GamblingBuddies.Models.GameVariant, [28](#)
GamblingBuddies.Models.Hall, [28](#)
GamblingBuddies.Models.HallTypeDictionary, [29](#)
GamblingBuddies.Models.Payment, [30](#)
GamblingBuddies.Models.PaymentMethodDictionary, [31](#)
GamblingBuddies.Models.PaymentReport, [31](#)
GamblingBuddies.Models.PaymentStatusDictionary, [33](#)
GamblingBuddies.Models.PaymentTransaction, [33](#)
GamblingBuddies.Models.Player, [34](#)
GamblingBuddies.Models.ReportDefinition, [35](#)
GamblingBuddies.Models.ReportExecution, [35](#)
GamblingBuddies.Models.Reservation, [36](#)
GamblingBuddies.Models.ReservationSeat, [38](#)
GamblingBuddies.Models.ReservationStatusDictionary, [38](#)
GamblingBuddies.Models.Role, [39](#)
GamblingBuddies.Models.RoleDictionary, [39](#)
GamblingBuddies.Models.Seat, [39](#)
GamblingBuddies.Models.SessionStatusDictionary, [40](#)
GamblingBuddies.Models.SystemUser, [40](#)
GamblingBuddies.Models.UserRole, [40](#)
GamblingBuddies.Models.WorkShift, [41](#)
GamblingBuddies.Program, [35](#)
GamblingBuddies.Services, [12](#)
GamblingBuddies.Services.PayU, [12](#)
GamblingBuddies.Services.PayU.PayUCreateOrderResult, [33](#)
GamblingBuddies.Services.PayU.PayUOptions, [34](#)
GamblingBuddies.Services.PayU.PayUService, [34](#)
GamblingBuddies.Views, [13](#)
GamblingBuddies.Views.Reports, [13](#)
GamblingBuddies.Views.Reports.DetailsModel, [19](#)
GamblingBuddies.Views.Reports.IndexModel, [29](#)
GamblingBuddies.Views.Reports.PaymentReportModel, [32](#)
GamblingBuddies.Views.Reports.ReportHistoryModel, [36](#)
The MIT License (MIT), [3](#)