

Adatbázisrendszerek II.

10. gyakorlat jegyzőkönyv

László Andrea

DJ7PNE

Kurzor készítés:

1.

create or replace procedure tlp as

```
    cursor cur is select * from kategoria;
```

```
    cv cur%rowtype;
```

begin

```
    open cur;
```

```
    loop
```

```
        fetch cur into cv;
```

```
        exit when cur%notfound;
```


```
        dbms_output.put_line('Név: ' || cv.nev);
```

```
        dbms_output.put_line('Feldolgozva: ' || cur%rowcount);
```

```
    end loop;
```

```
    close cur;
```

end;



```
Task completed in 0,444 seconds

Név: kaja
Feldolgozva: 1
Név: pia
Feldolgozva: 2
Név: ruha
Feldolgozva: 3
Név: egyéb
Feldolgozva: 4

PL/SQL procedure successfully completed.
```

2.

create or replace procedure tlpfor as

```
    cursor cur is select * from kategoria;
```

begin

```
    for cv in cur
```


```
    loop
```

```
        dbms_output.put_line('Név: ' || cv.nev);
```

```
        dbms_output.put_line('Feldolgozva: ' || cur%rowcount);
```

```
    end loop;
```

end;



```
Név: kaja
Feldolgozva: 1
Név: pia
Feldolgozva: 2
Név: ruha
Feldolgozva: 3
Név: egyéb
Feldolgozva: 4


PL/SQL procedure successfully completed.
```

3.

```
create table piros_auto(rsz varchar(20),
tipus varchar(20), szin varchar(20), kor
number, ar number);
```

```
insert into piros_auto values('ABC500',
'Opel Corsa', 'piros', 8, 720000);
```

```
insert into piros_auto values('MCC325',
'Opel Insignia', 'piros', 10, 26800000);
```



	RSZ	TIPUS	SZIN	KOR	AR
1	ABC500	Opel Corsa	piros	8	720000
2	MCC325	Opel Insignia	piros	10	26800000
3	BBM104	Suzuki Swift	piros	5	150000
4	CHR411	Renault Twingo	piros	12	630000
5	JRZ932	BMW M3	fekete	5	4500000
6	DER842	Seat Ibiza	szürke	14	45000

```
insert into piros_auto values('BBM104', 'Suzuki Swift','piros', 5, 150000);
```

```
insert into piros_auto values('CHR411', 'Renault Twingo', 'piros', 12, 630000);
```

```
insert into piros_auto values('JRZ932', 'BMW M3', 'fekete', 5,4500000);
```

```
insert into piros_auto values('DER842', 'Seat Ibiza', 'szürke', 14, 45000);
```

```
create table MasikPiros_Auto (rsz varchar2 (20), tipus varchar2 (20), szin varchar2 (20), kor number (3,0), ar number (10,0));
```

5.

```
begin
```

```
    open cur_a;
```

```
    loop
```

```
        fetch cur_a into a;
```

```
        exit when cur_a%notfound;
```

```
        update autok set ar=a.ar*(1+ert/100) where current of cur_a;
```

```
    end loop;
```

```
    close cur_a;
```

```
end;
```

```
begin
```


```
    aut_arnov('piros', 10);
```

```
end;
```

előtte:

Sort.. Filter:					
	RSZ	TIPUS	AR	SZIN	KOR
1	ABC500	Opel Corsa	425152,8	piros	8
2	MCC325	Opel Insignia	6800000	fekete	2
3	BBM104	Suzuki Swift	150000	piros	5
4	JRZ932	BMW M3	4500000	fekete	5
5	CHR411	Renault Twingo	630000	piros	12
6	DER842	Seat Ibiza	45000	szürke	14

utána:



	RSZ	TIPUS	AR	SZIN	KOR
1	ABC500	Opel Corsa	514434,888	piros	8
2	MCC325	Opel Insignia	6800000	fekete	2
3	BBM104	Suzuki Swift	181500	piros	5
4	JRZ932	BMW M3	4500000	fekete	5
5	CHR411	Renault Twingo	762300	piros	12
6	DER842	Seat Ibiza	45000	szürke	14

6.

create or replace procedure aut_arnov2(szinbe in char, ert in int) is

```
    cursor cur_a is select * from autok where szin=szinbe
```

```
    for update of ar;
```

```
    db cur_a%rowtype;
```

```
begin
```

```
    open cur_a;
```

```
    for db in cur_a
```

```
    loop
```

```
        fetch cur_a into db;
```

```
        exit when cur_a%notfound;
```

```
        update autok set ar=db.ar*(1+ert/100) where current of cur_a;
```

```
    end loop;
```

```
    close cur_a;
```

```
end;
```

7.

create or replace procedure aut_arnov3(szinbe in char, ert in int) is

```
    cursor cur_b is select * from autok where szin=szinbe
```

```
    for update of ar;
```

```
    b cur_b%rowtype;
```

```
    darab number := 0;
```

```
begin
```

```
    if cur_b%isopen then
```

```
        close cur_b;
```

```

end if;

open cur_b;

loop
    fetch cur_b into b;

    exit when cur_b%notfound;

    update autok set ar=b.ar*(1+ert/100) where current of cur_b;

    darab:=darab+1;

end loop;

close cur_b;

dbms_output.put_line('Darabok: ' || darab);

```

end;

előtte:

RSZ	TIPUS	AR	SZIN	KOR
1	ABC500 Opel Corsa	753184,1195208	piros	8
2	MCC325 Opel Insignia	6800000	fekete	2
3	BBM104 Suzuki Swift	265734,15	piros	5
4	JRZ932 BMW M3	4500000	fekete	5
5	CHR411 Renault Twingo	1116083,43	piros	12
6	DER842 Seat Ibiza	45000	szürke	14

utána:

PL/SQL procedure successfully completed.

Darabok: 3

PL/SQL procedure successfully completed.

RSZ	TIPUS	AR	SZIN	KOR
1	ABC500 Opel Corsa	828502,53147288	piros	8
2	MCC325 Opel Insignia	6800000	fekete	2
3	BBM104 Suzuki Swift	292307,565	piros	5
4	JRZ932 BMW M3	4500000	fekete	5
5	CHR411 Renault Twingo	1227691,773	piros	12
6	DER842 Seat Ibiza	45000	szürke	14