

AbleSpace Product Understanding

Part 2: Take Data Workflow Analysis

Assessment: Full Stack Developer (Fresher) Technical Assessment

Product area reviewed: Caseload to Take Data

Review focus: Workflow understanding, UI and UX observations, and improvement opportunities

This document explains the Take Data workflow observed in the AbleSpace application using the provided demo student environment. The screenshots document the workflow and the different data entry patterns encountered during exploration.

1. Introduction

The Take Data workflow in AbleSpace is used to record and track a student's performance against configured goals. The workflow is accessed from the Caseload area and provides a goal oriented data collection interface.

A key characteristic of the workflow is that the data entry interface changes depending on the selected goal. Different goals can use trial based recording, task selection, percentage and accuracy measurements, prompt levels, or categorical observations.

2. Starting the Take Data Workflow

The workflow begins in the Caseload screen. Students are displayed in a table with information such as name, due dates, collaborators, and service time. Each student row provides a Take Data action.




Figure 1. Caseload screen showing students and the Take Data action.

3. Opening a Data Collection Session

Selecting Take Data opens a session for the selected student. The session header shows the session date and time and the selected student. The main workspace is divided into a Goals panel on the left and the selected goal data collection interface on the right.

The main workspace provides Capture, Graph, Stats, and Info tabs. The Goals panel also contains search, filter, and add controls for navigating the configured goals.




Figure 2. Take Data session with the Goals panel and Capture interface.

4. Goal Selection and Goal Specific Data Entry

The left panel contains the student's goals. Selecting a goal changes the content and interaction model shown in the Capture area. This makes the workflow adaptable to different types of educational, behavioral, or performance measurements.

4.1 Trial Based Recording

The Social Studies example uses a trial style interaction. The user can record an attempt through the large interaction control. After recording, the interface updates the session state and the selected goal can be marked as completed.




Figure 3. Trial based recording interface for the Social Studies goal.

4.2 Task Based Recording

The Writing goal uses a task based interface. Four tasks are displayed individually, with a checkbox for each task and a Select All option. This allows the user to record completion across multiple tasks within the selected goal.




Figure 4. Task level recording for the Writing goal.

5. Other Data Collection Methods Observed

5.1 Percentage and Accuracy Tracking

The Math goal demonstrates percentage based tracking. The interface displays prompted percentage, accuracy percentage, attempts, prompts, and controls for recording correct, incorrect, and cue events. The recorded values are reflected in the session interface.

The screenshot shows the AbleSpace interface for a session on 08/14/2026. The left sidebar contains navigation options like CAPTURE, TRACK, and MISC. The main area displays a goal for '3. Math' with a target of 70%. The 'Capture' tab is active, showing a progress bar at 100% and a table of attempts and prompts. The table shows 1 attempt and 0 prompts, both at 100%. Below the table are buttons for '+', '-', and 'P' (Correct, Incorrect, Cue). The right sidebar shows a list of goals and a 'Customize View' button.

Figure 5. Percentage and accuracy based data collection.

5.2 Categorical Recording

The Reading goal uses categorical options rather than a numeric input. The observed options include Independent, 1 prompt, 2 or more prompts, and No Response. The user selects the category that best represents the student's performance.

The screenshot shows the AbleSpace interface for a session on 08/14/2026. The left sidebar contains navigation options like CAPTURE, TRACK, and MISC. The main area displays a goal for '4. Reading' with a target of 75%. The 'Capture' tab is active, showing a table of categorical options: Independent, 1 prompt, 2 or more Prompts, and No Response. The table shows 1 attempt and 0 prompts, both at 100%. Below the table are buttons for '+', '-', and 'P' (Correct, Incorrect, Cue). The right sidebar shows a list of goals and a 'Customize View' button.

Figure 6. Categorical data collection for the Reading goal.

5.3 Prompt Level Observation

The Toileting goal provides categories based on the level of verbal or visual prompting required. This demonstrates how the same Take Data workflow can support qualitative measurement as well as numerical measurement.




Figure 7. Prompt level categorical recording for the Toileting goal.

6. Notes and Save Feedback

The Take Data screen includes a Notes area below the primary data entry interface. The observed interface supports adding a student note and provides controls for formatting and additional actions.

The application also provides visible save state feedback. During the reviewed session, the header displayed All changes Saved, giving the user confirmation that the recorded changes had been persisted.




Figure 8. Notes area and save state feedback.

7. End to End Workflow

Step	Observed workflow
1	Open Caseload.
2	Identify the student and select Take Data.
3	Open the student's data collection session.
4	Select a goal from the Goals panel.
5	Use the goal specific Capture interface.
6	Record the student's performance.
7	Move between goals as required.
8	Add notes when required.
9	Confirm the application's saved state.

8. UX and UI Observations

1. Different interaction models

Different goals use different data entry patterns. This provides flexibility, but it also means a user may encounter a new interaction model when switching goals.

2. Truncated goal descriptions

Goal cards in the left panel often show shortened descriptions. Longer goal descriptions may require selecting the goal before the user can understand the complete objective.

3. Goal navigation

The Goals panel can contain several goals and uses its own scroll area. With a larger number of goals, finding a specific goal may require additional scrolling.

4. Repetitive data entry

Several measurement types require repeated interactions. This is appropriate for structured data collection, but experienced users could benefit from faster input methods.

5. Save state feedback

The visible All changes Saved state is useful because it reduces uncertainty about whether recently recorded information has been persisted.

9. Proposed UX and UI Improvements

Priority	Improvement	Expected Benefit
High	Show full goal descriptions through expandable cards or tooltips.	Improves comprehension without making the Goals panel much wider.
High	Provide short contextual guidance for each measurement type.	Reduces the learning curve when switching between different goal interfaces.
Medium	Improve goal search or add "Jump to Goal" navigation for large goal lists.	Reduces scrolling and makes high-volume workflows faster.
Medium	Add optional keyboard shortcuts for frequent actions such as Correct, Incorrect, and Cue.	Reduces repetitive mouse interaction and speeds up data entry for experienced users.

10. Conclusion

The AbleSpace Take Data workflow is centered around goal based data collection. The user starts from the Caseload, selects a student, opens Take Data, selects a goal, and records performance using the measurement method configured for that goal. The workflow supports several interaction styles, including trial based recording, task completion, percentage and accuracy tracking, prompt levels, and categorical observations.

The workflow is flexible and provides useful save state feedback. The main opportunities for improvement are around discoverability, goal navigation, explanation of measurement types, and efficiency for repetitive data entry.