OUTPUT:

RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:

OUTPUT:



RESULT:


rmisrvr - NetBeans IDE 6.0.2
File Edit View Navigate Source Refactor Run Debug Profile Team Tools Window Help
<default config>
Start Page
RmiclnI.java
Rmisrvr.java
srvrimp.java
srvrintfc.java
Source
History
Source Packages
<default package>
srvrintfc.java
rmisrvr
Libraries
main - Navigator
import java.net.*;
import java.rmi.*;
import java.rmi.registry.LocateRegistry;
import java.rmi.registry.Registry;
public class Rmisrvr
{
public static void main(String args[])
{
try
{
LocateRegistry.createRegistry(1099);
Registry reg=LocateRegistry.getRegistry();
srvrimp si=new srvrimp();
reg.rebind("Rmisrvr",si);
System.out.println("Hello Server is rEady !");
si.add(12,12);
}
catch(Exception e)
{
Rmisrvr
main
rmisrvr (run)
rmiclnt (run)
run:
Hello Server is rEady !

RESULT:

OUTPUT:



RESULT:

OUTPUT:

```
C:\Program Files\Java\jdk1.7.0_51\bin>javac Client.java

C:\Program Files\Java\jdk1.7.0_51\bin>java Client
Message sent to the server : 2
Message received from the server : 4

C:\Program Files\Java\jdk1.7.0_51\bin>java Client
Message sent to the server : 4
Message received from the server : 8

C:\Program Files\Java\jdk1.7.0_51\bin>javac Server.java

C:\Program Files\Java\jdk1.7.0_51\bin>java Server
Server Started and listening to the port 25000
Message received from client is 2
Message sent to the client is 4

Message received from client is 4
Message sent to the client is 8
```

RESULT: