AUTO-SPLIT · STRUCTURE DECIDES THE CUT

One thing per slide

A slide holding six things becomes six slides. The markup says how many, so every machine cuts the same deck the same way.

What changed

What changed

The trigger is **structure**, not a measured overflow — no render decides the page count

→ continues

What changed (cont.)

A page carries **one** structural element; nothing packs to an authoring budget

→ continues

What changed (cont.)

Every run opens on a **cover** and closes on the section's **note and key insight**

→ continues

What changed (cont.)

Each page **names the next one**, so an atomized run still reads as one thing

→ next: the key insight

What changed

KEY INSIGHT

A deck is authored once. What it becomes should not depend on which machine renders it.

What a split page owes the reader

The one thing it holds, set at full size

→

What a split page owes the reader

01 **The one thing it holds, set at full size — not shrunk to share**

→ continues

What a split page owes the reader (cont.)

02 **A heading that says which run it belongs to**

→ next: A pointer to what comes next

What a split page owes the reader (cont.)

03 **A pointer to what comes next**

→ next: A way back to the whole

What a split page owes the reader (cont.)

04 **A way back to the whole — the k-of-N rail in the footer band**

→ next: An ending that says what the run meant

What a split page owes the reader (cont.)

05 An ending that says what the run meant

→ next: the note

What a split page owes the reader

✦ *list-criteria could not split at all before this change.*

How the cut was decided, over time

Opt-in per deck

An author who never heard of the flag got a clipped slide

Default-on for portrait

Right direction, wrong altitude — the directive was the thing to remove

Measured fit

The page count became a property of the renderer

Structure

Knowable from the markup, so the linter and the export agree

Reading a split run

Arrive	
R Meet the cover	☹
R Learn what the run is about	☹

R reader

PAIN 1 2 3 4 5 DELIGHT

→ next: Move

Reading a split run (cont.)

Move
Take one element per page
Follow the pointer to the next

reader

Pain 1 2 3 4 5 Delight

→ next: Close

Reading a split run (cont.)

Close

R Read the note and the insight together

R reader

PAIN 1 2 3 4 5 DELIGHT

→ next: the note

A chart splits when the splitter can reach its seam. On a tall deck journey stacks its stages, so each is a unit and this slide becomes three. On a wide deck the same list draws one grid over one shared axis, and the splitter declines.

Enrollment across the catalog

Enrolled →

Enrollment across the catalog

Enrolled — 31 of 61 components split, three of which could not before

→ next: Whole

Enrollment across the catalog (cont.)

Whole — the other 30 ring on overflow, each for a reason recorded in the kernel

→ next: Packed

Enrollment across the catalog (cont.)

Packed — none, at any count, on any component

→ next: Pointed

Enrollment across the catalog (cont.)

Pointed — every run carries a forward pointer; four components did before

→ next: the note

Enrollment across the catalog

✦ *A bold lead becomes the next page's pointer — unless it is a FIGURE, which yields to the name beneath it.*

More slides,
one thing each

Structure decides, not the renderer