AUTO-SPLIT · STRUCTURE DECIDES THE CUT

One thing per slide

A slide holding six things becomes six slides. The markup says how many, so every machine cuts the same deck the same way.

What changed

What changed

- The trigger is **structure**, not a measured overflow — no render decides the page count

→ continues

What changed (cont.)

- A page carries **one** structural element; nothing packs to an authoring budget

→ continues

What changed (cont.)

- Every run opens on a **cover** and closes on the section's **note and key insight**

→ continues

What changed (cont.)

- Each page **names the next one**, so an atomized run still reads as one thing

→ next: the key insight

What changed

KEY INSIGHT

A deck is authored once. What it becomes should not depend on which machine renders it.

What a split page owes the reader

What a split page owes the reader

01 **The one thing it holds, set at full size — not shrunk to share**

→ next: A heading that says which run it belongs…

What a split page owes the reader (cont.)

01 **A heading that says which run it belongs to**

→ next: A pointer to what comes next

What a split page owes the reader (cont.)

01 **A pointer to what comes next**

→ next: A way back to the whole — the k-of-N rail…

What a split page owes the reader (cont.)

01 **A way back to the whole — the k-of-N rail in the footer band**

→ next: An ending that says what the run meant

What a split page owes the reader (cont.)

01 **An ending that says what the run meant**

→ next: the note

What a split page owes the reader

✦ *list-criteria could not split at all before this change.*

How the cut was decided, over time

Opt-in per deck

An author who never heard of the flag got a clipped slide

Default-on for portrait

Right direction, wrong altitude — the directive was the thing to remove

Measured fit

The page count became a property of the renderer

Structure

Knowable from the markup, so the linter and the export agree

Reading a split run

Reading a split run

Arrive

- Meet the cover
- Learn what the run is about

Move

- Take one element per page
- Follow the pointer to the next

Close

- Read the note and the insight together

reader

Pain

→ next: Arrive

Reading a split run (cont.)



→ next: Arrive

Reading a split run (cont.)

Arrive

- R — Meet the cover
- R — Learn what the run is about

Move

- R — Take one element per page
- R — Follow the pointer to the next

Close

- R — Read the note and the insight together

R reader

2

→ next: Arrive

Reading a split run (cont.)

Arrive	
R	Meet the cover
R	Learn what the run is about
Move	
R	Take one element per page
R	Follow the pointer to the next
Close	
R	Read the note and the insight together

R reader

3

→ next: Arrive

Reading a split run (cont.)

Arrive

- R Meet the cover
- R Learn what the run is about

Move

- R Take one element per page
- R Follow the pointer to the next

Close

- R Read the note and the insight together

R reader

4

→ next: Arrive

Reading a split run (cont.)

Arrive

- R Meet the cover
- R Learn what the run is about

Move

- R Take one element per page
- R Follow the pointer to the next

Close

- R Read the note and the insight together

R reader

5

→ next: Arrive

Reading a split run (cont.)

Arrive

- R Meet the cover
- R Learn what the run is about

Move

- R Take one element per page
- R Follow the pointer to the next

Close

- R Read the note and the insight together

R reader

Delight

Enrollment across the catalog

Enrollment across the catalog

- **32 of 61** components split — four of them could not before

→ next: 29

Enrollment across the catalog (cont.)

- **29** are single structural elements already, and ring on overflow

→ next: 0

Enrollment across the catalog (cont.)

- **0** pack, at any count, on any component

→ next: Every

Enrollment across the catalog (cont.)

- **Every** run carries a forward pointer; four did before

→ next: the note

Enrollment across the catalog

Each of the 29 has its reason recorded in `lib/core/split-facts.js`*.*

More slides, one thing each

Structure decides, not the renderer