

FIT LADDER • SPLIT • #1234

A split that reads the other axis

Auto-split used to look only for vertical
spill. A row of members that ran off the
right edge was never handed to the
splitter, so it shipped clipped — and the
members
past the edge were simply gone from
the export.

Eight is where one palette cycle ends.

Past eight rows the categorical hues repeat, so eight is this layout's practical ceiling — which makes it the right stress case for a split that has to carry its framing forward.

The claim the ledger supports



Eight is where one palette cycle ends.

01 **Remember** Recall facts, syntax, rules.
How is this done?

→ next: Understand

Eight is where one palette cycle ends. (cont.)

02 **Understand** Explain behavior and dependencies.

Why does it work?

→ next: Apply

Eight is where one palette cycle ends. (cont.)

03 **Apply** Use patterns in new contexts.
How do I make it work here?

→ next: Analyze

Eight is where one palette cycle ends. (cont.)

04 **Analyze** Decompose across boundaries.

Where does it break?

→ next: Evaluate

Eight is where one palette cycle ends. (cont.)

05 **Evaluate** Judge options against strategy.

Which option should win?

→ next: Create

Eight is where one palette cycle ends. (cont.)

06 **Create** Synthesize what isn't there.
What should exist?

→ next: Transfer

Eight is where one palette cycle ends. (cont.)

07 **Transfer** Carry the judgment to new ground.

Where else does this hold?

→ next: Teach

Eight is where one palette cycle ends. (cont.)

08 **Teach** Make the reasoning reproducible.
Can someone else do this?

**A sideways stack
overflows sideways.**

Rows become columns →

A sideways stack overflows sideways.

Rows become columns.

The ranking now reads left to right.

→ next: Same card anatomy

A sideways stack overflows sideways. (cont.)

Same card anatomy.

Title, body, optional status pill.

→ next: Use for timelines

A sideways stack overflows sideways. (cont.)

Use for timelines.

Sequence feels natural sideways.

How the migration runs.

Freeze the schema →

How the migration runs.

STEP 01

Freeze the schema — no new columns until the cutover window closes.

→ next: Backfill the shadow table

How the migration runs.

(cont.)

STEP 02

**Backfill the shadow table —
replay six months of history
and reconcile.**

→ next: Dual-write both paths

How the migration runs.

(cont.)

STEP 03

**Dual-write both paths —
every write lands in old and
new, verified nightly.**

→ next: Flip the readers

How the migration runs.

(cont.)

STEP 04

Flip the readers — move traffic a service at a time, watching error rates.

→ next: Retire the old path

How the migration runs.

(cont.)

STEP 05

Retire the old path — drop the writes once a full week reads clean.

→ next: Archive the runbook

How the migration runs.

(cont.)

STEP 06

Archive the runbook — file the sign-off records with the control owners.

→ next: Close the gate

How the migration runs.

(cont.)

STEP 07

Close the gate — confirm the controls transferred to their named owners.

What changed

The veto asks whether splitting narrows the collection, not which way it overflowed. A flex row qualifies; a table does not — its width comes from its columns.