MERMAID · ONE READER OF FENCES

The export draws the fences the engine reads

The live preview and the exported file now agree on which blocks are diagrams, because both take the answer from the engine's own parse.

What changed, and why

ENGINE FENCES · THE EXPORT DRAWS EXACTLY THE MERMAID FENCES THE ENGINE PARSES

Before, the export found Mermaid fences with a reader of its own. It disagreed with the engine in three shapes:

- a fence inside an HTML block, which the engine reads as HTML;
- a fence inside a `$$` math block, which the engine reads as math;
- a fence whose body holds a line of three asterisks, which it refused to draw for fear of splitting a slide.

An ordinary fence draws as it always did.


ENGINE FENCES · THE EXPORT DRAWS EXACTLY THE MERMAID FENCES THE ENGINE PARSES



A fence in a list item keeps its place

ENGINE FENCES · THE EXPORT DRAWS EXACTLY THE MERMAID FENCES THE ENGINE PARSES

- The figure stays inside its item.



- The export reads the item exactly as the engine does.

A fence inside an HTML block is HTML

ENGINE FENCES · THE EXPORT DRAWS EXACTLY THE MERMAID FENCES THE ENGINE PARSES

~~~mermaid flowchart LR X --> Y ~~~

The engine reads this whole block as HTML, so the preview never drew it. The export used to draw it anyway; now it shows what the preview shows.
~~~

One reader, two surfaces

ENGINE FENCES · THE EXPORT DRAWS EXACTLY THE MERMAID FENCES THE ENGINE PARSES

- The engine parses the deck once.
- The export receives that parse's Mermaid fences.
- The preview draws the same ones.
- What you see while writing is what you get in the file.