

GRAPH SUBSTANCE · FOURTEEN MERMAID TYPES

# Diagrams

When the relationship between things is the message — flow, structure, hierarchy, cause. These are the shapes only a graph renderer draws; anything quantitative has a native chart, and this deck says which.

HOW TO READ THIS DECK

# Relationships, not quantities.

One product told two ways: the chart family plots its data, this deck maps its structure — the same Decision Framework, seen as a graph.

orientation • diagram survey

## **Reach for a diagram when the edges carry meaning**

A flowchart's arrows, an ER diagram's cardinality — the connections are the content, not decoration.

## **Let the diagram own at least half the slide**

If the heading dominates and the graph is a sidebar, it is a prose slide with a picture.

## **The palette drives every stroke automatically**

Mermaid pre-renders to SVG with theme tokens injected — dark and accent variants come free.


## **Quantitative shapes defer to charts**

Plans, proportions, positions, boards, and state machines each have a native chart — the last slide maps them.


GROUP 01 • FLOW & SEQUENCE

# How work moves through the system.


## How a raw signal becomes a logged decision.



## The score-and-decide handshake, actor by actor.




## Where a thousand signals actually end up.



GROUP 02 · STRUCTURE & SCHEMA


# The shape of the data and the code.

## The scoring engine as an object model.







# The decision log, table by table.



## What the audit demands, traced to what satisfies it.




# One decision-log record, field by bit.



GROUP 03 • HIERARCHY & SYSTEMS

**Wholes broken into  
parts, and parts wired  
together.**

# The whole framework, decomposed on one canvas.




## The SDK repository, folder by folder.


---

```
— /  
  |  
  └─ sdk/  
      |  
      └─ score.ts  
      |  
      └─ weights/  
          |  
          └─ load.ts  
          |  
          └─ calibrate.ts  
      |  
      └─ decide.ts  
  |  
  └─ package.json
```

## The same system, as deployed services.



# Who touches the framework, and how.






GROUP 04 • CAUSE, SET & HISTORY


Why something  
happened, what  
overlaps, and what  
shipped.

## Why per-team weighting stalled — the fishbone.




## Where the pilot audiences overlap.

---



## How the scoring model reached v2.1.



# When the shape is quantitative, use a native chart.

These shapes exist as both a Mermaid diagram and a native SVG-kernel component. Prefer the native one — it is themeable through tokens, lighter (no external renderer), and export-clean.

| WHEN YOU HAVE...                    | MERMAID WOULD DRAW       | PREFER THIS NATIVE COMPONENT                                                                  |
|-------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------|
| A dated plan or sequence of moments | gantt, timeline, journey | <code>gantt</code> · <code>timeline-list</code> · <code>roadmap</code> · <code>journey</code> |
| A proportion or a position on axes  | pie, quadrant, radar     | <code>piechart</code> · <code>quadrant</code> · <code>radar</code>                            |
| A board or a state machine          | kanban, stateDiagram     | <code>kanban</code> · <code>state-chart</code>                                                |

DIAGRAMS · GRAPH SUBSTANCE

# Reach for a diagram when the graph is the slide.

*Fourteen relational shapes, one palette, one  
product. For plotted data — proportions,  
positions, dated plans, boards — the native  
chart family renders it lighter and fully  
themeable.*